



**BOSCH**  
Invented for life

# Cooking Solutions.

Edition 2016



German  
Engineered

# Contents.

<b>Ovens</b>	<b>4 – 21</b>
Heating modes	14 – 15
Single ovens	16 – 18
Double oven	20
Freestanding cookers	20 – 21
<b>Compact appliances</b>	<b>22 – 33</b>
Combination steam ovens	28
Combination microwave ovens and microwave	28 – 29
Coffee machine	32
Warming drawers	32
<b>Electric cooktops</b>	<b>34 – 45</b>
Induction cooktops	40 – 42
Ceramic cooktops	44
<b>Gas cooktops</b>	<b>46 – 49</b>
<b>Rangehoods</b>	<b>50 – 57</b>
Canopy rangehoods	54 – 55
Integrated rangehoods	56 – 57
<b>Reference guides</b>	<b>58 – 68</b>
<b>Accessories for ovens, cookers and compact appliances</b>	<b>69 – 70</b>
Customer service	71

# When every single one of our appliances makes your life a little bit easier – that's Bosch in every detail.

We believe the perfect cooking appliance must be designed for one thing above all else: to make your time spent in the kitchen as pleasant as possible. Every detail of every appliance has been carefully designed, produced and tested by our engineers to fully satisfy the highest standards in quality, performance and convenience. The result is cutting-edge technology, timeless design and remarkable ease of use, reducing the workload for you and consistently delivering perfect results.

## Proven quality

We devote the same high level of care, passion and dedication to all areas of our work – from the first design draft right through to customer service. It's the same Bosch quality that you have been able to rely on for more than 128 years.

Bosch appliances offer premium quality, advanced technology, ease of operation and outstanding German engineered technology. These attributes have earned us many accolades, national, and international, such as the red dot design award, the iF design award and other endorsements year after year.



reddot  
International  
Design Award



## Top performance

What drives us every day is our desire to improve. We strive to make the best even better, by developing functional, durable and energy-efficient innovations that surpass all expectations. Take, for example, the PerfectBake sensor in our Series 8 ovens – perfectly baked pastries and cakes, at the touch of a button.

## Maximum convenience

Bosch is dedicated to making your life easier. Our innovative kitchen appliances are easy to use, and you won't waste a second trying to figure out how they work. Sophisticated features deliver the best results every time, and save you considerable effort and expense in the process.

The new generation of ovens.

## Put a new spin on your cooking career.

Using the highest quality stainless steel and glass, our ovens and compact appliances combine beautifully to deliver a timeless, elegant and stylish finish to any kitchen with sleek, co-ordinated lines and matching panels.

No matter how complicated a recipe may look, with the Series 8 ovens it will be a piece of cake. These cutting-edge ovens constantly monitor the progress of your cooking and automatically regulate temperature and length of time.





#### Built-in single ovens

Whether you're preparing poultry, meat, fish, vegetarian dishes, baked goods or desserts, your favourite dishes are always cooked to perfection – and it couldn't be easier. Now you have a master chef to help you in the kitchen: your oven.



#### Double oven

The Bosch double oven allows you to roast in the bottom oven cavity while grilling in the top oven for maximum cooking convenience.



#### Freestanding cookers

Each of the freestanding cookers offers reliable Bosch technology of the finest standard – technology that makes cooking, baking and roasting easy and more convenient.

## Ovens | Control panel

# We didn't reinvent the wheel. But we taught it how to cook.

Everything you need at hand: our intuitive control ring makes cooking easier than ever. With just a small turn of the stainless steel ring, you can adjust any of your oven's settings. The TFT-touch display, with its clear and straightforward design, guides you through the various menu options. This gives you full control over your dishes at all times.

## Control panel with TFT-touch display



You'll always have a complete overview and full control of all your oven's functions. The intuitive control ring and full-width, high-resolution clear-text TFT-touch display with direct select TouchControl-buttons make operating our ovens a breeze. Clear, vivid images and helpful prompts guide you through each step as you navigate through the various programme options.

## Control panel with TFT-display



Our intuitive control ring and display with direct select buttons make oven operation a pleasure from day one. Helpful icons inside the control ring provide all the information you need, making it very easy for you to keep track of the progress of your dishes.





## Ovens | Functions

# The first recipe collection in the form of an oven.

You could search through stacks of cookbooks and old family recipes without ever finding precise information on temperature or cooking time. Thanks to the Bosch DishAssist function for automatic oven settings, and the PerfectBake and PerfectRoast sensors you don't have to worry about that anymore. Of course, if you prefer to do it yourself, you can also select these settings yourself every bit as easily.



### DishAssist

DishAssist makes cooking easy with automatic oven settings, you simply select the desired dish in the control panel and your oven automatically sets the ideal heating mode, temperature and length of time.



### PerfectBake

Baking has never been easier. The PerfectBake sensor offers uniquely precise sensitivity, constantly measuring the moisture level of your dishes and automatically regulating the baking process. You'll never have to set the heating mode, length of time or temperature ever again – the PerfectBake sensor has it all under control. Simply select the type of dish, such as 'Cake', and press 'Start'. Your oven will do the rest. The result: bread, cake and quiche baked to perfection.



### PerfectRoast

Christmas turkey, Easter lamb or Sunday roast – with the PerfectRoast meat probe, you'll get perfect results every time. Just like a professional chef, but with total ease. Through several highly sensitive measuring points, the probe determines the core temperature of your roast to the exact degree and second, guaranteeing perfect roasting results. Another benefit: you can also use the meat probe in the microwave – and steam oven mode.





## Add a touch of steam.

Selected ovens are equipped with an added steam function to produce succulent roasts with crisp outer crusts as well as perfectly browned bread crusts. As you'd expect from any Bosch appliance, they are also easy to operate and clean.



### Added steam function

When you cook using one of our classic heating modes, dishes turn out even better if you add a little bit of moisture from time to time. And that's exactly what our added steam function does. You can use an added steam function like reheating or dough proving, or you can simply set the oven to automatically add steam and regulate its intensity.





#### **SoftOpen & SoftClose door**

Thanks to a special damping mechanism, the oven door can be opened and closed even more softly and quietly.

## Ovens | Features

## Perfect features.

Different people need different things in their kitchen, therefore Bosch ovens are available with a wide variety of features. Whether it concerns the interior lighting, the door or the rail system, with our ovens you can find the solution that fits you best.

**CoolTouch doors**

Of course, safety is of paramount importance: doors stay cool enough for comfortable handling while the oven is operating to provide maximum protection for large and small hands alike.

**Full glass inner door**

The full glass inner door has no joints or screws – a common area that can accumulate grease. For added convenience, the doors can be easily removed for cleaning.

**Enamel coating**

The grey enamel interior coating is easy-to-clean and the lighter colour improves visibility during cooking.

**Shelf systems**

Whether you choose an oven with a standard shelf system or one with single or double telescopic rails – all of our shelf systems are safe and easy to use. Selected telescopic rail sets are fully extendable – ideal for conveniently loading and removing baking trays. And for the first time, shelves are pyrolytic-proof and suitable for microwave and steam operation – Series 8 ovens only.

**Lighting versions**

Different lighting options guarantee optimal visibility – for example, the energy-saving lateral LED lights not only illuminate your dishes from all sides, but also save you money. The lateral LED lighting also offers separate illumination on each level, which is especially convenient when baking with multiple trays simultaneously.

**Oven clock and timer with programming**

The electronic clock displays time of day and also acts as a countdown timer with an audible beep to indicate the end of the timer function. Programming adds extra convenience. Simply select the end-time, the length of cooking, along with the cooking function and temperature, and the oven will do the rest.

**Precise temperature control**

Electronic thermostats monitor the oven's cavity temperature to maintain temperature consistency during the cooking process.

**Automatic safety switch-off**

The oven will switch-off after a specific period of time if left unattended.

**Child lock**

Selected Bosch ovens feature a child lock function. The entire oven can be disabled simply by activating the lock function, helping protect against unwanted use.

**EcoSilence Drive® motor**

All our Series 8 ovens have EcoSilence Drive® motors. The brushless direct current motor improves heat distribution and is designed for clockwise and anticlockwise rotation. The EcoSilence Drive® motor has more torque, but is also quiet, energy efficient and very reliable.

## Ovens | Cleaning

# At last, someone in the house who enjoys cleaning up.


Anyone who has ever cleaned an oven by hand knows how exhausting and time-consuming it can be. However, this chore is a thing of the past, thanks to our new EcoClean Direct cleaning aid and pyrolytic self-cleaning function. While the oven is in operation, the special EcoClean Direct coating works to reduce dirt accumulation. The pyrolytic cleaning function burns off grime at the touch of a button – so your oven practically cleans itself. You won't waste a minute on cleaning, leaving you more time to enjoy cooking.



### EcoClean Direct

While the oven bakes or roasts, the special direct coating of microfine ceramic particles on its interior walls absorbs grease and residue and breaks them down through oxidation. All you need to do is wipe the areas not coated with EcoClean. The direct coating also regenerates every time you heat the oven, and continues to do so for the entire service life of the appliance. To remove substantial residues, simply activate the EcoClean Direct cleaning programme.\*

\*Selected models only.



### Pyrolytic cleaning

When you activate the pyrolytic cleaning function, the oven heats up to an extremely high temperature and burns off any burned-on grease and food residue. All that's left is a little ash that you can easily remove with a paper towel. Depending on the degree of residue that has accumulated, select one of three different cleaning programmes and press 'Start' – your oven will do the rest for you. And because the baking trays and shelf rails\* are pyrolytic-proof, you can leave them in the oven during cleaning.

\*Series 8 oven models only.



on

menu




off



Cleaning type  
EcoClean Direct

00h 00m





#### 4D Hotair

Thanks to 4D Hotair, you can place your food on any shelf level from one to four and the results will be consistently perfect. Our new fan wheel makes it possible: it changes the direction of rotation during operation to distribute heat evenly on every level. And that's not all: with 4D Hotair, you can also bake and roast on up to four different levels simultaneously. For reliable results from top to bottom.

## Ovens | Heating modes

# Because there's hot – and then there's hot.

Truly perfect baking and roasting requires not only the ideal temperature, but also the appropriate heating mode. From 4D Hotair to Hotair Eco, Bosch ovens offer heating modes that deliver everything from haute cuisine to simple daily dishes.



### Hotair Eco

Hotair Eco is our improved version of convection, the heating mode most commonly used in homes. Thanks to special temperature controls, your oven maintains perfect temperature. This makes our ovens great for precision cooking on a single baking level – ideal for cakes, casseroles, meat dishes, frozen foods, and much more.



### Hot air grilling/circulated air grilling

An ideal cooking method for meat and poultry where a rotisserie effect is desired. The grill and fan operate alternately, circulating hot air around the food.



### Top and bottom heat Eco

In addition to classic top and bottom heat, Series 8 ovens feature a new eco-friendly mode for extremely efficient operation. Prepare perfect sponges, pound cakes, delicate pastries, bread and rolls while saving valuable energy.



### Pizza setting

Designed with the pizza-lover in mind, but equally useful for quiches and tarts, this innovative function delivers cooking power for a perfectly crisp, browned base while keeping the topping moist. Suitable also for frozen food. In many cases, preheating is not required.



### Bottom heating

Only the bottom element is used to generate heat. This method is ideal for reheating or for when a crisp underside is required for pizza bases and pastry cases. It can also be used for drying herbs and bain-marie cooking.



### Defrost

Perfect for gentle defrosting of meat, poultry, bread and much more.



### Rapid heating

Most Bosch ovens feature an automatic rapid heating function. On Top and Bottom heating, 200°C can be reached in approximately six minutes, and 175°C on 4D HotAir Plus heating can be reached in approximately five minutes.

## Other heating options



**Top and bottom heat**  
Uses both upper and lower heating elements.



**3D HotAir Plus**  
Cook on up to 3 levels simultaneously with even heat distribution.



**Slow cooking**  
For gentle, slow cooking of seared, tender pieces of meat.



**Plate warming**  
For preheating plates.



**Keeping warm**  
Keep food warm without spoiling or drying out.



**Full-width grill**  
Grill large quantities with precise temperature control.



**Half-width grill**  
Can select just the centre section of the grill.



**Intensive heat**  
Top element with a more powerful bottom heating element, perfect for crispy bases and tin bakery.

## Ovens | Pyrolytic

# Ovens.

Bosch ovens bring style and elegance to the kitchen.



### HNG6764S1A 60cm Stainless Steel Pyrolytic Oven

#### Heating functions

14 functions + 2 added steam + microwave

#### Capacity

67 litres cavity volume  
1 litre water tank  
5 shelf positions

#### Convenience

SoftOpen & SoftClose door  
DishAssist  
PerfectBake sensor  
PerfectRoast meat probe  
Added steam  
Microwave  
1 level telescopic rail – standard

#### Cleaning

Pyrolytic

#### Cavity Lighting

LED – ceiling & sides

#### Safety

Quadruple-glazed door  
Child lock

#### Dimensions (HxWxD)

595 x 595 x 548mm

For complete specifications see pg.58 – 59

### HRG6767S2A 60cm Stainless Steel Pyrolytic Oven

#### Heating functions

15 functions + 2 added steam

#### Capacity

71 litres cavity volume  
1 litre water tank  
5 shelf positions

#### Convenience

SoftOpen & SoftClose door  
DishAssist  
PerfectBake sensor  
PerfectRoast meat probe  
Added steam  
2 level telescopic rails – fully extendable

#### Cleaning

Pyrolytic

#### Cavity Lighting

LED – ceiling & sides

#### Safety

Quadruple-glazed door  
Child lock

#### Dimensions (HxWxD)

595 x 595 x 548mm

For complete specifications see pg.58 – 59

### HBG6767S1A 60cm Stainless Steel Pyrolytic Oven

#### Heating functions

13 functions

#### Capacity

71 litres cavity volume  
5 shelf positions

#### Convenience

SoftOpen & SoftClose door  
DishAssist  
PerfectBake sensor  
PerfectRoast meat probe  
2 level telescopic rails – fully extendable

#### Cleaning

Pyrolytic

#### Cavity Lighting

Halogen – ceiling

#### Safety

Quadruple-glazed door  
Child lock

#### Dimensions (HxWxD)

595 x 595 x 548mm

For complete specifications see pg.58 – 59



**HBG6753S1A**  
60cm Stainless Steel Pyrolytic Oven

**Heating functions**

13 functions

**Capacity**

71 litres cavity volume  
5 shelf positions

**Convenience**

SoftOpen & SoftClose door  
10 Auto Programs  
2 level telescopic rails – fully extendable

**Cleaning**

Pyrolytic

**Cavity Lighting**

Halogen – ceiling

**Safety**

Quadruple-glazed door  
Child lock

**Dimensions (HxWxD)**

595 x 595 x 548mm

Exclusive model. See website for stockists.

For complete specifications see pg.58 – 59

**HBG672BS1A**  
60cm Stainless Steel Pyrolytic Oven

**Heating functions**

8 functions

**Capacity**

71 litres cavity volume  
5 shelf positions

**Convenience**

SoftOpen & SoftClose door  
10 Auto Programs

**Cleaning**

Pyrolytic

**Cavity Lighting**

Halogen – ceiling

**Safety**

Quadruple-glazed door  
Child lock

**Dimensions (HxWxD)**

595 x 595 x 548mm

For complete specifications see pg.58 – 59

Ovens | EcoClean

# Ovens.

Bosch ovens bring style and elegance to the kitchen.



**HBG655HS1A**  
60cm Stainless Steel EcoClean Oven

**Heating functions**

13 functions

**Capacity**

71 litres cavity volume  
5 shelf positions

**Convenience**

SoftOpen & SoftClose door  
10 Auto Programs  
2 level telescopic rails – fully extendable

**Cleaning**

EcoClean Direct – rear, sides & ceiling

**Cavity Lighting**

Halogen – ceiling

**Safety**

Triple-glazed door  
Child lock

**Dimensions (HxWxD)**

595 x 595 x 548mm

*For complete specifications see pg.58 – 59*

**HBG655HW1A**  
60cm White EcoClean Oven

**Heating functions**

13 functions

**Capacity**

71 litres cavity volume  
5 shelf positions

**Convenience**

SoftOpen & SoftClose door  
10 Auto Programs  
2 level telescopic rails – fully extendable

**Cleaning**

EcoClean Direct – rear, sides & ceiling

**Cavity Lighting**

Halogen – ceiling

**Safety**

Triple-glazed door  
Child lock

**Dimensions (HxWxD)**

595 x 595 x 548mm

*For complete specifications see pg.58 – 59*

**HBG633BS1A**  
60cm Stainless Steel EcoClean Oven

**Heating functions**

10 functions

**Capacity**

71 litres cavity volume  
5 shelf positions

**Convenience**

SoftOpen & SoftClose door

**Cleaning**

EcoClean Direct – rear wall

**Cavity Lighting**

Halogen – ceiling

**Safety**

Triple-glazed door  
Child lock

**Dimensions (HxWxD)**

595 x 595 x 548mm

*For complete specifications see pg.58 – 59*



# Ovens | Other

## Ovens.



**HVA541NS0**  
90cm Stainless Steel Catalytic Oven

**Heating functions**

9 functions

**Capacity**

77 litres cavity volume  
4 shelf positions

**Convenience**

Electronic clock/timer  
1 level telescopic rail - standard

**Cleaning**

Catalytic liners - rear wall & sides

**Cavity Lighting**

Halogen - sides

**Safety**

Triple-glazed door  
Child lock

**Dimensions (HxWxD)**

478 x 896 x 568mm

*For complete specifications see pg.58 – 59*



**HBM43S550A**  
60cm Stainless Steel EcoClean  
Double Oven

**Heating functions**

3 functions – top oven  
5 functions – bottom oven

**Capacity**

35 litres cavity volume – top oven  
67 litres cavity volume – bottom oven  
2 shelf positions – top oven  
5 shelf positions – bottom oven

**Convenience**

Electronic touch-control clock/timer  
2 level telescopic rail – standard  
(bottom oven)

**Cleaning**

EcoClean liners – rear wall, side walls & ceiling (both cavities)

**Cavity Lighting**

1 lamp – ceiling (top & bottom oven)

**Safety**

Triple-glazed door  
Child lock

**Dimensions (HxWxD)**

888 x 595 x 550mm

*For complete specifications see pg.58 – 59*



**HSB738357A**  
90cm Freestanding Gas/Catalytic Oven

**OVEN**

**Heating functions**

8 functions

**Capacity**

112 litres cavity volume  
4 shelf positions

**Convenience**

Electronic touch-control clock/timer  
1 level telescopic rail - standard  
Rotisserie kit  
Storage compartment  
Height-adjustable legs

**Cleaning**

Catalytic liners – rear wall & sides

**Safety**

Triple-glazed door

**COOKTOP**

**Heating functions**

6 gas burners:  
1 x wok burner,  
1 x high-speed burner,  
2 x standard burners,  
2 x economy burners

**Convenience**

One-hand ignition via control knobs  
3 pc cast-iron pan supports

**Safety**

Flame failure

**Other**

Suitable for NG or LPG

**Dimensions (HxWxD)**

900 x 898 x 600mm

*For complete specifications see pg.60 – 61*



**HGD74W455A**  
60cm Freestanding Gas/Catalytic Oven

**OVEN**

**Heating functions**

8 functions

**Capacity**

67 litres cavity volume  
5 shelf positions

**Convenience**

Electronic touch-control clock/timer  
2 level telescopic rail – standard  
Storage compartment  
Height-adjustable legs

**Cleaning**

Catalytic liners – rear wall & sides

**Safety**

Triple-glazed door  
Child lock

**COOKTOP**

**Heating functions**

4 gas burners:  
1 x wok burner,  
2 x standard burners,  
1 x economy burner

**Convenience**

One-hand ignition via control knobs  
2 pc cast-iron pan supports

**Safety**

Flame failure

**Other**

Suitable for NG or LPG

**Dimensions (HxWxD)**

900 x 600 x 600mm

*For complete specifications see pg.60 – 61*



**HCA858450A**  
60cm Freestanding Induction/Pyrolytic Oven

**OVEN**

**Heating functions**

10 functions  
AutoPilot40

**Capacity**

67 litres cavity volume  
5 shelf positions

**Convenience**

Electronic touch-control clock/timer  
SoftClose door  
Height-adjustable legs

**Cleaning**

Pyrolytic cleaning

**Safety**

Quadruple-glazed door  
Child lock

**COOKTOP**

**Heating functions**

4 induction cooking zones  
1 CombiZone  
MoveMode (2 levels)  
17-stage power setting  
PowerBoost setting for each zone

**Convenience**

Electronic +/- touch-controls & timer  
for each zone  
WipeProtection

**Safety**

2-stage residual heat indicators  
Child lock

**Dimensions (HxWxD)**

900 x 600 x 600mm

*For complete specifications see pg.60 – 61*



**HCA854450A**  
60cm Freestanding Ceramic/Pyrolytic Oven

**OVEN**

**Heating functions**

10 functions  
AutoPilot40

**Capacity**

67 litres cavity volume  
5 shelf positions

**Convenience**

Electronic touch-control clock/timer  
SoftClose door  
Height-adjustable legs

**Cleaning**

Pyrolytic cleaning

**Safety**

Quadruple-glazed door  
Child lock

**COOKTOP**

**Heating functions**

4 ceramic cooking zones  
17-stage power setting

**Convenience**

Electronic +/- touch-controls & timer  
for each zone

**Safety**

4-stage residual heat indicators  
Child lock

**Dimensions (HxWxD)**

900 x 600 x 600mm

*For complete specifications see pg.60 – 61*



 BOSCH

 BOSCH

 BOSCH



The new generation of compacts.

## Compact appliances.

Bosch compact appliances offer exceptional cutting-edge features and extras. Matching control panels mean that you can mix and match full size and compact appliances for a coordinated look. With electronic controls, operating functions are harmonised for easy use.



### Combination steam ovens

Cooking with steam helps retain vitamins and minerals in fresh foods as well as maintain original colour, shape and consistency.



### Combination microwave ovens

Discover the speed and versatility of microwave technology. With the combination microwave oven you can add speed to your traditional cooking process without compromising on taste.




### Microwave with grill

Standard microwave cooking, with the addition of a grill to offer more cooking options.



### Coffee machine

Whether your preference is a Latte or a double shot Cappuccino, our compact coffee machine brings café-style drinks to your home.



### Warming drawers

Bosch warming drawers ensure food stays just at the right serving temperature. You can gently defrost, prove dough or slow cook. They are the perfect partner for Bosch's Series 8 60cm wide built-in ovens and compact appliances.



 **BOSCH**



The new Series 8 generation of combination steam ovens.

## Steams so gently that even vitamins stay for dinner.

There is no healthier or tastier way to prepare food than in a Series 8 combination steam oven. When gently cooked in steam, foods retain their vitamins and aroma while bringing out their full and natural flavour. Vegetables stay crisp, while poultry and fish remain juicy and tender. With steam, you can even cook without adding oil or fat. Thanks to its integrated water tank, the oven doesn't need a direct water connection, giving you much more flexibility in choosing its location.

### Menu cooking


With the Series 8 combination steam oven, you can prepare an entire set menu using up to three levels at once. Salmon with asparagus and rosemary potatoes? Cook them all together and everything will turn out perfectly. Need to prepare dessert, too? No problem. Thanks to the moisture in the oven, there's no intermingling of flavours – each dish retains its own authentic flavour.

### Preserving vitamins and minerals

Dishes that are cooked in hot steam not only retain their vitamins and minerals, but also their full, natural flavour. So you can also go easy on the extra seasoning, and use much less salt when cooking. In short, healthy food has never tasted better.



### Mineral content





 **BOSCH**

on  
off

90 180  
360 600 900





start  
stop

The new Series 8 microwave and combination microwave

## Some gourmets shouldn't be kept waiting.

Sometimes you just can't get food to the table fast enough. Our new Series 8 microwave and combination microwave ovens help you speed up the cooking process and give you perfect control over your menu and your schedule. Whether you're heating food, pre-cooked meals or frozen foods, you'll get outstanding results quickly, hygienically and without compromising on taste. So instead of killing time waiting for dinner to be ready, you and your loved ones will have much more time to enjoy it.

### **Power levels and automatic programmes**

Our Series 8 microwave with high-resolution TFT displays allow you to heat, defrost, roast or grill anything – thanks to 900 watts with five power levels and, depending on the model, also with an additional 1,300 watt grill with three power levels. The AutoPilot programme also helps you achieve the best possible results with next to no effort. Just insert your roast, enter its weight and select the right programme from the menu. The rest takes care of itself.

### **The best of both worlds**

Our Series 8 compact combination microwave ovens are multi-talented appliances. They have all the classic heating methods of a standard 60cm oven, like conventional top and bottom heat, plus they have the practical functions of a microwave. This means you can use your combination microwave oven as just an oven, or just a microwave or you can combine these functions to get the best of both worlds. For example, you can thaw out something frozen first and then bake or roast it immediately, enabling you to achieve perfect baking and roasting results very quickly. Plus the handy, compact size of these compact combination microwave ovens mean they are the perfect solution for people with small kitchens and big ideas.



## Compacts | Ovens

## Compact appliances.

The collection of Bosch compact built-in appliances are designed to give you perfect symmetry in your kitchen.


**CSG656RS1A**  
**60cm Stainless Steel Combination**  
**Steam Oven**
**Heating functions**

14 functions + 4 steam

**Capacity**

47 litres cavity volume

1 litre water tank

3 shelf positions

**Convenience**

SoftOpen &amp; SoftClose door

DishAssist

PerfectBake sensor

PerfectRoast meat probe

1 level telescopic rail – fully extendable

**Cleaning**

EcoClean Direct – rear, sides &amp; ceiling

**Cavity Lighting**

LED – ceiling

**Safety**

Triple-glazed door

Child lock

**Dimensions (HxWxD)**

455 x 595 x 548mm

*For complete specifications see pg.62*

**CSG656BS1B**  
**60cm Stainless Steel Combination**  
**Steam Oven**
**Heating functions**

12 functions + 4 steam

**Capacity**

47 litres cavity volume

1 litre water tank

3 shelf positions

**Convenience**

SoftOpen &amp; SoftClose door

DishAssist

**Cleaning**

EcoClean Direct – rear, sides &amp; ceiling

**Cavity Lighting**

LED – ceiling

**Safety**

Triple-glazed door

Child lock

**Dimensions (HxWxD)**

455 x 595 x 548mm

*For complete specifications see pg.62*

**CMG656RS1A**  
**60cm Stainless Steel Combination**  
**Microwave Oven**
**Heating functions**

12 functions + microwave

**Capacity**

45 litres cavity volume

3 shelf positions

**Convenience**

SoftOpen &amp; SoftClose door

DishAssist

PerfectBake sensor

PerfectRoast meat probe

**Cleaning**

EcoClean Direct – rear, sides &amp; ceiling

**Cavity Lighting**

LED - ceiling

**Safety**

Quadruple-glazed door

Child lock

**Dimensions (HxWxD)**

455 x 595 x 548mm

*For complete specifications see pg.62*



**CMG676BS1A**  
60cm Stainless Steel Combination  
Microwave Oven

**Heating functions**

12 functions + microwave

**Capacity**

45 litres cavity volume  
3 shelf positions

**Convenience**

SoftOpen & SoftClose door  
DishAssist

**Cleaning**

Pyrolytic

**Cavity Lighting**

LED – ceiling

**Safety**

Quadruple-glazed door  
Child lock

**Dimensions (HxWxD)**

455 x 595 x 548mm

*For complete specifications see pg.62*



**CMG633BS1B**  
60cm Stainless Steel Combination  
Microwave Oven

**Heating functions**

6 functions + microwave

**Capacity**

45 litres cavity volume  
3 shelf positions

**Convenience**

SoftOpen & SoftClose door  
13 Auto Programs

**Cavity Lighting**

LED – ceiling

**Safety**

Triple-glazed door  
Child lock

**Dimensions (HxWxD)**

455 x 595 x 548mm

*For complete specifications see pg.62*



**BEL634GS1A**  
60cm Stainless Steel Microwave

**Heating functions**

Microwave + grill

**Capacity**

21 litres cavity volume

**Convenience**

Bottom control panel  
Left hand hinge  
10 Auto Programs

**Cavity Lighting**

LED – ceiling

**Dimensions (HxWxD)**

382 x 594 x 318mm

*For complete specifications see pg.62*

The new Series 8 built-in coffee machine.

# Now your favourite café is open 24/7.

Espresso, cappuccino or latte macchiato? With the Series 8 built-in coffee machine, you can treat yourself and your guests to any beverage at the touch of a button. Bosch Barista technology guarantees a full-bodied aroma and perfect crema – for coffees as delicious as those brewed in your favourite café.



#### SensoFlow system for a perfect aroma

The optimal brewing temperature for an espresso is between 90°C and 95°C. If the temperature is any higher or lower, the flavour of the beans is only partially released or the coffee is bitter. Our smart SensoFlow system heats the water to just the right temperature, for a full-bodied espresso aroma from the first cup to the last.



#### A choice of coffee at the touch of a button

Want the perfect espresso, cappuccino or latte macchiato? With the OneTouch function, it'll be ready in an instant. Innovative technology regulates the release of coffee, hot milk and foam to deliver the beverage of your choice at the touch of a button.



#### Automatic cleaning of the milk system

Now you can clean your coffee maker as easily as you prepare your morning pick-me-up. Each time you make a coffee drink with milk, the milk system is automatically rinsed out with a blast of steam. The coffee machine takes total charge of the milk system's daily maintenance, so that you can concentrate on enjoying your cappuccino or latte macchiato.





BOSCH

BOSCH

Compacts | Other

# Compact appliances.



**CTL636ES1**  
60cm Stainless Steel Coffee Machine

**Heating function**

SensoFlow system

**Capacity**

2.4 litre water tank  
1kg coffee bean container

**Convenience**

Programmable options  
CreamPro milk nozzle  
AromaPro brewing  
19 bar pressure

**Cleaning**

Descaling programs  
Auto Cleaning Milk system

**Lighting**

Display lighting

**Safety**

Locking function

**Dimensions (HxWxD)**

455 x 594 x 375mm

For complete specifications see pg.63

**BID630NS1A**  
60cm Stainless Steel Warming Drawer

**Heating function**

40°C – 80°C temperature control

**Capacity**

52 litres cavity volume  
290mm height

**Convenience**

Fully extendable drawer  
Ceramic glass base element  
Push open drawer

**Dimensions (HxWxD)**

290 x 595 x 544mm

For complete specifications see pg.63

**BIC630NS1A**  
60cm Stainless Steel Warming Drawer

**Heating function**

40°C – 80°C temperature control

**Capacity**

20 litres cavity volume  
140mm height

**Convenience**

Fully extendable drawer  
Ceramic glass base element  
Push open drawer

**Dimensions (HxWxD)**

140 x 595 x 544mm

For complete specifications see pg.63




 BOSCH



The new generation of electric cooktops.


## Electric cooktops.

There is a wide range of induction and ceramic cooktops to choose from. As you would expect from Bosch, all are made using high-quality materials, are easy to use and add versatility, style and elegance to any kitchen.




### FlexInduction cooktops

There's no limitation to how you arrange your pots on the cooktop – the choice is all yours with Bosch's FlexInduction. You can use your cooktop like a conventional induction cooktop with separate cooking zones, or at the touch of a button, combine them to make large continuous cooking zones. This gives you additional space on which you can place a large cookware item, such as roasters, teppanyaki grills or roasters with steaming units. For even more freedom, there are extended zones to provide up to 20% more space.



### Induction cooktops

With induction cooktops, heat is only generated where it is really needed – the underside of the pot. This means that water in an induction pot is not only heated faster, it is also safer as the minimal heating of the cooktop glass means that fingers are not at risk of being burnt. In addition, thanks to the automatic pot detection function, the cooktop switches off automatically when there is no pot on the cooking zone.



### Ceramic cooktops

With their electronic touch-controls and flexible cooking zones, Bosch ceramic cooktops combine great looks with smart function and design.

Electric cooktops | Induction

# Set to the perfect level. Cooked to the perfect consistency.

Features that don't just provide you with ultimate convenience, but produce the best results too.



### There are many ways to make a perfect steak. Here's a shortcut.

The right temperature is crucial for successful frying. The new PerfectFry sensor automatically monitors the frying temperature and adjusts it as required to ensure perfectly-fried dishes.

Perfectly frying food starts with getting the temperature right for the oil. Different types of oil have different smoke points and without exact temperature management, food can be burnt easily. For example, the smoke point of sunflower oil is 210 - 225°C, while that of virgin oil is just 130 - 180°C. PerfectFry shows you when the ideal temperature for adding the oil to the pan has been reached by giving off visual and audio alerts, and the temperature is automatically regulated, allowing your food to be fried at the optimum heat.



### Boiling over is over forever with the Bosch PerfectCook sensor.

The PerfectCook sensor provides precise temperature control while cooking, so you never have to worry about your pots boiling over again. The PerfectCook sensor is magnetically attached to the pot and sends information to the cooktop. The PerfectCook mode is activated by pressing a button on the sensor and confirming the chosen cooking zone on cooktop. Visual and audible feedback is provided when the desired temperature has been reached.



### Induction cooktops with MoveMode

Cooking with MoveMode is totally intuitive and convenient. With conventional cooktops, you have to boil your soup at level 9, let it cook at level 5 and then simmer it at level 1 by adjusting the temperature yourself. With MoveMode FlexInduction zones, the cooktop does it for you. The FlexZone divides itself into three different areas, preset at levels 9, 5 and 1 when MoveMode is activated. You don't have to change the power level by changing the settings, you just have to move the pot along the flex zone. This makes cooking simple, convenient and easy.





Electric cooktops | Induction

# The best cooking needs just one ingredient. Bosch Induction.


Modern cooking offers so many wonderful new tastes and textures, you need a cooktop that's flexible enough to keep up.

### Old pots, new technology

Most of your old pots will work with induction if they have a magnetic base. All pots and pans with ferromagnetic bases are suitable for induction. So, if a fridge magnet sticks to your pot, you know it's induction-ready. In general, special stainless steel, iron and enamel are all suitable.

### Cooking speed

Time required to heat 2 litres of water from 15°C – 90°C



Source: BSH Hausgeräte GmbH Germany (overseas test results)



### DirectSelect Premium controls

The DirectSelect Premium touch control interfaces has a simple, elegant design. It offers easy, direct control with one of the widest power level selectors in the market. The 17 power levels are clearly shown and can be selected directly, and the interface offers visual feedback of the chosen power setting through the light line.




### DirectSelect controls

Maintain control even in the most hectic kitchen situations. Select your desired power level – including intermediate levels – with complete accuracy.



### CombiZone

With CombiZone, two single cooking zones can be combined into one large zone. The CombiZone enables the consumer to cook with large oval or rectangular cookware such as roasters, steamers, Teppan Yaki or grill plates.





### PanBoost

With PanBoost (ShortBoost), you can now heat pots and pans even faster – without the fear of damaging them due to overheating. The PanBoost function can be easily selected via the interface and matched to the requirements for food preparation, such as whether oil or water is going to be heated. This means the pan is ready to be used for frying after approximately 30 seconds.



### 17-stage power setting

Enjoy total control on every recipe with 17-stage power settings. This function allows cooking zones to be set in increments of 0.5 (e.g. 0.5, 1, 1.5, 2...9).



### PowerBoost

PowerBoost channels increased power to a selected zone to turbocharge the cooking process. With PowerBoost, you can boil 2 litres of water almost three times faster than on a conventional glass-ceramic cooktop.



### Dual function timer including automatic switch-off for each zone

Use the independent audible timer to set the length of cooking time or set the cooking zone at a specific temperature (i.e. level 5.5) for up to 99 minutes – ideal for busy households. Once the selected time has been reached, the cooking zone is switched off automatically.



### Automatic pot detection

Bosch Induction cooktops feature automatic pot detection, which recognises the diameter of the cookware and determines the size of the cooking zone accordingly. If the pot is removed, the control panel indicator will flash and remain inactive until the pot is detected.



### QuickStart

Start cooking quicker. Bosch QuickStart functionality automatically detects the location of your pot and displays the cooking zone on the control panel. Just select the power level and you're away.

Available on selected models only.



### ReStart

Things happen quickly in the kitchen – if you spill something on the control panel or accidentally switch-off the cooktop, ReStart will store your last selected settings. Those settings can be instantly recalled by simply pressing the main power switch within 4 seconds.

Available on selected models only.



### Energy Consumption Display

Each time you finish cooking, your Energy Consumption Display shows exactly how much power you've used. So if you wish, you can adapt your cooking style to save energy and money. (For example, placing a lid on a pot can help reduce your energy consumption).

Available on selected models only.



### WipeProtection

Stay in complete cooking control even while you've had a spill or boil-over. Bosch WipeProtection locks the control panel for 20 seconds so you can clean the surfaces easily, without losing your cooking settings.



### Child lock

Maximum safety for tiny hands. Lock your cooktop's control panel and prevent accidental little chefs from 'helping out' and hurting themselves. Enjoy the reassurance of maximum safety for both you and your loved ones.



### 2-stage residual heat indicators

Provides clear indication of when a zone is still hot after use. Two levels: 'H' means residual heat sufficient to finish off cooking or to keep items warm; 'h' - residual heat insufficient to cook, but zone is still hot enough to advocate caution.





### Automatic safety switch-off

Never worry again if you have forgotten to turn off the cooktop. If you've stopped using it, your Bosch Induction cooktop will automatically shut down.

Electric cooktops | FlexInduction

# Induction cooktops.

Cooking with induction provides faster results and efficient cooking at higher and lower temperatures. The DirectSelect Premium and DirectSelect intuitive controls all boast 17-stage power settings. Bosch Induction cooktops make the entire cooking process so much easier to manage.



## PXX975DC1E 90cm FlexInduction Cooktop

### Heating functions

- 5 Induction cooking zones
- 3 FlexInduction zones
- MoveMode (3 levels)
- PerfectFry sensor with 5 temperature settings
- 17-stage power setting
- PowerBoost for each zone

### Convenience

- DirectSelect Premium controls
- Multiple timer with auto switch-off for each zone
- Automatic pot detection
- QuickStart
- ReStart
- Energy consumption display

### Cleaning

- WipeProtection function

### Safety

- Safety switch off
- Residual heat indicators
- Child lock

### Dimensions (WxD)

916 x 527mm

For complete specifications see pg.64

## PXY875DE1E 80cm FlexInduction Cooktop

### Heating functions

- 4 Induction cooking zones
- 2 FlexInduction zones with extendable zones
- MoveMode (3 levels)
- PerfectFry sensor with 5 temperature settings
- PerfectCook sensor
- 17-stage power setting
- PowerBoost for each zone

### Convenience

- DirectSelect Premium controls
- Multiple timer with auto switch-off for each zone
- Automatic pot detection
- QuickStart
- ReStart
- Energy consumption display
- Automatic setting transfer

### Cleaning

- WipeProtection function

### Safety

- Safety switch off
- Residual heat indicators
- Child lock

### Dimensions (WxD)

816 x 527mm

For complete specifications see pg.64

## PXE875DC1E 80cm FlexInduction Cooktop

### Heating functions

- 4 Induction cooking zones
- 1 FlexInduction zone
- MoveMode (3 levels)
- PerfectFry sensor with 5 temperature settings
- 17-stage power setting
- PowerBoost for each zone

### Convenience

- DirectSelect Premium controls
- Multiple timer with auto switch-off for each zone
- Automatic pot detection
- QuickStart
- ReStart
- Energy consumption display

### Cleaning

- WipeProtection function


### Safety

- Safety switch off
- Residual heat indicators
- Child lock

### Dimensions (WxD)

816 x 527mm

For complete specifications see pg.64



#### PXY675DC1E 60cm FlexInduction Cooktop

##### Heating functions

4 Induction cooking zones  
2 FlexInduction zones with extendable zones  
MoveMode (3 levels)  
PerfectFry sensor with 5 temperature settings  
17-stage power setting  
PowerBoost for each zone

##### Convenience

DirectSelect Premium controls  
Multiple timer with auto switch-off for each zone  
Automatic pot detection  
QuickStart  
ReStart  
Energy consumption display  
Automatic setting transfer

##### Cleaning

WipeProtection function

##### Safety

Safety switch off  
Residual heat indicators  
Child lock

##### Dimensions (WxD)

606 x 527mm

Exclusive model. See website for stockists.

For complete specifications see pg.64



#### PXX675FC1E 60cm FlexInduction Cooktop

##### Heating functions

4 Induction cooking zones  
2 FlexInduction zones  
PerfectFry sensor with 5 temperature settings  
17-stage power setting  
PowerBoost for each zone

##### Convenience

DirectSelect controls  
Multiple timer with auto switch-off for each zone  
Automatic pot detection  
QuickStart  
ReStart  
Energy consumption display

##### Cleaning

WipeProtection function


##### Safety

Safety switch off  
Residual heat indicators  
Child lock

##### Dimensions (WxD)

606 x 527mm

For complete specifications see pg.64



#### PXE651FC1E 60cm FlexInduction Cooktop

##### Heating functions

4 Induction cooking zones  
1 FlexInduction zone  
PerfectFry sensor with 5 temperature settings  
17-stage power setting  
PowerBoost for each zone

##### Convenience

DirectSelect controls  
Multiple timer with auto switch-off for each zone  
Automatic pot detection  
QuickStart  
ReStart  
Energy consumption display

##### Cleaning

WipeProtection function

##### Safety

Safety switch off  
Residual heat indicators  
Child lock


##### Dimensions (WxD)

592 x 522mm

For complete specifications see pg.64

Electric cooktops | Induction

# Induction cooktops.



## PIE675DC1E 60cm Induction Cooktop

### Heating functions

4 Induction cooking zones  
PerfectFry sensor with 5 temperature settings  
17-stage power setting  
PowerBoost for each zone

### Convenience

DirectSelect Premium controls  
Multiple timer with auto switch-off for each zone  
Automatic pot detection  
QuickStart  
ReStart  
Energy consumption display

### Cleaning

WipeProtection function

### Safety


Safety switch off  
Residual heat indicators  
Child lock

### Dimensions (WxD)

606 x 527mm

Exclusive model. See website for stockists.

For complete specifications see pg.65



## PIE631FB1E 60cm Induction Cooktop

### Heating functions

4 Induction cooking zones  
17-stage power setting  
PowerBoost for each zone

### Convenience

DirectSelect controls  
Multiple timer with auto switch-off for each zone  
Automatic pot detection  
QuickStart  
ReStart  
Energy consumption display

### Cleaning

WipeProtection function

### Safety

Safety switch off  
Residual heat indicators  
Child lock

### Dimensions (WxD)

592 x 522mm

For complete specifications see pg.65



## PXX375FB1E 30cm FlexInduction Cooktop

### Heating functions

2 Induction cooking zones  
1 FlexInduction zone  
17-stage power setting  
PowerBoost for each zone

### Convenience

DirectSelect controls  
Multiple timer with auto switch-off for each zone  
Automatic pot detection  
QuickStart  
ReStart  
Energy consumption display

### Cleaning

WipeProtection function

### Safety

Safety switch off  
Residual heat indicators  
Child lock

### Dimensions (WxD)

306 x 527mm


For complete specifications see pg.64



Electric cooktops | Ceramic

# Ceramic cooktops.

With electronic touch-controls and extendable cooking zones, Bosch ceramic cooktops combine great looks with smart function and design. The smooth ceramic glass cooktop surface is tough and durable as well as being practical and easy-to-clean.



## PKN675DB1A 60cm Ceramic Cooktop

### Heating functions

- 4 HighSpeed cooking zones
- 1 Dual zone
- 1 Extendable roasting zone
- 17-stage power setting

### Convenience

- DirectSelect Premium controls
- Multiple timer with auto switch-off for each zone
- Automatic electronic boil start
- Keep warm function
- ReStart

### Cleaning

- WipeProtection function


### Safety

- 2-stage residual heat indicators
- Child lock

### Dimensions (WxD)

606 x 527mm

For complete specifications see pg.65



## PKE645C17A 60cm Ceramic Cooktop

### Heating functions

- 4 HighSpeed cooking zones
- 9-stage power setting

### Convenience

- Rotary control knobs

### Safety

- 4-stage residual heat indicators

### Dimensions (WxD)

583 x 513mm

For complete specifications see pg.65



### Dual circuit cooking zone

Available on selected ceramic cooktops, this energy-saving feature allows you to select a smaller cooking zone for small pans, and a larger zone for larger pans.



### Extendable zone

Selected cooking zones can be extended giving you a much larger area to accommodate big saucepans, casserole and other (special) cooking dishes.



### Automatic electronic boil start

The automatic electronic boil start heats the hotplate using the highest heat setting and then reverts down to the simmer setting you have previously selected, reducing the risk of boil overs.



### QuickTherm technology

For improved control and flexibility, heat is delivered to the cooking zone in approximately three seconds. This feature is quicker than standard ceramic zones or electric-sealed plates.

PKN672DB1A



 **BOSCH**

The new generation of gas cooktops.

# Gas cooktops.

Our German-designed gas cooktops are available in a range of different styles.





### Stainless steel cooktops

With a stainless steel base, all models offer a flame failure device. Other features include up to six burners, a dedicated wok burner for high intensity cooking and cast-iron pan supports.



### Control dials

The control dials match the design of our range of ovens so that you can perfectly coordinate your appliances.



### Cast-iron supports

Cast-iron pan supports are both stylish and highly durable, providing solid and robust support for your cooking pans.



### High-power wok-style burner

Selected gas cooktop models feature a powerful wok-style burner, which provides up to 18Mj/h. Suitable for use with flat-based pans or with a wok using the wok ring provided.



### Flexible burners

All our gas cooktops feature different burner combinations for greater flexibility. With wok, high-speed, standard and economy burners, you can cook more efficiently with the burner most suited to the size of the pan.



### Flame failure device

For added safety, all Bosch gas cooktops feature a flame failure device. This feature stops the supply of gas to the burners if the flame is extinguished.

### One-hand ignition

Push and turn the ergonomically designed control knobs and the gas ignites automatically. As well as offering the convenience of only using one-hand, there is also no separate ignition button to clean.

## Gas cooktops

## Gas cooktops.

The cooktop of choice in most professional kitchens, modern gas cooktops are as stylish as they are practical.


**PCR915B91A**  
**90cm Stainless Steel Gas Cooktop**
**Heating functions**

- 5 burners
- 1 x 18Mj/h dual flame wok burner
- 1 high-speed burner
- 2 standard burners
- 1 economy burner

**Convenience**

- One-hand ignition via control knobs
- 3 pc cast-iron pan supports

**Safety**

- Flame failure

**Dimensions (WxD)**

915 x 520mm

**Other**

- Suitable for NG or LPG

*For complete specifications see pg.68*


**PCT915B9TA**  
**90cm Stainless Steel Gas Cooktop**
**Heating functions**

- 6 burners
- 2 x 18Mj/h dual flame wok burner
- 2 standard burners
- 2 economy burners

**Convenience**

- One-hand ignition via control knobs
- 3 pc cast-iron pan supports

**Safety**

- Flame failure

**Dimensions (WxD)**

915 x 520mm

**Other**

- Suitable for NG or LPG

*For complete specifications see pg.68*


**PCI815B91A**  
**75cm Stainless Steel Gas Cooktop**
**Heating functions**

- 4 burners
- 1 x 14.4Mj/h triple flame wok burner
- 1 high-speed burner
- 1 standard burner
- 1 economy burner

**Convenience**

- One-hand ignition via control knobs
- 2 pc cast-iron pan supports

**Safety**

- Flame failure

**Dimensions (WxD)**

762 x 520mm

**Other**

- Suitable for NG or LPG

*For complete specifications see pg.68*



**PCQ715B90A**  
70cm Stainless Steel Gas Cooktop

**Heating functions**

5 burners  
1 x 14.4Mj/h triple flame wok burner  
1 high-speed burner  
2 standard burners  
1 economy burner

**Convenience**

One-hand ignition via control knobs  
2 pc cast-iron pan supports

**Safety**

Flame failure

**Dimensions (WxD)**

702 x 520mm

**Other**

Suitable for NG or LPG

*For complete specifications see pg.68*



**PCH615B9TA**  
60cm Stainless Steel Gas Cooktop

**Heating functions**

4 burners  
1 x 18Mj/h dual flame wok burner  
1 high-speed burner  
1 standard burners  
1 economy burner

**Convenience**

One-hand ignition via control knobs  
2 pc cast-iron pan supports

**Safety**

Flame failure

**Dimensions (WxD)**

582 x 520mm

**Other**

Suitable for NG or LPG

*For complete specifications see pg.68*

The new generation of rangehoods.

# Rangehoods.

With a wide variety of sizes, types and finishes to choose from, it's easy to find the right Bosch rangehood to perfectly suit your kitchen's design.



Rangehoods | Convenience

# Rangehoods.



## Halogen lighting

Integrated halogen lighting ensures that the cooking area is clearly illuminated. They are more efficient than standard lights and are designed to last longer.



## LED lighting

The new LED lights offer a longer lifetime and use less energy than conventional halogen lighting. Additional convenience is offered with SoftLight which gently fades lighting in and out with dimmer function.



## EcoSilence Drive®

Relax in a quieter kitchen with family and friends. The new EcoSilence Drive® motor operates without carbon brushes, eliminating the disadvantages of conventional motors. Instead of energy loss, wear and noise, you get efficiency, durability, and smooth operation. To reduce motor noise even further, we have optimised the airflow inside the hood. The result: low noise levels with high power.



## Rim ventilation filter

With its smooth uninterrupted surface and grease separation, the rim ventilation filter from Bosch has a multipatented filter sealing system and flow-optimised filter system with 12-layer filter mats.




## Stainless steel filter

The stainless steel filter provides an exceptionally high level of grease absorption. It is concealed behind an elegant stainless steel cover with a stainless steel handle.



## Metal grease filter

Metal grease filters are required for ducted and recirculating systems to filter grease and other solid particles out of the extracted air. To make sure filters operate at maximum efficiency, they should be cleaned regularly.




## Dishwasher-safe metal filters

For easy cleaning, all Bosch filters can be safely loaded into any Bosch dishwasher for sparkling clean results.

Rangehoods | Features

# Rangehoods.




Bosch extraction rates are tested inline with EU standards.  
See page 66-67 for more information.

### What extraction rate do I need?

It is recommended that air be extracted (or exchanged) in a room depending on your type of cooking: minimum of 6 times per hour; and a maximum of 12 times per hour.


Air Extraction is measured using room volume. This is calculated by multiplying Length x Width x Height.





### Ducted extraction

Ducting out is the most effective method of extraction. Ideally the rangehood should be sited on an outside wall, or an outside wall can be reached via ducting. Most Bosch extractors are now standardised to facilitate a 150mm diameter outlet for maximum performance, although smaller ducting can be used if required. Please refer to the installation guide for further advice on best practice installation.



### Recirculation kit

Odours are extracted and filtered, then purified air is returned to the room. The kit comprises of a carbon filter and all components needed to ensure that odour free air is returned into the kitchen. To maintain performance, the carbon filter should be replaced on a regular basis. A recirculation kit needs to be purchased as a separate accessory.



### CleanAir module

The CleanAir module is a special active carbon filter with a large slatted surface, the module reduces odours by up to 95%, every bit as good as the ducted system. The surface of the CleanAir filter is the equivalent of around 50 football pitches.\*

\*Accessory to be purchased separately. Available for selected Bosch Rangehoods.



### Variable power settings

All Bosch rangehoods feature variable power settings, which can be set to effectively remove odours, smoke and moisture caused by cooking. Many models also feature an intensive extraction setting, which gives an extra boost to the performance when required.



### Automatic run-on

Selected Bosch rangehoods automatically continue to run-on for approximately 10 minutes after normal operation to ensure remaining odours are removed. The rangehood then automatically switches off.



### Automatic power revert

When the intensive setting is selected, it can be set to automatically revert to a pre-defined setting after a short period of time.



### Electronic filter saturation indicator

For maximum extraction efficiency, an illuminated light indicates when the filter needs cleaning. For hassle-free cleaning, the one-piece filter can be loaded into your Bosch dishwasher.



### Electronic control

3 power levels + 2 additional intensive settings, automatic run-on, filter saturation indicator, automatic power revert and SoftLight with dimmer function, control at your fingertips.



### Electronic button control

This control provides you with 3 power levels + 1 intensive setting. There's also a push-button for turning the lights on and off. And to make operation even easier, the buttons are back-lit.



### Rocker switch control

It doesn't get any easier: 3 push-buttons for 3 power levels and one for turning the lights on and off.

Rangehoods | Canopy

## Rangehoods.


**DIB091U51B**  
**90cm Ceiling-Mounted Island Stainless Steel Canopy Rangehood**
**Power functions**

1000m<sup>3</sup>/h maximum extraction capacity  
 3 power settings + 2 intensive settings  
 with automatic revert to previous setting  
 Automatic run-on  
 EcoSilence Drive® motor

**Convenience**

Noise level: 46dB at level 1 or 300m<sup>3</sup>/h  
 (150mm ducted)  
 Sound insulation mats  
 Electronic controls with LED display  
 4 x 3W LED Softlights with dimmer function  
 EcoSensor  
 CleanAir recirculation kit compatible

**Cleaning**

Dishwasher-safe metal grease filters  
 Electronic filter saturation indicator

**Dimensions (HxWxD)**

744-924 x 900 x 600mm (ducted) or  
 744-1044 x 900 x 600mm (recirculated)

*For complete specifications see pg.66-67*


**DWB091E51A**  
**90cm Wall-Mounted Stainless Steel Canopy Rangehood**
**Power functions**

810m<sup>3</sup>/h maximum extraction capacity  
 with Rim Ventilation  
 3 power settings + 2 intensive settings  
 with automatic revert to previous setting  
 Automatic run-on  
 EcoSilence Drive® motor

**Convenience**

Noise level: 44dB at level 1 or 250m<sup>3</sup>/h  
 (150mm ducted)  
 Sound insulation mats  
 Electronic controls with LED display  
 3 x 3W LED Softlights with dimmer function  
 CleanAir recirculation kit compatible

**Cleaning**

Dishwasher-safe metal grease filters  
 Electronic filter saturation indicator

**Dimensions (HxWxD)**

628-954 x 900 x 500mm (ducted) or  
 628-1064 x 900 x 500mm (recirculated)

*For complete specifications see pg.66-67*


**DWW098E50A**  
**90cm Wall-Mounted Stainless Steel Canopy Rangehood**
**Power functions**

860m<sup>3</sup>/h maximum extraction capacity  
 3 power settings + 2 intensive settings  
 with automatic revert to previous setting  
 Automatic run-on  
 EcoSilence Drive® motor

**Convenience**

Noise level: 46dB at level 1 or 300m<sup>3</sup>/h  
 (150mm ducted)  
 Sound insulation mats  
 Electronic controls with LED display  
 3 x 3W LED Softlights with dimmer function  
 CleanAir recirculation kit compatible

**Cleaning**

Dishwasher-safe metal grease filters  
 Electronic filter saturation indicator

**Dimensions (HxWxD)**

672-954 x 900 x 500mm (ducted) or  
 672-1064 x 900 x 500mm (recirculated)

*For complete specifications see pg.66-67*



**DWW097A50A**  
90cm Wall-Mounted Stainless Steel  
Canopy Rangehood

**Power functions**

770m<sup>3</sup>/h maximum extraction capacity  
3 power settings + 1 intensive setting  
with automatic revert to previous setting  
EcoSilence Drive® motor

**Convenience**

Noise level: 45dB at level 1 or 310m<sup>3</sup>/h  
(150mm ducted)  
Sound insulation mats  
Electronic button control  
3 x 3W LED lights  
CleanAir recirculation kit compatible

**Cleaning**

Dishwasher-safe metal grease filters

**Dimensions (HxWxD)**

672-954 x 900 x 500mm (ducted) or  
672-1064 x 900 x 500mm (recirculated)

*For complete specifications see pg.66-67*



**DWB09W850A**  
90cm Wall-Mounted Stainless Steel  
Canopy Rangehood

**Power functions**

750m<sup>3</sup>/h maximum extraction capacity  
3 power settings

**Convenience**

Noise level: 52dB at level 1 or 300m<sup>3</sup>/h  
(150mm ducted)  
Rocker switch controls  
2 x 20W Halogen lights  
CleanAir recirculation kit compatible

**Cleaning**

Dishwasher-safe metal grease filters

**Dimensions (HxWxD)**

642-954 x 900 x 500 (ducted) or  
642-1064 x 900 x 500mm (recirculated)

*For complete specifications see pg.66-67*



**DWW09W651A / DWW06W650A**  
90cm/60cm Wall-Mounted Stainless  
Steel Pyramidal Rangehood

**Power functions**

650m<sup>3</sup>/h maximum extraction capacity  
3 power settings

**Convenience**

Noise level: 49dB at level 1 or 270m<sup>3</sup>/h  
(150mm ducted)  
Rocker switch controls  
2 x 20W Halogen lights (DWW09W651A)  
2 x 30W Halogen lights (DWW06W650A)

**Cleaning**

Dishwasher-safe metal grease filters

**Dimensions (HxWxD)**

799-976 x 900 x 500mm  
(DWW09W651A – ducted or recirculated)  
799-976 x 600 x 500mm  
(DWW06W650A – ducted or recirculated)

*For complete specifications see pg.66-67*

## Rangehoods | Integrated

# Rangehoods.



### DHL895CAU 86cm Integrated Rangehood

#### Power functions

820m<sup>3</sup>/h maximum extraction capacity with Rim Ventilation  
3 power settings + 1 intensive setting with automatic revert to previous setting  
Automatic run-on  
EcoSilence Drive® motor

#### Convenience

Noise level: 41dB at level 1 or 220m<sup>3</sup>/h (150mm ducted)  
Push button controls  
2 x 1W LED lights with dimmer function

#### Cleaning

Dishwasher-safe metal grease filters  
Electronic filter saturation indicator

#### Dimensions (HxWxD)

418 x 860 x 282mm  
(ducted or recirculated)

*For complete specifications see pg.66-67*



### DHL785BAU 70cm Integrated Rangehood

#### Power functions

730m<sup>3</sup>/h maximum extraction capacity with Rim Ventilation  
3 power settings + 1 intensive setting with automatic revert to previous setting  
Automatic run-on

#### Convenience

Noise level: 53dB at level 1 or 340m<sup>3</sup>/h (150mm ducted)  
Push button controls  
2 x 20W Halogen lights

#### Cleaning

Dishwasher-safe metal grease filters  
Electronic filter saturation indicator

#### Dimensions (HxWxD)

418 x 700 x 282mm  
(ducted or recirculated)

*For complete specifications see pg.66-67*



### DHL755BAU 73cm Integrated Rangehood

#### Power functions

650m<sup>3</sup>/h maximum extraction capacity  
3 power settings + 1 intensive setting

#### Convenience

Noise level: 50dB at level 1 or 240m<sup>3</sup>/h (150mm ducted)  
Slide controls  
2 x 20W Halogen lights


#### Cleaning

Dishwasher-safe metal grease filters

#### Dimensions (HxWxD)

255 x 730 x 380mm  
(ducted or recirculated)

*For complete specifications see pg.66-67*



**DHL555BAU**  
**53cm Integrated Rangehood**

**Power functions**

650m<sup>3</sup>/h maximum extraction capacity  
 3 power settings + 1 intensive setting

**Convenience**

Noise level: 41dB at level 1 or 210m<sup>3</sup>/h  
 (150mm ducted)  
 Slide controls  
 2 x 20W Halogen lights

**Cleaning**

Dishwasher-safe metal grease filters

**Dimensions (HxWxD)**

255 x 530 x 380mm (ducted or recirculated)



*For complete specifications see pg.66-67*

# Reference Guide Ovens.

Product overview		Single ovens		
Model	Features	HNG6764S1A Series 8	HRG6767S2A Series 8	HBG6767S1A Series 8
<b>Dimensions</b>	Width (cm)	60	60	60
	Appliance dimensions (HxWxD)	595 x 595 x 548mm	595 x 595 x 548mm	595 x 595 x 548mm
	Built-in dimensions (HxWxD)	585-595 x 560-568 x 550mm	585-595 x 560-568 x 550mm	585-595 x 560-568 x 550mm
	Cavity dimensions (HxWxD)	357 x 480 x 392mm	357 x 480 x 415mm	357 x 480 x 415mm
<b>Heating Functions</b>	Number of heating functions	17	17	13
	4D Hot Air	●	●	●
	Hot Air Eco	●	●	●
	Hot Air			
	3D Hot Air Plus			
	Conventional top/bottom heat	●	●	●
	Conventional top/bottom heat ECO	●	●	●
	Circulating Air			
	Hot air grilling/circulated air grilling	●	●	●
	Grill large area	●	●	●
	Grill small area	●	●	●
	Pizza setting	●	●	●
	Bottom heat	●	●	●
	Intensive heat	●	●	
	Slow cooking	●	●	●
Drying/Desiccation	●	●		
Plate warming	●	●	●	
Keep warm	●	●	●	
Defrost	●	●	●	
<b>Added Steam</b>	Reheating	●	●	
	Dough proving	●	●	
<b>Microwave</b>	Microwave	900wt		
<b>Sensor &amp; Automatic Functions</b>	DishAssist - automatic oven settings	●	●	●
	PerfectBake™ sensor	●	●	●
	PerfectRoast meat probe	●	●	●
	AutoPilot (automatic programs)			
	Rapid heat up	●	●	●
	Sabbath setting	●	●	●
<b>Capacity</b>	Volume (cavity litres)	67 litres	71 litres	71 litres
	1 litre water tank	●	●	
<b>Design</b>		Stainless steel & black glass with straight bar handle	Stainless steel & black glass with straight bar handle	Stainless steel & black glass with straight bar handle
	Cavity	Enamel anthracite	Enamel anthracite	Enamel anthracite
	Display	TFT Touch Graphic Display	TFT Touch Graphic Display	TFT Touch Graphic Display
	Controls	Bosch Control Ring with TFT Display	Bosch Control Ring with TFT Display	Bosch Control Ring with TFT Display
	Electronic touch-control clock/timer with LED display and end-time programming	●	●	●
	SoftOpen & SoftClose door	●	●	●
	Interior lighting	3 x LED	3 x LED	1 x Halogen
<b>Cleaning</b>	No. of shelf positions	5	5	5
	Removable door	●	●	●
	Pyrolytic	●	●	●
	EcoClean Direct			
	EcoClean Liners			
<b>Safety</b>	Catalytic liners			
	Descaling programs	●	●	
	Door - no. glass panes	Quadruple glazed	Quadruple glazed	Quadruple glazed
	Automatic safety switch-off	●	●	●
	Cooling fan	●	●	●
	Residual heat indicator	●	●	●
<b>Technical requirements</b>	Child lock function	●	●	●
	Maximum temperature	300°C	300°C	300°C
	Total connected load	3.65kw	3.45kw	3.65kw
	Power requirements	220-240 / 50-60Hz	220-240 / 50-60Hz	220-240 / 50-60Hz
<b>Supplied accessories</b>	Telescopic railing	1 x standard extension – pyrolytic compatible	2 x fully extendable – pyrolytic compatible	2 x fully extendable – pyrolytic compatible
	Wire racks	2	2	2
	Split grill trays			
	Universal trays	1 x pyrolytic compatible	1 x pyrolytic compatible	1 x pyrolytic compatible
	Baking trays	1 x pyrolytic compatible	1 x pyrolytic compatible	1 x pyrolytic compatible
	PerfectRoast - multi-point temperature probe	●	●	●
<b>Optional accessories</b>		Refer to page 69	Refer to page 69	Refer to page 69



# Reference Guide Freestanding Ovens.

## Oven Features

Product overview		Freestanding Ovens			
Model	Features	HSB738357A	HGD74W455A	HCA858450A	HCA854450A
Type		Series 6	Series 4	Series 6	Series 6
		Electric	Electric	Electric	Electric
Dimensions	Width (cm)	90	60	60	60
	Appliance dimensions (HxWxD)	900 x 898 x 600mm	900 x 600 x 600mm	900 x 600 x 600mm	900 x 600 x 600mm
	Cavity dimensions (HxWxD)	371 x 724 x 417mm	329 x 482 x 420mm	329 x 479 x 420mm	329 x 479 x 420mm
<b>Oven specifications</b>					
Heating Functions	Number of heating functions	8	8	10	10
	3D HotAir Plus				
	3D HotAir			●	●
	Hot Air	●	●		
	HotAir Eco	●		●	●
	Top/bottom heating	●	●	●	●
	Top/bottom heating & hot air	●			
	Bottom heating	●	●	●	●
	Fan assisted top/bottom heating				
	Hot Air Grilling	●	●	●	●
	Rotary Spit	●			
	Full surface grill	●	●	●	●
	Half surface grill		●	●	●
	Pizza setting		●	●	●
Keep warm			●	●	
Defrost	●	●	●	●	
Automatic Functions	AutoPilot (automatic programs)			40	40
	Memory function			●	●
	Sabbath setting			●	●
	Rapid heat up		●	●	●
Capacity	Volume (usable litres)	112 litres	67 litres	67 litres	67 litres
Design		Stainless steel with metal bar handle			
	Cavity	Enamel	Enamel	Enamel	Enamel
	Display	Electronic clock/timer	Electronic clock/timer	Electronic LED display	Electronic LED display
	Controls	Rotary control knobs	Rotary control knobs	Retractable rotary control knobs	Retractable rotary control knobs
	Electronic touch-control clock/timer with LED display and end-time programming	●	●	●	●
	SoftClose door		●	●	●
	Interior light	2 x 40wt	1 x 40wt	1 x 40wt	1 x 40wt
	No. of shelf positions	4	5	5	5
	Removable door	●	●	●	●
	Height adjustable	● (by 50mm)	● (by 15mm)	● (by 15mm)	● (by 15mm)
Other	Storage compartment	Storage compartment	Storage compartment	Storage compartment	
Cleaning	Pyrolytic cleaning function			●	●
	EcoClean liners				
	Catalytic liners	Sides & rear wall	Ceiling, sides & rear wall		
Safety	Door - no. glass panes	Triple glazed	Triple glazed	Quadruple glazed	Quadruple glazed
	Automatic safety switch-off			●	●
	Child lock function	●	●	●	●
	Cooling fan	●	●	●	●
Supplied accessories	Telescopic railing	1 x standard extension			
	Wire racks	1	2	2	2
	Split grill trays		1	1 x pyrolytic compatible	1 x pyrolytic compatible
	Universal trays		1	1 x pyrolytic compatible	1 x pyrolytic compatible
	Baking trays	1	1	1 x pyrolytic compatible	1 x pyrolytic compatible
	Rotisserie	1			

# Reference Guide Freestanding Ovens.

## Cooktop Features

Product overview		Freestanding Cooktop			
Model	Features	HSB738357A	HGD74W455A	HCA858450A	HCA854450A
Type		Series 6	Series 4	Series 6	Series 6
		Gas	Gas	Induction	Ceramic
<b>Cooktop specifications</b>					
<b>Burner / Zone Output (Size)</b>		6 burners including:	4 burners including:	4 induction zones including:	4 cooking zones including:
	Front left	Triple flame wok burner - 14.4Mj/h	Wok burner - 13Mj/h	Standard zone: 1.8kW (180mm)	Standard zone: 1.8kW (180mm)
	Rear left	Standard burner - 7.0Mj/h	Standard burner - 6Mj/h	Standard zone: 1.8kW (180mm)	Extendable zone: 1.6 and 2.4kW (170-260mm)
	Front centre	High-speed burner - 11.8Mj/h			
	Rear centre	Economy burner - 4.0Mj/h			
	Front right	Economy burner - 4.0Mj/h	Economy burner - 3.6Mj/h	Standard zone: 2.2kW (220mm)	Extendable zone: 0.75 and 2.2kW (120-210mm)
	Rear right	Standard burner - 7.0Mj/h	Standard burner - 6Mj/h	Standard zone: 1.4kW (145mm)	Standard zone: 1.2kW (145mm)
<b>Performance</b>	17-stage power setting			●	
	PowerBoost			●	
	CombiZone			●	
	MoveMode (2 levels)			●	
<b>Cooktop Design</b>		Stainless steel gas cooktop	Stainless steel gas cooktop	Ceramic glass induction cooktop	Ceramic glass cooktop
	3-pc cast-iron trivets with rubber feet	●			
	2-pc cast-iron trivets with rubber feet		●		
	Enamelled burner caps	●	●		
<b>Cooktop Controls</b>	Electronic +/- touch-controls & timer for each zone			●	
	One-hand electronic ignition (via control knob)	●	●		
<b>Cooktop Safety</b>	Flame failure fitted to each burner	●	●		
	2-stage residual heat indicators				
	4-stage residual heat indicators			●	●
	Wipe Protection			●	
	Child lock			●	
Automatic safety switch off			●		
<b>Supplied accessories</b>	LPG conversion kit	●	●		
	Wok ring support	1	1		
	Cross support for Espresso	1			
<b>Optional accessories</b>				Refer to page 70	Refer to page 70
<b>Technical requirements</b>	Maximum temperature (oven)	260°C	300°C	300°C	300°C
	Total connected load	3.2kW total connected load 48.2Mj/h total gas connected load	3.2kW total connected load 28.6Mj/h total gas connected load	10.9kW total connected load	11.3kW total connected load
	Power requirements	220-240V / 50-60Hz	220-240V / 50-60Hz	220-240V / 50-60Hz	220-240V / 50-60Hz
	Other	Suitable for NG and LPG	Suitable for NG and LPG		

# Reference Guide

## Compact Appliances.

Product overview	Features	Combination Steam Oven		Combination Microwave			Microwave with Grill
Model		CSG656RS1A	CSG656BS1B	CMG656RS1A	CMG676BS1A	CMG633BS1B	BEL634GS1A
		Series 8					
<b>Dimensions</b>	Width (cm)	60	60	60	60	60	60
	Appliance dimensions (HxWxD)	455 x 595 x 548mm	382 x 594 x 318mm				
	Built-in dimensions (HxWxD)	450-455 x 560-568 x 550mm	362-382 x 560-568 x 300mm				
	Cavity dimensions (HxWxD)	235 x 480 x 415mm	235 x 480 x 415mm	237 x 480 x 392mm	237 x 480 x 392mm	237 x 480 x 392mm	220 x 350 x 270mm
<b>Heating Functions</b>	Number of heating functions	18	16	14	12	8	2
	4D Hot Air	●	●	●	●	●	
	Hot Air Eco	●	●	●	●	●	
	Conventional top/bottom heat	●	●	●	●		
	Conventional top/bottom heat ECO	●	●	●	●		
	Hot air grilling	●	●	●	●	●	
	Grill - large area	●	●	●	●	●	
	Grill - small area	●	●	●	●	●	
	Pizza setting	●	●	●	●		
	Bottom heat	●	●	●	●		
	Intensive heat	●					
	Slow cooking	●	●	●	●		
	Drying/Desiccation	●					
	Plate warming	●	●	●	●		
Keep warm	●	●	●	●	●		
<b>Added Steam</b>	Steaming	●	●				
	Reheating	●	●				
	Dough proving	●	●				
	Defrost	●	●				
<b>Microwave</b>	Microwave			1000wt		1000wt	900wt
	Combi microwave variable			●		●	
	Variable quartz grill						●
<b>Sensor &amp; Automatic Functions</b>	DishAssist - automatic oven settings	●	●	●	●		
	PerfectBake™ sensor	●		●			
	PerfectRoast meat probe	●		●			
	AutoPilot (automatic programs)					13	10
	Rapid heat up	●	●	●	●	●	
	Sabbath setting	●	●	●	●		
<b>Capacity</b>	Volume (usable litres)	47	47	45	45	45	21
	1 litre water tank	●	●				
<b>Design</b>		Stainless steel & black glass with straight bar handle	Stainless steel & black glass with straight bar handle	Stainless steel & black glass with straight bar handle	Stainless steel & black glass with straight bar handle	Stainless steel & black glass with straight bar handle	Stainless steel & black glass with left hand side opening door
	Cavity	Enamel anthracite	Stainless steel				
	Display	TFT Touch Graphic Display	TFT Touch Graphic Display	TFT Touch Graphic Display	TFT Touch Graphic Display	TFT Touch Symbol Display	TFT Touch Symbol Display
	Controls	Bosch Control Ring with TFT Display					
	Electronic touch-control clock/timer with LED display and end-time programming	●	●	●	●	●	●
	SoftOpen & SoftClose door	●	●	●	●	●	
	Interior lighting	1 x LED					
	No. of shelf positions	3	3	3	3	3	
	Removable door	●	●				
<b>Cleaning</b>	EcoClean Direct	Ceiling, sides & rear wall	Ceiling, sides & rear wall	Ceiling, sides & rear wall			
	Pyrolytic				●		
	Descaling program	●	●				
	Drying	●	●		●	●	
<b>Safety</b>	Door – no. glass panes	Triple glazed	Triple glazed	Quadruple glazed	Quadruple glazed	Triple glazed	Double glazed
	Automatic safety switch-off	●	●	●	●	●	
	Cooling fan	●	●	●	●	●	
	Child lock function	●	●	●	●	●	
<b>Technical requirements</b>	Maximum temperature	250°C	250°C	300°C	300°C	275°C	
	Total connected load	3.3kW	3.3kW	3.65kW	3.65kW	3.65kW	1.99kW
	Power requirements	220-240V / 50-60Hz					
<b>Supplied accessories</b>	Telescopic railing	1 x fully extendable		1 x standard extension			
	Wire racks	2	1	1	1	1	1
	Universal trays	1	1	1	1	1	
	Baking trays			1			
	Glass pan						1
	Steam container, punched size S	1	1				
	Steam container, punched size XL	1	1				
	Steam container, unpunched size S	1	1				
	PerfectRoast – multi-point temperature probe	●	1	●			
<b>Optional accessories</b>		Refer to page 69					

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.

## Reference Guide Coffee machine.

Product overview	Features	Coffee Machine	
<b>Model</b>		<b>CTL636ES1</b> <b>Series 8</b>	
<b>Dimensions</b>	Appliance dimensions (HxWxD)	455 x 594 x 375mm	
	Built-in dimensions (HxWxD)	449 x 558 x 354mm	
<b>Design</b>		Stainless steel & black glass	
	Display	TFT Touch Graphic Display	
	Controls	Bosch Control Ring with TFT Display	
<b>Convenience</b>	SensoFlow system: constant brewing temperature	●	
	AromaPro concept: optimal aroma extraction	●	
	Intelligent AutoValve system switches automatically between steam and hot water		
	SilentCeram drive ceramic grinding unit	●	
	Coffee outlet height-adjustable up to 15cm (max)	●	
	Flexible milk solution: decide for yourself if you prefer connecting the yes milk container or using any other container	●	
	Bean container with aroma protection lid for up to 1kg	●	
	Water pump with 19 bar pressure	●	
	One touch function for Ristretto, Espresso, Espresso Macchiato, Coffee, Cappuccino, Latte Macchiato, Caffè Latte at the touch of a button	●	
	6 Personalised beverages: save favourite beverages with individual names and adjustable mixing ratio of milk and espresso	●	
	Fully programmable functions including grinding grade, cup size, strength and temperature	●	
	Milk froth, warm milk and hot water separately available	●	
	Early warning of bean container and water tank close to empty	●	
	Bean container and water tank empty indicator	●	
	Removable brewing unit and 2.4L water tank	●	
	<b>Cleaning</b>	Fully automatic-descaling and cleaning program	●
		Fully automatic rinse cycle when switched on and off	●
		Hygienic single portion cleaning function	
Steam blast: fully-automatic steam cleaning of the milk system after every beverage		●	
Removable milk nozzle for easy cleaning (dishwasher safe)		●	
Display of remaining cups before cleaning or descaling			
<b>Safety Technical</b>	Child-proof lock	●	
<b>Technical requirements</b>	Total connected load	1600w	
	Power requirements	220-240V / 50-60Hz	
<b>Supplied accessories</b>	1 water filter cartridge	●	
	1 measuring spoon	●	
	1 milk container and hose	●	
	1 set assembly screws	●	

## Reference Guide Warming drawers.

Product overview	Features	Warming Drawers	
Model		BID630NS1A	BIC630NS1A
		Series 8	Series 8
<b>Dimensions</b>	Appliance dimensions (HxWxD)	290 x 595 x 548mm	141 x 595 x 548mm
	Built-in dimensions (HxWxD)	290 x 560-568 x 550mm	140 x 560-568 x 550mm
	Cavity dimensions (HxWxD)	242 x 468 x 458mm	92 x 468 x 458mm
<b>Suitable for</b>	Slow cooking	●	●
	Proving yeast dough	●	●
	Defrosting	●	●
	Keeping food warm	●	●
	Pre-warming cups, plates and ovenware	●	●
<b>Temperature range</b>	from approx. 40 – 80°C	●	●
<b>Design</b>		Stainless steel & black glass	Stainless steel & black glass
	Volume (cavity litres)	52 litres	20 litres
	Electronic rotary temperature control	●	●
	Inner compartment ceramic glass base element	●	●
<b>Technical requirements</b>	Max weight load	25kg	25kg
	Total connected load	0.81kW	0.81kW
	Power requirements	220-240V / 50-60Hz	220-240V / 50-60Hz

# Reference Guide Electric Cooktops.

Product overview		FlexInduction			
Model	Features	PXX975DC1E	PXY875DE1E	PXE875DC1E	PXY675DC1E
		Series 8	Series 8	Series 8	Series 8
<b>Dimensions</b>	Width (cm)	90	80	80	60
	Appliance dimensions (WxD)	916 x 527mm	816 x 527mm	816 x 527mm	606 x 527mm
	Cut-out dimensions (WxD)	880 x 490-500mm	750-780 x 490-500mm	750-780 x 490-500mm	560 x 490-500mm
<b>Design</b>		Black ceramic glass, stainless steel side profiles with bevelled front	Black ceramic glass, stainless steel side profiles with bevelled front	Black ceramic glass, stainless steel side profiles with bevelled front	Black ceramic glass, stainless steel side profiles with bevelled front
<b>Burner / Zone Output (Size)</b>		5 zones including:	4 zones including:	4 zones including:	4 zones including:
	Full FlexZone	3.3kW / 3.7kW (x2)	3.3kW / 3.7kW (x2)	3.3kW / 3.7kW	3.3kW / 3.7kW (x2)
	Middle FlexZone	2.2kW / 3.7kW	2.2kW / 3.7kW	2.2kW / 3.7kW	2.2kW / 3.7kW
	Lower/Upper FlexZones	2.2kW / 3.7kW	2.2kW / 3.7kW	2.2kW / 3.7kW	2.2kW / 3.7kW
	Small FlexZone (90cm)	2.6kW / 3.7kW			
	Upper Flex & Extended zones		2.6kW / 3.7kW		2.6kW / 3.7kW
	Mid/Upper & Extended zones		3.3kW / 3.7kW		3.3kW / 3.7kW
	Rear left zone				
	Rear right zone			2.6kW / 3.7kW	
	Front left zone				
Front right zone			1.4kW / 2.2kW		
<b>Performance</b>	Power setting	17 stage	17 stage	17 stage	17 stage
	PowerBoost	●	●	●	●
	FlexZone	●	●	●	●
<b>Sensor Functions</b>	PerfectCook sensor		●		
	PerfectFry sensor	●	●	●	●
	MoveMode (3 levels)	●	●	●	●
	Automatic setting transfer		●		●
<b>Convenience</b>	WipeProtection	●	●	●	●
	Spill protection				
	QuickStart	●	●	●	●
	ReStart	●	●	●	●
	Energy consumption display	●	●	●	●
	Timer with automatic switch-off	●	●	●	●
	Automatic pot detection	●	●	●	●
	Automatic boil start				
<b>Safety</b>	Child lock	●	●	●	●
	Residual heat indicator	●	●	●	●
<b>Controls</b>	DirectSelect Premium	●	●	●	●
	DirectSelect				
	Rotary control knobs				
<b>Technical requirements</b>	Total connected load	11.1kW	7.4kW	7.4kW	7.4kW
	Power requirements	220-240V / 50-60Hz	220-240V / 50-60Hz	220-240V / 50-60Hz	220-240V / 50-60Hz
	Min. thickness of workshop	20mm	20mm	20mm	20mm
	Min. thickness of worktop over Bosch oven	30mm	30mm	30mm	30mm
<b>Optional accessories</b>		Refer to page 70			

			Induction			Ceramic	
PXX675FC1E	PXE651FC1E	PXX375FB1E	PIE675DC1E	PIE631FB1E	PKN675DB1A	PKE645C17A	
Series 8	Series 8	Series 6	Series 6	Series 6	Series 8	Series 4	
60	60	30	60	60	60	60	
606 x 527mm	606 x 527mm	306 x 527mm	592 x 522mm	606 x 527mm	606 x 527mm	583 x 513mm	
560 x 490-500mm	560 x 490-500mm	270 x 490-500mm	560 x 490-500mm	560 x 490-500mm	560 x 500mm	560 x 490-500mm	
Black ceramic glass, stainless steel side profiles with bevelled front	Black ceramic glass, stainless steel side profiles with bevelled front	Black ceramic glass, stainless steel side profiles with bevelled front	Black ceramic glass, stainless steel side profiles with bevelled front	Black ceramic glass, stainless steel side profiles with bevelled front and sides	Black ceramic glass, stainless steel side profiles with bevelled ceramic front	Black ceramic glass stainless steel frame	
4 zones including:	4 zones including:	2 zones including:	4 zones including:	4 zones including:	4 zones including:	4 zones including:	
3.3kW / 3.7kW (x2)	3.3kW / 3.7kW	3.3kW / 3.7kW					
2.2kW / 3.7kW	2.2kW / 3.7kW	2.2kW / 3.7kW					
2.2kW / 3.7kW	2.2kW / 3.7kW	2.2kW / 3.7kW					
			1.8kW / 3.1kW	1.8kW / 3.1kW	1.8kW / 2.6kW	2.2kW	
	1.4kW / 2.2kW		1.4kW / 2.2kW	1.4kW / 2.2kW	1.2kW	1.2kW	
			1.8kW / 3.1kW	1.8kW / 3.1kW	2kW	1.2kW	
	2.2kW / 3.7kW		2.2kW / 3.7kW	2.2kW / 3.7kW	1kW / 2.2kW	2kW	
17 stage	17 stage	9 stage					
●	●	●	●	●			
●	●	●					
			●				
●	●	●	●	●	●		
●	●	●	●	●	●		
●	●	●	●	●	●		
●	●	●	●	●	●		
●	●	●	●	●	●		
●	●	●	●	●	●		
●	●	●	●	●	●	●	
●	●	●	●	●	●	●	
●	●	●	●	●	●		
●	●	●		●		●	
7.4kW	7.4kW	3.7kW	7.4kW	7.4kW	7.5kW	6.6kW	
220-240V / 50-60Hz	220-240V / 50-60Hz	220-240V / 50-60Hz					
20mm	20mm	20mm	20mm	20mm	20mm	20mm	
30mm	30mm	30mm	30mm	30mm	20mm	20mm	
Refer to page 70	Refer to page 70	Refer to page 70					


# Reference Guide Rangehoods.

Product overview		Canopy			
Model		DIB091U51B	DWB091E51A	DWW098E50A	DWW097A50A
		Series 8	Series 6	Series 6	Series 4
Dimensions	Width (cm)	90	90	90	90
	Appliance dimensions (HxWxD)	744-924 x 900 x 600mm (ducted) or 744-1044 x 900 x 600mm (recirculated)	628-954 x 900 x 500mm (ducted) or 628-1064 x 900 x 500mm (recirculated)	672-954 x 900 x 500mm (ducted) or 672-1064 x 900 x 500mm (recirculated)	672-954 x 900 x 500mm (ducted) or 672-1064 x 900 x 500mm (recirculated)
Design	Style	Island canopy	Slimline canopy	Slimline canopy	Slimline canopy
	Finish	Stainless steel	Stainless steel	Stainless steel	Stainless steel
	7 segment LED display	●	●	●	
	On/Off main switch control	●	●	●	●
	Electronic controls with low lift push buttons	●	●	●	
	Electronic backlit low lift push button controls				●
	Push button controls				
	Slide controls				
	Rocker switches				
	Concealed controls				
Lighting		4 x 3W LED SoftLights with dimmer function	3 X 3W LED SoftLights with dimmer function	3 x 3W LED SoftLights with dimmer function	3 x 3W LED
Power functions	Maximum extraction rate	1000m <sup>3</sup> /h	810m <sup>3</sup> /h	860m <sup>3</sup> /h	770m <sup>3</sup> /h
	3 power levels	●	●	●	●
	Intensive setting (s)	2	2	2	1
	Intensive setting with automatic switch back to previous setting 6 mins	●	●	●	●
	Residual shutdown with automatic run-on time	●	●	●	●
	Rim ventilation system		●		
	EcoSilence Drive brushless motor	●	●	●	●
	Powerful twin motor				
Powerful single motor					
Noise*		46dB at 300m <sup>3</sup> /h (150mm ducted)	44dB at 250m <sup>3</sup> /h (150mm ducted)	46dB at 300m <sup>3</sup> /h (150mm ducted)	45dB at 310m <sup>3</sup> /h (150mm ducted)
	Sound insulation mats	●	●	●	●
Convenience	Dishwasher-safe metal grease filter(s)	3	3	3	3
	Saturation indicator for filters	●	●	●	●
Technical requirements	Total connected load	272W	269W	169W	139W
	Power requirements	220-240V / 50Hz	220-240V / 50Hz	220-240V / 50Hz	220-240V / 50Hz
	Connection diameter	120mm and 150mm	120mm and 150mm	120mm and 150mm	120mm and 150mm
Optional accessory	Active Carbon Filter	●	●		●
	Recirculating Kit	●	●	●	●
	CleanAir Active Carbon Filter	●	●	●	●
	CleanAir Recirculation Kit	●	●	●	●
Other	Ducted and recirculated air operation	●	●	●	●
	Clean Air Recirculating	●	●	●	●

## Air extraction calculation examples to help you calculate your own requirements

Kitchen dimensions: L x W x H	Room volume	Minimum extraction rate (6 x per hour)	Maximum extraction rate (12 x per hour)
3 x 4 x 2.5m =	30m <sup>3</sup>	6 x 30m <sup>3</sup> = <b>180m<sup>3</sup>/h</b>	12 x 32m <sup>3</sup> = <b>360m<sup>3</sup>/h</b>
4 x 4 x 2.5m =	40m <sup>3</sup>	6 x 40m <sup>3</sup> = <b>240m<sup>3</sup>/h</b>	12 x 40m <sup>3</sup> = <b>480m<sup>3</sup>/h</b>
4 x 5 x 2.5m =	50m <sup>3</sup>	6 x 50m <sup>3</sup> = <b>300m<sup>3</sup>/h</b>	12 x 50m <sup>3</sup> = <b>600m<sup>3</sup>/h</b>
<b>Calculate yourself</b>			




Integrated						
DWB09W850A	DWW09W651A	DWW06W650A	DHL895CAU	DHL785BAU	DHL755BAU	DHL555BAU
Series 2	Series 2	Series 2	Series 8	Series 6	Series 4	Series 4
90	90	60	86	70	73	53
642 - 954 x 900 x 500mm (ducted) or 642-1064 x 900 x 500mm (recirculated)	799-976 x 900 x 500mm (ducted or recirculated)	799-976 x 600 x 500mm (ducted or recirculated)	418 x 860 x 282mm (ducted or recirculated)	418 x 700 x 282mm (ducted or recirculated)	255 x 730 x 380mm (ducted or recirculated)	255 x 530 x 380mm (ducted or recirculated)
Box canopy	Pyramid canopy	Pyramid canopy	Integrated	Integrated	Integrated	Integrated
Stainless steel	Stainless steel	Stainless steel	Steel body with metallic finish			
●	●	●	●	●	●	●
			●	●		
2 x 20W Halogen	2 x 20W Halogen	2 x 30W Halogen	2 x 1W LED with dimmer function	2 x 20W Halogen	2 x 20W Halogen	2 x 20W Halogen
750m³/h	650m³/h	650m³/h	820m³/h	730m³/h	650m³/h	650m³/h
●	●	●				
			1	1	1	1
			●	●		
			●	●		
			●			
●	●	●			●	●
52dB at 300m³/h (150mm ducted)	49dB at 270m³/h (150mm ducted)	49dB at 270m³/h (150mm ducted)	41dB @ 220m³/h (150mm ducted)	53dB at 340m³/h (150mm ducted)	50dB at 240m³/h (150mm ducted)	41dB at 210m³/h (150mm ducted)
3	3	2	2	2	2	2
	●	●	●	●		
290W	215W	235W	272W	315W	240W	240W
220-240V / 50Hz	220-240V / 50Hz	220-240V / 50Hz	220-240V / 50Hz	220-240V / 50Hz	220-240V / 50Hz	220-240V / 50Hz
150mm	150mm	150mm	150mm	120mm and 150mm	120mm and 150mm	120mm and 150mm
●	●	●	●	●	●	●
●	●	●	●	●		
●						
●						
●	●	●	●		●	●
●						




# Reference Guide Gas Cooktops.

Product overview		Features				
Model		PCR915B91A	PCT915B9TA	PCI815B91A	PCQ715B90A	PCH615B9TA
		Series 6	Series 6	Series 6	Series 6	Series 6
Dimensions	Width (cm)	90	90	76	70	60
	Appliance dimensions (WxD)	915 x 520mm	915 x 520mm	762 x 520mm	702 x 520mm	582 x 520mm
	Cut-out dimensions (WxD)	850 x 490-500mm	850 x 490-500mm	560 x 480-490mm	560 x 480-490mm	560 x 480-490mm
Design		Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Burner / Zone Output		5 burners including:	6 burners including:	4 burners including:	5 burners including:	4 burners including:
	Front left	High-speed burner: 10.8Mj/h	Dual flame wok burner: 18Mj/h	Triple flame wok burner: 14.4Mj/h	Economy burner: 3.6Mj/h	Dual flame wok burner: 18Mj/h
	Rear left	Economy burner: 3.6Mj/h	Economy burner: 3.6Mj/h		Standard burner: 6.1Mj/h	Standard burner: 6.1Mj/h
	Front centre	Dual flame wok burner: 18Mj/h	Economy burner: 3.6Mj/h	Economy burner: 3.6Mj/h	Triple flame wok burner: 14.4Mj/h	
	Rear centre		Standard burner: 6.1Mj/h	Standard burner: 6.1Mj/h		
	Front right	Standard burner: 6.1Mj/h	Dual flame wok burner: 18Mj/h	High speed burner: 10.8Mj/h	Standard burner: 6.1Mj/h	Economy burner: 3.6Mj/h
	Rear right	Standard burner: 6.1Mj/h	Standard burner: 6.1Mj/h		High-speed burner: 10.8Mj/h	High-speed burner: 10.8Mj/h
Convenience	Cast-iron trivets with rubber feet					
	3-pc cast-iron trivets with rubber feet	●	●			
	2-pc cast-iron trivets with rubber feet			●	●	●
	Enamelled cast-iron burner caps	●	●	●	●	●
	Enamelled steel pan supports					
	One-hand electronic ignition	●	●	●	●	
Safety Controls	Flame failure fitted to each burner	●	●	●	●	●
	Rotary controls - black & stainless steel	●	●	●	●	●
Technical requirements		44.6Mj/h	55.4Mj/h	34.9Mj/h	41Mj/h	38.5Mj/h
	Power requirements	220-240V / 50-60Hz	220-240V / 50-60Hz	220-240V / 50-60Hz	220-240V / 50-60Hz	220-240V / 50-60Hz
	Min. thickness of worktop	30mm	30mm	30mm	30mm	30mm
Supplied accessories	Wok ring support	1	1	1	1	1
	Espresso cross support	1	1			
	LPG conversion kit	●	●	●	●	●
Other	Suitable for NG or LPG	●	●	●	●	●

# Accessories.

Oven Accessories					
	<b>Wire rack insert.</b> Fits all Series 8 60cm & 45cm built in ovens, combination microwaves & combination steam ovens	<b>HEZ324000</b>		<b>Glass pan.</b> Fits all Series 8 60cm ovens & 45cm combination microwave ovens	<b>HEZ636000</b>
	<b>Pizza pan.</b>	<b>HEZ617000</b>		<b>Glass roasting dish, 5.1L.</b> Fits all Series 8 60cm & 45cm built in ovens, combination microwaves & combination steam ovens	<b>HEZ915001</b>
	<b>Split grill tray, enameled - Pyro proof.</b> Fits all Series 8 60cm & 45cm built in ovens, combination microwaves & combination steam ovens	<b>HEZ625071</b>		<b>1 level telescopic rail, full extendable - Pyro proof.</b> Fits all Series 8 60cm built-in ovens - excluding HNG6764S1A	<b>HEZ638170</b>
	<b>Baking tray - Pyro proof.</b> Fits all Series 8 60cm & 45cm built in ovens, combination microwaves & combination steam ovens	<b>HEZ631070</b>		<b>2 level telescopic rail, full extendable - Pyro proof.</b> Fits all Series 8 60cm built-in ovens - excluding HNG6764S1A	<b>HEZ638270</b>
	<b>Multipurpose pan - Pyro proof.</b> Fits all Series 8 60cm & 45cm built in ovens, combination microwaves & combination steam ovens	<b>HEZ632070</b>		<b>3 level telescopic rail, full extendable - Pyro proof.</b> Fits all Series 8 60cm built-in ovens - excluding HNG6764S1A	<b>HEZ638370</b>
	<b>Lid for professional pan.</b> Fits all Series 8 60cm & 45cm built in ovens, combination microwaves & combination steam ovens	<b>HEZ633001</b>		<b>1 level telescopic rail, full extendable.</b> Fits CSG656BS1B	<b>HEZ638D18</b>
	<b>Professional pan - Pyro proof.</b> Fits all Series 8 60cm & 45cm built in ovens, combination microwaves & combination steam ovens	<b>HEZ633073</b>		<b>Porcelain container - small (steam).</b> Fits CSG656BS1B & CSG656RS1A	<b>HEZ36D153P</b>
	<b>Wire rack (standard).</b> Fits HBG633BS1A, HBG655HW1A, HBG655HS1A, HBG672BS1A, HBG6753S1A, HBG6767S2A & HRG6767S1A	<b>HEZ634000</b>		<b>Porcelain container - large (steam).</b> Fits CSG656BS1B & CSG656RS1A	<b>HEZ36D353P</b>
	<b>Wire rack (microwave).</b> Fits HNG6764S1A, CMG633BS1B, CMG656RS1A & CMG676BS1A	<b>HEZ634080</b>			
	<b>Wire rack (steam).</b> Fits CSG656BS1B & CSG656RS1A	<b>HEZ664000</b>			

# Accessories.

Cooktop Accessories		
	<b>Stainless steel roaster with glass lid.</b> Suitable for FlexInduction cooktops & 60cm built-in ovens	HEZ390011
	<b>Steam insert.</b> Suitable for HEZ390011 roaster	HEZ390012
	<b>Cookware set.</b> Suitable for Induction & Ceramic cooktops. Consists of 1 frying pan, 3 saucepans & 2 glass lids	HEZ390042
	<b>Stainless steel wok.</b> Suitable for Induction & Ceramic cooktops	HEZ390090
	<b>Griddle plate cast aluminium.</b> Suitable for FlexInduction cooktops	HEZ390522
	<b>Teppanyaki - small.</b> Suitable for FlexInduction cooktops	HEZ390511
	<b>Teppanyaki - large.</b> Suitable for FlexInduction cooktops	HEZ390512
Rangehood Accessories		
	<b>CleanAir recirculation kit.</b> Suitable for DIB091U51B	DSZ6230
	<b>CleanAir recirculation kit.</b> Suitable for DWB09W850A	DSZ6200
	<b>CleanAir recirculation kit.</b> Suitable for DWB091E51A, DWW098E50A & DWW097A50A	DSZ6240
	<b>CleanAir active carbon filter.</b> Suitable for DIB091U51B, DWB091E51A, DWW098E50A, DWW097A50A & DWB09W850A	DSZ5201
	<b>Recirculation kit.</b> Suitable for DIB091U51B	DHZ5385
	<b>Recirculation kit.</b> Suitable for DWB091E51A, DWW098E50A & DWW097A50A	DHZ5345
	<b>Recirculation kit.</b> Suitable for DWB09W850A	DHZ5325
	<b>Recirculation kit.</b> Suitable for DWW09W651A & DWW06W650A	DHZ5275
	<b>Recirculation kit.</b> Suitable for DHL895CAU and DHL785BAU	DHZ5605
	<b>Active carbon filter.</b> Suitable for DIB091U51B, DWB091E51A, DWW098E50A & DWW097A50A	DHZ5346
	<b>Active carbon filter.</b> Suitable for DWB09W850A	DHZ5326
	<b>Active carbon filter.</b> Suitable for DWW09W651A & DWW06W650A	DHZ5276
	<b>Active carbon filter.</b> Suitable for DHL895CAU & DHL785BAU	DHZ5316
	<b>Charcoal filter.</b> Suitable for DHL755BAU & DHL555BAU	DHZ7305

# Quality Service.

The customer service of Bosch, before and after purchase.

## Important notes

Model numbers and specifications are for reference only and subject to change without prior notice.

For additional information on products, please refer to your local Bosch retailer. Bosch is continuously seeking to improve specification, design and production of its appliances, and alterations may take place regularly.

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.

The electrical and water connection should only be made in accordance with the regulations of the national authorities.

For model and accessory availability, please contact BSH Home Appliances Limited.

*(See back cover for details).*

## Quality service for quality appliances

Quality of our after-sales service is just as important as the quality of our products. In the unlikely event that service is required on your appliance, our extensive network of authorised service agents throughout New Zealand will ensure you are provided with the full support to ensure your appliance is operating at optimal condition.

## Warranty



All Bosch products are covered under a 2-year comprehensive parts and labour warranty.



**BSH Home Appliances Ltd**

Unit F2, 4 Orbit Drive

Mairangi Bay

Auckland 0632

PO Box 33-1033

Takapuna

Auckland 0740

Phone: (09) 477 0492

Fax: (09) 477 2647

**Customer Service**

Phone: 0800 807 723

Fax: 0800 256 535

Email: [bshnz-cs@bshg.com](mailto:bshnz-cs@bshg.com)

**[www.bosch-home.co.nz](http://www.bosch-home.co.nz)**

Whilst every care has been taken in the preparation of this publication, BSH does not warrant the accuracy or completeness of the information in this publication and BSH reserves the right to alter specifications without notice. To the extent permitted by law, BSH excludes all liability, including negligence, for any loss incurred in reliance on the contents of this publication.

This document is printed on an environmentally responsible paper, produced using Elemental Chlorine Free (ECF), FSC Certified Mixed Source pulp sourced from Well Managed & Legally Harvested Forests, and manufactured under the strict ISO14001 Environmental Management System.

Printed in New Zealand

