




**BOSCH**  
Invented for life

# Bosch Cooking Solutions.

The easy way to perfect results.



# Contents

04 - 07	Bosch Cooking
08 - 23	Series 8
24 - 25	Series 8 Built-in Ovens
26 - 27	Series 8 Built-in Compact Appliances
28	Series 8 Built-in Espresso Machine
29	Built-in Ovens & Microwaves
30	Built-in Ovens
31	Built-in Microwaves
32 - 37	Built-in Hobs
38 - 39	Built-in Electric Hobs
40 - 41	Built-in Gas Hobs
42 - 43	Built-in Domino Hobs
44 - 47	Cooker Hoods
48 - 50	Wall Mount Hoods
51	Island Hood
52 - 71	Technical Drawings



# When every single Bosch appliance makes your life a little easier... that's Bosch in every detail.

We believe the perfect built-in appliance must be designed for one thing above all else; to make your time spent in the kitchen as enjoyable as possible. Every detail of every appliance has been carefully designed, produced and tested by our engineers to fully satisfy the highest standards in quality, performance and convenience. The result is cutting-edge technology, timeless design and remarkable ease of use, reducing the workload for you and consistently delivering perfect results.

## Proven quality

We devote the same high level of care, passion and dedication to all areas of our work – from the first design draft right through to customer service. It's the same Bosch quality that you have been able to rely on for more than 128 years. Bosch appliances offer premium quality, advanced technology, ease of operation and outstanding German made and engineered technology. These attributes have earned us many national and international accolades, such as the reddot Design Award, the iF product design award and other endorsements, year after year.

## Top performance

What drives us every day is our desire to improve. We strive to make the best even better, by developing functional, durable and energy-efficient innovations that surpass all expectations. For example, the new PerfectBake sensor in our Series 8 ovens – perfectly baked cookies and cakes at the touch of a button.

## Maximum convenience

Bosch is dedicated to making your life easier. Our innovative built-in appliances are easy to use, while sophisticated features deliver the best results every time, saving you time and effort. That's what our new Series 8 stands for; less work and more cooking pleasure.



reddot  
International  
Design Award



iF  
product  
design  
award



# For every wish...

To make your selection process easier, we have divided our products into four categories. Each series has a characteristic to fulfil a specific need and allows you to discover which Bosch appliances are right for you.

## Series | 8

To you, perfection is paramount. It manifests in form, function and a surprising ease of use. This high expectation can be perceived throughout your home, where everything is of high quality and thought through to the last detail. Of course, also your home appliances excel with excellent quality results and stand out with first-class design:

**These are the home appliances of Series 8.**

## Series | 4

As a family-oriented person you have a real talent for organisation. No matter how chaotic things get, you stay on top of the situation and keep things in order. Therefore, you look for home appliances that are easy to operate and that fully support your lifestyle. You require a brand that truly understands your needs:

**These are the home appliances of Series 4.**

## Series | 6

You lead an active, sustainable lifestyle. You care about real benefits instead of technical gadgets. You opt for a timeless design and not for temporary trends. You trust the experience and expertise of a brand with a long tradition when you buy home appliances:

**These are the home appliances of Series 6.**

## Series | 2

You have lots of hobbies and like to spend your free time doing things you enjoy; but housework is not one of them. Home appliances to you are objects to use and not to think about. They need to be dependable workhorses that deliver efficient value for the money:


**These are the home appliances of Series 2.**



Series 8 | Design

## Fits every kitchen. And every need.

The new Series 8 ovens not only deliver superior performance with amazing convenience, they are also beautifully crafted with sophisticated design that extends to the smallest detail. The panel heights and display designs for all Series 8 products are consistent across the entire range, so you can match your oven with other Series 8 appliances with complete design harmony. The elegant stainless steel strip at the base of each Series 8 60cm oven creates a uniform look when installed side-by-side with any compact appliance and complementing warming drawer.



Design | Intuitive Control Ring

# The Intuitive Control Ring: Turn your dream dishes into reality, easily.

Everything you need at hand: our new, intuitive control ring makes cooking easier than ever. With just a small turn of the stainless steel ring, you can adjust any of your oven's settings. The TFT-touch display, with its clear and straightforward design, guides you through the various menu options. This gives you full control over your dishes at all times and everything succeeds with ease.



## Series 8 Design | Control Panel

# Put a new spin on your cooking.

With the new Bosch Series 8 control panel, cooking just became a lot easier. The intuitive control ring gives you full control of your oven. You can activate special cooking programs, adjust temperature and cooking time with ease. All you have to do is sit back, relax and admire the timeless design of the Series 8.

### TFT Touch Graphic Display



The iconic Control Ring and clear TFT screen display, combined with the Touch Control buttons, make operating the series 8 ovens simpler than ever before. Clear, vivid food images and helpful prompts guide you through each step as you navigate through the various menu options, giving you total flexibility and control of cooking functions.

### TFT Direct Select Display



The intuitive Control Ring and clear TFT display with Direct Select icons make it easy to operate your oven. Shortcuts to the two most commonly used heating functions, helpful icons and clear descriptions inside the control ring, provide all the information you need to keep track of your cooking.

Features may vary depending on models. Please check individual product specifications.




Overseas model shown

# The first recipe collection in the form of an oven.



## Dish Assist

You could easily search through cookbooks and family recipes without ever finding the exact temperature or cooking time for that favourite dish. Thanks to Dish Assist, you don't have to. The advanced sensor technology found in PerfectRoast and PerfectBake - combined with the functionality of automatic programs as we know them today - offers an extensive menu of food categories that help create your perfect meal. Simply select the desired dish, press start and your oven automatically sets the ideal heating mode, temperature and length of time, monitoring and modifying the cooking as required for the best results. Of course, you can also select these settings yourself every bit as easily.



## PerfectBake

Baking has never been easier, thanks to the unique PerfectBake sensor. This function constantly measures the precise moisture level of your dishes and automatically adjusts the entire baking process, which means you'll never have to set the heating mode, length of time or temperature ever again. Simply choose the type of dish, such as 'Cake in Tin', press start and let your Bosch oven bake your cake to perfection\*.



## PerfectRoast

Achieve the perfect roast lamb, Christmas turkey, stuffed meats and fish. The PerfectRoast meat probe features three sensitive measuring points and uses the lowest temperature reading to determine the core temperature. The results are simply perfect. Used manually or with Dish Assist, you can modify the suggested core temperature (within a recommended range) and combine with steam cooking functions.



Series 8 | Convenience and safety

# Fits every kitchen and every need.

We all have different needs in the kitchen, which is why we designed the new Series 8 ovens with a variety of features. Whether it's safety, convenience or capacity, Bosch Series 8 offers the right solution.



### Telescopic rail system

The Bosch telescopic rails are fully extendable and are ideal for loading and removing trays with ease. Whether you choose a single or double rail option, all shelves are compatible for steam cooking. Trays are also interchangeable between full-sized and compact ovens, excluding the pure steam compact oven.



### SoftMove

Thanks to a special damping mechanism, the oven door opens and closes softer and quieter than before. This convenient feature not only offers a premium finish, it also protects the oven and door during the life of the oven.



### Extra large cavity

Bosch Series 8 ovens offer up to 71 usable litres of cooking space and larger baking trays. The increased cavity creates more uniform baking results due to the improved heat circulation between the racks.



### Precise temperature control

Electronic thermostats monitor the ovens cavity temperature to maintain temperature consistency during the cooking process.



### Automatic switch-off

If left unattended the oven will switch-off after a period of time.



### Childproof lock

Bosch Series 8 ovens are equipped with a child lock that prevents unwanted changes to settings. The control panel is locked so the appliance can only be switched off using the On/Off button.

Optional door lock function on selected models.



### CoolTouch doors

For added safety, Bosch single ovens are fitted with up to quadruple-glazed CoolTouch doors. The reflective inner glass is designed to keep the heat in, while providing a safe-to-touch door on the outside.



### Residual heat indicator

When the appliance is switched off, the display ring shows the residual heat in the cooking compartment. As the residual heat cools down, the display ring becomes darker then disappears.



### Cabinetry cooling fan

The fan circulates cool air around the oven to keep the appliance and the surrounding cabinetry free from the hot air vented by the oven.

Oven | Cleaning functions

# At last, someone in the house who enjoys cleaning up.

Anyone who has ever cleaned an oven by hand knows how exhausting and time-consuming it can be. However, this chore is a thing of the past, thanks to our ovens which are equipped with either the EcoClean Direct cleaning aid or pyrolytic self-cleaning function. EcoClean Direct ovens feature a special coating which works while the oven is in operation to reduce dirt accumulation whereas ovens with the pyrolytic cleaning function can burn off grime at the touch of a button – so your oven practically cleans itself. You won't waste a minute on cleaning, leaving you more time to enjoy cooking.



### EcoClean Direct

While the oven bakes or roasts, the special direct coating of microfine ceramic particles on its interior walls absorbs grease and residue and breaks them down through oxidation. All you need to do is wipe the bottom and inside of the glass door. The direct coating also regenerates every time you heat the oven, and continues to do so for the entire service life of the appliance. To remove substantial residues, simply activate the EcoClean Direct cleaning program\*.



### Pyrolytic cleaning

When you activate the pyrolytic cleaning function, the oven heats up to 480°C and burns off any burned-on grease and food residue. All that's left is a little ash that you can easily remove with a paper towel. Depending on the degree of residue that has accumulated, select one of three different cleaning program and press "Start" – your oven will do the rest for you. And because the baking trays, racks and shelf rails are all pyrolytic-proof, you can leave them in the oven during cleaning.



\* Please remove all accessories when activating the specific EcoClean Direct program.

# Metal racks may show slight discolouration after prolonged use of the pyrolytic function. To prevent this you may choose to remove the wire racks during the pyrolytic cycle. Features may vary depending on models. Please check individual product specifications.



## Oven | Heating functions

# Perfect heating modes to meet your every cooking need.

Perfect baking and roasting not only requires the right temperature, but also the appropriate heating function, too. From 4D Hotair to Hotair Eco, Bosch ovens offer heating functions that deliver everything from haute cuisine to everyday feasts.

**4D Hotair\***

Thanks to 4D Hotair, you can place your food on any shelf from level one to four, and the results will be consistently perfect. The rotating fan alternates its direction during cooking to distribute heat evenly on every level. And for reliable results 'top to bottom', you can also bake and roast on up to four different levels simultaneously.\*

**Hotair Eco**

Our research shows that cooking on a single level is the most common form of cooking in an oven. Hotair Eco uses less energy by using a single tray. This energy efficient function distributes less heat into the oven and uses residual heat to maintain the set temperature.

**Top and bottom heat\***

Uses both the upper and lower heating elements. Heat travels to the center of the oven, which is the best position to obtain the selected temperature. Suitable for traditional baking and roasting, and offers best results for cakes with moist toppings.

**Top and bottom heat Eco**

In addition to the top and bottom heat function, selected Series 8 ovens feature a new eco-friendly mode, which supports cooking on a single shelf for energy efficient cooking. Prepare perfect sponges, pound cakes, delicate pastries, and bread rolls while saving valuable energy.

**Bottom heating**

For cooking in a bain-marie and for the final baking stage. The heat is emitted from the lower heating element.

**Intensive heat**

Combines the top element with a more powerful bottom heating element that is perfect for crispy bases and baking in tins.

**Hot air grilling\***

Achieve rotisserie-style cooking for meat and poultry. The grill and fan alternate, which produces even and crisp cooking results.

**Grill, large area**

For grilling flat items, such as steaks and sausages, for making toast, and for cooking a gratin.

**Grill, small area**

For grilling small amounts of steaks or sausages, for making toast or where grilling a smaller surface area is required.

**Pizza setting**

Create crispy pizzas or give any dish that extra heat that's needed from underneath by using a combination of heating elements.

**Slow cooking**

For gentle and slow cooking of seared, tender pieces of meat in ovenware without a lid. The heat is emitted evenly from the top and bottom at low temperatures.

**Keeping warm\***

A feature that keeps cooked food warm.

**Preheat ovenware**

A feature that is useful for preheating ovenware and even dinnerware.

**Desiccate**

A function for drying fruits, vegetables and herbs with maximum flavour.

**Rapid heating**

With rapid heating, you can shorten the heat-up time for selected heating functions, including 4D HotAir and Top and bottom heating.

\* Possible to use added steam for this type of heating (operation only possible when the water tank is full).

\* To cook on all four levels simultaneously, four wire racks are required for best results. For up to three levels, all accessories are suitable, ie. universal tray or baking tray. Features may vary depending on models. Please check individual product specifications.

Oven | Steam options

## Full steam ahead – for full taste.

Many Series 8 ovens have special program and functions that combine the best of a steamer with all the benefits of a classic oven. Those ovens equipped with the steam function produce succulent roasts with crisp outer crusts as well as perfectly browned bread crusts. As you'd expect from any Bosch appliance, they are also easy to operate and clean.



### Steam function

The steam function automatically adds a constant flow of moisture when the oven is in one of the classic heating modes. The result: your roasts are juicy on the inside and beautifully crisp on the outside, and your bread crusts are perfectly browned. Ovens featuring this function can also be used to steam vegetables and fish.



### Added steam function

When you cook using one of our classic heating modes, dishes turn out even better if you add a little bit of moisture from time to time. And that's exactly what our added steam function does. Whether you're reheating dishes, proofing dough, baking or roasting, you can simply set the oven to automatically add steam, or you can add steam manually and regulate its intensity.



### Reheating\*

Dishes are gently heated with steam and taste as delicious as if they had been cooked fresh. Reheating or otherwise known as regeneration, even keeps meat wonderfully crisp, so your holiday roast will taste great long after the festive season is over.

\* Possible to use added steam for this type of heating (operation only possible when the water tank is full). Features may vary depending on models. Please check individual product specifications.

# Built-in Ovens



A

## HBG655HS1 Series 8 Built-in 60cm Oven

### Design

- Stainless steel with black glass door
- TFT display with direct select buttons and rotary control ring
- Halogen interior light

### Performance

- Cavity: 71 litres
- 13 heating functions
- 4D Hotair, Top/Bottom heat, Hotair Eco, Top/Bottom Eco, Hotair grilling, Grill-large area, Grill-small area, Pizza setting, Slow cooking, Bottom heat, Defrosting, Keep warm, Preheating ovenware

### Features

- Rapid heating function
- 10 automatic programs
- 2 levels telescopic shelf rails
- SoftOpening and SoftClosing

### Cleaning

- EcoClean Direct (top, sides, rear)

### Safety

- Childproof lock
- Automatic switch off
- Residual heat indicator
- Triple glazed glass door (Max temperature: 40°C)

### Power Rating

- Total electric connected load: 3.600 kW

### Dimensions

- Product dimensions (H x W x D): 595 x 595 x 548 mm
- Cut out dimensions (H x W x D): 585-595 x 560-568 x 550 mm

### Accessories

- 1 x Wire rack
- 1 x Universal pan
- 1 x Baking tray



A+

## HBG676ES1 Series 8 Built-in 60cm Oven

### Design

- Stainless steel with black glass door
- TFT color and graphics display with touch control buttons and rotary control ring
- Halogen interior light

### Performance

- Cavity: 71 litres
- 13 heating functions
- 4D Hotair, Top/Bottom heat, Hotair Eco, Top/Bottom Eco, Hotair grilling, Grill-large area, Grill-small area, Pizza setting, Slow cooking, Bottom heat, Defrosting, Keep warm, Preheating ovenware

### Features

- Rapid heating function
- Dish Assist programs
- PerfectBake sensor and PerfectRoast multipoint meat probe
- SoftOpening and SoftClosing

### Cleaning

- Pyrolytic self cleaning function

### Safety

- Childproof lock
- Automatic switch off
- Residual heat indicator
- Quadruple glazed glass door (Max temperature: 30°C)

### Power Rating

- Total electric connected load: 3.600 kW

### Dimensions

- Product dimensions (H x W x D): 595 x 595 x 548 mm
- Cut out dimensions (H x W x D): 585-595 x 560-568 x 550 mm

### Accessories

- 1 x Wire rack
- 1 x Universal pan
- 1 x Baking tray
- 1 x Meat probe



A+

## HSG636ES1\* Series 8 Built-in 60cm Steam Combination Oven

### Design

- Stainless steel with black glass door
- TFT color and graphics display with touch control buttons and rotary control ring
- LED interior light

### Performance

- Cavity: 71 litres
- 12 heating functions
- 4D Hotair, Top/Bottom heat, Hotair Eco, Top/Bottom Eco, Hotair grilling, Grill-large area, Grill-small area, Pizza setting, Slow cooking, Bottom heat, Keep warm, Preheating ovenware
- Additional heating methods with steam: steaming, reheating, dough proving and defrosting
- Steam assisted baking/cooking

### Features

- Rapid heating function
- Dish Assist programs
- PerfectBake sensor and PerfectRoast multipoint meat probe
- SoftOpening and SoftClosing

### Cleaning

- EcoClean Direct (rear)
- Descale
- Drying-for drying the cooking compartment after added steam function has been used

### Safety

- Childproof lock
- Automatic switch off
- Residual heat indicator
- Triple glazed glass door (Max temperature: 40°C)

### Power Rating

- Total electric connected load: 3.650 kW

### Dimensions

- Product dimensions (H x W x D): 595 x 595 x 548 mm
- Cut out dimensions (H x W x D): 585-595 x 560-568 x 550 mm

### Accessories

- 1 x Wire rack
- 1 x Baking tray
- 1 x Universal pan
- 1 x Steam container, perforated, size XL
- 1 x Steam container, perforated, size S
- 1 x Steam container, unperforated, size S
- 1 x Meat probe

\* Only available in selected outlets



A

## HRG6769S2B Series 8 Built-in 60cm Oven with Added Steam

### Design

- Stainless steel with black glass door
- TFT color and graphics display with touch control buttons and rotary control ring
- LED elongated interior light

### Performance

- Cavity: 71 litres
- 15 heating functions
- 4D Hotair, Top/Bottom heat, Hotair Eco, Top/Bottom Eco, Hotair grilling, Grill-large area, Grill-small area, Pizza setting, Intensive heat, Slow cooking, Bottom heat, Desiccate, Defrosting, Keep warm, Preheating ovenware
- Additional heating methods with steam: reheating and dough proving
- Steam assisted baking/cooking

### Features

- Rapid heating function
- Dish Assist programs
- PerfectBake sensor and PerfectRoast multipoint meat probe
- 3 levels telescopic shelf rails
- SoftOpening and SoftClosing

### Cleaning

- Pyrolytic self cleaning function
- Descale
- Drying - for drying the cooking compartment after added steam function has been used

### Safety

- Childproof lock
- Automatic switch off
- Residual heat indicator
- Quadruple glazed glass door (Max temperature: 30°C)

### Power Rating

- Total electric connected load: 3.600 kW

### Dimensions

- Product dimensions (H x W x D): 595 x 595 x 548 mm
- Cut out dimensions (H x W x D): 585-595 x 560-568 x 550 mm

### Accessories

- 2 x Wire rack
- 1 x Universal pan
- 1 x Meat probe

# Built-in Compact Appliances



**CMG633BS1B**  
Series 8  
Built-in 45cm Compact Microwave Combination Oven

### Design

- Stainless steel with black glass door
- TFT display with direct select buttons and rotary control ring
- LED interior light

### Performance

- Cavity: 45 litres
- 6 heating functions  
4D Hotair, Hotair Eco, Hotair grilling, Grill-large area, Grill-small area, Preheating ovenware
- 5 microwave power settings: 1000 W, 600 W, 360 W, 180 W, 90 W
- MicroCombi operation

### Features

- Dry program - for drying the cooking compartment after microwave usage to ensure no moisture remains
- Rapid heating function
- 14 automatic programs
- SoftOpening and SoftClosing

### Safety

- Childproof lock
- Automatic switch off
- Residual heat indicator
- Triple glazed glass door (Max temperature: 40°C)

### Power Rating

- Total electric connected load: 3.600 kW

### Dimensions

- Product dimensions (H x W x D): 455 x 595 x 548 mm
- Cut out dimensions (H x W x D): 450-455 x 560-568 x 550 mm

### Accessories

- 1 x Wire rack
- 1 x Universal pan



**CDG634BS1**  
Series 8  
Built-in 45cm Compact Steam Cooker

### Design

- Stainless steel with black glass door
- TFT display with direct select buttons and rotary control ring
- Halogen interior light

### Performance

- Cavity: 38 litres
- 4 heating functions  
Steaming, Reheating, Dough proving, Defrosting

### Features

- 20 automatic programs
- SoftOpening and SoftClosing

### Safety

- Childproof lock
- Automatic switch off
- Residual heat indicator
- Triple glazed glass door (Max temperature: 40°C)

### Power Rating

- Total electric connected load: 1.900 kW

### Dimensions

- Product dimensions (H x W x D): 455 x 595 x 548 mm
- Cut out dimensions (H x W x D): 450-455 x 560-568 x 550 mm

### Accessories

- 1 x Steam container, perforated, size L
- 1 x Steam container, unperforated, size L
- 1 x Sponge



**CSG656RS1**  
Series 8  
Built-in 45cm Compact Steam Combination Oven

### Design

- Stainless steel with black glass door
- TFT color and graphics display with touch control buttons and rotary control ring
- LED interior light

### Performance

- Cavity: 47 litres
- 14 heating functions  
4D Hotair, Top/Bottom heat, Hotair Eco, Top/Bottom Eco, Hotair grilling, Grill-large area, Grill-small area, Pizza setting, Intensive heat, Slow cooking, Bottom heat, Desiccate, Keep warm, Preheating ovenware
- Additional heating methods with steam: steaming, reheating, dough proving and defrosting
- Steam assisted baking/cooking

### Features

- Rapid heating function
- Dish Assist programs
- PerfectBake sensor and PerfectRoast multipoint meat probe
- 1 level telescopic rails
- SoftOpening and SoftClosing

### Cleaning

- EcoClean Direct (top, sides, rear)
- Descale
- Drying - for drying the cooking compartment after added steam function has been used

A+



**BIC630NS1B**  
Series 8  
Built-in 14cm Warming Drawer

### Design

- Stainless steel with black glass

### Performance

- Cavity: 20 litres
- Suitable for:  
Plate warming, Keep warm, Slow cooking, Defrosting, Dough proving

### Features

- Glass surface temperature range: 40°C - 80°C
- Max. loading: 25 kg

### Power Rating

- Total electric connected load: 0.810 kW

### Dimensions

- Product dimensions (H x W x D): 140 x 595 x 548 mm
- Cut out dimensions (H x W x D): 140 x 560-568 x 550 mm

# Built-in Espresso Machine



## CTL636ES1 Series 8 Built-in 45cm Automatic Espresso Maker

### Beverages

- One-touch preparation: Ritstretto, Espresso, Espresso Macchiato, Coffee, Cappuccino, Latte Macchiato, Cafe Latte at the touch of a button
- MyCoffee feature: save 8 favourite beverages
- IndividualCup Volume: cup sizes adjustable individually
- OneTouch DoubleCup: prepare two cups simultaneously for all coffee and milk specialties

### Features

- SilentCeram Drive - quiet premium grinder made from non wearing ceramic
- CoffeeSensor Pro - the grinding unit automatically adjusts to bean variety
- AromaDouble Shot - extra-strong coffee with less bitterness
- SensoFlow system - ideal constant brewing temperature

### Convenience

- TFT display with interactive menu
- Water tank removable (2.4 litres volume)

### Hygiene

- AutoMilk clean
- Milk frother removable and dishwasher safe
- Automatic rinsing program when switching off/on
- Drip tray and coffee grounds container removable and dishwasher safe
- Calc'n'Clean-automatic cleaning and descaling program
- Indicator: time of water filter change, descaling, cleaning, including display of remaining cups

### Safety

- Childproof lock

### Additional features

- Bean container with aroma protection lid (500 g volume)
- Grinding fineness adjustable (multi-level)

### Power Rating

- Total electric connected load: 1.600 kW

### Dimensions

- Product dimensions (H x W x D): 455 x 594 x 375 mm
- Cut out dimensions (H x W x D): 449 x 558 x 356 mm

## Other Series Ovens & Microwaves | Features

# Real benefits meet classic design.

Other series models offer a broad range of extra benefits. The unique door design and glass-on metal door construction ensure these appliances stand apart.



### 3D HotAir

Cook on up to 3 levels simultaneously with even heat distribution.



### Fan assisted top / bottom heating

Uses both upper and lower heating elements while a fan disperses heat evenly.



### Rapid heating

On top and bottom heating, 200°C can be reached in approximately six minutes.



### AutoPilot

Simply select the appropriate program, enter the weight and press start. The automatic program then takes over to cook your dish to perfection.



### Precise temperature control

Electronic thermostats monitor the oven's cavity temperature to maintain temperature consistency during the cooking process.



### Cabinetry cooling fan

The fan circulates cool air around the oven to keep the appliance and the surrounding cabinetry free from the hot air vented by the oven.

### Enamel coating

The grey enamel interior coating is easy-to-clean and the lighter colour improves visibility during cooking.

# Built-in Ovens



B



A



A

## HBN411E2K Series 2 Built-in 60cm Oven

### Design

- Stainless steel with black glass door
- Rotary knobs

### Performance

- Cavity: 66 litres
- 6 heating functions  
Hotair, Top/Bottom heat, Grill-large area,  
Grill-small area, Hotair grilling, Bottom heat

### Cleaning

- Catalytic cleaning (top, sides, rear)

### Safety

- Triple glazed glass door (Max temperature: 50°C)

### Power Rating

- Total electric connected load: 2.800 kW

### Dimensions

- Product dimensions (H x W x D):  
595 x 595 x 548 mm
- Cut out dimensions (H x W x D):  
575-597 x 560-568 x 550 mm

### Accessories

- 1 x Wire rack
- 1 x Universal pan

## HBN331E1K Series 2 Built-in 60cm Oven

### Design

- Stainless steel with black glass door
- Retractable rotary knobs

### Performance

- Cavity: 66 litres
- 5 heating functions  
3D Hotair, Top/Bottom heat, Grill-large  
area, Hotair grilling, Bottom heat

### Features

- Rapid heating function

### Safety

- Childproof lock
- Triple glazed glass door  
(Max temperature: 50°C)

### Power Rating

- Total electric connected load: 2.900 kW

### Dimensions

- Product dimensions (H x W x D):  
595 x 595 x 548 mm
- Cut out dimensions (H x W x D):  
575-597 x 560-568 x 550 mm

### Accessories

- 1 x Wire rack
- 1 x Universal pan
- 1 x Baking tray

## HBA23B251K Series 6 Built-in 60cm Oven

### Design

- Stainless steel with black glass door
- Retractable rotary knobs

### Performance

- Cavity: 66 litres
- 5 heating functions  
3D Hotair, Top/Bottom heat, Grill-large  
area, Hotair grilling, Bottom heat

### Features

- Rapid heating function

### Cleaning

- EcoClean (rear)

### Safety

- Childproof lock
- Triple glazed glass door  
(Max temperature: 40°C)

### Power Rating

- Total electric connected load: 2.900 kW

### Dimensions

- Product dimensions (H x W x D):  
595 x 595 x 548 mm
- Cut out dimensions (H x W x D):  
575-597 x 560-568 x 550 mm

### Accessories

- 1 x Wire rack
- 1 x Universal pan
- 1 x Baking tray

# Built-in Microwave



## HMT84G654B Series 6 Built-in Microwave with Grill

### Design

- Stainless steel with black glass door
- Retractable rotary knob
- Turntable diameter: 315 mm

### Performance

- Cavity: 25 litres
- 5 microwave power settings:  
900 W, 600 W, 360 W, 180 W, 90 W
- Grill: 1200 W
- Combination of grill and microwave  
power levels: 360 W, 180 W, 90 W

### Features

- 8 automatic programs
- 1 memory setting

### Power Rating

- Total electric connected load: 1.450 kW

### Dimensions

- Product dimensions (H x W x D):  
382 x 594 x 369 mm
- Cut out dimensions (H x W x D):  
380 x 560-568 x 550 mm

### Accessories

- 1 x Grill wire rack



# The world of Bosch built-in hobs.

There is a range of induction, radiant and gas hobs to choose from. As you would expect from Bosch, all are made using high-quality materials, are easy to use and add versatility, style and elegance to any kitchen.



## Electric hobs | Features



### PowerBoost – now with even more power!

PowerBoost channels increased power to a selected zone to turbocharge the cooking process. With PowerBoost, you can boil 2 litres of water almost three times faster than on a conventional radiant cooktop.



### Dual function timer including automatic switch-off for each zone

Use the independent audible timer to set the length of cooking time for up to 99 minutes – ideal for busy households. Once the selected time has been reached, the cooking zone is switched off automatically.



### Energy Consumption Display

Each time you finish cooking, your Energy Consumption Display shows exactly how much power you've used. So if you wish, you can adapt your cooking style to save energy and money. (For example, placing a lid on a pot can help reduce your energy consumption).



### QuickStart

Start cooking quicker. New Bosch QuickStart functionality automatically detects the location of your pot and displays the cooking zone on the control panel. Just select the power level and you're away.



### ReStart

Things happen quickly in the kitchen – if you spill something on the control panel or accidentally switch-off the cooktop, ReStart will store your last selected settings. Those settings can be instantly recalled by simply pressing the main power switch within 4 seconds.



### WipeProtection

Stay in complete cooking control even while you've had a spill or boil-over. Bosch WipeProtection locks the control panel for 20 seconds so you can clean the surfaces easily, without losing your cooking settings.



### Childproof lock

Maximum safety for tiny hands. Lock your cooktop's control panel and prevent accidental little chefs from 'helping out' and hurting themselves. Enjoy the reassurance of maximum safety for both you and your loved ones.

Features may vary depending on models. Please check individual product specifications.



### 2-stage residual heat indicators

Provides clear indication of when a zone is still hot after use. Two levels: 'H' means residual heat sufficient to finish off cooking or to keep items warm; 'h' - residual heat insufficient to cook, but zone is still hot enough to advocate caution.



### Automatic safety switch-off

Never worry again if you have forgotten to turn off the hob. If you've stopped using it, your Bosch Induction hob will automatically shut down.



### Dual circuit cooking zone

Available on selected radiant hobs, this energy-saving feature allows you to select a smaller cooking zone for small pans, and a larger zone for larger pans.

## Gas hobs | Features



### Cast-iron supports

Cast-iron pan supports are both stylish and highly durable, providing solid and robust support for your cooking pans.



### Flame failure device

For added safety, all Bosch gas hobs feature a flame failure device. This feature stops the supply of gas to the burners if the flame is extinguished.

### 3D flame wheel

An innovative burner cap design that provides and generate a powerful and even flame.


### Sealed top sheet

Prevention of spillage into the gas hob, ensuring safety and easy maintenance of appliance.

Built-in Hobs | Features

## Endless flexibility, one result-perfection.

There is no limitation to how you arrange your pots on the hob - the choice is all yours with Bosch FlexInduction. You can use your hob like a conventional induction hob with four separate cooking zones. This gives you additional space and freedom on which you can place a larger cookware item, such as a 40 cm long roaster.



# Set to the perfect level. Cooked to the perfect consistency.

The right temperature is crucial for successful frying. The new PerfectFry sensor automatically monitors the frying temperature and adjusts it as required to ensure perfectly-fried dishes.



Perfectly frying food starts with getting the temperature right for the oil. Different types of oil have different smoke points and without exact temperature management, food can be burnt easily. For example, the smoke point of sunflower oil is 210-225 °C, while that of virgin oil is just 130-180 °C. PerfectFry shows you when the ideal temperature for adding the oil to the pan has been reached.

## This is how PerfectFry works:



Select your desired cooking zone.



Simply activate PerfectFry via the controls.



Select the optimal temperature level. The pan is then heated to the desired level and the temperature is automatically regulated. The hob gives off visual and audio alerts when the desired temperature is reached, allowing your food to be fried at the optimum heat.

\* Feature only available for model PXE675DC1E.

Achieving perfect results with the five PerfectFry temperature levels:



**1 Very low**  
Ideal for boiling down sauces.



**2 Low**  
Suitable for frying with virgin oil, or for frying omelettes.



**3 Medium-low**  
Perfect for frying fish, meatballs or sausages.






**4 Medium-high**  
Perfect for frying steak (medium or well done), ragout or vegetables.



**5 High**  
Perfect for frying potatoes or rare steaks.



# Built-in Electric Hobs



## PPI82560MS Series 8 78cm Induction Built-in Hob

### Design

- SCHOTT® Ceramic glass

### Performance

- Left zone: 1.8-3.1 kW with PowerBoost (Ø180 mm)
- Right zone: 1.8-3.1 kW with PowerBoost (Ø180 mm)

### Features

- 9 stage power setting
- DirectSelect touch control
- Automatic switch off audible timer
- WipeProtection function

### Safety

- 2 stage residual heat indicator
- Childproof lock

### Power Rating

- Total electric connected load: 3.500 kW

### Dimensions

- Product dimensions (W x D): 780 x 450 mm
- Cut out dimensions (W x D): 700 x 400 mm

## PIE631FB1E Series 6 60cm Induction Built-in Hob

### Design

- SCHOTT® Ceramic glass

### Performance

- Rear left zone: 1.8-3.1 kW with PowerBoost (Ø180 mm)
- Front left zone: 1.8-3.1 kW with PowerBoost (Ø180 mm)
- Rear right zone: 1.4-2.2 kW with PowerBoost (Ø145 mm)
- Front right zone: 2.2-3.7 kW with PowerBoost (Ø210 mm)

### Features

- 17 stage power setting
- DirectSelect touch control
- QuickStart and ReStart function
- Automatic switch off audible timer and kitchen timer
- WipeProtection function

### Safety

- 2 stage residual heat indicator
- Childproof lock

### Power Rating

- Total electric connected load: 7.400 kW

### Dimensions

- Product dimensions (W x D): 592 x 522 mm
- Cut out dimensions (W x D): 560 x 490-500 mm

## PID631BB1E Series 4 60cm Induction Built-in Hob

### Design

- SCHOTT® Ceramic glass

### Performance

- Left triple zone: 2.2-5.5 kW with PowerBoost (Ø210, 260, 320 mm)
- Rear right zone: 1.4-2.2 kW with PowerBoost (Ø145 mm)
- Front right zone: 2.2-3.7 kW with PowerBoost (Ø210 mm)

### Features

- 17 stage power setting
- TouchSelect control
- QuickStart and ReStart function
- Automatic switch off audible timer and kitchen timer

### Safety

- 2 stage residual heat indicator
- Childproof lock

### Power Rating

- Total electric connected load: 7.400 kW

### Dimensions

- Product dimensions (W x D): 592 x 522 mm
- Cut out dimensions (W x D): 560 x 490-500 mm

## PXE675DC1E Series 8 60cm FlexInduction Built-in Hob

### Design

- SCHOTT® Ceramic glass

### Performance

- Left flex zone: 2.2-3.7 kW with PowerBoost
- Rear right zone: 1.4-2.2 kW with PowerBoost (Ø145 mm)
- Front right zone: 2.2-3.7 kW with PowerBoost (Ø210 mm)

### Features

- 17 stage power setting
- DirectSelect premium touch control
- 5 levels PerfectFry program
- MoveMode (3 levels)
- QuickStart & Restart function
- Keep warm function
- Automatic switch off audible timer, kitchen timer and stopwatch function
- WipeProtection function

### Safety

- 2 stage residual heat indicator
- Childproof lock

### Power Rating

- Total electric connected load: 7.400 kW

### Dimensions

- Product dimensions (W x D): 606 x 527 mm
- Cut out dimensions (W x D): 560 x 490-500 mm

## PKE645C17E Series 2 60cm Radiant Built-in Hob

### Design

- SCHOTT® Ceramic glass

### Performance

- Rear left zone: 2.2 kW (Ø210 mm)
- Front left zone: 1.2 kW (Ø145 mm)
- Rear right zone: 1.2 kW (Ø145 mm)
- Front right zone: 2.0 kW (Ø180 mm)

### Features

- 9 stage power setting

### Safety

- Residual heat indicator

### Power Rating

- Total electric connected load: 6.600 kW

### Dimensions

- Product dimensions (W x D): 583 x 513 mm
- Cut out dimensions (W x D): 560 x 490-500 mm

## PKK651FP1E Series 6 60cm Radiant Built-in Hob

### Design

- SCHOTT® Ceramic glass

### Performance

- Left dual zone: 2.1-3.4 kW with PowerBoost (Ø210, 275 mm)
- Rear right zone: 1.2 kW (Ø145 mm)
- Front right dual zone: 1.0-2.3kW with PowerBoost (Ø120, 180 mm)

### Features

- 17 stage power setting
- DirectSelect touch control
- ReStart function
- Automatic switch off audible timer and kitchen timer
- WipeProtection function

### Safety

- 2 stage residual heat indicator
- Childproof lock

### Power Rating

- Total electric connected load: 5.750 kW

### Dimensions

- Product dimensions (W x D): 592 x 552 mm
- Cut out dimensions (W x D): 560 x 490-500 mm

# Built-in Gas Hobs



## PBD7251MS Series 2 76cm 2 Burners Built-in Gas Hob

### Design

- Stainless steel

### Performance

- Max left and right burner: 4.0 kW

### Features

- Cast iron pan supports

### Safety

- Flame failure safety device

### Technical Information

- Electric ignition
- Preset gas type: LPG  
(Alternative gas type: Natural gas)

### Dimensions

- Product dimensions (W x D): 760 x 460 mm
- Cut out dimensions (W x D): 700 x 400 mm

## PBD7232SG Series 2 78.5cm 2 Burners Built-in Gas Hob

### Design

- Tempered glass

### Performance

- Max left and right burner: 4.5 kW

### Features

- Matt enamel pan supports

### Safety

- Flame failure safety device

### Technical Information

- Electric ignition
- Preset gas type: LPG

### Dimensions

- Product dimensions (W x D): 785 x 450 mm
- Cut out dimensions (W x D): 700 x 400 mm

## PBD7331MS Series 4 78.5cm 3 Burners Built-in Gas Hob

### Design

- Tempered glass

### Performance

- Max left and right burner: 4.0 kW
- Max rear burner: Standard burner 1.7 kW

### Features

- Cast iron pan supports

### Safety

- Flame failure safety device

### Technical Information

- Electric ignition
- Preset gas type: LPG  
(Alternative gas type: Natural gas)

### Dimensions

- Product dimensions (W x D): 785 x 450 mm
- Cut out dimensions (W x D): 700 x 400 mm

## PBD9331MS Series 6 92cm 3 Burners Built-in Gas Hob

### Design

- Tempered glass

### Performance

- Max left and right burner: 4.0 kW
- Max rear burner: Standard burner 1.7 kW

### Features

- Cast iron pan supports

### Safety

- Flame failure safety device

### Technical Information

- Electric ignition
- Preset gas type: LPG  
(Alternative gas type: Natural gas)

### Dimensions

- Product dimensions (W x D): 920 x 500 mm
- Cut out dimensions (W x D): 880 x 455 mm

## PBD9351MS Series 8 90cm 3 Burners Built-in Gas Hob

### Design

- Stainless steel

### Performance

- Max left and right burner: 4.0 kW
- Max rear burner: Standard burner 1.7 kW

### Features

- Cast iron pan supports
- Audible automatic timer

### Safety

- Flame failure safety device


### Technical Information

- Electric ignition
- Preset gas type: LPG  
(Alternative gas type: Natural gas)

### Dimensions

- Product dimensions (W x D): 900 x 480 mm
- Cut out dimensions (W x D): 880 x 455 mm

# Built-in Domino Hobs



## PRB326B70E Series 8 30cm 2 Burners Built-in Gas Hob

### Design

- SCHOTT® Ceramic glass

### Performance

- Max rear burner: 2.8 kW
- Max front burner: 1.9 kW

### Features

- Cast iron pan supports, dishwasher safe

### Safety

- Flame failure safety device

### Technical Information

- Electric ignition
- Preset gas type: Natural gas  
(Alternative gas type: LPG)

### Dimensions

- Product dimensions (W x D): 306 x 527 mm
- Cut out dimensions (W x D): 270 x 490-500 mm

### Accessory

- Optional: HEZ394301  
(Connecting rails)

## PRA326B70E Series 8 30cm 1 Burner Built-in Gas Hob

### Design

- SCHOTT® Ceramic glass

### Performance

- Max burner: 6.0 kW

### Features

- Cast iron pan supports, dishwasher safe

### Safety

- Flame failure safety device

### Technical Information

- Electric ignition
- Preset gas type: Natural gas  
(Alternative gas type: LPG)

### Dimensions

- Product dimensions (W x D): 306 x 527 mm
- Cut out dimensions (W x D): 270 x 490-500 mm

### Accessory

- Optional: HEZ394301  
(Connecting rails)

## PIB375FB1E Series 6 30cm Induction Built-in Hob

### Design

- SCHOTT® Ceramic glass

### Performance

- Rear zone: 1.4-2.2 kW with PowerBoost (Ø145 mm)
- Front zone: 2.2-3.7 kW with PowerBoost (Ø210 mm)

### Features

- 17 stage power setting
- DirectSelect touch control
- QuickStart and ReStart function
- Automatic switch off audible timer, kitchen timer and stopwatch function

### Safety

- 2 stage residual heat indicator
- Childproof lock

### Power Rating

- Total electric connected load: 3.700 kW

### Dimensions

- Product dimensions (W x D): 306 x 527 mm
- Cut out dimensions (W x D): 270 x 490-500 mm

### Accessory

- Optional: HEZ394301  
(Connecting rails)

## PKF375FB1E Series 6 30cm Radiant Built-in Hob

### Design

- SCHOTT® Ceramic glass

### Performance

- Rear zone: 1.2 kW (Ø145 mm)
- Front dual zone: 0.8-2.0 kW (Ø120, 180 mm)

### Features

- 17 stage power setting
- DirectSelect touch control
- ReStart function
- Automatic switch off audible timer, kitchen timer and stopwatch function

### Safety

- 2 stage residual heat indicator
- Childproof lock

### Power Rating

- Total electric connected load: 3.200 kW

### Dimensions

- Product dimensions (W x D): 306 x 527 mm
- Cut out dimensions (W x D): 270 x 490-500 mm

### Accessory

- Optional: HEZ394301  
(Connecting rails)



# The world of Bosch cooker hoods.

With a variety of sizes, types and finishes to choose from, it's easy to find the right Bosch cooker hood to perfectly suit your kitchen's design.



## Why shout when you can whisper?

Relax in a quieter kitchen with family and friends. The new EcoSilence Drive® motor operates without carbon brushes, eliminating the disadvantages of conventional motors. Instead of energy loss, wear and noise, you get efficiency, durability, and smooth operation. To reduce motor noise even further, we have optimised the airflow inside the hood. The result: low noise levels with high power.



## Automatic run-on

Selected Bosch cooker hood automatically continue to run-on for approximately 10 minutes after normal operation to ensure remaining odours are removed. The cooker hood then automatically switches off.



## Eco Sensor

Regulates the speed settings automatically by detecting the intensity of the rising steam.



## Electronic filter saturation indicator

For maximum extraction efficiency, an illuminated light indicates when the filter needs cleaning. For hassle-free cleaning, the one-piece filter can be loaded into your Bosch dishwasher.



## Dishwasher-safe metal filters

For easy cleaning, most Bosch filters can be safely loaded into any Bosch dishwasher for sparkling clean results.



## Cooker Hoods | Features

## Bosch in every detail.

**Rim ventilation filter**

With its smooth uninterrupted surface and grease separation of 80-92%\*, the rim ventilation filter from Bosch has a multi-patented filter sealing system and flow-optimised filter system with 9-layer filter mats.



\*Depending on motor output

**Stainless steel filter**


The stainless steel filter provides an exceptionally high level of grease absorption. It is concealed behind an elegant stainless steel cover with a stainless steel handle.

**Metal grease filter**

Metal grease filters are required for ducted and recirculating systems to filter grease and other solid particles out of the extracted air. To make sure these filters operate at maximum efficiency, they should be cleaned about twice a month.

**Ducted extraction**

Ducting out is the most effective method of extraction. Ideally the cooker hood should be sited on an outside wall, or an outside wall can be reached via ducting. Most Bosch extractors are now standardised to facilitate a 150mm diameter outlet for maximum performance, although smaller ducting can be used if required. Please refer to the installation guide for further advice on best practice installation.


**Recirculation kit**

Odours are extracted and filtered, then purified air is returned to the room. The kit comprises of a carbon filter and all components needed to ensure that odour free air is returned into the kitchen. To maintain performance, the carbon filter should be replaced on a regular basis. A recirculation kit needs to be purchased as a separate accessory.

**What extraction rate do I need?**

It is recommended that air be extracted (or exchanged) in a room depending on your type of cooking: minimum of 6 times per hour; and a maximum of 12 times per hour.

Air Extraction is measured using room volume. This is calculated by multiplying Length x Width x Height.



*Bosch extraction rates are tested inline with EU standards.*

## Wall Mount Hoods



A+



A+

**DKE908PMY**  
**Series 2**  
**90cm Chimney Hood, Oil Collector**
**Design**

- Stainless steel
- Rocker switches control

**Performance**

- Exhaust mode
- Max. extraction rate according to EN 61591: 860 m<sup>3</sup>/h

**Features**

- 3 speeds
- Oil collector with pyramidal double filter system

**Technical Information**

- Max normal use noise level: 69 dB(A)
- 2 x 20 W halogen lights
- Diameter pipe: 175 mm

**Dimensions**

- Product dimensions exhaust air (H x W x D): 595-880 x 895 x 530 mm

**DKE906HMY**  
**Series 2**  
**90cm Chimney Hood, Oil Collector**
**Design**

- Stainless steel
- Rocker switches control

**Performance**

- Exhaust mode
- Max. extraction rate according to EN 61591: 860 m<sup>3</sup>/h

**Features**

- 3 speeds
- Oil collector with pyramidal double filter system

**Technical Information**

- Max normal use noise level: 69 dB(A)
- 2 x 20 W halogen lights
- Diameter pipe: 175 mm

**Dimensions**

- Product dimensions exhaust air (H x W x D): 600-840 x 895 x 505 mm

**DEE928PSG**  
**Series 4**  
**90cm Chimney Hood**
**Design**

- Stainless steel
- Low lift push button control

**Performance**

- Exhaust or recirculation mode
- Max. extraction rate according to EN 61591: 1,000 m<sup>3</sup>/h

**Features**

- 3 speeds
- Metal grease filter, dishwasher safe

**Technical Information**

- Max normal use noise level: 69 dB(A)
- 2 x 3 W LED lights
- Diameter pipe: 195 mm

**Dimensions**

- Product dimensions exhaust air (H x W x D): 707-1075 x 895 x 515 mm
- Product dimensions recirculating (H x W x D): 707-1195 x 895 x 515 mm

**Accessory**

- Optional: DHZ5705 (Recirculation kit)

**DEE928BSG\***  
**Series 4**  
**90cm Chimney Hood**
**Design**

- Stainless steel
- Low lift push button control

**Performance**

- Exhaust or recirculation mode
- Max. extraction rate according to EN 61591: 1,000 m<sup>3</sup>/h

**Features**

- 3 speeds
- Metal grease filter, dishwasher safe

**Technical Information**

- Max normal use noise level: 69 dB(A)
- 2 x 3 W LED lights
- Diameter pipe: 195 mm

**Dimensions**

- Product dimensions exhaust air (H x W x D): 678-1048 x 895 x 514 mm
- Product dimensions recirculating (H x W x D): 678-1168 x 895 x 514 mm

**Accessory**

- Optional: DHZ5705 (Recirculation kit)

\* Only available in selected outlets

**DWB097E50**  
**Series 6**  
**90cm Chimney Hood**
**Design**

- Stainless steel
- Low lift push button control

**Performance**

- Exhaust or recirculation mode
- Max. extraction rate according to EN 61591: 730 m<sup>3</sup>/h

**Features**

- 3 speeds + 2 intensive power settings
- Delay shut-off: 10 mins
- Saturation display for metal grease filter and activated charcoal filter
- Metal grease filter, dishwasher safe

**Technical Information**

- Max normal use noise level: 55 dB(A)
- 3 x 3 W LED lights with dimmer function
- Average annual energy consumption: 32.5 kWh/year
- Diameter pipe: 120/150 mm

**Dimensions**

- Product dimensions exhaust air (H x W x D): 642-954 x 900 x 500 mm
- Product dimensions recirculating (H x W x D): 642-1064 x 900 x 500 mm

**Accessory**

- Optional: DHZ5345 (Recirculation kit)

**DWB091E50**  
**Series 6**  
**90cm Chimney Hood**
**Design**

- Stainless steel
- Low lift push button control

**Performance**

- Exhaust or recirculation mode
- Max. extraction rate according to EN 61591: 980 m<sup>3</sup>/h

**Features**

- 3 speeds + 2 intensive power settings
- Delay shut-off: 10 mins
- Saturation display for metal grease filter and activated charcoal filter
- Stainless steel metal grease filter, dishwasher safe

**Technical Information**

- Max normal use noise level: 62 dB(A)
- 3 x 3 W LED lights with dimmer function
- Average annual energy consumption: 34.7 kWh/year
- Diameter pipe: 120/150 mm

**Dimensions**

- Product dimensions exhaust air (H x W x D): 628-954 x 900 x 500 mm
- Product dimensions recirculating (H x W x D): 628-1064 x 900 x 500 mm

**Accessory**

- Optional: DHZ5345 (Recirculation kit)

# Wall Mount Hoods



## DWB091K50 Series 8 90cm Wall Mount Chimney Hood

### Design

- Stainless steel with black control panel
- Touch control

### Performance

- Exhaust or recirculation mode
- Max. extraction rate according to EN 61591: 790 m³/h

### Features

- 3 speeds + 2 intensive power settings
- EcoSensor
- Delay shut-off: 10 mins
- Saturation display for metal grease filter and activated charcoal filter
- Stainless steel rim filter, dishwasher safe

### Technical Information

- Max normal use noise level: 66 dB(A)
- 3 x 3 W LED lights with dimmer function
- Average annual energy consumption: 33.3 kWh/year
- Diameter pipe: 120/150 mm

### Dimensions

- Product dimensions exhaust air (H x W x D): 628-954 x 900 x 500 mm
- Product dimensions recirculating (H x W x D): 628-1064 x 900 x 500 mm

### Accessory

- Optional: DHZ5345 (Recirculation kit)



## DWB121K50 Series 8 120cm Chimney Hood

### Design

- Stainless steel with black control panel
- Touch control

### Performance

- Exhaust or recirculation mode
- Max. extraction rate according to EN 61591: 830 m³/h

### Features

- 3 speeds + 2 intensive power settings
- EcoSensor
- Delay shut-off: 10 mins
- Saturation display for metal grease filter and activated charcoal filter
- Stainless steel rim filter, dishwasher safe

### Technical Information

- Max normal use noise level: 63 dB(A)
- 4 x 3 W LED lights with dimmer function
- Average annual energy consumption: 36.8 kWh/year
- Diameter pipe: 120/150 mm

### Dimensions

- Product dimensions exhaust air (H x W x D): 628-954 x 1200 x 500 mm
- Product dimensions recirculating (H x W x D): 628-1064 x 1200 x 500 mm

### Accessory

- Optional: DHZ5345 (Recirculation kit)

# Island Hood



## DIB091E51 Series 6 90cm Island Hood

### Design

- Stainless steel
- Low lift push button control

### Performance

- Exhaust or recirculation mode
- Max. extraction rate according to EN 61591: 1,000 m³/h

### Features

- 3 speeds + 2 intensive power settings
- Delay shut-off: 10 mins
- Saturation display for metal grease filter and activated charcoal filter
- Metal grease filter, dishwasher safe

### Technical Information

- Max normal use noise level: 60 dB(A)
- 4 x 3 W LED lights with dimmer function
- Average annual energy consumption: 36.9 kWh/year
- Diameter pipe: 120/150 mm

### Dimensions

- Product dimensions exhaust air (H x W x D): 744-924 x 900 x 600 mm
- Product dimensions recirculating (H x W x D): 744-1044 x 900 x 600 mm

### Accessory

- Optional: DHZ5385 (Recirculation kit)



# Built-in Ovens

## Technical Drawings

If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	37 mm	38 mm
Full surface induction hob	43 mm	48 mm
Gas hob	32 mm	42 mm
Electric hob	22 mm	24 mm

Installation with a hob.

For recessed depth, see hob dimensional drawing

Min. distance:  
 Induction hob: 5 mm  
 Gas hob: 5 mm  
 Electric hob: 2 mm

**HBG655HS1, HBG676ES1**

Measurements in mm

# Built-in Ovens

## Technical Drawings

If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	37 mm	38 mm
Full surface induction hob	43 mm	48 mm
Gas hob	32 mm	42 mm
Electric hob	22 mm	24 mm

Installation with a hob.

For recessed depth, see hob dimensional drawing

Min. distance:  
 Induction hob: 5 mm  
 Gas hob: 5 mm  
 Electric hob: 2 mm

Note the pivoting range of the fascia.

**HSG636ES1, HRG6769S2B**

Measurements in mm

# Built-in Compact Appliances

## Technical Drawings

Technical drawing of built-in compact appliance CMG633BS1B. It includes a 3D perspective view of the appliance with dimensions: top width 550 mm, depth 35 mm, front height 450 mm, top panel height 60 mm, front panel height 407 mm, and total height 455 mm. The front panel has a width of 405 mm and a depth of 442 mm. The base has a width of 595 mm and a depth of 548 mm. A note indicates 'Space for appliance connection 320 x 115'. A side view shows a depth of 19.5 mm and a height of 455 mm. A top view shows a width of 548 mm and a depth of 7.5 mm. A section view shows the appliance installed under a hob with a depth of 180 mm and a minimum distance of 460 mm from the hob edge. A note says 'Installation with a hob.' and 'For recessed depth, see hob dimensional drawing'. A table lists minimum distances: Induction hob: 5 mm, Gas hob: 5 mm, Electric hob: 2 mm.

If the compact appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	42 mm	43 mm
Full surface induction hob	48 mm	53 mm
Gas hob	37 mm	47 mm
Electric hob	28 mm	30 mm

CMG633BS1B

Measurements in mm

# Built-in Compact Appliances

## Technical Drawings

Technical drawing of built-in compact appliance CDG634BS1. It includes a 3D perspective view of the appliance with dimensions: top width 550 mm, depth 35 mm, front height 450 mm, top panel height 60 mm, front panel height 407 mm, and total height 455 mm. The front panel has a width of 405 mm and a depth of 442 mm. The base has a width of 595 mm and a depth of 548 mm. A note indicates 'Space for appliance connection 320 x 115'. A side view shows a depth of 19.5 mm and a height of 455 mm. A top view shows a width of 548 mm and a depth of 7.5 mm. A section view shows the appliance installed under a hob with a depth of 180 mm and a minimum distance of 460 mm from the hob edge. A note says 'Installation with a hob.' and 'For recessed depth, see hob dimensional drawing'. A table lists minimum distances: Induction hob: 5 mm, Gas hob: 5 mm, Electric hob: 2 mm.

If the compact appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	42 mm	43 mm
Full surface induction hob	48 mm	53 mm
Gas hob	37 mm	47 mm
Electric hob	28 mm	30 mm

CDG634BS1

Measurements in mm

# Built-in Compact Appliances

## Technical Drawings

If the compact appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	42 mm	43 mm
Full surface induction hob	48 mm	53 mm
Gas hob	37 mm	47 mm
Electric hob	28 mm	30 mm

Installation with a hob:

Min. distance:  
 Induction hob: 5 mm  
 Gas hob: 5 mm  
 Electric hob: 2 mm

Note the pivoting range of the fascia.

CSG656RS1

Measurements in mm

# Built-in Warming Drawer

## Technical Drawings

Over a warming drawer compact ovens with an appliance height of 455 mm can be installed. An intermediate floor is not required.

BIC630NS1B

Measurements in mm

# Built-in Espresso Machine

Bean and water containers are removed from the front. Recommended installation height 95-145 cm.

If using the 92° hinge limiter (spare part no. 00636455), the minimum distance to the wall is only 100 mm.


CTL636ES1

Measurements in mm




# Built-in Electric Hobs

## Technical Drawings



**PID631BB1E**

Measurements in mm




**PXE675DC1E**

Measurements in mm


# Built-in Electric Hobs

## Technical Drawings



**PKE645C17E**


Measurements in mm



**PKK651FP1E**


Measurements in mm

# Built-in Gas Hobs




**PBD7251MS**

Measurements in mm



**PBD7232SG**

Measurements in mm




**PBD7331MS**

Measurements in mm


# Built-in Gas Hobs

## Technical Drawings



**PBD9331MS**


Measurements in mm



**PBD9351MS**


Measurements in mm

# Built-in Domino Hobs



**PRB326B70E**

Measurements in mm



**PRA326B70E**

Measurements in mm

# Built-in Domino Hobs

## Technical Drawings

**When installing a Domino unit right next to a hob, an assembly kit (HEZ394301) is required.**

**When installing two or more Domino units side-by-side, one or more assembly kits are required (2 units = 1 assembly kit, 3 units = 2 assembly kits, etc).**

**When installing two Domino units right next to a hob, two assembly kits (HEZ394301) are required.**

**Assembly kit (HEZ394301) for Domino**

**\* Dependent on the cut-out depth**

**Domino combination possibilities with corresponding device and cutout dimensions**

Width type:	30	40	60	70	80	90
Device width:	306	396	606	710	816	916
	A	B	C	D	L	X
2x30	306	306	-	-	612	576
1x30, 1x40	306	396	-	-	702	666
1x30, 1x60	306	606	-	-	912	876
1x30, 1x70	306	710	-	-	1016	980
1x30, 1x80	306	816	-	-	1122	1086
1x30, 1x90	306	916	-	-	1222	1186
2x40	396	396	-	-	792	756
1x40, 1x60	396	606	-	-	1002	966
1x40, 1x70	396	710	-	-	1106	1070
1x40, 1x80	396	816	-	-	1212	1176
1x40, 1x90	396	916	-	-	1312	1276
3x30	306	306	306	-	918	882
2x30, 1x40	306	306	396	-	1008	972
2x30, 1x60	306	306	606	-	1218	1182
2x30, 1x70	306	306	710	-	1322	1286
2x30, 1x80	306	306	816	-	1428	1392
2x30, 1x90	306	306	916	-	1528	1492
1x30, 2x40	306	396	396	-	1098	1062
1x30, 1x40, 1x60	306	396	606	-	1308	1272
1x30, 1x40, 1x70	306	396	710	-	1412	1376
1x30, 1x40, 1x80	306	396	816	-	1518	1482
1x30, 1x40, 1x90	306	396	916	-	1618	1582
2x40, 1x60	396	396	606	-	1398	1362
4x30	306	306	306	306	1224	1188
3x30, 1x40	306	306	306	396	1314	1278

**① Ventilation gap must be present.**

**PIB375FB1E**

Measurements in mm

# Built-in Domino Hobs

## Technical Drawings

**Installation Dimensions:**

- Minimum distance from the hob cut-out to the wall:  $\geq 38$  mm
- Maximum recessed depth:  $\leq 270$  mm
- Minimum distance from the hob cut-out to the wall:  $\geq 50$  mm
- Minimum distance from the hob cut-out to the wall:  $\geq 70$  mm
- Minimum distance from the hob cut-out to the wall:  $\geq 50$  mm
- Minimum distance from the hob cut-out to the wall:  $\geq 60$  mm
- Minimum distance from the hob cut-out to the wall:  $\geq 20$  mm

**Assembly kit (HEZ394301) for Domino:**

\* Dependent on the cut-out depth

**When installing two Domino units right next to a hob, two assembly kits (HEZ394301) are required.**

**When installing a Domino unit right next to a hob, an assembly kit (HEZ394301) is required.**

**Domino combination possibilities with corresponding devices and cutout dimensions**

Width type:	30	40	60	70	80	90
Device width:	306	396	606	710	816	916
2x30	306	306	-	-	612	576
1x30, 1x40	306	396	-	-	702	666
1x30, 1x60	306	606	-	-	912	876
1x30, 1x70	306	710	-	-	1016	980
1x30, 1x80	306	816	-	-	1122	1086
1x30, 1x90	306	916	-	-	1222	1186
2x40	396	396	-	-	792	756
1x40, 1x60	396	606	-	-	1002	966
1x40, 1x70	396	710	-	-	1106	1070
1x40, 1x80	396	816	-	-	1212	1176
1x40, 1x90	396	916	-	-	1312	1276
3x30	306	306	306	-	918	882
2x30, 1x40	306	306	396	-	1008	972
2x30, 1x60	306	306	606	-	1218	1182
2x30, 1x70	306	306	710	-	1322	1286
2x30, 1x80	306	306	816	-	1428	1392
2x30, 1x90	306	306	916	-	1528	1492
1x30, 2x40	306	396	396	-	1098	1062
1x30, 1x40, 1x60	306	396	606	-	1308	1272
1x30, 1x40, 1x70	306	396	710	-	1412	1376
1x30, 1x40, 1x80	306	396	816	-	1518	1482
1x30, 1x40, 1x90	306	396	916	-	1618	1582
2x40, 1x60	396	396	606	-	1398	1362
4x30	306	306	306	306	1224	1188
3x30, 1x40	306	306	306	396	1314	1278

**Picture for the table Domino combination possibilities with corresponding devices and cutout dimensions**

**If two or more elements are installed right next to one another, one or several installation kits are required (2 elements 1 installation kit, 3 elements 2 installation kits, etc.).**

**Cutout dimension (X) depending on the combination see table:**

# Wall Mount Hoods

## Technical Drawings

**Installation Dimensions:**

- Maximum height: max. 880 mm
- Minimum height: min. 595 mm
- Minimum distance from the electric hob: min. 650 mm
- Minimum distance from the gas hob: min. 750 mm
- From the upper edge of the pan support

**DKE908PMY**

Measurements in mm

**Installation Dimensions:**

- Maximum height: max. 840 mm
- Minimum height: min. 600 mm
- Minimum distance from the electric hob: min. 650 mm
- Minimum distance from the gas hob: min. 750 mm
- From the upper edge of the pan support


**DKE906HMY**

Measurements in mm



# Wall Mount Hoods

## Technical Drawings




DWB091E50

Measurements in mm

# Wall Mount Hoods

## Technical Drawings




DWB091K50

Measurements in mm

# Wall Mount Hoods

## Technical Drawings




DWB121K50

Measurements in mm

# Island Hood

## Technical Drawings



DIB091E51

Measurements in mm



**BOSCH**

**WEBSITE**

 | [www.bosch-home.com.my](http://www.bosch-home.com.my)

More privileges when you register as myBosch member

**FOR MORE INFORMATION**

**CUSTOMER SERVICE**

 | +603 7950 9338  
 | +603 7955 5103  
 | [bshpet.service@bshg.com](mailto:bshpet.service@bshg.com)

Whilst every care has been taken in the preparation of this publication, Bosch does not warrant the accuracy or completeness of the information in this publication and Bosch reserves the right to alter specifications without notice. To the extent permitted by law, Bosch excludes all liability, including negligence, for any loss incurred in reliance on the contents of this publication.

©Copyright 2017 by BSH Home Appliances Sdn. Bhd. Company registration no. 711053-H. Printed in Malaysia.