

Bosch in every detail.

Quality comes from experience

No single appliance leaves our factory until it has been proven to meet our high standards of quality, performance and sustainability. This was Robert Bosch's promise when he opened his first workshop in 1886, and this is the promise we strive to keep today. To help us achieve this, we are constantly developing new manufacturing processes.

All Bosch ActiveWater[™] dishwashers undergo 200 individual quality control checks before being released from the factory.

ActiveWater[™] is a revolutionary dishwashing system that uses every single drop of water to the maximum. Our ActiveWater[™] dishwashers are amongst the most resource-efficient in the world, generating the cleaning power of over 4000 litres from as little as 12.3 litres per wash.



Why choose Bosch?



Green Technology

inside

Zeolite® Drying Technology

We discovered the natural mineral Zeolite® for dishwashers that absorbs water molecules and then releases them as energy. This ground-breaking technology dries your dishes quicker and results in the world's most energy efficient dishwashing.



This signet denotes products that focus on energy and water efficiency while achieving top performance based on Bosch technologies - and, like all Bosch products, have been manufactured with the aim of minimizing their impact on the environment. The signet stands for the resource-efficiency of our products - quite simply, for their "Green Technology".



10 Year Rust-through warranty for the inner tub

We have developed special surface treatments as well as production and joining technologies that are precisely tailored to the materials used in the interior of our dishwashers. We also use high-quality thin sheets of stainless steel. As a result, we are able to offer a 10-year warranty against interior rust-through on all of our dishwashers as standard.



Lifetime Anti-flood

AquaStop[™] Anti-flood protection, guaranteed for the life of the dishwasher. For added security and safety, all Bosch dishwashers have an AquaStop[™] device that cuts off the water supply directly at the tap outlet in case of leaks. Unlike other Anti-flood devices, the AquaStop[™] operates 24 hours a day, 7 days a week, provided the dishwasher is switched on at the mains.

The benefits of a dishwasher.





Protects your hand

Manual dishwashing often causes your hands to become dry and rough. With a dishwasher, there is no contact with water or detergent.



Kills 99.9% Germs at 70°C A dishwasher also reduces the risk of cross-contamination because sponges and kitchen towels are not needed to clean and wipe the dishes.

Saves Energy*

With the energy savings from using a dishwasher, you will be able to operate a freezer and refrigerator for 1 year.

Saves Time & Electricity

Dishwasher saves up the time for you as you can perform other chores at the same time. With Zeolite® minerals, dishes will be dried faster and with less energy consumption.

Based on average water and energy consumption for a standard program of a Premium-class dishwasher. Source of water and energy consumption by hand wash: Study by University Bonn, Germany based on 113 people from 7 European countries.

The perfect Bosch dishwasher to fit your kitchen.



Fully-Integrated

These dishwashers are entirely concealed behind a furniture door. The control panel is integrated into the top of the dishwasher door. They can also be fitted with a stainless steel front panel accessory if you desire.

Semi-Integrated

These dishwashers are designed to be fitted with a kitchen furniture panel to match the design of the kitchen. Only the control panel of the dishwasher is exposed. Alternatively, they can be fitted with a stainless steel front panel accessory.





Freestanding

These dishwashers can be installed anywhere in your kitchen. They have a lid which can be removed if the dishwasher is built under a worktop.

Perfect results made easy with Bosch dishwashers.



EcoSilence Drive™ eliminates mechanical stress, friction and

EcoSilence Drive™ Working without brushes, the

mechanical stress, friction and wear. This makes it exceptionally quiet and guarantees low energy consumption – 30% more efficient than the qualifying limit for class A energy efficiency rating.



DosageAssist[™] detergent system

Unique to Bosch, the DossageAssist™ feature maximises the effectiveness of detergent tablets by dropping it into a specially designed tray that is targeted by water jets, resulting in a tablet that dissolves evenly under control.

AquaSensor[™] technology

The AquaSensor[™] helps you save even more water as it measures the amount of soiling at the end of the pre-rinse cycle, reusing water when it can, saving up to 20% for the entire wash.

VarioSpeed™

You can save up to 50% of wash time with the VarioSpeed[™] option while maintaining the best cleaning and drying results for your utensils.

Wok program

The first program especially designed for your heavily soiled woks and pots so you can do your Asian cooking without worrying about the dishwashing. The results is spotlessly clean and dry dishes.

HygienePlus[™] option

The HygienePlus[™] option offers a hotter final rinse, perfect for removing most bacteria from your cooking utensils, chopping boards and baby bottles.

For baby bottles, we recommend using traditional sanitation methods in conjunction with this option.

Features may vary depending on model. Please check individual product specifications.

IntensiveZone[™] wash option

The IntensiveZone[™] function transforms the entire bottom basket into a power cleaning zone, by increasing the water pressure in the bottom basket, saving you the chore of scrubbing heavily soiled pots and pans.

Half Load

Unlike other systems that only wash in either the top or bottom baskets, Half Load provides the best possible wash performance for dishes stacked anywhere within the dishwasher.

Load Sensor

The load weight is detected by a rotary speed sensor, which recognises the water level. This optimises water usage for half or partial loads, resulting in savings in your utility bills.

ExtraDry

ExtraDry uses a higher temperature in the final rinse. The resulting residual heat is used in the drying process to provide an even better drying result. Especially useful for glasswear and plastics.

Machine Care

Helps remove grime and limescale build-up from your dishwasher to keep it clean and fresh. We recommend using this function once a month or every 30 wash cycles.



VarioFlex[™] Pro.

The innovative VarioFlex[™] Pro basket system offers the greatest flexibility. With foldable racks, the system can be adapted to any load, and all items are assured a firm, secure place in the protective racks.



VarioDrawer[™] and VarioDrawer[™] Pro

A third loading level for cutlery and smaller items. VarioDrawer[™] Pro provides flexibility for larger items.



Rackmatic

This system makes it a simple matter to adjust the height of the upper basket, so a large variety of plates, glasses or even pots can easily be accommodated.

Features may vary depending on model. Please check individual product specifications.







SKS62E22EU Series 4 **Compact Freestanding Dishwasher**

Capacity

6 place settings

Features

- EcoSilence Drive[™]
- AquaSensor[™] technology
- · Load Sensor

Programs

- 6 programs: Intensive 70°C, Auto 45-65°C, Eco 50°C, Gentle 40°C, Quick 45°C, Pre-rinse
 Options: VarioSpeed™, ExtraDry

Baskets

• Flexible basket system

Safety & Convenience • AquaStop™

- · Electronic rinse aid refill indicator
- Time delay start (1-24 hrs)
- Remaining time display

Technical Information

- Annual energy consumption: 0.61 kWh*
- 8.0 litres water consumption*
- Noise level drying: 48 dB
 * based on Eco 50°C program

Dimensions

• Product dimensions (H x W x D): 450 x 551 x 500 mm





SMS50E82EU Series 4 **Freestanding Dishwasher**

Capacity

13 place settings

Features

- EcoSilence Drive[™]
- AquaSensor[™] technology
- · Load Sensor
- DosageAssist[™] detergent system

Programs

- 5 programs: Intensive 70°C, Auto 45-65°C, Eco 50°C, Quick 45°C, Pre-rinse
- Options: VarioSpeed™, Half Load

Baskets

· Vario basket system

Safety & Convenience • AquaStop™

- · Electronic rinse aid refill indicator
- Time delay start (1-24 hrs)Remaining time display

Technical Information

- Annual energy consumption: 1.03 kWh*
- 12.0 litres water consumption*
- Noise level drying: 48 dB
 * based on Eco 50°C program

Dimensions

• Product dimensions (H x W x D): 845 x 600 x 600 mm





SMS63L02EA Series 6 **Freestanding Dishwasher**

Capacity

12 place settings

Features

- EcoSilence Drive[™]
- AquaSensor[™] technology
- · Load Sensor
- DosageAssist[™] detergent system

Programs

- 6 programs: Wok 70°C, Normal 65°C, Auto 45-65°C, Eco 50°C, Quick 45°C, Pre-rinse
 Options: VarioSpeed™, HygienePlus™

Baskets

- VarioFlex basket system
- Rackmatic 3 stage height-adjustable top basket

Safety & Convenience

- AquaStop™
- Childproof control lock
- · Electronic rinse aid refill indicator
- Time delay start (1-24 hrs)
- Remaining time display

Technical Information

- Annual energy consumption: 1.02 kWh*
- 11.8 litres water consumption*
- Noise level drying: 52 dB
 * based on Eco 50°C program

Dimensions

• Product dimensions (H x W x D): 845 x 600 x 600 mm





SMS63L08EA Series 6 Freestanding Dishwasher, Inox

Capacity

12 place settings

Features

- EcoSilence Drive[™]
- AquaSensor[™] technology
- · Load Sensor
- DosageAssist[™] detergent system
- Fingerprint free surface

Programs

- 6 programs: Wok 70°C, Normal 65°C, Auto 45-65°C, Eco 50°C, Quick 45°C, Pre-rinse
 Options: VarioSpeed™, HygienePlus™

Baskets

- VarioFlex basket system
- · Rackmatic 3 stage height-adjustable top basket

Safety & Convenience

- AquaStop^{*}
- Childproof control lock
- · Electronic rinse aid refill indicator
- Time delay start (1-24 hrs)
 Remaining time display

Technical Information

- Annual energy consumption: 1.02 kWh*
- 11.8 litres water consumption*
- Noise level drying: 52 dB
- * based on Eco 50°C program

Dimensions

• Product dimensions (H x W x D): 845 x 600 x 600 mm





Capacity

14 place settings

Features

- EcoSilence Drive[™]
- AquaSensor[™] technology
- · Load Sensor
- DosageAssist[™] detergent system

Programs

- 6 programs: Intensive 70°C, Auto 45-65°C, Eco 50°C, Glass 40°C, 1h 65°C, Pre-rinse, Machine Care • Options: VarioSpeed™ Plus, HygienePlus, Extra Dry

Baskets

- VarioFlex basket system
- VarioDrawer[™] third loading level
- Rackmatic 3 stage height-adjustable top basket

Safety & Convenience

- AquaStop
- · Childproof door lock
- · Electronic rinse aid refill indicator
- Time delay start (1-24 hrs)
- Remaining time display

Technical Information

- Annual energy consumption: 0.93 kWh*
- 9.5 litres water consumption*
- Noise level drying: 44 dB
- * based on Eco 50°C program

Dimensions

- Product dimensions (H x W x D): 815 x 598 x 573 mm
- Cut out dimensions (H x W x D): 815-875 x 600 x 550 mm







SMV68TX06E Series 6 **Built-in Fully-Integrated Dishwasher**

Capacity

14 place settings

Features

- EcoSilence Drive[™]
- Zeolite® drying tehcnology
 AquaSensor™ technology
- Load Sensor
- DosageAssist[™] detergent system
- TFT display

Programs

- 8 programs: Intensive 70°C, Auto 45-65°C, Eco 50°C, Silence 50°C, Short 60°C, Glass 40°C, Quick 45°C, Pre-rinse, Machine Care
- Options: Home Connect Ready, VarioSpeedPlus, HygienePlus, Extra Dry

Baskets

- VarioFlex[™] Pro basket system
- VarioDrawer[™] Pro-third loading level
- · Rackmatic 3 stage height-adjustable top basket

Safety & Convenience

- AquaStop™
- · Electronic rinse aid refill indicator
- TimeLight[™] an illumination that projects the remaining wash cycle time onto the floor when the dishwasher is in operation
- Time delay start (1-24 hrs) · Acoustic end of cycle indicator

Technical Information

- Annual energy consumption: 0.83 kWh*
- 9.5 litres water consumption*
- Noise level drying: 42 dB
 * based on Eco 50°C program

Dimensions

- Product dimensions (H x W x D): 815 x 598 x 550 mm
- Cut out dimensions (H x W x D): 815-875 x 600 x 550 mm

Dishwashers

Technical Drawings



SMI46MS03E

Measurements in mm



SMV68TX06E

Measurements in mm

Bosch my Bosch	WEBSITE I www.bosch-home.com.my More privileges when you register as myBosch member
	FOR MORE INFORMATION CUSTOMER SERVICE I +603 7950 9338 I +603 7955 5103 I +603 7955 sto3 I bshpet.service@bshg.com

Whilst every care has been taken in the preparation of this publication, Bosch does not warrant the accuracy or completeness of the information in this publication and Bosch reserves the right to alter specifications without notice. To the extent permitted by law, Bosch excluded all liability, including negligence, for any loss incurred in reliances on the contents of this publication.

@Copyright 2018 by BSH Home Appliances Sdn Bhd. Company registration no. 711053-H. Printed in Malaysia.