

BSH Household Appliances Manufacturing Pvt. Ltd.

Arena house, 2nd floor,
Main building, Plot no 103,
Road no 12, MIDC, Andheri,
Mumbai- 400 093

www.bosch-home.com/in

Bosch Household Appliances reserves the right to change specifications without notice in the interest of technological progress.

While every effort has been made to ensure that all specifications and descriptions are correct at the time of going to press, this brochure should not be regarded as an infallible guide for a particular product. Due to variation in the reproduction process, colours of products may vary slightly from those depicted. We recommend a visit to a Bosch dealer to confirm that specifications and colours are to your own satisfaction.

All rights reserved. No part of this publication may be reproduced in any form by any means without the permission of BSH Household Appliances Manufacturing Pvt. Ltd. (E.O.E)



1 - 800 - 266 - 1880 (toll - free)
Monday - Saturday - 8:00 am to 8:00 pm



BOSCH
Invented for life



Bosch kitchen appliances,
perfected for Indian cooking.

Bosch Built-in Cooking and Dishcare range.

Contents

About us	1 - 2
Hoods	3 - 14
Hobs	15 - 22
Induction Hobs	23 - 26
Ovens	27 - 34
Microwave Ovens	35 - 38
Dishwashers	39 - 46






Invented for life.

The beauty of German craftsmanship and design, perfectly showcased by Bosch over 130 years.

Founded in 1886, Bosch has been synonymous with outstanding technology and craftsmanship. Through continuous innovation, precise electrical engineering and electronic technology, Bosch has become the world's pioneer in industrial technology. Simple yet elegant, Bosch home appliances make every kitchen an art space with their concise design and aesthetics of life. Today, Bosch is one of the leading home appliances brands in Europe. The brand offers both free-standing and built-in appliances. Renowned for its one-stop cooking solution, Bosch products include the high quality Gas hobs, Induction Hobs, Hoods - Inclined, Island and Wall Mounted, Ovens, Microwave and Dishwasher. Bosch appliances, offers a complete solution for living with innovative designs to fulfill the unique need of every consumer.

"I would rather lose money than trust", the philosophy of company founder, Robert Bosch, continues to guide Bosch in developing high-quality products and assuming social responsibility wherever it operates. True to the brand's philosophy brand "Invented for life", Bosch will continue to offer consumers with quality and perfect technology for a better life.



Awards



Hoods | Features

For Suction Power that is always Real.

Each Bosch hood is created using highly durable stainless steel. Designed to offer wider coverage and the most ideal suction / extraction for all kinds of kitchens all thanks to powerful blower motors & largest baffle filters. All this is offered together with the finest aesthetics, LED illumination & low noise.



Real Suction Power
For a smell-free kitchen, air needs to be cleaned 8-10 times per hour, making the extraction or suction power a function of the air volume in the kitchen. Bosch range of hoods are strictly tested keeping in mind the various kitchen sizes hence stating the most accurate real extraction out of the kitchen even considering the 2 standard bends in the ducting.



Flawless German Design
High quality material and elegant craftsmanship make Bosch hoods a treat to look at, and also to use. The finesse of our brushed steel hoods gives it a modern, minimalistic look, while the design also ensures safety as there are no sharp edges.



Largest Baffle Filter
Bosch hood is equipped with the largest baffle filter. The filter ensures complete coverage of the burners from the top which results in total elimination of grease, heat, smell and smoke from your kitchen.



LED Illumination
Bosch hoods are fitted with LED lights that offer the brightest illumination. LED illumination also ensures no heating of the hoods unlike the halogen options.



Easy To Clean
The high quality two piece baffle filter is easy to separate and clean. It can be cleaned either manually under running water, or in a dishwasher, removing the grease completely.



Oil Collector Filter
For households where heavy frying is a daily activity Bosch hoods provide the option of Oil Collector filter. The excess grease from frying melts into oil and gets accumulated in the collector container which can be easily removed and cleaned later.



A chimney hood design for every kitchen.

With a wide variety of sizes, types and finishes to choose from, it's easy to find the right chimney hood to perfectly match your kitchen.

Design	60 cm	90 cm	120 cm
Island		✓	✓
Inclined		✓	
Glass box	✓	✓	
Slim Pyramid		✓	
Slim Box		✓	
Straight glass	✓	✓	
Oil Collector		✓	
Box	✓	✓	
Pyramid	✓	✓	

Hoods | Features

Selecting the right hood for your kitchen.

If you love cooking at home, you'll know that an effective extraction method is needed to help get rid of moisture and remove odours, so that your kitchen and other areas of the home remain pleasant, relaxing environments. The short guide below takes you through the key factors you should consider when purchasing any new hood. We would like to help you choose the right hood for your kitchen.

Suction power demystified

What Suction power do you need?


To calculate the appropriate airflow level for your kitchen, you should multiply the volume of your kitchen by 10. For example: If your kitchen is 3 metres wide, 5 metres long and 2.7 metres high, your calculation will be: (3 x 5 x 2.7) x 10 = 405. This means that a hood with an Suction power of 400 m³/h should achieve efficient ventilation of the room. Bosch hoods are fine tuned to generate 800m³/h and 1000m³/h of real Suction power at low noise level. This real extraction is measured not at the air sucked at the filter level in the kitchen, but at the air thrown out after considering bends in the ducting, if any.

The Right Hood

Match your hood with your kitchen to keep your at smelling clean and fresh. The right hood replaces air in your kitchen ideally 10 times an hour.



What Suction power do I need from my hood?



When choosing a hood, always match its air delivery power to the size of your kitchen. An effective hood should be able to replace the air in your kitchen 10 times an hour.

How is the Suction power reported?

The European standard IEC/EN 61591 (introduced in 1997) is the most updated measurement method. Before its introduction, the free-blower method was commonly used. The European standard measures airflow in a realistic scenario and its therefore more representative. Hence, when comparing Suction power, ensure you are comparing based on the same methods. Bosch follows European standards, meaning the airflow is measured after 30 centimeters of ducting, plus one 90° bend and one more meter of ducting.

Did You Know?

There are different types of air extraction measurements.

Other Types of Air Extraction Measurement	Bosch Stringent Measurement on Air Extraction: Testing according to EN 61591
<p>Measurement of net fan power at the air outlet above motor in appliance without connection to ducting system</p>	<p>Measurement of net fan power at air outlet above motor in appliance with connection to ducting system according to EN 61591</p>
<p>Measurement of net fan power based on motor only</p>	









Hoods | Specifications



Model Number	DIB128G50I	DIB098G50I
	120 cm Island glass box chimney hood 800 m3/h real suction 4 Baffle Filters 4 LED lamps	90 cm Island glass box chimney hood 800 m3/h real suction 3 Baffle Filters 4 LED lamps
Features	<ul style="list-style-type: none">• 120 cm Island chimney hood• Touch control for 3 + intensive speed fan regulation• LED lamps x 4• Suction: real 800 m3/h• Operation mode hoods: Ducted and recirculating operation• Max. noise level: 55 - 77dB recirculating• 4 High Efficiency Baffle Filters• Total power of motors: 350 W• Multi-stage fan regulation• Stainless steel hood which is easy to clean• Easy to clean Dishwasher safe filter	<ul style="list-style-type: none">• 90 cm Island chimney hood• Touch control for 3 + intensive speed fan regulation• LED lamps x 4• Suction: real 800 m3/h• Operation mode hoods: Ducted and recirculating operation• Max. noise level: 55 - 77dB• 3 High Efficiency Baffle Filters• Total power of motors: 350 W• Multi-stage fan regulation• Stainless steel hood which is easy to clean• Easy to clean Dishwasher safe filter
Dimensions	<ul style="list-style-type: none">• Appliance dimensions (HxWxD): 340 mm X 1200 mm X 610 mm• Ducting connection diameter: 150 / 120 mm• Connecting cable 1.5 m	<ul style="list-style-type: none">• Appliance dimensions (HxWxD): 340mm X 900 mm X 610 mm• Ducting connection diameter: 150 / 120 mm• Connecting cable 1.5 m




Model Number	DIG098G50I	DWB97FM50
	90 cm Island straight glass chimney hood 800 m3/h real suction 2 Baffle Filters 4 LED lamps	90 cm Box Glass Inlay Hood 750 m3/h real suction 3 multi layer cassette filters 2 LED lamps
Features	<ul style="list-style-type: none">• 90 cm Island chimney hood• Touch control for 3 + intensive speed fan regulation• LED lamps x 4• Suction: real 800 m3/h• Operation mode hoods: Ducted and recirculating operation• Max. noise level: 55 - 77dB recirculating• 2 High Efficiency Baffle Filters• Total power of motors: 350 W• Multi-stage fan regulation• Stainless steel hood which is easy to clean• Easy to clean Dishwasher safe filter	<ul style="list-style-type: none">• 90cm Box Glass Inlay Hood• Touch Controls for 3 speed fan + Intensive regulation• LED lamps x 2• Suction: real 750 m3/h• Operation mode hoods: Ducted & Recirculating operation*• Noise levels: 52 - 77 dB• 3 extra large high efficiency multi layer cassette filters• Total power of motors: 250 W• Multi Stage Fan Regulation and Booster Function• Clean System with Filters at each key point• Stainless Steel Hood which is easy to clean• Easy to clean Dishwasher safe filter
Dimensions	<ul style="list-style-type: none">• Appliance dimensions (HxWxD): 340 mm X 900 mm X 650mm• Ducting connection diameter: 150 / 120 mm• Connecting cable 1.5 m	<ul style="list-style-type: none">• Appliance dimensions (HxWxD): 635-1075 mm x 900 mm x 500 mm• Ducting connection diameter: 150 / 120 mm• Connecting cable 1.3 m



*Hoods available in both modes from June, 2018 onwards









Hoods | Specifications



Model Number	DWK098G60I	DWB97DM50B
	90 cm Inclined chimney hood 800 m3/h real suction 3 mesh filters 2 LED lamps	90 cm Box Hood 750 m3/h real suction 3 multi Layer cassette filters 2 LED lamps
Features	<ul style="list-style-type: none">• 90 cm inclined chimney hood• Touch control for 3 + intensive speed fan regulation• LED lamps x 2• Suction: real 800 m3/h• Operation mode hoods: Ducted & Recirculating operation*• Max. noise level: 55 - 73dB• 3 high efficiency mesh filters• Total power of motors: 350 W• Multi-stage fan regulation• Stainless steel hood which is easy to clean	<ul style="list-style-type: none">• 90cm Box Hood• Touch Controls for 3 speed fan + Intensive regulation• LED lamps x 2• Suction: real 750 m3/h• Operation mode hoods: Ducted & Recirculating operation*• Noise levels: 52 - 77 dB• 3 Extra Large High Efficiency Multi Layer Cassette Filters• Total power of motors: 250 W• Multi Stage Fan Regulation and Booster Function• Clean System with Filters at each key point• Stainless Steel Hood which is easy to clean• Easy to clean Dishwasher safe filter
Dimensions	<ul style="list-style-type: none">• Appliance dimensions (HxWxD): 340 mm X 900 mm X 480 mm• Ducting connection diameter: 150 / 120 mm• Connecting cable 1.5 m	<ul style="list-style-type: none">• Appliance dimensions (HxWxD): 635 -1075 mm x 900 mm x 500 mm• Ducting connection diameter: 150 / 120 mm• Connecting cable 1.3 m



Model Number	DEE928PIN	DEE936BIN
	90 cm Pyramidal slimline hood 1020 m3/h real suction 3 extra large baffle filters LED lamps	90 cm Box slimline hood 960 m3/h real suction 3 extra large baffle filters
Features	<ul style="list-style-type: none">• 90 cm Pyramidal slimline hood• Electronic Push Button• LED lamps x 2• Suction: real 1020 m3/h• Operation mode hoods: Ducted operation• Max. noise level: 56 - 71 dB• 3 extra large high efficiency baffle filters• Total power of motors: 200 W• Multi-stage fan regulation and Booster function• Archimedes air channel, strong and quiet• Clean system with filters at each key point• Stainless steel hood which is easy to clean• Easy to clean Dishwasher safe filter	<ul style="list-style-type: none">• 90 cm Box slimline hood• Electronic Push buttons• Halogen spot x 2• Suction: real 960 m3/h• Operation mode hoods: Ducted and Recirculating operation• Max. noise level: 58 - 72 dB• 3 extra large high efficiency baffle filters• Total power of motors: 210 W• Multi-stage fan regulation• Archimedes air channel, strong and quiet• Clean system with filters at each key point• Stainless steel hood which is easy to clean• Easy to clean Dishwasher safe filter
Dimensions	<ul style="list-style-type: none">• Appliance dimensions (HxWxD): 707-1075 mm x 895 mm x 530 mm• Ducting connection diameter: 180 mm• Connecting cable 1.5 m	<ul style="list-style-type: none">• Appliance dimensions (HxWxD): 664-1034 mm x 900 mm x 530 mm• Ducting connection diameter: 180 mm• Connecting cable 1.5 m



*Hoods available in both modes from June, 2018 onwards









Hoods | Specifications



Model Number	DWB098G50I	DWB068G50I
	90 cm Glass Box hood 800 m3/h real suction 3 Baffle Filters Touch control	60 cm Glass Box hood 800 m3/h real suction 2 Baffle Filters Touch control
Features	<ul style="list-style-type: none">90 cm box hood with front glass inlayTouch controls for 3 speed fan + intensive regulationLED lamps x 2Suction: real 800 m3/hOperation mode hoods: Ducted & Recirculating operation*Max. noise level: 55 - 73dB3 High Efficiency Baffle filtersTotal power of motors: 350 WMulti-stage fan regulationStainless steel hood which is easy to cleanEasy to clean Dishwasher safe filter	<ul style="list-style-type: none">60 cm box hood with front glass inlayTouch controls for 3 speed fan + intensive regulationLED lamps x 2Suction: real 800 m3/hOperation mode hoods: Ducted & Recirculating operation*Max. noise level: 55 - 73dB2 High Efficiency Baffle FiltersTotal power of motors: 350 WMulti-stage fan regulationStainless steel hood which is easy to cleanEasy to clean Dishwasher safe filter
Dimensions	<ul style="list-style-type: none">Appliance dimensions (HxWxD): 340 mm X 900 mm X 490 mmDucting connection diameter: 150 / 120 mmConnecting cable 1.5 m	<ul style="list-style-type: none">Appliance dimensions (HxWxD): 340 mm X 600 mm X 490 mmDucting connection diameter: 150 / 120 mmConnecting cable 1.5 m



Model Number	DWB098D50I	DWB068D50I
	90 cm Mechanical box hood 800 m3/h real suction 3 Baffle Filters LED lights	60 cm Mechanical box hood 800 m3/h real suction 2 Baffle Filters LED lights
Features	<ul style="list-style-type: none">90 cm Mechanical box hoodPush button controls for 3 speed fan regulationLED lamps x 2Suction: real 800 m3/hOperation mode hoods: Ducted & Recirculating operation*Max. noise level: 55 - 73dB3 High Efficiency Baffle FiltersTotal power of motors: 350 WMulti-stage fan regulationStainless steel hood which is easy to cleanEasy to clean Dishwasher safe filter	<ul style="list-style-type: none">60 cm mechanical box hoodPush button controls for 3 speed fan regulationLED lamps x 2Suction: real 800 m3/hOperation mode hoods: Ducted & Recirculating operation*Max. noise level: 55 - 73dB2 High Efficiency Baffle FiltersTotal power of motors: 350 WMulti-stage fan regulationStainless steel hood which is easy to cleanEasy to clean Dishwasher safe filter
Dimensions	<ul style="list-style-type: none">Appliance dimensions (HxWxD): 341 mm X 900 mm X 490 mmDucting connection diameter: 150 / 120 mmConnecting cable 1.5 m	<ul style="list-style-type: none">Appliance dimensions (HxWxD): 340 mm X 600 mm X 490 mmDucting connection diameter: 150 / 120 mmConnecting cable 1.5 m



*Hoods available in both modes from June, 2018 onwards









Hoods | Specifications



Model Number	DWG098D50I	DWG068D50I
	90 cm Straight glass hood 800 m3/h real suction 2 Baffle filters	60 cm Straight glass hood 800 m3/h real suction 2 baffle filters
Features	<ul style="list-style-type: none">• 90 cm straight glass hood• Push button controls for 3 speed fan regulation• CFL lights x 2• Suction: real 800 m3/h• Operation mode hoods: Ducted & Recirculating operation*• Max. noise level: 55 - 73dB• 2 high efficiency Baffle filters• Total power of motors: 350 W• Multi-stage fan regulation• Stainless steel hood which is easy to clean• Easy to clean dishwasher safe filter	<ul style="list-style-type: none">• 60 cm straight glass hood• Push button controls for 3 speed fan regulation• CFL Lights x 2• Suction: real 800 m3/h• Operation mode hoods: Ducted & Recirculating operation*• Max. noise level: 55 - 73dB• 2 high efficiency Baffle filters• Total power of motors: 350 W• Multi-stage fan regulation• Stainless steel hood which is easy to clean• Easy to clean dishwasher safe filter
Dimensions	<ul style="list-style-type: none">• Appliance dimensions (HxWxD): 330 mm X 900 mm X 520 mm• Ducting connection diameter: 150 mm• Connecting cable 1.5 m	<ul style="list-style-type: none">• Appliance dimensions (HxWxD): 330 mm X 600 mm X 520 mm• Ducting connection diameter: 150 / 120 mm• Connecting cable 1.5 m



Model Number	DKE906HIN	DKE908PIN
	90 cm Curved glass oil-collector hood 860 m3/h real suction Metal grease filter with oil collector	90 cm Pyramidal Slimline hood 860 m3/h real suction Metal grease filter with oil collector
Features	<ul style="list-style-type: none">• 90 cm curved glass oil-collector hood• Rocker controls for 3 speed fan regulation• Halogen spot x 2• Suction: real 860 m3/h• Operation mode hoods: Ducted operation• Archimedes air channel - strong and quiet• Max. noise level: 55 - 69dB• Metal grease filter with oil-collector• Total power of motors: 150 W• Multi-stage fan regulation• Stainless steel hood which is easy to clean	<ul style="list-style-type: none">• 90 cm pyramidal oil-collector hood• Rocker controls for 3 speed fan regulation• Halogen spot x 2• Suction: real 860 m3/h• Operation mode hoods: Ducted operation• Max. noise level: 55 - 69dB• Metal grease filter with oil-collector• Total power of motors: 150 W• Multi-stage fan regulation• Stainless steel hood which is easy to clean
Dimensions	<ul style="list-style-type: none">• Appliance dimensions (HxWxD): 600-890 mm x 900 mm x 505 mm• Ducting connection diameter: 160 mm• Connecting cable 1.5 m	<ul style="list-style-type: none">• Appliance dimensions (HxWxD): 595-880 mm x 900 mm x 530 mm• Ducting connection diameter: 160 mm• Connecting cable 1.5 m



*Hoods available in both modes from June, 2018 onwards

*Hoods available in both modes from June, 2018 onwards

Hobs | Features

Making Phulkas is an art for you. For us, it's pure engineering.

We believe what looks perfect, must also work perfect. Our Gas Hobs, for instance, are a startling example of our obsession with perfection. They have been re-engineered with the most powerful Triple Flame Burners to give you the best possible distribution of flame. Best possible distribution of flame, just so that your Rotis, Phulkas and Chapattis puff up perfectly.


Powerful 4 kW Triple Flame Burner

Bosch hobs come equipped with the most powerful 4 kW Triple Flame Wok burners, providing three layers of vertical flames that ensure even heat distribution across big cooking pots. Bosch gas hobs are powerful for speedy cooking and at the same time, gentle for simmering.


Flame Failure Device

While cooking, if the flame accidentally goes off, there's a chance of gas leakage. But not with Bosch gas hobs, which are equipped with an ingenious device that automatically shuts off gas supply on detecting no flame. As safety cannot be optional, the Flame Failure Device comes as a standard feature with every Bosch gas hob.


Strong Pan Supports

Equipped with strong pan supports, our hobs ensure that the pots don't wobble. This in turn adds to superior heat distribution. The pan supports can be easily removed and washed, while its enamel coating makes cleaning even easier.



Intelligent Control Knobs

Different types of Indian dishes require different levels of heat. That's why Bosch hobs come equipped with control knobs for precise control over the flame. The clever design of the knobs also makes it easy and comfortable to use.



Rubber Gasket

While cleaning, there are chances of water droplets seeping inside the knobs. Precisely why, we have rubber gaskets around our knobs which ensure zero water seepage. This not only improves safety but also enhances product life.


Hobs | Specifications



Model Number	PPS916B91E 90 cm Black glass gas hob 5 burners Flame failure safety device	PPS816B1TI 75 cm Black glass gas hob 5 burners Flame failure safety device
Features	<ul style="list-style-type: none">• 5 burner gas hob• 1 wok, 1 rapid, 2 standard, 1 economy burner• Even triple flame 4 kW Wok burner at left side• Standard burner at front right side: 1.7 kW• High-speed burner at rear right side : 3 kW• Standard burner at rear left side: 1.7 kW• Economy burner at front left side: 1 kW• Flame failure safety device• Single handed automatic ignition via control knobs• Cast iron pan supports for wobble free cooking• Tempered black glass hob which is easy to clean	<ul style="list-style-type: none">• 5 burner gas hob• 1 wok, 1 rapid, 2 standard, 1 economy burner• Even triple flame 4 kW Wok burner at left side• Standard burner at front right side: 1.7 kW• High-speed burner at rear right side : 3 kW• Standard burner at rear left side: 1.7 kW• Economy burner at front left side: 1 kW• Flame failure safety device• Single handed automatic ignition via control knobs• Steel square shaped pan supports for wobble free cooking• Tempered black glass hob which is easy to clean
Dimensions	<ul style="list-style-type: none">• Appliance Dimensions (H x W x D): 45 mm x 915 mm x 520 mm• Cut-out niche dimensions (HxWxD): 45 mm x 850 mm x 490-500 mm• Connecting cable 1.0 m	<ul style="list-style-type: none">• Appliance Dimensions (H x W x D): 58 mm x 752 mm x 520 mm• Cut-out niche dimensions (HxWxD): 45 mm x 610 mm x 480-490 mm• Connecting cable 1.0 m





Model Number	PNH6B6B10I 60 cm Black glass gas hob 4 burners Flame failure safety device	PPQ716B1TI 70 cm Black glass gas hob 5 burners Flame failure safety device
Features	<ul style="list-style-type: none">• 4 burner gas hob• 1 wok, 2 standard, 1 economy burner• Even triple flame 3.3 kW Wok burner at rear right• Economy burner at front right side: 1 kW• Standard burner at front left side: 1.7 kW• Standard burner at rear left side: 1.7 kW• Flame failure safety device• High-speed burner at rear right side : 3 kW• Single handed automatic ignition via control knobs• Steel square shaped pan supports for wobble free cooking• Tempered Black Glass Hob which is easy to clean	<ul style="list-style-type: none">• 5 burner gas hob• 1 wok, 1 rapid, 2 standard, 1 economy burner• Even triple flame 4 kW Wok burner at centre• Standard burner at front right side: 1.7 kW• High-speed burner at rear right side : 3 kW• Standard burner at rear left side: 1.7 kW• Economy burner at front left side: 1 kW• Flame failure safety device• Single handed automatic ignition via control knobs• Steel square shaped pan supports for wobble free cooking• Tempered black glass hob which is easy to clean
Dimensions	<ul style="list-style-type: none">• Appliance Dimensions (H x W x D): 45 mm x 590 mm x 520 mm• Cut-out niche dimensions (HxWxD): 45 mm x 560 mm x 480-490 mm• Connecting cable 1.0 m	<ul style="list-style-type: none">• Appliance Dimensions (H x W x D): 58 mm x 710 mm x 520 mm• Cut-out niche dimensions (HxWxD): 45 mm x 560 mm x 480-490 mm• Connecting cable 1.0 m



Hobs | Specifications





Model Number	POH6B6B10I	PCI815B8TI
	60 cm Black glass gas hob 4 burners Flame failure safety device	76 cm Stainless steel gas hob 4 burners Flame failure safety device
Features	<ul style="list-style-type: none">• 4 burner gas hob• 1 wok, 2 standard, 1 economy burner• Even triple flame 4 kw burner at front left• Economy burner at front right side: 1 kW• Standard burner at rear right side: 1.7 kW• Flame failure safety device• Single handed automatic ignition via control knobs• Steel square shaped pan supports for wobble free cooking• Tempered black glass hob which is easy to clean	<ul style="list-style-type: none">• 4 burner gas hob• 1 wok, 1 rapid, 1 standard, 1 economy burner• Even triple flame 4 kW Wok burner at left side• Rapid burner at right side: 3 kW• Standard burner at rear centre : 1.7 kW• Economy burner at front centre: 1 kW• Flame failure safety device• Single handed automatic ignition via control knobs• Strong continuous steel pan supports for wobble free cooking• Stainless steel gas hob which is easy to clean
Dimensions	<ul style="list-style-type: none">• Appliance Dimensions (H x W x D): 45 mm x 590 mm x 520 mm• Cut-out niche dimensions (HxWxD): 45 mm x 560 mm x 480-490 mm• Connecting cable 1.0 m	<ul style="list-style-type: none">• Appliance Dimensions (H x W x D): 45 mm x 762 mm x 520 mm• Cut-out niche dimensions (HxWxD): 45 mm x 560 mm x 480-490 mm• Connecting cable 1.0 m



Model Number	PCH615B8TI*	PBH615B8TI*
	60 cm Stainless steel gas hob 4 burners Flame failure safety device	60 cm Stainless steel gas hob 4 burners Flame failure safety device
Features	<ul style="list-style-type: none">• 4 burner gas hob• 1 wok, 1 rapid, 1 standard, 1 economy burner• Even triple flame 4 kW Wok burner at front left• Economy burner at front right side: 1 kW• High speed rapid burner at rear right side: 3 kW• Standard burner at rear left side: 1.7 kW• Flame failure safety device• Single handed automatic ignition via control knobs• Steel square shaped pan supports for wobble free cooking• Stainless steel hob which is easy to clean	<ul style="list-style-type: none">• 4 burner gas hob• 1 wok, 2 standard, 1 economy burner• Even triple flame 4 kW Wok burner at front left• Economy burner at front right side: 1 kW• Standard burner at rear right side: 1.7 kW• Standard burner at rear left side: 1.7 kW• Flame failure safety device• Single handed automatic ignition via control knobs• Steel square shaped pan supports for wobble free cooking• Stainless steel hob which is easy to clean
Dimensions	<ul style="list-style-type: none">• Appliance Dimensions (H x W x D): 45 mm x 582 mm x 520 mm• Cut-out niche dimensions (HxWxD): 45 mm x 560 mm x 480-490 mm• Connecting cable 1.0 m	<ul style="list-style-type: none">• Appliance Dimensions (H x W x D): 43 mm x 580 mm x 510 mm• Cut-out niche dimensions (HxWxD): 43 mm x 560 mm x 480-490 mm• Connecting cable 1.0 m

*Available till stocks last only.

*Available till stocks last only.



Hobs | Specifications

NEW



With Brass Burners






With Brass Burners



Model Number	PGC6B5B801	PBD7331MS
	60 cm Stainless steel gas hob 3 burners Flame failure safety device	78 cm Black glass gas hob 3 brass burners Flame failure safety device
Features	<ul style="list-style-type: none">• 3 burner gas hob• 1 wok, 1 rapid, 1 economy burner• Even triple flame 3.3 kw burner at left side• Rapid burner at rear right side: 3 kW• Economy burner at front right side: 1 kW• Flame failure safety device• Single handed automatic ignition via control knobs• Steel square shaped pan supports for wobble free cooking• Stainless steel hob which is easy to clean	<ul style="list-style-type: none">• 3 burner gas hob• 2 wok, 1 standard burner• Even triple flame 4 kW left and right burners• Wok burner at front right side: 4 kW• Standard burner at rear centre : 1.7 kW• Wok burner at front left side: 4 kW• Flame failure safety device• Single handed automatic ignition via control knobs• Strong cast iron pan supports for wobble free cooking• Tempered black glass hob which is easy to clean
Dimensions	<ul style="list-style-type: none">• Appliance Dimensions (H x W x D): 54 mm x 582 mm x 520 mm• Cut-out niche dimensions (HxWxD): 45 mm x 560 mm x 480-490 mm• Connecting cable 1 m	<ul style="list-style-type: none">• Appliance Dimensions (H x W x D): 80 mm x 785 mm x 450 mm• Cut-out niche dimensions (HxWxD): 80 mm x 700 mm x 400 mm• Connecting cable 1.2 m

Model Number	PBD7351MS
	76 cm Stainless steel gas hob 3 brass burners Flame failure safety device
Features	<ul style="list-style-type: none">• 3 burner gas hob• 2 wok, 1 standard burner• Even triple flame 4 kW left and right burners• Wok burner at front right side: 4 kW• Standard burner at rear centre : 1.7 kW• Wok burner at front left side: 4 kW• Flame failure safety device• Single handed automatic ignition via control knobs• Matte Enameled Pan Supports• Stainless steel gas hob which is easy to clean
Dimensions	<ul style="list-style-type: none">• Appliance Dimensions (H x W x D): 80 mm x 760 mm x 460 mm• Cut-out niche dimensions (HxWxD): 80 mm x 700 mm x 400 mm• Connecting cable 1.2 m



Induction Hobs | Features

Twice as fast as gas.

Induction hobs can heat food and boil water nearly twice as fast as gas and three times faster than ceramic hobs*. And as they're also more energy efficient, you'll save money as well as time.

**TouchSelect**

With TouchSelect control panel, desired cooking zone can be regulated easily. The +/- keys help choose the required power level for the selected zone.

**TopControl-Digital Display**

Now no need to worry if rice is boiled or not as Induction Hobs will alert at moment it is ready. It also showcase the time you have been cooking; all digital for more comfort.

**Pan recognition sensor**

Automatic pan recognition sensor, recognises the diameter of the cookware and determines the size of the cooking zone accordingly. If the pan is removed, the control panel indicator will flash and remain inactive until the pan is detected.

**QuickStart Function**

Start cooking quicker. New Bosch QuickStart functionality automatically detects the location of your pot and displays the cooking zone on the control panel. Just select the power level and you're away.

**ReStart Function**

Things happen quickly in the kitchen – if you spill something on the control panel or accidentally switch-off the cooktop, ReStart will store your last selected settings. Those settings can be instantly recalled by simply pressing the main power switch within 4 seconds.

**Stage Residual Heat Indicator**

Audio signal emitted at the desired cooking time with the Count-down timer will automatically deactivate the cooking zone so no more disturbance for other cooking items like our favourite curries.

**Boost Function For All Zones**

Power level of Induction Hobs is increased for extra boosting speed while cooking. The 32 cm cooking zones are specially designed for an action of 5.5 kW power which means boiling for rice is three times quicker.

**17 Power Levels**

Enjoy total control on every recipe with 17-stage power settings. This function allows cooking zones to be set in increments of 0.5 (eg. 0.5, 1, 1.5, 2...9).

*Based on time required to heat 2 litres of water at 15°C to 90°C using Bosch hobs.

*Images used only for representation purpose.




Induction Hobs | Features

Why induction?



Bring 2 litres of water to a boil in just 4.7 minutes. Our PowerBoost function can increase the power output to a selected cooking zone by approximately 50%. Saving you precious time.

Why is it so fast, so easy to clean and safe?





Induction Hobs are easier to clean than traditional hobs, because the ceramic glass doesn't get as hot. Any spillages can be quickly and easily wiped away. With an Induction Hob, micro-currents are generated in the bottom of the pot. Consequently, heat is only created when the pan is connected to the hob & heating will stop as soon as it's removed, which means it's far safer than cooking with traditional hobs.



Induction Hobs | Specifications



Model Number	PIE651BB1E	PIB375FB1E
	60 cm 4 induction cooking zones Touch Select Digital Display HighSpeed ceramic glass	30 cm 2 induction cooking zones Touch Select Digital Display HighSpeed ceramic glass
Features	<ul style="list-style-type: none">• 4 induction cooking zones• TouchSelect• TopControl-Digital display• Automatic pan recognition sensor• QuickStart Function• ReStart Function• Digital 2 stage residual heat indicator• Boost function for all zones• 17 power levels	<ul style="list-style-type: none">• 2 induction cooking zones• TouchSelect• TopControl-Digital display• Automatic pan recognition sensor• QuickStart Function• ReStart Function• Digital 2 stage residual heat indicator• Boost function for all zones• 17 power levels
Dimensions	<ul style="list-style-type: none">• Appliance Dimensions (H x W x D): 51 mm x 592 mm x 522 mm• Cut-out niche dimensions (HxWxD): 51 mm x 560 mm x 490-550 mm	<ul style="list-style-type: none">• Appliance Dimensions (H x W x D): 51 mm x 306 mm x 527 mm• Cut-out niche dimensions (HxWxD): 51 mm x 270 mm x 490-500 mm



Ovens | Features

What will get more compliments? Your Nan Khatai, or the oven it was made in.

Not only does our oven's minimalistic design in glass and stainless steel go well with other Bosch appliances, but it also gives you that professional edge. Our engineers have used all the right ingredients for a perfect oven that caters to all your needs. From continental to Italian, desserts to even Indian cuisine, its large capacity is ideal for baking or grilling for the entire family. So set the timer, and prepare to cook to your heart's content.

**Easy Cleaning**

Bosch range of ovens come equipped with Catalytic liners which ensure that cleaning the oven after heavy cooking is as easy as using the Oven itself.

**Cool Door**

Unlike other ovens, the outer glass door of Bosch ovens remains cool even while baking at high temperatures. This gives added safety since the door can be touched from outside while the oven is operational. The triple glass door ensures the door surface temperature is kept as low as possible.

**Child lock**

Few of our ovens are equipped with a child lock that prevents unwanted changes to settings. The control panel is locked so the appliance can only be switched off using the On/Off button.

**Residual heat indicator**

When the appliance is switched off, the display ring shows the residual heat in the cooking compartment. As the residual heat cools down, the display ring becomes darker then disappears.

**TFT Touch Display**

The intuitive control ring and clear TFT display with icons make it easy to operate your oven. Shortcuts to the two most commonly used heating functions, helpful icons and clear descriptions inside the control ring, provide all the information you need to keep track of your cooking.

**Extra large cavity**





Bosch ovens offer up to 71 usable litres of cooking space and larger baking trays. The increased cavity creates more uniform baking results due to the improved heat circulation between the racks.



Ovens | Heating Functions

Perfect heating modes to meet your every cooking need.

Perfect baking and roasting not only requires the right temperature, but also the appropriate heating function, too. From 4D Hotair to Hotair Eco, Bosch ovens offer heating functions that deliver everything from haute cuisine to everyday feasts.




Features	Recommended for
4D Hot air For baking and roasting on one or more levels. The fan distributes heat from the ring heating element in the back panel evenly around the cooking compartment. You can also bake and roast up to 4 different levels simultaneously. <ul style="list-style-type: none">• Ideal for baking Mawa cake, cookies, using three levels at the same levels at the same time.	
3D Hot Air The amazing 3D Hot Air heating mode provides two levels with equal amount of heat from all sides. Thus giving you results as perfect as possible. This feature is ideal for baking Mawa Cake, Cookies and Roasted Baingan, using two levels at the same time. <ul style="list-style-type: none">• Ideal for baking with two trays at the same time. Biscuits, sponge cake.	
Hot Air-Eco For energy-optimised cooking of selected dishes on one level without preheating. The fan distributes the energy optimised heat from the ring heating element in the back wall evenly around the cooking compartment. <ul style="list-style-type: none">• Ideal for Muffins	
Conventional Heat (Top and Bottom Heat) For traditional baking & roasting on one level. Especially suitable for cakes with moist toppings. Heat is emitted evenly from the top & bottom. <ul style="list-style-type: none">• Ideal for Rich fruit cake	

Features	Recommended for
Conventional Heat Eco (Top and Bottom Heat Eco) This supports cooking on a single shelf for energy efficient cooking. <ul style="list-style-type: none">• Ideal for Bread rolls, Fish	
Hot Air Grilling For roasting. The grill element and fan switch on and off producing even and crisp roasting results. <ul style="list-style-type: none">• Ideal for Roasted chicken, Paneer tikka	
Full Width Grill For grilling flat items. <ul style="list-style-type: none">• Ideal for Kebabs, Chicken tikka, Paneer tikka	
Half Width Grill For grilling small amounts of food where grilling a smaller surface area is required. <ul style="list-style-type: none">• Ideal for small portion of meat, veggies	
Pizza Setting For preparing pizza and dishes which require a lot of heat from underneath as well as providing moderate heat on the top of the dish. <ul style="list-style-type: none">• Ideal for Pizza	
Bottom Heat For cooking in a bain-marie (slow cooking) and for the final baking stage. Suitable for bakes that require crispy base without the top drying. <ul style="list-style-type: none">• Ideal for Pies	


Oven | Specifications






Model Number	HBG633BS1J	HBA534BS0Z
	60 cm Stainless steel electric built-in oven 71 ltrs 4D hot air 10 cooking functions	60 cm Stainless steel electric built-in oven 71 ltrs 3D hot air 7 cooking functions
Features	<ul style="list-style-type: none">• 71 ltr built-in oven• Multifunction oven with 10 heating methods: 4D hot air, Hot air Eco, Conventional heat, Conventional heat ECO, Hot air grilling, Full width grill, Half width grill, Pizza setting, Bottom heat, Defrost• Temperature range 30 °C - 300 °C• 4D Hot air for optimal distribution of heat on up to 2 levels simultaneously• 2.5" TFT colour and text display with touch-control buttons• Cavity with shelf support rails, Telescopic slide-out Accessory• Rapid heating up function• Integrated internal light and cooling fan• Direct coated catalytic liners: back panel, side liners, ceiling• Oven door with SoftClose, soft opening• Comes with 1 - universal pan, 1 - combination grid, 1 - enamel baking tray	<ul style="list-style-type: none">• 71 ltr built-in oven• Multifunction oven with 7 cooking functions: Hot air grilling, Full width variable grill, 3D hot air, Hot air gentle, Conventional heat, Pizza setting, Bottom heat• Temperature range 50 °C - 270 °C• 3D hotair for optimal distribution of heat on up to 2 levels simultaneously• Digital display with automatic start and childproof lock• 1 level telescopic shelf• Rapid heating up function• Integrated internal light and cooling fan• Comes with 1 - universal pan and 1 - combination grid
Dimensions	<ul style="list-style-type: none">• Appliance Dimensions (H x W x D): 595 mm x 595 mm x 548 mm• Cut-out dimensions (HxWxD): 585-595 mm x 560-568 mm x 550 mm• Connecting cable 1.2 m• Total connected load: 2.85 kW	<ul style="list-style-type: none">• Appliance Dimensions (H x W x D): 595 mm x 594 mm x 548 mm• Cut-out dimensions (HxWxD): 575-597 mm x 560 mm x 550 mm• Connecting cable 1.2 m• Total connected load: 3.4 kW




Above range available from December, 2016



Model Number	HBN559E1M	HBN531E4F
	60 cm Stainless steel electric built-in oven 66 ltrs 3D hot air 8 cooking functions	60 cm Stainless steel electric built-in oven 66 ltrs 3D hot air 8 cooking functions
Features	<ul style="list-style-type: none">• 66 ltr built-in oven• Multifunction oven with 8 cooking functions: Hot air grilling, Full width variable grill, Half width variable grill, 3D hot air, Defrost, Conventional heat, Pizza setting, Bottom heat• Temperature range 50 °C - 270 °C• 3D Hot air for optimal distribution of heat on up to 2 levels simultaneously• Digital display with electronic clock• 1 level telescopic shelf• Rapid heating up function• Integrated internal light and cooling fan• Direct coated catalytic liners: back panel• Pop-out controls• Comes with 1 - universal pan, 1 - combination grid, 1 - enamel baking tray	<ul style="list-style-type: none">• 66 ltr built-in oven• Multifunction oven with 8 cooking functions: Hot air grilling, Full width variable grill, Half width variable grill, 3D hot air, Defrost, Conventional heat, Pizza setting, Bottom heat• Temperature range 50 °C - 270 °C• 3D Hot air for optimal distribution of heat on up to 2 levels simultaneously• Digital display with electronic clock• Cool door with triple glass panes• Rapid heating up function• Integrated internal light and cooling fan• Direct coated catalytic liners: back panel, side liners, ceiling• Childproof lock• Comes with 1 - universal pan, 1 - combination grid, 1 - enamel baking tray
Dimensions	<ul style="list-style-type: none">• Appliance Dimensions (H x W x D): 595 mm x 595 mm x 548 mm• Cut-out dimensions (HxWxD): 575-597 mm x 560 mm x 550 mm• Connecting cable 1.0 m• Total connected load: 2.9 kW	<ul style="list-style-type: none">• Appliance Dimensions (H x W x D): 595 mm x 595 mm x 548 mm• Cut-out dimensions (HxWxD): 575-597 mm x 560 mm x 550 mm• Connecting cable 1.0 m• Total connected load: 2.9 kW




Above range available from December, 2016



Oven | Specifications



Model Number	HBN311E2J 60 cm Stainless steel electric built-in oven 66 ltrs 3D hot air 5 cooking functions
Features	<ul style="list-style-type: none">• 66 ltr built-in oven• Multifunction oven with 5 cooking functions: 3D hot air, Conventional heat, Bottom heat, Hot air grilling, Full width variable grill• Temperature range 50 °C - 270 °C• 3D Hot air for optimal distribution of heat on up to 2 levels simultaneously• Cool door with triple glass panes• Rapid heating up function• Integrated internal light and cooling fan• Direct coated catalytic liners: back panel, side liners, ceiling• Comes with 1 - universal pan, 1 - combination grid
Dimensions	<ul style="list-style-type: none">• Appliance Dimensions (H x W x D): 595 mm x 595 mm x 548 mm• Cut-out dimensions (HxWxD): 575-597 mm x 560 mm x 550 mm• Connecting cable 1.0 m• Total connected load: 2.9 kW





Microwave Ovens | Features

Now speed up your cooking with Bosch Microwave.

You can't cook faster than in a microwave. Or thaw, heat up and even bake. And our compact microwave ovens are multi-talented too. In addition to the classic heating methods for baking, they also have an integrated microwave. Which means that one thing is certain: You don't have to sacrifice superb cooking results even if you're in a bit of a hurry sometimes.



8 Automatic Programs with Weight Settings
The microwave oven lets you cook selective dishes easily, thanks to its intuitive 8 Automatic Programs. Just place your food, and enter the weight to be cooked. The microwave oven will automatically set the time required to cook that dish basis the weight. Now no more guessing.



High Power Levels
The microwave oven allows you to heat, defrost, roast or grill anything, thanks to 1000 watts and five power levels.







Defreeze and Cook
This program lets you defreeze and cook your food in the microwave oven at the same time, without having to thaw it separately. Thus save your precious time.



Microwave Oven | Specifications



Model Number	HMT84G654K 60 cm Stainless steel electric built-in microwave 25 ltrs Grill function	HMT82G654I 60 cm Stainless steel electric built-in microwave 25 ltrs Grill function
Features	<ul style="list-style-type: none">• 25 ltr built-in microwave with Grill function• 5 power levels: 900 W, 600 W, 360 W, 180 W, 90 W• 8 Automatic Programmes with weight setting• Defreeze and cook• Max. time setting (MW): 60 min• 31.5 cm glass turntable• Automatic safety switch-off• Frameless design: easy installation, harmonious integration into the kitchen furniture and easy to clean.• Push open door button• Clock type: timer	<ul style="list-style-type: none">• 25 ltr built-in microwave with Grill function• 5 power levels: 900 W, 600 W, 360 W, 180 W, 90 W• Max. time setting (MW): 60 min• 31.5 cm glass turntable• Automatic safety switch-off• Frameless design: easy installation, harmonious integration into the kitchen furniture and easy to clean.• Push open door button• Clock type: timer
Dimensions	<ul style="list-style-type: none">• Appliance Dimensions (H x W x D): 382 mm x 594 mm x 388 mm• Cut-out dimensions (HxWxD): 380 mm x 560 mm x 550 mm• Connecting cable 2.0 m• Total connected load: 1.45 kW	<ul style="list-style-type: none">• Appliance Dimensions (H x W x D): 382 mm x 594 mm x 388 mm• Cut-out dimensions (HxWxD): 380-382 mm x 560-568 mm x 550mm• Connecting cable 2.0 m• Total connected load: 1.45 kW



Dishwashers | Features

Enjoy your meal. Let the dishwasher do the rest.

After a delicious cooking, soiled utensils should be the last thing on your mind. We have studied your Kadhais, pressure cookers, pans, glassware and plasticware. We have also experimented with every Masala that goes into making the perfect curry. However soiled, trust Bosch dishwashers to make them sparkling clean again.

**Perfected for Indian utensils**

The Intensive Kadhai programme cleans and dries oily and masala stained kadhai, pressure cooker, stainless steel utensils, microwave safe plastic, tea and milk pots, glassware etc.

**Save water**

Bosch Dishwashers use 10 litres of water. While manual washing uses minimum 60 litres of water.

**Effortless cleaning**

No pre-rinsing of utensils is required while loading the dishwasher. Scrape off the leftovers and load the dishwasher.

**59 minutes wash cycle**

Save time with new Express Sparkle 65°C programme, clean and dry utensils in just 59 minutes**

**Hygienic wash**

With Bosch dishwasher, the water heats up to 70°C and kills 99.9% germs and bacteria giving you a hygienic wash.

**For small loads**

Switch to HalfLoad option when you have fewer utensils to be washed.

** The duration of 59 minutes is applicable for full load with dishwasher-approved detergent and rinse aid. For best cleaning & drying results, use dishwasher approved detergent, rinse aid and dishwasher salt.

Dishwashers | FAQs

Why Bosch Dishwasher?

- **It can't scrub the dishes like how I do with my hands.**
Its powerful spray arms remove all the stubborn Masala and oil stains with high water pressure giving you a highly effective wash.
- **There's no way the dishwasher can clean Indian Masala stains.**
It can easily clean all types of Masala, oil stains and greasy food residue. You can also set its temperature from 45°C to 70°C depending on how dirty your dishes are.
- **If we have to pre-rinse the dishes before putting in, what's the use?**
You don't have to pre-rinse the dishes. All you have to do is just scrape off the leftovers from the dishes and load them in.
- **It doesn't have the space for my Kadhai and other large utensils.**
With two baskets, it can hold your Kadhais, pots, pans and still have space for your plates, spoons and glassware.
- **It takes a lot of time to wash dishes.**
Loading a dishwasher takes only 10 min, and your work is done. And in this time, it not only cleans your dishes but also dries them.
- **It won't fit in my kitchen.**
The dishwasher fits perfectly into any Indian kitchen, requiring space of only 60 cm width. So no more dirty dishes stacked in the sink.
- **My electricity bill will go up.**
It is highly energy efficient and uses around 0.8 kW of energy for each wash.
- **It's not hygienic to wash baby bottles in it.**
Its 70°C temperature wash kills up to 99.9% germs and is suitable for hygienically cleaning baby bottles as well.
- **The dishes have to be taken out if there's a power failure.**
There's no need for that as it continues washing from where it left.



Dishwashers | Specifications

NEW







Model Number	SMV46KX01E 60 cm Built-in Fully Integrated Dishwasher	SMI25AS00E 60 cm Semi Integrated Dishwasher Stainless Steel panel
Features	<ul style="list-style-type: none">• 13 place settings• Glass Protection Technology• Dosage Assist• Machine Care Program• Info Light	<ul style="list-style-type: none">• 12 place settings• Glass protection technology• EcoSilence Drive• Dosage Assist• A+ Energy efficiency• Load sensor & Detergent Automation
Programmes & Options	<ul style="list-style-type: none">• 6 programmes: Intensive, Eco, Auto, Glass, Quick wash, Pre Rinse• 3 Special options: ExtraDry, HygienePlus, VarioSpeedPlus	<ul style="list-style-type: none">• 5 programmes: Intensive 70°C, Auto 45 - 65°C, Eco 50°C, Quick wash 45°C, Pre Rinse• 1 Special option : VarioSpeed
Convenience & Safety	<ul style="list-style-type: none">• End of program audible, InfoLight Red• Additional third rack for cutleries• Aqua Sensor, Load sensor	<ul style="list-style-type: none">• Vario basket system• Height adjustable top basket• 2 foldable plate racks in bottom basket• Aqua stop with guarantee• Time delay : 1-24 hrs
Dimensions & Other details	<ul style="list-style-type: none">• Dimensions (H x W x D): 81.5 cm x 59.8 cm x 55 cm• Noise level - 46 db• Water consumption in Eco 50°C Programme: 9.5 Ltrs• Energy consumption in Eco 50°C Programme: 0.92 kWh	<ul style="list-style-type: none">• Dimensions (H x W x D): 81.5 cm x 59.8 cm x 57.3 cm• Noise level - 48 dB• Water consumption in Eco 50°C Programme: 11.7 Ltrs• Energy consumption in Eco 50°C Programme: 1.02 kWh

NEW



30% More Capacity

Model Number	SMS46KI03E 60 cm Freestanding Dishwasher Colour - Silver Inox	SMS60L18IN 60 cm Freestanding Dishwasher Colour - Silver Inox
Features	<ul style="list-style-type: none">• 13 place settings• Speedier dishwashers that reduce up to 60% of wash cycle time• Additional Top shower• New wash option - HalfLoad• New wash option - VarioEco• AquaSensor & LoadSensor• New wash programme Express Sparkle 65° - Wash clean & dry in 60 mins.	<ul style="list-style-type: none">• 12 place settings• Speedier dishwashers that reduce up to 60% of wash cycle time• Additional Top shower• New wash option - HalfLoad• AquaSensor & LoadSensor• New wash programme Express Sparkle 65° - Wash clean & dry in 59 mins.• Load sensor & Detergent Automation
Programmes & Options	<ul style="list-style-type: none">• 6 programmes: Intensive, Economy, Auto, Glass, Pre Rinse• 4 special options: ExtraDry, Intensive Zone, Machine Care, VarioSpeedPlus	<ul style="list-style-type: none">• 6 programmes: Intensive Kadhai 70°C, Auto - 45-65°C, Express sparkle 65°C, Economy 50°C, Quick wash 45°C and Pre Rinse• 3 wash options: HalfLoad, ExtraDry, VarioEco
Convenience & Safety	<ul style="list-style-type: none">• Additional third rack for cutleries• Aqua Sensor, Load Sensor, AquaStop	<ul style="list-style-type: none">• VarioBasket system• Programme descriptive printing on the top of Dishwasher door• Time delay: 1-24 hrs• Childproof door lock• Single water protection 24 hrs
Dimensions & Other details	<ul style="list-style-type: none">• Dimensions (H x W x D): 81.5 cm x 59.8 cm x 55 cm• Noise level - 46 db• Water consumption in Eco 50°C Programme: 9.5 Ltrs• Energy consumption in Eco 50°C Programme: 0.92 kWh	<ul style="list-style-type: none">• Dimensions (H x W x D): 84.5 cm x 60 cm x 60 cm• Noise level - 52 dB• Water consumption in Eco 50°C Programme: 13 Ltrs• Energy consumption in Eco 50°C Programme: 1.45 kWh



Dishwashers | Specifications



Model Number	SMS60L12IN	SMS40E32EU
	60 cm Freestanding Dishwasher Colour - White	60 cm Freestanding Dishwasher Colour - White
Features	<ul style="list-style-type: none">• 12 place settings• Speedier dishwashers that reduce up to 60% of wash cycle time• Additional Top shower• New wash option - HalfLoad• AquaSensor & LoadSensor• New wash programme Express Sparkle 65° - Wash clean & dry in 59 mins.• Load sensor & Detergent Automation	<ul style="list-style-type: none">• 12 place settings• Glass protection technology• EcoSilence Drive• Dosage Assist• A+ Energy efficiency• Load sensor & Detergent Automation
Programmes & Options	<ul style="list-style-type: none">• 6 programmes: Intensive Kadhai 70°C, Auto - 45-65°C, Express sparkle 65°C, Economy 50°C, Quick wash 45°C and Pre Rinse• 3 wash options: HalfLoad, ExtraDry, VarioEco	<ul style="list-style-type: none">• 4 programmes: Normal 65°C, Eco 50°C, Quick wash 45°C, Pre Rinse• 1 Special option: Half Load
Convenience & Safety	<ul style="list-style-type: none">• VarioBasket system• Programme descriptive printing on the top of Dishwasher door• Time delay: 1-24 hrs• Childproof door lock• Single water protection 24 hrs	<ul style="list-style-type: none">• Self-cleaning filter system• Cutlery rack in top basket• 2 foldable plate racks in bottom basket• Aqua stop with guarantee
Dimensions & Other details	<ul style="list-style-type: none">• Dimensions (H x W x D): 84.5 cm x 60 cm x 60 cm• Noise level - 52 dB• Water consumption in Eco 50°C Programme: 13 Ltrs• Energy consumption in Eco 50°C Programme: 1.45 kWh	<ul style="list-style-type: none">• Dimensions (H x W x D): 84.5 cm x 60 cm x 60 cm• Noise level - 52 dB• Water consumption in Eco 50°C Programme: 14 Ltrs• Energy consumption in Eco 50°C Programme: 1.02 kWh

