24" Pocket Handle Dishwasher

800 Series - Black Stainless Steel SHPM78W54N



1440 W

12 Amps

120 V

60 Hz 67"

79"

x 23 3/4"

x 24"

92 lbs

SMZ5000

SMZ5002UC

SMZPCJB1UC

SMZEPCC1UC

Yes

Right - 56"

33 7/8" x 23 9/16"

33 7/8" x 23 5/8"



SHPM78W54N Black Stainless Steel

The flexible 3rd rack allows you to accommodate deeper items, while adjustable tines let you customize the rack's loading space.

Features & Benefits

42 dBA: dishwasher runs quietly so your kitchen conversations aren't interrupted.

Touch Control Technology allows for quick cycle programming.

EasyGlide™ rack provides a smooth glide for easier loading & unloading.

The AquaStop® leak protection system contains leaks through a precisely engineered system. If a leak occurs, the system contains it by shutting down operation and pumping out water. So you have the ultimate peace of mind whether you are away or at home.

Number of wash cycles	6
Number of options	5
dBA	42
Drying System	PureDry
Third rack	Flexible 3rd Rack
Rack adjustability	Rackmatic®
Tub material	Stainless Steel
Control type	Touch Control
Concealed heating element	Yes
Leak protection system	24/7 AquaStop®
NSF®-certified* sanitize option	Yes
Water softener	No
Five-level wash	Yes
ChildLock	No
Special features	InfoLight®, Extra Dry Option
Efficiency	
Water usage per cycle	2.9
Energy efficiency class	Tier 1
ENERGY STAR® qualified	Yes
Total annual energy consumption (kWh)	269
Total annual water consumption (g)	623.5

ChildLock	No	
Special features	InfoLight®, Extra Dry Option	
Efficiency		
Water usage per cycle	2.9	
Energy efficiency class	Tier 1	
ENERGY STAR® qualified	Yes	
Total annual energy consumption (kWh)	269	
Total annual water consumption (g)	623.5	
Capacity		
Number of place settings	16	







Technical Details

Frequency (Hz)

Power cord full length

from edge of unit when

Minimum water pressure 14

facing the door (in)**

Length outlet hose (in)

Dimensions & Weight

dimensions (HxWxD)

Required cutout size

Accessories-Optional

Dishwasher Accessory

Anti-Tarnish Silverware

Edge Protector + Power

Cord Clip Install Kit

Drain Hose Extension Kit SGZ1010UC

Bosch Dishwasher Water SMZSH002UC

(HxWxD) (in)

Adjustable feet

Net weight (lbs)

Overall appliance

Power cord install length Left - 45"

Watts (W) Current (A)

Volts (V)

(lb/sin)

(in)

Kit

Cassette

Junction Box

Supply Hose

Accessories: To purchase Bosch accessories, cleaners & parts please call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.


^{*}Certification to NSF/ANSI Standard 184 for residential dishwashers
**September 2020 running production change to remove adhesive
routing clips for power cord. These clips and the edge protector are now included in the dishwasher accessory kit # SMZEPCC1UC.


24" Pocket Handle Dishwasher


800 Series - Black Stainless Steel SHPM78W54N





Installation Details











Accessories: To purchase Bosch accessories, cleaners & parts please call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.


Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.


24" Pocket Handle Dishwasher

800 Series - Black Stainless Steel SHPM78W54N



Installation Details





Note: Plumbing installations will vary - refer to local codes. Drain hose included is 79" (201 cm) and can be extended to a maximum of 155 3/4" (396 cm).

Always use the approved drain hose extension kit (SGZ1010UC).

Ensure a portion of the drain hose is raised between min. 33" (84 cm) and max. 43" (110 cm) above the cabinet floor.