


# Hob

BOSCH



## PIB375FB1E

30cm | Induction Domino Hob



### Performance

- 2 Induction Cooking Zones
- Variable 17 stage power setting for each zone
  - Rear Center: 1.4kW, With Booster 2.2kW (ø145mm)
  - Front Center: 2.2kW, With Booster 3.7kW (ø210mm)
- Power Booster for 50% more power for faster heating

### Features

- Automatic Pan Recognition Sensor
- Touch Select Control for 17 Power Levels
- Count-up timer
- Quickstart and Restart
- High Quality Schott Ceran glass
- PowerManagement Function
- QuickStart Function
- ReStart Function

### Safety

- 2 Power on Indicator Lights
- 2 Stage Residual Heat Indicator for each Zone
- Childproof Lock
- Safety Time Switch-off

### Convenience


- Flexible design for combination with other hobs
- Visible energy consumption display
- Easy to clean Schott Ceran glass
- Electronic Display

### Technical Information

- Total Connected Load: 3.7kW, requires direct wiring
- Voltage: 220 - 240V
- Power Frequency: 50 - 60Hz
- Appliance Dimensions (H x W x D): 51 x 306 x 527mm
- Cut Out Dimensions (H x W x D): 51 x 270 x 490 – 500mm

## PID631BB1E

60cm | Induction Hob



### Performance

- 3 Induction Cooking Zones
- Variable 17 stage power setting for each zone
  - Rear Left: 3.3kW, 2.6kW, 2.2kW, With Booster: 5.5kW, 4.4kW, 3.7kW (ø: 320mm, 260mm, 210mm)
  - Rear Right: 1.4kW, With Booster 2.2kW (ø145mm)
  - Front Right: 2.2kW, With Booster 3.7kW (ø210mm)
- Power Booster for 50% more power for faster heating

### Features

- Automatic Pan Recognition Sensor
- Touch Select Control for 17 Power Levels
- Quickstart and Restart
- High Quality Schott Ceran glass
- PowerManagement Function
- QuickStart Function
- ReStart Function

### Safety

- 2 Stage Residual Heat Indicator for each Zone
- Timer with Switch Off Function for each Zone
- Safety Time Switch-off
- Childproof Lock

### Convenience


- Flexible design for combination with other hobs
- Easy to clean Schott Ceran glass
- Electronic Display
- Energy Consumption Display

### Technical Information

- Total Connected Load: 7.4kW, requires direct wiring
- Voltage: 220 - 240V
- Appliance Dimensions (H x W x D): 51 x 592 x 522mm
- Cut Out Dimensions (H x W x D): 51 x 560 x 490 – 500mm

## PKF375CA1E

30cm | Radiant Domino Hob



### Performance

- 2 Radiant Cooking Zones including dual circuit zones
- 9 power settings for each zone
  - Rear Center: 1.2kW (ø145mm)
  - Front Dual-circuit Cooking Zone: 2.0kW, 0.80kW (ø120mm, ø180mm)

### Features

- Alu brushed knob controls
- Clear power level markings
- High Quality Schott Ceran glass

### Safety

- 2 Power on Indicator Lights
- 2 Stage Residual Heat Indicator for each Zone

### Convenience


- Flexible design for combination with other hobs
- Easy to clean Schott Ceran glass

### Technical Information

- Total Connected Load: 3.2kW, requires direct wiring
- Voltage: 220 - 240V
- Power Frequency: 50 - 60Hz
- Appliance Dimensions (H x W x D): 48 x 306 x 527mm
- Cut Out Dimensions (H x W x D): 48 x 270 x 490 – 500mm

## PKK651FP1E

60cm | Radiant Hob



### Performance

- 3 Radiant Cooking Zones including 2 dual circuit zones
- Variable 17 stage power setting for each zone
  - Left Dual-circuit Cooking Zone: 2.7kW, 2.1kW
    - With Booster: 3.4kW (Ø275mm, 210mm)
  - Rear Right: 1.2kW (Ø145mm)
  - Front Right: 1kW, 2kW
    - With Booster 2.3kW (Ø180mm, 120mm)
- Power Booster for 50% more power for faster heating

### Features

- Switch off timer for every cooking zone timer
- Touch Select Control for 17 Power Levels
- ReStart function
- High Quality Schott Ceran glass

### Safety

- 2 Stage Residual Heat Indicator for each Zone
- Timer with Switch Off Function for each Zone
- Safety Time Switch-off
- Childproof Lock
- Power on Indicator Light
- Wipe Protection Function

### Convenience

- Flexible design for combination with other hobs
- Easy to clean Schott Ceran glass

### Technical Information

- Total Connected Load: 5.75kW requires direct wiring
- Voltage: 220 - 240V
- Power Frequency: 50 - 60Hz
- Appliance Dimensions (H x W x D): 45 x 592 x 522mm
- Cut Out Dimension (H x W x D): 45 x 560 x 490 – 500mm

## PRA3A6B70K

30cm | Domino Gas Hob (TG)



### Performance

- 1 Dual Wok Burner: 4.7kW
- Dual flame power burner with two heat options for Quick boiling, Fast stir fry or maintaining a Precise Simmering level

### Features

- FlameSelect for a precise flame control on nine defined power levels
- Clear power level markings
- Ergonomic sword knob for easy grip and control

### Safety

- Flame Failure Safety Device
- Stable heavy duty continuous cast iron pan supports even for larger cooking vessels

### Convenience

- Flexible design for combination with other hobs
- Easy to clean ceramic glass
- Ergonomic sword control knobs with one hand ignition
- Cast Iron and Dishwasher Proof Pan Support

### Technical Information

- Gas Connection Rating: 4.7kW
- Voltage: 220 - 240V
- Power Frequency: 50 - 60Hz
- Electric ignition
- Appliance Dimensions (H x W x D): 45 x 306 x 527mm
- Cut Out Dimensions (H x W x D): 62 x 270 x 490 – 500mm
- Minimum distance to side wall: 100mm

## PRB3A6B70K

30cm | Domino Gas Hob (TG)



### Performance

- Double Burners
  - Front: 1.9kW
  - Rear: 2.8kW

### Features

- Clear power level markings
- Ergonomic sword knobs for easy grip and control

### Safety

- Flame Failure Safety Device
- Stable heavy duty continuous cast iron pan supports even for larger cooking vessels

### Convenience

- Flexible design for combination with other hobs
- Easy to clean ceramic glass
- Ergonomic sword control knobs with one hand ignition
- Cast Iron and Dishwasher Proof Pan Support

### Technical Information

- Gas Connection Rating: 4.7kW
- Voltage: 220 - 240V
- Power Frequency: 50 - 60Hz
- Electric ignition
- Appliance Dimensions (H x W x D): 45 x 306 x 527mm
- Cut Out Dimensions (H x W x D): 45 x 270 x 490 – 500mm
- Minimum distance to side wall: 100mm

## PRA3A6D70

30cm | Domino Gas Hob (LPG)



### Performance

- 1 Dual Wok Burner: 6.0kW
- Dual flame power burner with two heat options for Quick boiling, Fast stir fry or maintaining a Precise Simmering level

### Features

- FlameSelect for a precise flame control on nine defined power levels
- Clear power level markings
- Ergonomic sword knob for easy grip and control

### Safety

- Flame Failure Safety Device
- Stable heavy duty continuous cast iron pan supports even for larger cooking vessels

### Convenience


- Flexible design for combination with other hobs
- Easy to clean ceramic glass
- Ergonomic sword control knobs with one hand ignition
- Cast Iron and Dishwasher Proof Pan Support

### Technical Information

- Gas Connection Rating: 6.0kW
- Voltage: 220 - 240V
- Power Frequency: 50 - 60Hz
- Electric ignition
- Appliance Dimensions (H x W x D): 45 x 306 x 527mm
- Cut Out Dimensions (H x W x D): 62 x 270 x 490 – 500mm
- Minimum distance to side wall: 100mm

## PRB3A6D70

30cm | Domino Gas Hob (LPG)



### Performance

- Double Burners
  - Front: 1.9kW
  - Rear: 2.8kW

### Features

- Clear power level markings
- Ergonomic sword knobs for easy grip and control

### Safety

- Flame Failure Safety Device
- Stable heavy duty continuous cast iron pan supports even for larger cooking vessels

### Convenience

- Flexible design for combination with other hobs
- Easy to clean ceramic glass
- Ergonomic sword control knobs with one hand ignition
- Cast Iron and Dishwasher Proof Pan Support

### Technical Information

- Gas Connection Rating: 4.7kW
- Voltage: 220 - 240V
- Power Frequency: 50 - 60Hz
- Electric ignition
- Appliance Dimensions (H x W x D): 45 x 306 x 527mm
- Cut Out Dimensions (H x W x D): 45 x 270 x 490 – 500mm
- Minimum distance to side wall: 100mm