



BOSCH

Invented for life



Freestanding Appliances
2022

Who are Bosch?



“I have always acted according to the principle that it is better to lose money than trust. The integrity of my promises, the belief in the value of my products and in my word of honour have always had a higher priority to me than a transitory profit.”

Robert Bosch, 1921

For over 130 years, the Bosch name has been synonymous with engineering excellence. Our home appliances are renowned for their quality, reliability and performance which derives from our inherent, unflagging commitment and the painstaking thoroughness with which every unit is made. As you would expect from Bosch, there are no gimmicks or frills with our products – just pure, clean lines and beautiful, functional simplicity that will enhance any kitchen.

The values that shaped Robert Bosch’s vision for his new company in 1886 are the same principles that guide the business today; never lose the trust of your customers, look after your staff and partners and change things for the better. It’s what has kept Bosch at the forefront of the home appliance industry and what will keep it there in the future.

Follow us to learn more on:

 BoschHomeIE

 boschhomeireland

 Bosch Home UK and Ireland

Contents

Customer service	2-3	Refrigeration	40-63	Small appliances	64-89
Energy Labels	4-5	Introducing the Bosch refrigeration range	40-45	Introducing the Bosch vacuum cleaner range	64-65
Home Connect	6-9	Fridge freezers	46-53	Vacuum cleaners	66-69
Home Laundry	10-29	Fridges	54-56	Microwaves	70
Introducing the Bosch laundry range	10-17	Freezers	57	Food preparation	71-77
Washing machines	18-24	Undercounter fridges, freezers and fridge freezers	58	Handheld blenders	78-79
Washer dryers	25	Multi-door fridge freezers	60	Hand mixers	80
Tumble dryers	26-29	American fridge freezers	61	Kettles & toasters	81-85
Dishwashers	30-39	Wine coolers	62-63	Tassimo coffee machines	86-88
Introducing the Bosch dishwasher range	30-34			Filter coffee machines	89
60cm dishwashers	35-38			Installation Drawings & Accessories	90-93
Slimline dishwashers	39				



Peace of mind from Bosch



Customer Service

Trust Bosch Home Appliances Customer Service to help you with the following:

- Offer product advice on using your appliance or help with choosing a new Bosch appliance
- Register your appliances and extend the warranty
- Arrange a repair for your appliance by a Bosch engineer
- Locate and buy replacement spare parts and accessories

We're available seven days a week.

You can call us on:

UK: 0344 892 8979

IE: 01450 2655



Our advisors are available Monday to Friday 8am to 6pm, Saturday 9am to 5pm and Sunday 9am to 4pm. Calls are charged at the basic rate, please check with your telephone service provider for exact charges. In some areas, we may use an approved service partner and the process may vary for repairs carried out by our service partners.

Please note that due to the implications of COVID-19, our contact hours and service availability are subject to change. For the latest information and updates on our services, please visit our COVID-19 Service Update page at <https://www.bosch-home.co.uk/coronavirus>. Republic of Ireland customers should visit: <https://www.bosch-home.ie/coronavirus>.

Prefer to receive help online?


You can also visit: <https://www.bosch-home.co.uk/customer-service/get-support> to quickly find support online. We cover questions about usage and maintenance of your appliance, as well as tips on getting started and installing your new appliances. You can also book a repair visit, manage your existing bookings and more.

Republic of Ireland customers should visit: <https://www.bosch-home.ie/customer-service/get-support>.

Repair Service

If your Bosch appliance needs a repair, we're here to help. Equipped to repair your appliance on the first visit, our team of locally based engineers are employed and trained by Bosch, which gives them unrivalled knowledge and expertise to repair our appliances.

You can easily book, and manage your engineer visit online at: <https://www.bosch-home.co.uk/customer-service/repair-service> or via our call centre (see contact details above). Republic of Ireland customers should visit: <https://www.bosch-home.ie/customer-service/repair-service>.



Warranties, Accessories and Spare Parts

Warranty Options

Understand more about the warranty options.

Your Bosch appliances are supplied with a two-year manufacturer's warranty as standard, but you also have the option to extend this warranty to a total of five years for added peace of mind with the Bosch Extended Warranty. Learn more about your options by speaking to one of our experienced advisors or by visiting our website: <https://www.bosch-home.co.uk/customer-service/care-protection-and-parts/bosch-extended-warranty>.

Republic of Ireland customers should visit: <https://www.bosch-home.co.uk/customer-service/care-protection-and-parts/bosch-extended-warranty>.

Register my appliance

Receive product updates instantly.

We advise that you register your appliances so we can contact you about any product updates. You can visit:

www.registermyappliance.org.uk for further information. Any appliances you register will then be automatically registered for their two-year manufacturer's warranty, and you'll also have the option to extend your warranty further on eligible appliances by purchasing the Bosch Extended Warranty. Choose to register your appliance online or by calling us.

Cleaning and Care, Cookware and Other Accessories

Tested and approved products.

You can find everything you need for any appliance on the Bosch online store. It's here you'll find our tested and approved cleaning and care products, along with other accessories, ranging from a glass holder for your new dishwasher to a TeppanYaki for your hob.

Shop online at:

UK: <https://www.bosch-home.co.uk/store>

IE: <https://www.bosch-home.ie/store>

Spare Parts

Genuine Bosch parts, not copies.

Bosch keeps a comprehensive range of replacement spare parts for up to 10 years. You can browse our exploded view diagrams in our store or speak to an advisor on the phone to help you locate and buy the spare parts you need.

Shop online at:

UK: <https://www.bosch-home.co.uk/customer-service/spare-parts-search>

IE: <https://www.bosch-home.ie/customer-service/spare-parts-search>



The New Energy Label


Technological development over the past few years has resulted in a higher concentration of products that are carrying labels with a value of A+ or better. Consequently, the label with the A+++ to D scale had not been fulfilling its original function as an aid for making purchasing decisions as well as it had done formerly. Other basic conditions like user behaviour have also changed. That's why it was time to adapt the energy label. The first appliances to have the new label are washing machines, washer-dryers, dishwashers, cooling appliances and wine cabinets. The new label has been appearing on these products since 1st March 2021.

The most significant change in the new energy labels is the elimination of the energy efficiency plus classes, for example A+++. Classification is now from A to G. New methods are also being used for measuring energy consumption and determining the label class. The new specifications take into account real-life usage of the product as much as possible and reflect average consumer behaviour. This means for example, that energy consumption for washing machines, washer dryers and dishwashers is no longer specified by year, but per 100 operating cycles of the particular appliance.

The duration of the label programme to be tested is also specified for these products. In the case of washing machines and washer dryers, there is even a maximum programme duration that must not be exceeded.

The test programme for labelling washing machines and washer-dryers has also changed. The new "Eco 40-60" programme can now be found on the control panel. In addition, these devices now have an even higher washing performance requirement, as well as a minimum requirement for the rinsing effect. For dishwashers, the components of the standard place setting has also changed to reflect modern usage. For these and other reasons, it is not possible to directly convert the old (A+++ to D) efficiency classes to the new classes. In addition, you will be able to access further product information directly via a QR code that is displayed on the energy label. The QR code forwards you to a data sheet relating to the appliance. For more information on the new energy label, please visit: www.bosch-home.ie/experience-bosch/energy-labels

Look out for the new energy efficiency class icons throughout our brochure and on our product pages.



Sample energy label for dishwashers:

The energy efficiency class for dishwashers continues to be based on the "Eco" programme. However, the test standard has been changed. For example, coffee cups, stainless-steel pots, and plastic utensils will be used to determine cleaning and drying performance to better reflect actual usage behaviour. What's new is the specification of the duration of the Eco programme. This programme is especially eco-friendly, is ideal for normally soiled dishes and is the most efficient programme in terms of "energy and water consumption". However, for resource-saving cleaning (with less consumption of electricity, water and detergent), you have to give these components a certain amount of time to develop their full effect. As with washing machines and washer-dryers, energy consumption will be based on 100 cleaning cycles.

Key

- 1 QR code
- 2 Energy efficiency class
- 3 Energy consumption in kWh/100 operating cycles (in Eco programme)
- 4 Number of standard place settings for the Eco programme
- 5 Water consumption in litres/operating cycle (in Eco programme)
- 6 Duration of the "Eco" programme
- 7 Noise emissions expressed in dB(A) re 1 PW and noise emission class

Sample energy label for washing machines:


One of the major changes in the energy label for washing machines is the change in the test programme to which all label values refer. Like, for example, the energy consumption which will be based on 100 wash cycles. The new "Eco 40-60"* programme is suitable for cleaning normally soiled fabrics made of cotton, linen or mixed fibres which, based on their care symbol, are washable at 40°C or 60°C. The fabrics named may be combined in this wash cycle. The "Eco 40-60" programme is the most efficient programme in the combination "energy and water consumption".

Key

- 1 QR code
- 2 Energy efficiency class**
- 3 Weighted energy consumption** in kWh/100 operating cycles (in Eco 40-60 programme)
- 4 Maximum load capacity
- 5 Duration of "Eco 40-60" programme
- 6 Weighted water consumption** in litres/operating cycle (in Eco 40-60 programme)
- 7 Spin efficiency class**
- 8 Noise emissions during spin cycle expressed in dB(A) re 1 PW and noise emission class** Values apply to quarter, half and full loads

* Eco 40-60 In order to achieve optimal energy efficiency, an optimal washing temperature is defined for this programme. This temperature can't be changed by the customer. The actual washing temperature is specified in the user manual and, depending on the load size, may deviate from the selected washing temperature for reasons of saving energy. Washing performance complies with legal requirements.

**Values apply to quarter, half and full loads.



From controlling your Home Connect Serie 8 oven with your voice, to getting notifications when your laundry is ready, our more helpful smart appliances mean less things to think about and more time to spend on something else. Bosch Home Appliances with Home Connect ensure your home is ready for the future, today.

How you can use your Home Connect app.

Oven	Washer & dryer	Fridge freezers	Dishwasher	Fully automatic coffee machine	Hob & hoods	Services
Seasonal recipe specials.	Programme assistant – help find the right wash or dry programme for your fabrics.	Smart storage guide/object recognition.	Easy Start in three steps to choose the perfect wash.	Coffee playlist.	Filter saturation & replacement - Let the hood notify you when the filter needs replacing.	Keep your appliance updated with regular software updates.
Voice Control - Sticky hands? Ask Alexa or Google to adjust the temperature and more.	Additional stain programmes.	Check to see if you need more milk from the supermarket.	Receive tablet, rinse aid and salt level notifications via the app, so you never run out.	Coffee world - Make a coffee from your favourite destination.	Hob-hood control - Ensure the hood starts whenever you use the hob.	User manual.
Send recipe settings directly to your oven.	MyTime - Adjust washing time.	Inventory manager Add fridge contents and use by dates, to better manage your food consumption.	Keep your dishwasher in top condition - Receive automatic tablet and cleaning bundles via smart finish subscription.	MyCoffee - Add your personal coffee to MyCoffee for fast easy coffee your way.	Remote setting & monitoring.	Remote Diagnostics.
Programme notifications. Adjust oven settings on the go.	Smart drying - washer and dryer connected for perfect results every time.	Warning notifications when the freezer door has been left open.	Easily set your hard water settings to prolong the life of your dishwasher.	Notification when your beans and water levels are getting low.		
	Programme notifications.	Easily change to holiday mode, most efficient mode while you're away.				

*Home Connect is available on selected appliances.

Why not try the app?

Experience it yourself: download the free Home Connect app and try Home Connect, even if you don't have an appliance.





Home Connect is a service offered by Home Connect GmbH.
For more information on Home Connect please visit www.bosch-home.co.uk


Home Connect
in partnership with





























The easy way into family cooking, creating time spent together as a family.



Removing appliances from your daily routines by making them do the work for you.



Monitor and receive notifications on all of your Home Connect appliances through your FitBit.



Voice control services based on Amazon Alexa will allow you to connect and control your appliances in your home simply by speaking to Alexa. Along with the ability to use Alexa with many other partners from Drop and IFTTT, the possibilities are endless.

Once Home Connect devices are set up you can control your oven, dishwasher, coffee machine, washing machine and tumble dryer. All you'll need to do is simply ask:



Alexa will then continue to guide you through. Search for Home Connect in the Skills area of the Alexa app.



With the Google Assistant, users can get the best out of Google and connected home appliances with Home Connect. Just say, "Hey Google" to get started. You can check to see if you need more milk from the supermarket and even stay notified on the go with compatible wearable devices.



Simply control your kitchen appliances with voice control, from your dishwasher and washing machine to your hood and oven.

You'll be able to turn the appliances on and off, but also query Google Assistant about when the appliance will be done and what programme is running.

Helpful Home Appliances

The future has arrived and it's knocking on your front door. Home Connect brings smart technology to your appliances and lets you control them with your phone or tablet.

So, whether you want to turn the oven on to cook your dinner when you're on your way home, or check what's in your fridge while you're at the shops, you'll be in complete control.

Simple to set up, simple to use.

There's no need to worry if you're not a technical genius. We've made sure Home Connect is simple and straightforward to set up. If you do need a helping hand, you can call our Customer Service team on: **01 450 2655** to speak to a dedicated Home Connect operator. You'll find the Home Connect app just as easy to use. There are lots of pre-set options to get you started quickly, and everything is set out logically and clearly.


Relax – we're invented for life.

Home Connect uses the same security protocol as online banking, so you can enjoy extra peace of mind when you're using your Bosch appliances. Our app has TUV Trusted App certification, and all of our Home Connect appliances are Wi-Fi certified by the Wi-Fi Alliance.



Setting up your home appliance and adjusting the product to suit your needs is easier with the Home Connect app.


To find out more, scan the QR code.



Peace of mind with Home Connect

My Cookbook

My Cookbook makes it quick and easy to find the perfect recipe for any occasion. Create unlimited personalised collections and name them however you please. Summer Lunches, Quick Bites, Dinner Party – it's all up to your imagination. Take your pick from more than 1000 recipes from our database and add them to your personal cookbook.



Know when you're getting low on detergent

Your i-DOS washing machine uses the water hardness and fill level to determine how much detergent and fabric softener is required to get a perfectly clean result.

And so that you never run out of detergent, the Home Connect app sends you a timely reminder when your detergent is running low.

Smart Finish

Your Home Connect enabled dishwasher will let the Smart Finish service app know when you run a dishwashing cycle. With this intelligence, Finish will know when you're near to running out of dishwasher tablets and they will directly deliver a new pack only when you need them. Just simply set the number of tablets you currently have and select your ongoing reorder level. Afterwards, you can sit down and relax, because everything else will happen automatically.



Remote Delayed Start*

Adjust the settings on your appliance from any room in your house, or even when you're out and about. So, if you're delayed while you're out? That's fine. You can simply adjust the settings from wherever you are and, if the food has already started cooking, you can simply press "pause". The oven will lower the temperature until you start it again, so your meal isn't ruined. Different levels of Remote Delayed Start allow you different levels of flexibility.

*Available on selected models.

Introducing the Bosch laundry range.

Energy and water-saving technologies across our latest laundry appliances give you peace of mind when washing and drying your clothes. To help you choose the right appliance, we have divided them into three categories.



Model shown: WAX32GH4GB

Explore more at bosch-home.co.uk / bosch-home.ie

Serie 8

Perfection in every detail, our **Serie 8** range stands out from the crowd with superior quality, results and first-class design. Discover cutting-edge features and extras such as **i-DOS** automatic dosing system and targeted **AntiStain** programmes to take the guesswork out of stain removal. Our **4D Wash** function ensures highly efficient usage of water and detergent guaranteeing spotless results. Monitor and control your wash remotely with our **Home Connect** models, developed to give you complete control over your washing.

Serie 6

Our **Serie 6** models offer advanced features to make life easier. **i-DOS** doses each load with millilitre precision, which not only delivers outstanding results but a host of savings. **SpeedPerfect** allows you to wash up to 65% faster** without compromising results.

Serie 4

Easy to operate with family in mind, our **Serie 4** range truly understands your requirements. Practical and straightforward to use, these appliances combine easy operation with stylish design. These models benefit from the **Reload** function, which allows you to open the door throughout most of the cycle so you can add or remove items at any time.

Laundry functions explained.

(Check model for available functions)



VarioDrum

Select the programme for your wash and the droplet-shaped drum structure and asymmetrical paddles will adjust the drum movements to powerful or gentle.



EcoSilence Drive

Bosch EcoSilence Drive washing machines come with a 10-year guarantee.



Aqua Stop

This security gives you peace of mind that the water will stop in the unlikely event of a leak.



i-DOS

i-DOS automatically senses exactly the right amount of detergent and water to use, as well as the correct temperature, whatever your load, adapting to the fabrics, level of soiling and weight of the load.



AllergyPlus

Hygienic washing results that kill 99,99% of common germs*.



Reload

Simply pause the cycle and the machine will automatically adjust the water. This allows you to add or remove items of any size to your wash.



Time Delay

Have your laundry ready when you need it. Just delay the start of your programme with one simple button.



AntiVibration Design

A spiral design on the side of the washing machine that increases stability and reduces vibration. This makes for a quieter machine with improved sound dampening.



Capacity

Our freestanding washing machines have a drum capacity of up to 10kg, perfect for those busy households.



Home Connect

Home appliances with smart connectivity. The Easy Start Guide function removes the guesswork by recommending the right programme to you – directly from your mobile device. Also if you wish, Push Notifications can be sent from your washing machine directly to your mobile device.



SpeedPerfect

Wash up to 65%** faster without compromising results. SpeedPerfect can be used in combination with most other programmes, all loads and textiles.

4D Wash

A combination of the direct water spray and an extra spin wash enables the most efficient and effective use of water and detergent, even when the drum is fully loaded. Achieve spotless laundry results every time.

Intensive Plus

For heavily soiled laundry, sometimes additional treatment is needed. Intensive Plus gives a boost to your cleaning performance by adding an extra wash for approximately 30 minutes. Providing you with brilliant results even on the most challenging clothes.

*Bosch washing machines with the 'AllergyPlus' wash programme at 40° and 60° fulfill scientifically recommended conditions for 99,99% of germ reduction for Enterococcus Hirae and Pseudomonas Aeruginosa, according to Honisch et al. 2014, "Impact of wash cycle time, temperature and detergent formulation on the hygiene effectiveness of domestic laundering." Conducted by University Rhine-Waal.

**Difference between the duration of Easy Care Programme 40°C and the duration of Easy Care Programme 40°C in combination with SpeedPerfect option.

Lookout for the new energy efficiency class icons throughout our brochure and on our product pages.



Washing machines

Never miss an item again. Reload by Bosch.

For dropped socks, mistaken items with your whites or forgotten clothes, **Reload** function on Bosch washing machines allows you to add or remove clothing of any size to your washes. Simply pause the cycle and the machine will automatically adjust the water level to allow you to open the door. Reload your items and restart the wash.



Bosch integrated technology for a peaceful washing experience.

Enjoy the quiet life.

The modern world is noisy enough, so it's good to know that Bosch technology can help make the home environment a little oasis of calm with our **EcoSilence Drive™**.

The right wash for the right stain.

The **AntiStain Plus System** easily removes up to 16 of the most stubborn stains, helping you to easily get perfect washing results. The washing machine automatically adjusts the temperature, drum movement and soaking time to meet the demands of the relevant stains before your chosen programme starts.

Less rock and roll.

We've also created **AntiVibration** technology to cut down noise. The sidewalls of the washing machine feature a spiral design that increases stability and reduces vibrations. Improved sound insulation and low noise shock absorbers further dampen the noise.

SpeedPerfect.

With **SpeedPerfect** you can reduce your washing time by up to 65%* without compromising results. **SpeedPerfect** can be used in combination with most of the programmes, all loads and textiles. For example, by selecting the mix programme in combination with **SpeedPerfect** you can thoroughly wash up to 4kg of mixed load in just 41 minutes.

*Difference between the duration of Easy Care Programme 40°C and the duration of Easy Care Programme 40°C in combination with **SpeedPerfect** option.



Models shown: Washing Machine WGG244A9GB 
Tumble Dryer WQG233D8GB 

Models shown: WGG244A9GB 

Explore more at bosch-home.co.uk / bosch-home.ie

Making **life easy** through innovative technologies

Everything's just right with i-DOS.



i-DOS

Too much detergent or too little can lead to poor washing results. i-DOS automatically senses exactly the right amount of detergent and water to use, as well as the correct temperature.



The perfect dose every time.

It's easier than you might think to get the detergent dose wrong when doing the laundry. Thanks to **i-DOS**, it's no longer a worry. The **automatic dosing system** from Bosch uses the optimum amount of detergent for every wash whatever the size of your load.



Too much? Too little? Just right with i-DOS.

Once activated, the i-DOS system measures the detergent automatically, to the nearest millilitre. Sensors inside the washing machine detect the type of fabric, the load volume in the drum and the degree of soiling, and adjust the detergent to the optimum dose accordingly. In this way, you'll achieve the best results for your clothes, whilst **saving detergent and water**.

Too much.

Using too much detergent – even by a little – leads to **significantly higher** water and energy consumption when washing. Visible detergent residues can be left on clothing, which can trigger skin irritation and allergies.

Too little.

Using too little detergent can lead to **poorer washing results**. Stains won't be completely removed and could be left on clothes permanently. Insufficient detergent can also result in discolouration and unpleasant odours.

The right setting for the load. Makes perfect sense.

Whether it's a quick sports wash or a full weekly load, sensors within the automatic dosing system determine the amount and type of clothes within each load and set the correct temperature and amount of detergent required for perfect results.

Model shown for illustrative purposes only.

Washer dryers

Convenience for small spaces.

Our washer dryers not only wash flawlessly, they also dry perfectly – all in one appliance. An ideal solution for people with high standards but not much space.

Wash & dry in one.

Now you can wash and dry a load thoroughly in just one hour. This programme is suitable for lightly soiled clothes and for washing and drying heat resistant textiles, such as cottons or linen.

Washer dryer functions explained.

(Check model for available functions)



Iron Assist

Iron Assist makes ironing easier. It sprays a natural mist that permeates preheated textiles and visibly smooths your laundry. This extra steam treatment reduces or even eliminates the need to iron dried garments.



AutoDry

With AutoDry sensor technology you can ensure gentle and precise drying results. AutoDry automatically knows when your load is perfectly dry by constantly measuring the humidity, protecting your clothes against overheating.



WrinkleGuard

Thanks to WrinkleGuard you'll reduce the size of your ironing pile! The drum will continue to move dry laundry for a period of time after the cycle has finished, so clothes are cooled gradually and don't wrinkle when they are still warm.



EcoSilence Drive™

Bosch EcoSilence Drive™ washing machines come with a 10-year guarantee.



SpeedPerfect

Wash up to 65%* faster without compromising results. SpeedPerfect can be used in combination with most other programmes, all loads and textiles.



Capacity

Our freestanding washer dryers have a drum capacity of up to 10kg, perfect for those busy households. Wash and dry up to 6 kg of items in one go or wash up to 10 kg.

*Difference between the duration of Easy Care Programme 40°C and the duration of Easy Care Programme 40°C in combination with **SpeedPerfect** option.

Model shown: WDU8H541GB

To stay at their best, different clothes need to be washed in different ways. With the Bosch Home Connect app, simply tell your washing machine what’s in the load and it will work out the perfect programme. It will even tell you if there’s an item that should come out and be washed a different way.

Serie 8

WAX28EH1GB



TYPE	WASHER
DESIGN FAMILY	SERIE 8
MODEL	WAX28EH1GB
KEY FEATURES	
Home Connect	●
i-DOS detergent dosing system	●
SpeedPerfect	●
Reload facility	●
Stain Removal system	AntiStain Plus (16)
EcoSilence Drive	●
AntiVibration design	●
Reduced ironing option	●
Reduced noise option	-
4D Wash system	●
Intensive Plus	●
Consumption indicator	EcoBar Plus
ADDITIONAL FEATURES	
Time delay	24 hours
Child lock	●
Drum interior light	●
Safety	AquaStop
PROGRAMMES / FUNCTIONS	
Eco 40-60	●
Cottons	●
Super Quick 15/30	●
Hygiene Plus	-
AllergyPlus	●
Easy-care	●
Mixed Load	●
Wool	●
Delicates/Silk	●
Sportswear	●
Dark Wash/EasyCare plus/Jeans	●
Shirts and blouses	●
Duvet/ Down wear	●
Towels	-
Curtains	-
Auto programme	●
Memory programme	●
Drum Clean	●
Extra Rinse	●
Pre Wash	●
Rinse/Spin	●
Rinse hold	●
Spin/Drain	-
Single Rinse	-
Soak	●
Variable Temperature/Variable Spin	●
PERFORMANCE / TECHNICAL INFORMATION	
Energy efficiency class ¹	A B ▶
Load capacity (kg)	1 - 10
Energy ² / Water ³ (kWh / litres)	56 / 59
Programme duration ⁴ (h:mm)	3:58
Maximum spin speed (rpm) ⁵	1400
Spin efficiency class	B
Noise level (dB(A) re 1 pW)	71
Noise emission class	A
Dimensions of the product (H x W x D) (inc. door porthole) (mm)	848 x 598 x 590 (632)
Door opening angle	180°

● = Yes - = No

¹ On an energy-efficiency class scale from A to G ² Energy consumption in kWh/100 operating cycles (using Eco 40-60 programme)

³ Water consumption in litres/operating cycle (using Eco 40-60 programme) ⁴ Duration of Eco 40-60 programme

⁵ The specified value is rounded. **Data valid in this table as of April 2022.** Subject to modification without prior notice.



TYPE	WASHER	WASHER	WASHER	WASHER
DESIGN FAMILY	SERIE 8	SERIE 8	SERIE 8	SERIE 8
MODEL	WAX32GH4GB	WAX32MH81GB	WAV28EH3GB	WAV28MH4GB
KEY FEATURES				
Home Connect	●	●	●	●
i-DOS detergent dosing system	-	-	●	-
SpeedPerfect	●	●	●	●
Reload facility	●	●	●	●
Stain Removal system	AntiStain Plus (16)	AntiStain (4)	AntiStain Plus (16)	AntiStain (4)
EcoSilence Drive	●	●	●	●
AntiVibration design	●	●	●	●
Reduced ironing option	●	-	●	-
Reduced noise option	●	-	-	-
4D Wash system	●	●	●	●
Intensive Plus	●	●	●	●
Consumption indicator	EcoBar Plus	EcoBar Plus	EcoBar Plus	EcoBar Plus
ADDITIONAL FEATURES				
Time delay	24 hours	24 hours	24 hours	24 hours
Child lock	●	●	●	●
Drum interior light	●	●	●	●
Safety	Multiple Water Protection	Multiple Water Protection	AquaStop	Multiple Water Protection
PROGRAMMES / FUNCTIONS				
Eco 40-60	●	●	●	●
Cottons	●	●	●	●
Super Quick 15/30	●	●	●	●
Hygiene Plus	-	●	-	-
AllergyPlus	●	-	●	●
Easy-care	●	●	●	●
Mixed Load	●	●	●	●
Wool	●	●	●	●
Delicates/Silk	●	●	●	●
Sportswear	●	●	●	●
Dark Wash/EasyCare plus/ Jeans	●	●	●	-
Shirts and blouses	●	●	●	●
Duvet/ Down wear	-	-	●	-
Towels	●	-	-	-
Curtains	-	-	-	-
Auto programme	-	-	●	-
Memory programme	●	-	●	-
Drum Clean	●	●	●	●
Extra Rinse	●	●	●	●
Pre Wash	●	●	●	●
Rinse/Spin	●	-	●	●
Rinse hold	●	●	●	●
Spin/Drain	-	●	-	-
Single Rinse	-	●	-	-
Soak	●	-	●	-
Variable Temperature/Variable Spin	●	●	●	●
PERFORMANCE / TECHNICAL INFORMATION				
Energy efficiency class ¹	A B C ▶	A B ▶	A B A ▶	A B A ▶
Load capacity (kg)	1 - 10	1 - 10	1 - 9	1 - 9
Energy ² / Water ³ (kWh / litres)	67 / 49	59 / 47	48 / 48	48 / 48
Programme duration ⁴ (h:mm)	3:55	3:59	3:44	3:44
Maximum spin speed (rpm) ⁵	1600	1600	1400	1400
Spin efficiency class	A	A	B	B
Noise level (dB(A) re 1 pW)	72	72	69	69
Noise emission class	A	A	A	A
Dimensions of the product (H x W x D) (inc. door porthole) (mm)	848 x 598 x 590 (632)	848 x 598 x 590 (632)	848 x 598 x 590 (632)	848 x 598 x 590 (632)
Door opening angle	180°	171°	180°	171°

● = Yes - = No

¹ On an energy-efficiency class scale from A to G ² Energy consumption in kWh/100 operating cycles (using Eco 40-60 programme)

³ Water consumption in litres/operating cycle (using Eco 40-60 programme) ⁴ Duration of Eco 40-60 programme

⁵ The specified value is rounded. **Data valid in this table as of April 2022.** Subject to modification without prior notice.

For full specification details, please log onto our website and download a full specification sheet.



Washing machines



TYPE	WASHER	WASHER	WASHER	WASHER
DESIGN FAMILY	SERIE 6	SERIE 6	SERIE 6	SERIE 6
MODEL	WAL28PH1GB	WGG256M1GB	WGG245S1GB	WGG25401GB
KEY FEATURES				
Home Connect	●	-	-	-
i-DOS detergent dosing system	●	-	-	-
SpeedPerfect	●	●	●	●
Reload facility	●	-	-	●
Stain Removal system	AntiStain (4) via app	AntiStain (4)	AntiStain (4)	AntiStain (4)
EcoSilence Drive	●	●	●	●
AntiVibration design	●	●	●	●
Reduced ironing option	●	●	●	●
Reduced noise option	-	-	-	-
4D Wash system	-	●	-	-
Intensive Plus	-	-	-	-
Consumption indicator	EcoBar Plus	EcoBar Plus	-	-
ADDITIONAL FEATURES				
Time delay	24 hours	24 hours	24 hours	24 hours
Child lock	●	●	●	●
Drum interior light	-	●	-	-
Safety	Multiple Water Protection	Multiple Water Protection	Multiple Water Protection	Multiple Water Protection
PROGRAMMES / FUNCTIONS				
Eco 40-60	●	●	●	●
Cottons	●	●	●	●
Super Quick 15/30	●	●	●	●
Hygiene Plus	-	●	●	●
AllergyPlus	●	-	-	-
Easy-care	●	●	●	●
Mixed Load	●	●	●	●
Wool	●	●	●	●
Delicates/Silk	-	●	●	●
Sportswear	●	●	●	●
Dark Wash/EasyCare plus/ Jeans	-	- / - ●	- / - ●	- / - ●
Shirts and blouses	-	-	-	-
Duvet/ Down wear	-	● / -	● / -	● / -
Waterproofs	-	-	-	-
Towels	-	-	-	-
Curtains	-	-	-	-
Auto programme	●	-	-	-
Memory programme	●	-	-	-
Drum Clean	●	●	●	●
Extra Rinse	●	●	●	●
Pre Wash	●	●	●	●
Rinse/Spin	-	●	-	●
Rinse hold	●	●	●	●
Spin/Drain	-	●	●	●
Single Rinse	-	●	●	●
Soak	●	-	-	-
Variable Temperature/Variable Spin	●	●	●	●
PERFORMANCE / TECHNICAL INFORMATION				
Energy efficiency class ¹				
Load capacity (kg)	1 - 10	1 - 10	1 - 10	1 - 10
Energy ² / Water ³ (kWh / litres)	67 / 47	59 / 47	67 / 47	67 / 47
Programme duration ⁴ (h:mm)	3:50	3:59	3:50	3:50
Maximum spin speed (rpm) ⁵	1400	1600	1400	1400
Spin efficiency class	B	A	B	B
Noise level (dB(A) re 1 pW)	75	74	75	75
Noise emission class	B	B	B	B
Dimensions of the product (H x W x D) (inc. door porthole) (mm)	848 x 598 x 590 (632)	848 x 598 x 590 (636)	845 x 597 x 588 (632)	845 x 597 x 588 (632)
Door opening angle	171°	165°	160°	160°

● = Yes - = No

¹ On an energy-efficiency class scale from A to G ² Energy consumption in kWh/100 operating cycles (using Eco 40-60 programme)

³ Water consumption in litres/operating cycle (using Eco 40-60 programme) ⁴ Duration of Eco 40-60 programme

⁵ The specified value is rounded. **Data valid in this table as of April 2022.** Subject to modification without prior notice.

For full specification details, please log onto our website and download a full specification sheet.



TYPE	WASHER	WASHER	WASHER	WASHER
DESIGN FAMILY	SERIE 6	SERIE 6	SERIE 6	SERIE 6
MODEL	WAU28P89GB	WAU28RH9GB	WGG244ARGB	WGG244A9GB
KEY FEATURES				
Home Connect	●	●	-	-
i-DOS detergent dosing system	●	-	●	●
SpeedPerfect	●	●	●	●
Reload facility	●	●	●	●
Stain Removal system	AntiStain (4) via app	AntiStain (4)	AntiStain (4)	AntiStain (4)
EcoSilence Drive	●	●	●	●
AntiVibration design	●	●	●	●
Reduced ironing option	●	●	●	●
Reduced noise option	-	●	-	-
4D Wash system	-	-	-	-
Intensive Plus	-	-	-	-
Consumption indicator	EcoBar Plus	EcoBar Plus	-	-
ADDITIONAL FEATURES				
Time delay	24 hours	24 hours	24 hours	24 hours
Child lock	●	●	●	●
Drum interior light	●	-	●	-
Safety	Multiple Water Protection	Multiple Water Protection	Multiple Water Protection	Multiple Water Protection
PROGRAMMES / FUNCTIONS				
Eco 40-60	●	●	●	●
Cottons	●	●	●	●
Super Quick 15/30	●	●	●	●
Hygiene Plus	●	●	●	●
AllergyPlus	-	-	-	-
Easy-care	●	●	●	●
Mixed Load	●	●	●	●
Wool	●	●	●	●
Delicates/Silk	●	●	●	●
Sportswear	●	-	●	●
Dark Wash/EasyCare plus/ Jeans	-	●	●	●
Shirts and blouses	-	●	-	-
Duvet/ Down wear	-	-	-	-
Waterproofs	-	●	-	-
Towels	-	-	-	-
Curtains	-	-	-	-
Auto programme	●	-	●	●
Memory programme	●	●	-	-
Drum Clean	●	●	●	●
Extra Rinse	●	●	-	-
Pre Wash	●	●	●	●
Rinse/Spin	-	-	-	-
Rinse hold	●	●	●	●
Spin/Drain	●	●	●	●
Single Rinse	●	●	●	●
Soak	-	-	-	-
Variable Temperature/Variable Spin	●	●	●	●
PERFORMANCE / TECHNICAL INFORMATION				
Energy efficiency class ¹				
Load capacity (kg)	1 - 9	1 - 9	1 - 9	1 - 9
Energy ² / Water ³ (kWh / litres)	46 / 48	46 / 48	46 / 48	46 / 48
Programme duration ⁴ (h:mm)	3:48	3:48	3:48	3:48
Maximum spin speed (rpm) ⁵	1400	1400	1400	1400
Spin efficiency class	B	B	B	B
Noise level (dB(A) re 1 pW)	71	71	71	71
Noise emission class	A	A	A	A
Dimensions of the product (H x W x D) (inc. door porthole) (mm)	845 x 598 x 590 (633)	848 x 598 x 590 (632)	848 x 598 x 590 (636)	848 x 598 x 590 (636)
Door opening angle	171°	171°	171°	171°

● = Yes - = No

¹ On an energy-efficiency class scale from A to G ² Energy consumption in kWh/100 operating cycles (using Eco 40-60 programme)

³ Water consumption in litres/operating cycle (using Eco 40-60 programme) ⁴ Duration of Eco 40-60 programme

⁵ The specified value is rounded. **Data valid in this table as of April 2022.** Subject to modification without prior notice.

For full specification details, please log onto our website and download a full specification sheet.

5 Year Warranty Promotion dates 01.04.21 – 31.03.22. T&C's apply. Online registration required. Selected models only.

Explore more at [bosch-home.co.uk](https://www.bosch-home.co.uk) / [bosch-home.ie](https://www.bosch-home.ie)

Making **life easy** through innovative technologies

Washing machines



TYPE	WASHER	WASHER	WASHER
DESIGN FAMILY	SERIE 6	SERIE 6	SERIE 6
MODEL	WGG2449RGB	WGG2440XGB	WGG24409GB
KEY FEATURES			
Home Connect	-	-	-
i-DOS detergent dosing system	-	-	-
SpeedPerfect	●	●	●
Reload facility	●	●	●
Stain Removal system	AntiStain (4)	AntiStain (4)	AntiStain (4)
EcoSilence Drive	●	●	●
AntiVibration design	●	●	●
Reduced ironing option	●	●	●
Reduced noise option	-	-	-
4D Wash system	-	-	-
Intensive Plus	-	-	-
Consumption indicator	-	-	-
ADDITIONAL FEATURES			
Time delay	24 hours	24 hours	24 hours
Child lock	●	●	●
Drum interior light	●	-	-
Safety	Multiple Water Protection	Multiple Water Protection	Multiple Water Protection
PROGRAMMES / FUNCTIONS			
Eco 40-60	●	●	●
Cottons	●	●	●
Super Quick 15/30	●	●	●
Hygiene Plus	●	●	●
AllergyPlus	-	-	-
Easy-care	●	●	●
Mixed Load	●	●	●
Wool	●	●	●
Delicates/Silk	●	●	●
Sportswear	●	●	●
Dark Wash/EasyCare plus/ Jeans	●	- / - / ●	- / - / ●
Shirts and blouses	-	-	-
Duvet/ Down wear	●	● / -	● / -
Towels	-	-	-
Curtains	-	-	-
Auto programme	-	-	-
Memory programme	-	-	-
Drum Clean	-	●	●
Extra Rinse	●	●	●
Pre Wash	●	●	●
Rinse/Spin	-	-	●
Rinse hold	●	●	●
Spin/Drain	●	●	●
Single Rinse	●	●	●
Soak	-	-	-
Variable Temperature/Variable Spin	●	●	●
PERFORMANCE / TECHNICAL INFORMATION			
Energy efficiency class ¹			
Load capacity (kg)	1 - 9	1 - 9	1 - 9
Energy ² / Water ³ (kWh / litres)	46 / 48	46 / 48	46 / 48
Programme duration ⁴ (h:mm)	3:48	3:48	3:48
Maximum spin speed (rpm) ⁵	1400	1400	1400
Spin efficiency class	B	B	B
Noise level (dB(A) re 1 pW)	71	71	71
Noise emission class	A	A	A
Dimensions of the product (H x W x D) (inc. door porthole) (mm)	848 x 598 x 590 (636)	848 x 598 x 590 (636)	848 x 598 x 590 (636)
Door opening angle	165°	165°	165°

● = Yes - = No
¹ On an energy-efficiency class scale from A to G ² Energy consumption in kWh/100 operating cycles (using Eco 40-60 programme)
³ Water consumption in litres/operating cycle (using Eco 40-60 programme) ⁴ Duration of Eco 40-60 programme
⁵ The specified value is rounded. **Data valid in this table as of April 2022.** Subject to modification without prior notice.

Explore more at [bosch-home.co.uk](https://www.bosch-home.co.uk) / [bosch-home.ie](https://www.bosch-home.ie)

TYPE	WASHER	WASHER	WASHER	WASHER
DESIGN FAMILY	SERIE 4	SERIE 4	SERIE 4	SERIE 4
MODEL	WGG04409GB	WAN28209GB	WAN282X1GB	WAN28281GB
KEY FEATURES				SILVER INOX
Home Connect	-	-	-	-
i-DOS detergent dosing system	-	-	-	-
SpeedPerfect	●	●	●	●
Reload facility	●	●	●	●
Stain Removal system	-	-	-	-
EcoSilence Drive	●	-	●	●
AntiVibration design	●	●	●	●
Reduced ironing option	●	●	-	-
Reduced noise option	-	-	●	●
4D Wash system	-	-	-	-
Intensive Plus	-	-	-	-
Consumption indicator	-	-	-	-
ADDITIONAL FEATURES				
Time delay	24 hours	24 hours	24 hours	24 hours
Child lock	●	●	●	●
Drum interior light	-	-	-	-
Safety	Multiple Water Protection	Multiple Water Protection	Multiple Water Protection	Multiple Water Protection
PROGRAMMES / FUNCTIONS				
Eco 40-60	●	●	●	●
Cottons	●	●	●	●
Super Quick 15/30	●	●	●	●
Hygiene Plus	●	-	-	-
AllergyPlus	-	●	●	●
Easy-care	●	●	●	●
Mixed Load	●	●	●	●
Wool	●	●	●	●
Delicates/Silk	●	●	●	●
Sportswear	●	●	●	●
Dark Wash/EasyCare plus/ Jeans	●	●	●	●
Shirts and blouses	-	●	●	●
Duvet/ Down wear	-	-	-	-
Towels	-	-	-	-
Curtains	-	-	-	-
Auto programme	-	-	-	-
Memory programme	-	-	-	-
Drum Clean	●	-	-	-
Extra Rinse	●	-	●	●
Pre Wash	●	●	●	●
Rinse/Spin	-	-	●	●
Rinse hold	●	●	●	●
Spin/Drain	●	●	-	-
Single Rinse	●	●	-	-
Soak	-	-	-	-
Variable Temperature/Variable Spin	●	●	●	●
PERFORMANCE / TECHNICAL INFORMATION				
Energy efficiency class ¹				
Load capacity (kg)	1 - 9	1 - 9	1 - 8	1 - 8
Energy ² / Water ³ (kWh / litres)	46 / 48	66 / 44	63 / 48	63 / 48
Programme duration ⁴ (h:mm)	3:48	3:37	3:35	3:35
Maximum spin speed (rpm) ⁵	1400	1400	1400	1400
Spin efficiency class	B	B	B	B
Noise level (dB(A) re 1 pW)	71	72	74	74
Noise emission class	A	A	B	B
Dimensions of the product (H x W x D) (inc. door porthole) (mm)	848 x 598 x 588 (632)	848 x 598 x 590 (632)	848 x 598 x 550 (600)	848 x 598 x 550 (600)
Door opening angle	160°	171°	180°	180°

● = Yes - = No
¹ On an energy-efficiency class scale from A to G ² Energy consumption in kWh/100 operating cycles (using Eco 40-60 programme)
³ Water consumption in litres/operating cycle (using Eco 40-60 programme) ⁴ Duration of Eco 40-60 programme
⁵ The specified value is rounded. **Data valid in this table as of April 2022.** Subject to modification without prior notice.

For full specification details, please log onto our website and download a full specification sheet.

Making **life easy** through innovative technologies

Washing machines



TYPE	WASHER	WASHER	WASHER
DESIGN FAMILY	SERIE 4	SERIE 4	SERIE 2
MODEL	WAN24109GB	WAN28081GB	WAJ28008GB
KEY FEATURES			
Home Connect	-	-	-
i-DOS detergent dosing system	-	-	-
SpeedPerfect	●	●	●
Reload facility	●	●	●
Stain Removal system	-	-	-
EcoSilence Drive	●	●	●
AntiVibration design	●	●	●
Reduced ironing option	-	-	-
Reduced noise option	●	-	-
4D Wash system	-	-	-
Intensive Plus	-	-	-
Consumption indicator	-	-	-
ADDITIONAL FEATURES			
Time delay	24 hours	24 hours	24 hours
Child lock	●	●	●
Drum interior light	-	-	-
Safety	Multiple Water Protection	Multiple Water Protection	Multiple Water Protection
PROGRAMMES / FUNCTIONS			
Eco 40-60	●	●	●
Cottons	●	●	●
Super Quick 15/30	●	●	-
AllergyPlus	●	-	-
Easy-care	●	●	●
Mixed Load	●	●	●
Wool	●	●	●
Delicates/Silk	●	●	●
Sportswear	●	-	-
Dark Wash/EasyCare plus/ Jeans	●	-	● / - / ●
Shirts and blouses	●	-	-
Duvet/ Down wear	-	-	-
Towels	-	-	-
Curtains	-	-	-
Auto programme	-	-	-
Memory programme	-	-	-
Drum Clean	-	-	-
Extra Rinse	●	-	-
Pre Wash	●	●	●
Rinse/Spin	●	●	●
Rinse hold	●	●	●
Soak	-	-	-
Variable Temperature/Variable Spin	●	- / ●	- / ●
PERFORMANCE / TECHNICAL INFORMATION			
Energy efficiency class ¹			
Load capacity (kg)	1 - 8	1 - 7	1 - 7
Energy ² / Water ³ (kWh / litres)	63 / 48	69 / 45	69 / 45
Programme duration ⁴ (h:mm)	3:29	3:20	3:20
Maximum spin speed (rpm) ⁵	1200	1400	1400
Spin efficiency class	B	B	B
Noise level (dB(A) re 1 pW)	76	75	75
Noise emission class	B	B	B
Dimensions of the product (H x W x D) (inc. door porthole) (mm)	848 x 598 x 550 (600)	848 x 598 x 550 (600)	848 x 598 x 546 (584)
Door opening angle	180°	180°	140°

● = Yes - = No
¹ On an energy-efficiency class scale from A to G ² Energy consumption in kWh/100 operating cycles (using Eco 40-60 programme)
³ Water consumption in litres/operating cycle (using Eco 40-60 programme) ⁴ Duration of Eco 40-60 programme
⁵ The specified value is rounded. **Data valid in this table as of April 2022.** Subject to modification without prior notice.

Washer dryers



TYPE	WASHER DRYER	WASHER DRYER	WASHER DRYER	WASHER DRYER
DESIGN FAMILY	SERIE 8	SERIE 8	SERIE 6	SERIE 4
MODEL	WDU8H549GB	WDU8H541GB	WNA14490GB	WNA134U8GB
KEY FEATURES	SILVER INOX	WHITE	WHITE	WHITE
Home Connect	●	●	-	-
EcoSilence Drive	●	●	●	●
SpeedPerfect	●	●	●	●
Reload facility	●	●	●	●
AutoDry function	●	●	●	●
Self cleaning condenser	●	●	●	●
ADDITIONAL FEATURES				
Time delay / Time Remaining	●	●	●	●
Child safety lock	●	●	●	●
Water protection system	Aquastop	Aquastop	Multiple water protection	AquaSecure
PROGRAMMES				
Iron Assist	-	-	●	●
Hygiene	● (via App)	● (via App)	-	-
AllergyPlus	-	-	●	-
Super Quick 15	-	-	●	●
Wash & Dry 60 mins	●	●	●	●
Cottons	●	●	●	●
Easy-care programme	●	●	●	●
Wool programme	●	●	●	●
Delicates/ Silk	●	●	●	●
Sportswear	●	●	-	●
Mixed Load	●	●	●	●
Towels	● (via App)	● (via App)	-	-
Shirts	● (via App)	● (via App)	-	-
Down	● (via App)	● (via App)	-	-
Intensive Dry	-	-	●	●
Gentle Dry	-	-	●	●
My Time Wash	●	●	-	-
My Time Dry	-	-	●	●
Rinse	●	●	●	●
Spin/ Drain	●	●	●	●
Memory	-	-	-	-
Drum Clean	●	●	-	-
Reduced noise wash / dry	●	●	-	-
Reduced ironing	●	●	●	●
HygieneCare	●	●	-	-
Aqua Plus/ Rinse Plus	●	●	-	-
Pre wash	●	●	●	●
Variable Temperature/ Spin	●	●	●	●
PERFORMANCE / TECHNICAL INFORMATION				
Energy efficiency class washing and drying ¹				
Energy efficiency class washing ²				
Energy ³ / Water ⁴ washing and drying (kWh / litres)	307 / 74	307 / 74	372 / 84	313 / 70
Energy ³ / Water ⁴ washing (kWh / litres)	49 / 50	49 / 50	64 / 41	63 / 41
Load capacity washing and drying / washing (kg)	1 - 6 / 1 - 10	1 - 6 / 1 - 10	1 - 6 / 1 - 9	1 - 5 / 1 - 8
Programme duration ⁵ washing and drying / washing (h:mm)	8:00 / 3:55	8:00 / 3:55	7:45 / 3:45	7:30 / 3:32
Spin efficiency class	B	B	B	B
Spin speed ⁶ (rpm)	1400	1400	1400	1400
Noise level (dB(A) re 1 pW)	70	70	69	70
Noise emission class	A	A	A	A
Dimensions of the product (H x W x D) (inc. door porthole) (mm)	848 x 598 x 616 (654)	848 x 598 x 616 (654)	848 x 598 x 590 (636)	848 x 598 x 590 (649)
Door opening angle	125°	125°	165°	165°

● = Yes - = No
¹⁻² On an energy-efficiency class scale from A to G ³ Energy consumption in kWh/100 complete operating cycles (using Eco 40-60 programme)
⁴ Water consumption in litres/complete operating cycle (using Eco 40-60 programme) ⁵ Energy consumption in kWh/100 wash cycles (using Eco 40-60 programme)
⁶ Water consumption in litres/wash cycle (using Eco 40-60 programme) ⁷ Duration of Eco 40-60 programme, complete operating cycle / wash cycle
⁸ The specified value is rounded. **Data valid in this table as of April 2022.** Subject to modification without prior notice.

Tumble dryers



Tumble dryer functions explained.

(Check model for available functions)

SmartDry
With Bosch SmartDry enabled by Home Connect, detailed information from the last wash cycle is sent from the connected washing machine to the dryer. The dryer will then select the most suitable programme/settings and precisely adjust the expected duration.

AutoDry
With AutoDry sensor technology you can ensure gentle and precise drying results. AutoDry automatically knows when your load is perfectly dry by constantly measuring the humidity, protecting your clothes against overheating.

Time Delay
Have your laundry ready when you need it. Just delay the start of your programme with one simple button.

AntiVibration Design
A spiral design on the side of the washing machine that increases stability and reduces vibration. This makes for a quieter machine with improved sound dampening.



Iron Assist
Bosch heat pump dryers with Iron Assist reduce or even eliminate the need to iron. A fine mist is created inside the drum which permeates the gently warmed contents and visibly smooths laundry.

SelfCleaning Condenser
The SelfCleaning Condenser cleverly uses condensation water to automatically clean itself up to four times per drying cycle. This ensures maximum efficiency for the entire working life of the machine – so you'll never have to worry about the condenser again.

AutoClean
With AutoClean technology, the lint and fluff will automatically be flushed and safely stored after every cycle, giving you peace of mind and efficient running. The machine will remind you to empty it after 20 cycles. No need to empty the door filter after every cycle, as with a regular machine.

EasyClean
The EasyClean condenser filter is simple to access and only needs cleaning after every 20 cycles*.

*Door filter still requires cleaning after every cycle.

Heat pump dryers – dry economically.

Unlike conventional dryers, our **Heat Pump Dryers** don't use energy intensive heating elements to heat the air. Instead, we use a heat pump. This innovative component conserves and reuses the hot air which provides most of the energy needed for the drying process.

Short on space? Have you considered a stacking kit?

Please refer to compatibility list on page 91



Model shown: WTX88RH9GB

Serie 8

WTX88EH9GB

Home Connect: home appliances with smart connectivity for an easier everyday life.



Home Connect



For full specification details, please log onto our website and download a full specification sheet.

TYPE	DRYER	DRYER
DESIGN FAMILY	SERIE 8	SERIE 8
MODEL	WTX88EH9GB	WTX88RH9GB
KEY FEATURES		
Heat Pump	•	•
Home Connect	•	•
SmartDry	•	•
Iron Assist	•	-
AutoClean	•	•
Self cleaning condenser	-	-
EasyClean filter	-	-
ADDITIONAL FEATURES		
AutoDry	•	•
Anti crease cycle (mins)	120	120
Time delay / Time Remaining	•	•
Drum interior light	•	•
Water container full / blocked filter warning indicator	•	•
Child lock	•	•
PROGRAMMES/FUNCTIONS		
Cottons	•	•
Easy-care	•	•
Woolen Finish	•	•
SuperQuick 40	•	•
Timed programmes	•	•
Mixed Load	•	•
Sportswear	•	•
Towels	•	•
Delicates	•	•
Down Wear	•	•
Shirts and blouses	•	•
Allergy+	•	•
Wool / Trainer basket	•	-
Memory / My Favourite	• / -	-
Shirts 15	-	-
End of cycle indicator	•	•
Low Heat option	•	•
Crease Guard	•	•
PERFORMANCE / TECHNICAL INFORMATION		
Energy efficiency class	A+++	A+++
Capacity cotton (kg)	9	9
Energy consumption annual (kWh/annum)	193	193
Condensation efficiency class	B	B
Condensation efficiency for standard cotton programme on full and partial load	88%	88%
Ambient temperature range	5-35°C	5-35°C
Noise level (dB(A) re 1pW)	62	62
Dimensions of the product (inc. door) (mm)	842 x 598 x 599 (634)	842 x 598 x 599 (652)
Door opening angle	165°	170°
Door hinge position	Right-hand / reversible	Right-hand
Plumbing out possible?	Yes	Yes
Draining kit included?	Yes	Yes

• = Yes - = No
The programme Cotton cupboard dry used at full and partial loads is the standard drying programme to which the information on the energy label refers. Annual consumption is based on 160 drying cycles.
Data valid in this table as of April 2022. Subject to modification without prior notice.



Making **life easy** through innovative technologies

Tumble dryers



Coming soon

TYPE	DRYER	DRYER	DRYER	DRYER
DESIGN FAMILY	SERIE 6	SERIE 6	SERIE 6	SERIE 6
MODEL	WQG245R9GB	WQG245S9GB	WQG24509GB	WQG233D8GB
KEY FEATURES	GRAPHITE	SILVER INOX		
Heat Pump	●	●	●	●
Home Connect	-	-	-	-
SmartDry	-	-	-	-
Iron Assist	-	-	-	-
AutoClean	-	-	-	-
SelfCleaning Condenser	●	●	●	-
EasyClean filter	-	-	-	●
ADDITIONAL FEATURES				
AutoDry	●	●	●	●
Time delay / Time Remaining	●	●	●	●
Drum interior light	●	●	●	●
Water container full / blocked filter warning indicator	●	●	●	●
Child lock	●	●	●	-
PROGRAMMES/FUNCTIONS				
Cottons	●	●	●	●
Hygiene Plus	●	●	●	●
Easy-care	●	●	●	-
Woollen Finish	●	●	●	●
SuperQuick 40	●	●	●	●
Timed programmes	●	●	●	●
Mixed Load	●	●	●	●
Sportswear	●	●	●	●
Towels	●	●	●	●
Delicates	●	●	●	●
Down Wear	●	●	●	●
Shirts and blouses	●	●	●	●
AllergyPlus	-	-	-	-
Wool / Trainer basket	-	-	-	-
Memory / My Favourite	-	-	-	-
Shirts 15	-	-	-	-
End of cycle indicator	●	●	●	●
Low Heat option	●	●	●	●
Crease Guard	●	●	●	●
PERFORMANCE / TECHNICAL INFORMATION				
Energy efficiency class	A++	A++	A++	A+++
Capacity cotton (kg)	9	9	9	8
Energy consumption annual (kWh/annum)	258	258	258	176
Condensation efficiency class	B	B	B	A
Condensation efficiency for standard cotton programme on full and partial load	86%	86%	86%	91%
Ambient temperature range	5-35°C	5-35°C	5-35°C	5-35°C
Noise level (dB(A) re 1pW)	64	64	64	64
Dimensions of the product (inc. door) (cm)	842 x 598 x 613 (648)	842 x 598 x 613 (648)	842 x 598 x 613 (648)	842 x 598 x 613 (648)
Door opening angle	180°	180°	180°	180°
Door hinge position	Right-hand	Right-hand	Right-hand	Right-hand
Plumbing out possible?	Yes	Yes	Yes	Yes
Draining kit included?	Yes	Yes	Yes	Yes

● = Yes - = No
The programme cotton cupboard dry used at full and partial loads is the standard drying programme to which the information on the energy label refers. This is the most efficient programme in terms of energy consumption for cotton.
Annual consumption is based on 160 drying cycles. **Data valid in this table as of April 2022.** Subject to modification without prior notice.

For full specification details, please log onto our website and download a full specification sheet.
5 Year Warranty Promotion dates 01.04.21 – 31.03.22. T&C's apply. Online registration required. Selected models only.

Explore more at [bosch-home.co.uk](https://www.bosch-home.co.uk) / [bosch-home.ie](https://www.bosch-home.ie)



TYPE	DRYER	DRYER	DRYER	DRYER	DRYER
DESIGN FAMILY	SERIE 6	SERIE 4	SERIE 4	SERIE 4	SERIE 4
MODEL	WTG86402GB	WTH85222GB	WTN85201GB	WTH84000GB	WTN83201GB
KEY FEATURES					
Heat Pump	-	●	-	●	-
Home Connect	-	-	-	-	-
SmartDry	-	-	-	-	-
Iron Assist	-	-	-	-	-
AutoClean	-	-	-	-	-
SelfCleaning Condenser	-	-	-	-	-
EasyClean filter	●	●	-	-	-
ADDITIONAL FEATURES					
AutoDry	●	●	●	●	●
Time delay / Time Remaining	●	●	●	●	●
Drum interior light	●	-	●	-	●
Water container full / blocked filter warning indicator	●	●	●	●	●
Child lock	●	●	●	-	●
PROGRAMMES/FUNCTIONS					
Cottons	●	●	●	●	●
Hygiene Plus	-	-	-	-	-
Easy-care	●	●	●	●	●
Woollen Finish	●	●	●	-	●
SuperQuick 40	●	●	●	●	●
Timed programmes	●	●	●	●	●
Mixed Load	●	●	●	●	●
Sportswear	●	●	●	●	●
Towels	-	●	-	●	-
Delicates	-	-	-	-	●
Down Wear	●	●	●	●	-
Shirts and blouses	-	●	-	●	-
AllergyPlus	●	-	●	-	●
Wool / Trainer basket	-	-	-	-	-
Memory / My Favourite	-	-	-	-	-
Shirts 15	●	-	●	-	●
End of cycle indicator	●	●	●	●	●
Low Heat option	●	●	●	-	●
Crease Guard	●	●	●	●	●
PERFORMANCE / TECHNICAL INFORMATION					
Energy efficiency class	B	A++	B	A+	B
Capacity cotton (kg)	8	8	7	8	8
Energy consumption annual (kWh/annum)	561	236	499	270	560
Condensation efficiency class	B	B	B	B	B
Condensation efficiency for standard cotton programme on full and partial load	88%	81%	88%	81%	88%
Ambient temperature range	5-35°C	5-35°C	5-35°C	5-35°C	5-35°C
Noise level (dB(A) re 1pW)	65	65	65	65	65
Dimensions of the product (inc. door) (cm)	842 x 598 x 599 (652)	842 x 598 x 599 (652)	842 x 598 x 613 (665)	842 x 598 x 613 (651)	842 x 598 x 599 (652)
Door opening angle	175°	170°	175°	170°	175°
Door hinge position	Right-hand	Right-hand	Right-hand	Right-hand	Right-hand
Plumbing out possible?	Yes	Yes	Yes	Yes	Yes
Draining kit included?	Yes	Yes	Yes	Yes	Yes

● = Yes - = No
The programme cotton cupboard dry used at full and partial loads is the standard drying programme to which the information on the energy label refers. This is the most efficient programme in terms of energy consumption for cotton.
Annual consumption is based on 160 drying cycles. **Data valid in this table as of April 2022.** Subject to modification without prior notice.

Making **life easy** through innovative technologies

Introducing the Bosch dishwasher range.

Our freestanding dishwashers offer a range of advanced technologies and additional options across the range to suit your individual requirements.

To help you choose the right Bosch dishwasher, we have divided them into the four ranges below.



Serie 8

Our **Serie 8** range combines cutting-edge design and advanced technology, including Home Connect. The **PerfectDry** function absorbs moisture before releasing it as hot air for energy-efficient drying. Exceptionally quiet, offering additional storage and flexible loading solutions with **Max Flex Pro** baskets, our **Serie 8** dishwasher is a perfect solution for busy households.

Serie 6

Our **Serie 6** range comes packed with technology, from energy and water saving modes to quick washes for when time is at a premium. They also feature our clever **PerfectDry** technology and handy features such as **Max Flex** baskets, **Extra Space** 3rd Basket, **Extra Clean Zone** and **EfficientDry**.

Serie 4

Our **Serie 4** models offer great value for money but do not compromise on Bosch build quality. They combine excellent washing results and multiple programmes for different loads. In addition **Serie 4** models offer **Max Flex** baskets with foldable racks in the lower basket.

Serie 2

Our **Serie 2** dishwashers offer you the classic design with easy operation. They are the optimal solution for anyone who wants a reliable appliance with good value for money.



Model shown: SMS6ZDW48G

PerfectDry

The dish dryer among dishwashers.

A clever function that dries everything to perfection. And we do mean everything – plates, pans, glasses and all plastic items. Everything will be completely clean and perfectly dry, so you'll never have to pick up a tea towel to finish the job again.

The technology behind **PerfectDry** unique to Bosch, is called **Zeolith®**. It is a process applied to every cycle that uses naturally occurring minerals, that heat up when they come into contact with water. Clever **Zeolith®** beads transform humidity into warm air that speeds up the drying process. The warm air is then distributed evenly over the load.

So when you need a wash with brilliant drying results, it's time to choose Bosch.



ExtraDry

Want your dishes extra dry? No problem. This function gives you even more drying power when you need it. Just choose the ExtraDry option and more heat will be created to extend your load's drying cycle.

EfficientDry

Automatically opens your dishwasher door, offering better drying results compared to a closed door (after 30 minutes). Select this feature via the Home Connect app, available on all programmes except pre-rinse and machine care.

Lookout for the new energy efficiency class icons throughout our brochure and on our product pages.



Making **life easy** through innovative technologies

A dishwasher for every kitchen.

Serie 8 and Serie 6 freestanding dishwashers have Home Connect for the ultimate level of control via voice, wearable and device, making it easier to adjust settings to suit your needs, from water hardness to time delay.



60cm



45cm



Compact

Different types of control.

Serie 8



TFT Display with top edge touch control

Serie 6



LED Display with with top edge button control

Serie 6



LED Display with with touch control

Serie 4



LED Display with button control

Serie 2




LED Display with toggle control

Bosch dishwasher programmes.			
PROGRAMME NAME	ITEMS SUITABLE FOR PROGRAMME	TYPE OF SOILING	ADDITIONAL OPERATIONAL OPTIONS
Economy 50°C	Mixed utensils & cutlery	Part dried, common household food remnants	All
Intensive 70°C	Pots, pans, non-sensitive utensils & cutlery	Very stubborn burned or dried-on food remains containing starch or protein	All
Auto 45-65°C	Mixed utensils & cutlery	Part dried, common household food remnants	All
Glass 40°C	Sensitive utensils, cutlery, temperature-sensitive plastic & glass	Lightly adhering, fresh food remains	IntensiveZone, SpeedPerfect+, Half load, ExtraDry
Silence 50°C	Mixed utensils & cutlery	Part dried, common household food remnants	IntensiveZone, Half load, Hygiene+, ExtraDry
Pre-rinse*	All types of dishes	Cold rinsing, intermediate cleaning	None
Express 45°C*	Sensitive utensils, cutlery, temperature-sensitive plastic & glass	Lightly adhering, fresh food remains	ExtraDry
Express 65°C	Mixed utensils & cutlery	Part dried, common household food remnants	ExtraDry
Express 60°C	Mixed utensils & cutlery	Part dried, common household food remnants	All
Machine Care	Run when empty	Thoroughly cleans your machine - use in combination with a standard machine care detergent	None
Favourite	Available in Serie 8, 6 and 4	Allows you to assign programme and option combinations to the Favourite programme via the control panel or on selected models through the Home Connect App	Pre-set favourite programme is pre-rinse

*Programme does not include drying in the cycle.

Where every pot has its place.

Choose the right basket flexibility options for your dishwashing needs.



Max Flex Pro.

Stainless steel fascias. Colour touch points as standard.
Top rack flexible areas: 6
Bottom basket flexible areas: 8

Max Flex.

Brand coloured plastic fascias. Options with and without colour touch points.
Top rack flexible areas: 2
Bottom basket flexible areas: 6

Flex.

Grey plastic fascias.
Top rack flexible areas: 2
Bottom basket flexible areas: 2



Extra Space 3rd basket.

New top basket providing more loading space for small kitchen items. With sliding elements and a removable knife inlay, the Extra Space 3rd basket offers more space than ever.

ExtraClean Zone.

Extra thorough cleaning for heavily soiled items in the upper basket. This intensive zone doesn't need higher temperatures, it uses 3 jets to clean those stubborn items. So no more pre-soaking before going into the dishwasher!

Glassware support with smooth gliding baskets.

New anti-slip elements and stemware support within the upper basket will give extra protection to all glassware. Baskets will glide effortlessly along the internal brackets, thanks to our new pull out systems.

Dishwashers functions explained

(Check model for available functions)

ExtraDry
Want your dishes extra dry? No problem. This function gives you even more drying power when you need it. Just choose the ExtraDry option and more heat will be created to extend your load's drying cycle.

PerfectDry
PerfectDry uses Zeolith® technology that's applied to every cycle which uses minerals that heat up when they come in contact with water. This clever function dries everything to perfection – from plates and pans to all plastic items.

EfficientDry
EfficientDry automatically opens your dishwasher door, offering better drying results compared to a closed door (after 30 minutes). Select this feature via the Home Connect app, available on all programmes except pre-rinse and machine care.

SpeedPerfect+
Our SpeedPerfect+ option reduces programme times without compromising on quality. So you still get hygienically clean and dry dishes but the duration of the cycle* could be reduced by up to half the time – ideal for busy households and entertaining.
*Except: Prewash, Express 45° and Express 65° programme.

Home Connect features

Home Connect

To stay at their best, different dishes and glassware need to be washed in different ways. With the Bosch Home Connect app, simply tell your dishwasher what's in the load and it'll work out the perfect programme.

Silence On Demand
Up to 30 min noise reduction at any time via the Home Connect App.

Speed On Demand
Have your load ready even quicker at any time via the Home Connect App.

Intelligent Programme
Our new intelligent programme adapts itself for your maximum satisfaction. After 3 cycles, you will be prompted to leave your feedback on the cleanliness, drying or length of the programme, or you can do so manually after every cycle.

Programme Assistant
Programme Assistant helps you to customise your dishwasher cycle to achieve optimal results according to your specific needs.

Place Settings
A selection of our dishwashers will hold up to 14 place settings in one load – perfect for larger households.

Self-cleaning filters
Self-cleaning filter system, with spray arms designed to direct water at the filters on every rotation.
Please note, self-cleaning filters are designed to keep filters clear during the washing cycle. Regular filter cleaning and maintenance is still recommended.

DosageAssist
Get the most out of your detergent with DosageAssist; a small area at the front of the top basket that catches the tablet when it's released during the cycle. It controls how the tablet is dissolved for optimum performance.

DuoPower
Our 45cm models feature a twin spray arm in the top basket to ensure perfect water coverage every time.

ActiveWater
Save water with every load and only use the right amount of water needed for each load.

Machine care.

Your dishwasher will help look after itself with this smart function. Optimising the water and energy consumption, it works on a short run time of 80-90 minutes at high temperatures. It eliminates lime and grease deposits inside the dishwasher and works with a standard machine-care detergent. On selected Serie 8 and Serie 6 models, it will even remind you to run the programme every 30 cycles.

Whisper quiet washing.

Bosch dishwashers are amongst the quietest in the world. With the revolutionary **EcoSilence Drive™** there are dishwashers in the range which operate as low as 40 decibels, when the Silence programme is selected.

10 year anti-rust warranty.

Our appliances are made from top quality materials and in addition to our standard appliance warranty, we provide a free of charge warranty against rusting-through of the dishwasher's inner cavity.

60cm dishwashers

Serie 8

SMS8YCI03E



amazon alexa

Use your voice to start your dishwasher or even find out how long before your dishes are ready.



Tablet top-up

Smart reordering of dishwasher tablets can be used via the **Amazon Alexa app**. To use smart reorder via the Alexa app, start by enabling the **Home Connect** dishwasher skill.

Automatic replenishment and being reminded via mail is already supported, voice support will follow soon.

Home Connect



Home Connect is a service offered by Home Connect GmbH.
For more information on Home Connect please visit www.bosch-home.co.uk

DISHWASHER TYPE	60CM DISHWASHER
DESIGN FAMILY	SERIE 8
MODEL	SMS8YCI03E
Colour	Silver Inox
DESIGN FEATURES	
Drying system	PefectDry Zeolith / EfficientDry
Home Connect WiFi connectivity	●
Control panel type	Top edge touch control
Basket description	MaxFlex Pro
VarioDrawer / Extra Space 3rd Basket (3rd loading level)	VarioDrawer
Extra Clean Zone	●
Glass care technology	●
Anti-slip protection and stemware support upper basket	●
Adjustable upper basket	3-stage Rackmatic™
Number of flip times in upper / lower basket	6 / 8
Cup shelves upper / lower baskets	2 / 2
Cutlery holder lower basket	-
Largest loadable dish upper / lower basket (cm)	21 / 31
Load / Aqua sensor	●
Real-time clock	●
Start delay time max hours	24
Time remaining indicator	●
Emotion light (interior lighting)	●
End of cycle indicator	Acoustic
Salt / Rinse aid light indicator	●
Self cleaning filter system	●
Flood protection system	AquaStop 24h
Safety features	Door latch
PROGRAMMES / FUNCTIONS	
List of programmes	Intelligent 40°C, Eco 50°C, Auto 45-65°C, Intensive 70°C, Express 60°C, Glass 40°C, Silence 50°C, Favourite, Machine Care
Additional special options	Remote Start, Extra Dry, Intensive Zone, Hygiene+, SpeedPerfect+
TECHNICAL SPECIFICATIONS	
Reference programme for measurements	Eco 50°C
Energy efficiency class¹	A B
Energy² / water³ (kWh / litres)	65 / 9.5
Load capacity (place settings)	14
Programme duration⁴ (h:min)	3:55
Noise level (dB(A) re 1 pW)	43
Noise efficiency class	B
Noise level (silence programme) (dB(A) re 1 pW)	41
Maximum height adjustability feet (cm)	2
Depth with open door 90 degree (cm)	115.5
Length of electrical supply cord (cm)	175
Length inlet / outlet hose (cm)	165 / 190
Height of the product with removable top (cm)	84.5
Height of the product without removable top (cm)	81.5
Width / Depth of the product (cm)	60 / 60
Net weight / Gross weight (kg)	56 / 59
Water softener⁵	●
Maximum accepted water hardness (°DH)	50
Maximum temperature for water intake (°C)	60
Interior cavity	Stainless steel
Included accessories	-

● = Yes - = No
¹On an energy-efficiency class scale from A to G
² Energy consumption in kWh/100 operating cycles (using Eco programme)
³Water consumption in litres/operating cycle (using Eco programme)
⁴Duration of Eco programme
⁵We would recommend our dishwashers are connected to the mains water supply where possible. However, they may also be connected to an external water softener as long as the water softener produces softened water of less than 1.1 mmo/litre (7.0°e) and the water softener in the appliance is turned off. Please contact product advice for further information.
⁶Water pressure required: 0.5-10 Bar. Flow rate: 10 litres per minute. Inlet valve connected directly to ¾" screwed joint.
Data valid in this table as of April 2022. Subject to modification without prior notice.

60cm dishwashers



DISHWASHER TYPE					
DESIGN FAMILY	SERIE 6	SERIE 6	SERIE 6	SERIE 6	SERIE 6
MODEL	SMS6TCI00E	SMS6ZDW48G	SMS6EDI02G	SMS6EDW02G	SMS6ZCI00G
Colour	Silver Inox	White	Silver Inox	White	Silver Inox
DESIGN FEATURES					
Drying system	PerfectDry Zeolith / EfficientDry	PerfectDry Zeolith	Heat exchanger / EfficientDry	Heat exchanger / EfficientDry	PerfectDry Zeolith
Home Connect WiFi connectivity	●	●	●	●	●
Control panel type	Front touch control + LED	Front touch control + LED	Top edge button control + LED	Top edge button control + LED	Front touch control + LED
Basket description	Flex	Max Flex	Max Flex	Max Flex	Flex
VarioDrawer / Extra Space 3rd Basket (3rd loading level)	VarioDrawer	Extra Space 3rd Basket	Extra Space 3rd Basket	Extra Space 3rd Basket	VarioDrawer
Extra Clean Zone	-	●	●	●	-
Glass care technology	●	●	●	●	●
Anti-slip protection and stemware support upper basket	●	●	●	●	-
Adjustable upper basket	3-stage Rackmatic™	2-stage Rackmatic™	2-stage Rackmatic™	2-stage Rackmatic™	3-stage Rackmatic™
Number of flip times in upper / lower basket	2 / 2	2 / 6	2 / 6	2 / 6	2 / 2
Cup shelves upper / lower baskets	2 / 2	2 / 2	2 / 2	2 / 2	2 / 2
Cutlery holder lower basket	-	●	●	●	-
Largest loadable dish upper / lower basket (cm)	21 / 31	21 / 27,5	21 / 27,5	21 / 27,5	21 / 31
Load / Aqua sensor	●	●	●	●	●
Real-time clock	-	-	-	-	-
Start delay time max hours	24	24	24	24	24
Time remaining indicator	●	●	●	●	●
Emotion light (interior lighting)	-	-	-	-	-
End of cycle indicator	-	-	Acoustic	Acoustic	-
Salt / Rinse aid light indicator	●	●	●	●	●
Self cleaning filter system	●	●	●	●	●
Flood protection system	AquaStop 24h	AquaStop 24h	Internal	Internal	Internal
Safety features	Control panel lock, door latch	Control panel lock, door latch	Door latch	Door latch	Control panel lock, door latch

PROGRAMMES / FUNCTIONS					
List of programmes	Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 60 °C, Silence 50 °C, Favourite, Machine Care	Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 60 °C, Express 45 °C, Glass 40 °C, Silence 50 °C, Favourite, Machine Care	Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 65 °C, Silence 50 °C, Favourite, Machine Care	Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 65 °C, Silence 50 °C, Favourite, Machine Care	Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 60 °C, Silence 50 °C, Favourite, Machine Care
Additional special options	Remote Start, Extra Dry, Half Load, SpeedPerfect+	Remote Start, Extra Dry, Intensive Zone, SpeedPerfect+	Remote Start, EfficientDry, Half Load, SpeedPerfect+	Remote Start, EfficientDry, Half Load, SpeedPerfect+	Remote Start, Extra Dry, Half Load, SpeedPerfect+

TECHNICAL SPECIFICATIONS					
Reference programme for measurements	Eco 50°C	Eco 50°C	Eco 50°C	Eco 50°C	Eco 50°C
Energy efficiency class¹					
Energy² / water³ (kWh / litres)	54 / 9.5	74 / 9.5	74 / 9.5	74 / 9.5	75 / 9.5
Load capacity (place settings)	14	13	13	13	14
Programme duration⁴ (h:min)	4:55	3:55	4:35	4:35	3:55
Noise level (dB(A) re 1 pW)	44	42	46	46	44
Noise efficiency class	B	B	C	C	B
Noise level (silence programme) (dB(A) re 1 pW)	42	40	43	43	42
Maximum height adjustability feet (cm)	2	2	2	2	2
Depth with open door 90 degree (cm)	115.5	115.5	115.5	115.5	115.5
Length of electrical supply cord (cm)	175	175	175	175	175
Length inlet / outlet hose (cm)	165 / 190	165 / 190	150 / 190	165 / 190	165 / 190
Height of the product with removable top (cm)	84.5	84.5	84.5	84.5	84.5
Height of the product without removable top (cm)	81.5	81.5	81.5	81.5	81.5
Width / Depth of the product (cm)	60 / 60	60 / 60	60 / 60	60 / 60	60 / 60
Net weight / Gross weight (kg)	52 / 54	55 / 58	54 / 56	54 / 56	54 / 57
Water softener⁵	●	●	●	●	●
Maximum accepted water hardness (°DH)	50	50	50	50	50
Maximum temperature for water intake (°C)	60	60	60	60	60
Interior cavity	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Included accessories		Large item spray head	Large item spray head	Large item spray head	Large item spray head

● = Yes - = No
¹On an energy-efficiency class scale from A to G
² Energy consumption in kWh/100 operating cycles (using Eco programme)
³Water consumption in litres/operating cycle (using Eco programme)
⁴Duration of Eco programme
⁵We would recommend our dishwashers are connected to the mains water supply where possible. However, they may also be connected to an external water softener as long as the water softener produces softened water of less than 1.1 mmol/litre (7.0°e) and the water softener in the appliance is turned off. Please contact product advice for further information. Water pressure required: 0.5-10 Bar. Flow rate: 10 litres per minute. Inlet valve connected directly to ½" screwed joint.
Data valid in this table as of April 2022. Subject to modification without prior notice.



DISHWASHER TYPE					
DESIGN FAMILY	SERIE 6	SERIE 4	SERIE 4	SERIE 4	SERIE 2
MODEL	SMS6ZCW00G	SMS4HCI40G	SMS4HCW40G	SMS4HAW40G	SMS2HKI66G
Colour	White	Silver Inox	White	White	Silver Inox
DESIGN FEATURES					
Drying system	PerfectDry Zeolith	Heat exchanger	Heat exchanger	Heat exchanger	Heat exchanger
Home Connect WiFi connectivity	●	●	●	●	●
Control panel type	Front touch control + LED	Front touch control + LED	Front button control + LED	Front button control + LED	Front toggle control + LED
Basket description	Flex	Flex	Flex	Flex	Vario
VarioDrawer / Extra Space 3rd Basket (3rd loading level)	VarioDrawer	VarioDrawer	VarioDrawer	-	-
Extra Clean Zone	-	-	-	-	-
Glass care technology	●	●	●	●	●
Anti-slip protection and stemware support upper basket	-	-	-	-	-
Adjustable upper basket	3-stage Rackmatic™	3-stage Rackmatic™	3-stage Rackmatic™	3-stage Rackmatic™	Adjustable when empty
Number of flip times in upper / lower basket	2 / 2	2 / 2	2 / 2	2 / 2	- / 2
Cup shelves upper / lower baskets	2 / 2	2 / 2	2 / 2	2 / -	-
Cutlery holder lower basket	-	-	-	●	●
Largest loadable dish upper / lower basket (cm)	21 / 31	21 / 31	21 / 31	27 / 31	27 / 31
Load / Aqua sensor	●	●	●	●	●
Real-time clock	-	-	-	-	-
Start delay time max hours	24	24	24	24	24
Time remaining indicator	●	●	●	●	●
Emotion light (interior lighting)	-	-	-	-	-
End of cycle indicator	-	-	-	-	-
Salt / Rinse aid light indicator	●	●	●	●	●
Self cleaning filter system	●	●	●	●	●
Flood protection system	Internal	Internal	Internal	Internal	Internal
Safety features	Control panel lock, door latch	Control panel lock, door latch	Control panel lock, door latch	Control panel lock, door latch	Door latch

PROGRAMMES / FUNCTIONS					
List of programmes	Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 60 °C, Silence 50 °C, Favourite, Machine Care	Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 65 °C, Silence 50 °C, Favourite, Machine Care	Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 65 °C, Silence 50 °C, Favourite, Machine Care	Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 65 °C, Silence 50 °C, Favourite, Machine Care	Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 65 °C, Silence 50 °C, Machine Care
Additional special options	Remote Start, Extra Dry, Half Load, SpeedPerfect+	Extra Dry, Half Load, SpeedPerfect+, Remote Start	Extra Dry, Half Load, SpeedPerfect+, Remote Start	Extra Dry, Half Load, SpeedPerfect+, Remote Start	Extra Dry, Half Load, SpeedPerfect+, Remote Start

TECHNICAL SPECIFICATIONS					
Reference programme for measurements	Eco 50°C	Eco 50°C	Eco 50°C	Eco 50°C	Eco 50°C
Energy efficiency class¹					
Energy² / water³ (kWh / litres)	75 / 9.5	85 / 9.5	85 / 9.5	84 / 9.5	82 / 9.5
Load capacity (place settings)	14	14	14	12	14
Programme duration⁴ (h:min)	3:55	4:55	4:55	4:55	4:55
Noise level (dB(A) re 1 pW)	44	46	46	46	48
Noise efficiency class	B	C	C	C	C
Noise level (silence programme) (dB(A) re 1 pW)	42	44	44	44	46
Maximum height adjustability feet (cm)	2	2	2	2	2
Depth with open door 90 degree (cm)	115.5	115.5	115.5	115.5	115.5
Length of electrical supply cord (cm)	175	175	175	175	175
Length inlet / outlet hose (cm)	165 / 190	165 / 190	165 / 190	165 / 190	150 / 190
Height of the product with removable top (cm)	84.5	84.5	84.5	84.5	84.5
Height of the product without removable top (cm)	81.5	81.5	81.5	81.5	81.5
Width / Depth of the product (cm)	60 / 60	60 / 60	60 / 60	60 / 60	60 / 60
Net weight / Gross weight (kg)	54 / 57	35 / 38	50 / 53	48 / 50	47 / 48
Water softener⁵	●	●	●	●	●
Maximum accepted water hardness (°DH)	50	50	50	50	50
Maximum temperature for water intake (°C)	60	60	60	60	60
Interior cavity	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Included accessories	Large item spray head	Large item spray head	Large item spray head	Large item spray head	Large item spray head

● = Yes - = No
¹On an energy-efficiency class scale from A to G
² Energy consumption in kWh/100 operating cycles (using Eco programme)
³Water consumption in litres/operating cycle (using Eco programme)
⁴Duration of Eco programme
⁵We would recommend our dishwashers are connected to the mains water supply where possible. However, they may also be connected to an external water softener as long as the water softener produces softened water of less than 1.1 mmol/litre (7.0°e) and the water softener in the appliance is turned off. Please contact product advice for further information. Water pressure required: 0.5-10 Bar. Flow rate: 10 litres per minute. Inlet valve connected directly to ½" screwed joint.
Data valid in this table as of April 2022. Subject to modification without prior notice.

60cm dishwashers



DISHWASHER TYPE					
DESIGN FAMILY	SERIE 2	SERIE 2	SERIE 2	SERIE 2	SERIE 2
MODEL	SMS2HKW66G	SMS2HVI66G	SMS2HVV66G	SMS2ITI41G	SMS2ITW41G
Colour	White	Stainless Steel	White	Stainless Steel	White
DESIGN FEATURES					
Drying system	Heat exchanger	Heat exchanger	Heat exchanger	Inherent heat	Inherent heat
Home Connect WiFi connectivity	●	●	●	●	●
Control panel type	Front button control + LED	Front button control + LED	Front button control + LED	Top button control + LED	Front button control + LED
Basket description	Vario	Vario	Vario	Vario	Vario
VarioDrawer / Extra Space 3rd Basket (3rd loading level)	-	VarioDrawer	VarioDrawer	-	-
Extra Clean Zone	-	-	-	-	-
Glass care technology	●	●	●	●	●
Anti-slip protection and stemware support upper basket	-	-	-	-	-
Adjustable upper basket	Adjustable when empty	3-stage Rackmatic™	3-stage Rackmatic™	Adjustable when empty	Adjustable when empty
Number of flip times in upper / lower basket	- / 2	- / 2	- / 2	- / 2	- / 2
Cup shelves upper / lower baskets	-	-	-	-	-
Cutlery holder lower basket	●	●	●	●	●
Largest loadable dish upper / lower basket (cm)	27 / 31	21 / 31	21 / 31	27 / 31	27 / 31
Load / Aqua sensor	●	●	●	●	●
Real-time clock	-	-	-	-	-
Start delay time max hours	24	24	24	24	24
Time remaining indicator	●	●	●	●	●
Emotion light (interior lighting)	-	-	-	-	-
End of cycle indicator	-	-	-	-	-
Salt / Rinse aid light indicator	●	●	●	●	●
Self cleaning filter system	●	●	●	●	●
Flood protection system	Internal	Internal	Internal	Internal	Internal
Safety features	Control panel lock, door latch	Control panel lock, door latch	Control panel lock, door latch	Control panel lock, door latch	Control panel lock, door latch
PROGRAMMES / FUNCTIONS					
List of programmes	Eco 50°C, Auto 45-65°C, Intensive 70°C, Express 65°C, Silence 50°C, Machine Care	Eco 50°C, Auto 45-65°C, Intensive 70°C, Express 65°C, Silence 50°C, Machine Care	Eco 50°C, Auto 45-65°C, Intensive 70°C, Express 65°C, Silence 50°C, Machine Care	Eco 50°C, Auto 45-65°C, Intensive 70°C, Express 65°C, Machine Care	Eco 50°C, Auto 45-65°C, Intensive 70°C, Express 65°C, Machine Care
Additional special options	Extra Dry, Half Load, SpeedPerfect+	Extra Dry, Half Load, SpeedPerfect+	Extra Dry, Half Load, SpeedPerfect+	Extra Dry, Half Load, SpeedPerfect	Extra Dry, Half Load, SpeedPerfect

TECHNICAL SPECIFICATIONS					
Reference programme for measurements	Eco 50°C	Eco 50°C	Eco 50°C	Eco 50°C	Eco 50°C
Energy efficiency class¹					
Energy² / water³ (kWh / litres)	82 / 9.5	94 / 9.5	94 / 9.5	92 / 10.5	92 / 10.5
Load capacity (place settings)	12	13	13	12	12
Programme duration⁴ (h:min)	4:55	3:45	3:45	4:30	4:30
Noise level (dB(A) re 1 pW)	48	48	48	48	48
Noise efficiency class	C	C	C	C	C
Noise level (silence programme) (dB(A) re 1 pW)	46	46	46	-	-
Maximum height adjustability feet (cm)	2	2	2	2	2
Depth with open door 90 degree (cm)	115.5	115.5	115.5	115.5	115.5
Length of electrical supply cord (cm)	175	175	175	175	175
Length inlet / outlet hose (cm)	165 / 190	165 / 190	165 / 190	165 / 190	165 / 190
Height of the product with removable top (cm)	84.5	84.5	84.5	84.5	84.5
Height of the product without removable top (cm)	81.5	81.5	81.5	81.5	81.5
Width / Depth of the product (cm)	60 / 60	60 / 60	60 / 60	60 / 60	60 / 60
Net weight / Gross weight (kg)	46 / 47	51 / 52	51 / 52	45 / 46	45 / 47
Water softener⁵	●	●	●	●	●
Maximum accepted water hardness (°DH)	50	50	50	50	50
Maximum temperature for water intake (°C)	60	60	60	60	60
Interior cavity	Stainless steel	Stainless steel / Polinox base	Stainless steel / Polinox base	Stainless steel / Polinox base	Stainless steel / Polinox base
Included accessories	Large item spray head	Large item spray head	Large item spray head	Large item spray head	Large item spray head

● = Yes - = No
¹On an energy-efficiency class scale from A to G
² Energy consumption in kWh/100 operating cycles (using Eco programme)
³Water consumption in litres/operating cycle (using Eco programme)
⁴Duration of Eco programme

⁵We would recommend our dishwashers are connected to the mains water supply where possible. However, they may also be connected to an external water softener as long as the water softener produces softened water of less than 1.1 mmol/litre (7.0°e) and the water softener in the appliance is turned off. Please contact product advice for further information. Water pressure required: 0.5-10 Bar. Flow rate: 10 litres per minute. Inlet valve connected directly to ¾" screwed joint.
Data valid in this table as of April 2022. Subject to modification without prior notice.

45cm & compact dishwashers



DISHWASHER TYPE	45CM DISHWASHER	COMPACT DISHWASHER
DESIGN FAMILY	SERIE 2	SERIE 4
MODEL	SPS2IKW04G	SKS62E32EU
Colour	White	White
DESIGN FEATURES		
Drying system	Inherent heat	Inherent heat
Home Connect WiFi connectivity	●	-
Control panel type	Front button control + LED	Front dial control + LED
Basket description	-	Vario
VarioDrawer / Extra Space 3rd Basket (3rd loading level)	-	-
Extra Clean Zone	-	-
Glass care technology	●	-
Anti-slip protection and stemware support upper basket	-	-
Adjustable upper basket	Adjustable when empty	-
Number of flip times in upper / lower basket	-	-
Cup shelves upper / lower baskets	-	- / 2
Cutlery holder lower basket	●	-
Largest loadable dish upper / lower basket (cm)	27 / 31	28
Load / Aqua sensor	●	●
Real-time clock	-	-
Start delay time max hours	9	24
Time remaining indicator	-	●
Emotion light (interior lighting)	-	-
End of cycle indicator	-	-
Salt / Rinse aid light indicator	●	●
Self cleaning filter system	●	●
Flood protection system	Internal	AquaStop 24hr
Safety features	Door latch	Door latch
PROGRAMMES / FUNCTIONS		
List of programmes	Eco 50°C, Auto 45-65°C, Intensive 70°C, Express 65°C, Machine Care	Eco 50°C, Auto 45-65°C, Intensive 70°C, Quick 45°C, Glass 40°C, Pre-Rinse
Additional special options	Extra Dry, SpeedPerfect, Remote Start	Extra Dry, SpeedPerfect

TECHNICAL SPECIFICATIONS		
Reference programme for measurements	Eco 50°C	Eco 50°C
Energy efficiency class¹		
Energy² / water³ (kWh / litres)	78 / 9.5	61 / 8
Load capacity (place settings)	9	6
Programme duration⁴ (h:min)	3:35	3:55
Noise level (dB(A) re 1 pW)	48	49
Noise efficiency class	C	C
Noise level (silence programme) (dB(A) re 1 pW)	-	-
Maximum height adjustability feet (cm)	2	-
Depth with open door 90 degree (cm)	115.5	84.5
Length of electrical supply cord (cm)	175	175
Length inlet / outlet hose (cm)	165 / 205	165 / 215
Height of the product with removable top (cm)	84.5	45.0
Height of the product without removable top (cm)	81.5	Top not removable
Width / Depth of the product (cm)	45 / 60	55 / 50
Net weight / Gross weight (kg)	44 / 46	22 / 24
Water softener⁵	●	●
Maximum accepted water hardness (°DH)	35	35
Maximum temperature for water intake (°C)	60	60
Interior cavity	Stainless steel	Stainless steel / Polinox
Included accessories	Large item spray head	-

● = Yes - = No
¹On an energy-efficiency class scale from A to G
² Energy consumption in kWh/100 operating cycles (using Eco programme)
³Water consumption in litres/operating cycle (using Eco programme)
⁴Duration of Eco programme

⁵We would recommend our dishwashers are connected to the mains water supply where possible. However, they may also be connected to an external water softener as long as the water softener produces softened water of less than 1.1 mmol/litre (7.0°e) and the water softener in the appliance is turned off. Please contact product advice for further information. Water pressure required: 0.5-10 Bar. Flow rate: 10 litres per minute. Inlet valve connected directly to ¾" screwed joint.
Data valid in this table as of April 2022. Subject to modification without prior notice.

Introducing the Bosch refrigeration range.

Save more, waste less. Our range of freestanding fridge freezers are packed with innovative technology to keep your food fresh for longer, so you'll throw out less and save on your weekly shopping bill.

To help you choose the right appliance, we have divided them into the four ranges below.

Serie 8

Cutting-edge design meets advanced technologies. All models in our **Serie 8** range are packed with features that save valuable time, effort and money – perfect for modern, busy households.

Serie 4

All models in our **Serie 4** range combine practical features with Bosch build quality.

Serie 6

Our **Serie 6** range of appliances combines efficient performance with convenient storage and superior food preservation.

Serie 2


Built for optimal food storage, the **Serie 2** refrigeration range is just as practical as it is value for money.

Model shown: KGN39HIEP 

Selecting the right fridge freezer for you.

Height, width and fridge freezer split.

Our fridge freezer options are tailored to suit every family household's needs, so you can choose your appliance to ensure this. For those who shop little and often, try a smaller capacity fridge and freezer which doesn't impact on space. If you have a busy household and do a full weekly shop, a spacious 70/30 fridge freezer would be ideal.



Refrigeration functions explained.

(Check model for available functions)



Home Connect

The Home Connect Storage Guide helps you organise your fridge and optimise your food items by showing you their ideal storage temperature and section in the fridge. Simply search through the Storage Guide on your mobile device via the Home Connect app. Store your food the right way.



NoFrost

Never defrost again, thanks to perfect protection from ice formation - that saves time and effort.



LowFrost

Defrost less often thanks to lower ice formation – saves work and energy.



BigBox

An extra-deep frozen food drawer for the practical stacking of frozen foods, containers or large frozen items like gateaux or pizzas.



MultiBox

Transparent drawer with wave bottom, ideal for the storage of fruits and vegetables.



Safety Glass

Strong glass shelves ensure heavier items can be stored safely.



SuperCool

Activating the SuperCooling function before you go shopping lowers the temperature for a short period, so your fresh shopping is kept at the right temperature.



SuperFreeze

The SuperFreeze function temporarily lowers the temperature in the freezer for when you have new shopping to load in, protecting both new and existing food.



MultiAirflow

The fan-assisted MultiAirflow System causes gentle, even currents of cold air to emerge at all levels of the chilling and freezing area. Temperature fluctuations are minimised and cooling times reduced.



EasyAccess Shelf

The shatterproof, frameless glass shelves are particularly easy to use, thanks to the smooth pull-out mechanism. And they also give you a clear view of your food at any time.



Finger Print Free

Your appliance will stay finger print free and looking clean and fresh.

American style / multi door fridge freezers

Sleek, stunning design, a best-in-class freshness system, and innovative features are designed to keep your food fresh for longer.



Premium refrigerator boasting **VitaFresh Pro** and bright LED lighting that brilliantly illuminates food within the fridge.

Model shown: KFF96PIEP

XXL Fridge freezers. Keep more, waste less.

The Bosch XXL Fridge Freezers are extra-large, providing much more space for your food. Across the range of 70cm-wide and 86cm-wide, models include a **BigBox** freezer drawer, for the practical stacking of frozen food containers or large frozen items.



The XXL fridge freezers have impressive refrigeration features such as full flexibility of all safety glass shelves which are particularly easy to use, thanks to the smooth pull-out mechanism. The **VitaFresh** function ensures food is kept fresh for longer – thanks to extra low temperatures for fish and meat, and adjustable humidity for fruit and vegetables.



Model shown for illustrative purposes.

Making **life easy** through innovative technologies

Lock in the freshness.

VitaFresh

With **VitaFresh**, you'll be able to store your fruit and vegetables at exactly 0°C to lock in the freshness. Also, with an adjustable humidity setting on the drawer, you'll be keeping your fresh food in a perfectly controlled environment.

This combination of temperature and humidity helps you to protect all the aromas, essential nutrients and valuable vitamins in your fresh food. Hence, it's easier than ever to maintain a healthy diet with fresh fruit and vegetables every day.

You'll also find two drawers, one for fish and one for meat, with a temperature regulating slider which lets you lower the temperature up to 4°C lower than the rest of the fridge. **VitaFresh plus** models have the added benefit of a convenient push button for humidity control.



Controlling your appliance.

Across the range of cooling appliances, there are different ways you can control the temperature inside your fridge and freezer. Below are the different variations:




Exterior LCD, digital control (touch control)



Exterior touch control (digital control)



Interior LED button control



Interior LED button (freezer only)

Whichever model you choose, you'll find lots of reasons to love your Bosch fridge freezer.

EasyAccess Shelf.

The shatterproof, frameless glass shelves are particularly easy to use, thanks to the smooth pull-out mechanism. And they also give you a clear view of your food at any time.

Easy to Clean Magnetic Door Seals

The magnetic door seals on all of our refrigeration ranges are **removable**, making them easy to clean and/or replace when necessary.



Model shown: KGN392WDFG 

Making life easy through innovative technologies

No Frost Fridge freezers



TYPE	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER
DESIGN FAMILY	SERIE 6	SERIE 6	SERIE 4	SERIE 4	SERIE 4
MODEL	KGB86AIFP	KGN86AIDP	KGN864IFA	KGN56XLEA	KGN49XLEA
Colour	Stainless steel look	Stainless steel look	Stainless steel look	Stainless steel look	Stainless steel look
DESIGN FEATURES					
Fridge / Freezer split	70 / 30	70 / 30	70 / 30	70 / 30	70 / 30
Frost-free system	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost
Colour of side panels	Chrome inox metallic	Chrome inox metallic	Chrome inox metallic	Chrome inox metallic	Chrome inox metallic
Door handle type	Horizontal & Vertical bar	Vertical	Integrated	Integrated Vertical	Integrated Vertical
Temperature display	Exterior / Digital LCD	Exterior / Digital LCD	Interior / Digital LCD	Exterior / Digital LED	Exterior / Digital LED
Reversible door, hinged on right	●	●	●	●	●
Latest Condenser Technology	●	●	●	●	●
Home Connect / Built in cameras	●/-	●/-	-	-	-
FOOD FRESHNESS SYSTEM					
Food preservation container	2 x VitaFresh 0°C drawers, 2 x VitaFresh vegetable drawers	2 x VitaFresh 0°C drawers, 2 x VitaFresh vegetable drawers	2 x VitaFresh 0°C drawers, 2 x VitaFresh vegetable drawers	2 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer	2 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer
KEY FEATURES – FRIDGE SECTION					
LED light	●	●	●	●	●
SuperCool function	●	●	●	●	●
Bottle rack	●	●	●	●	-
Number of glass safety shelves	3	3	3	4	5
Number of adjustable shelves	2	2	2	3	4
Number of door bins large / small	1 / 5	1 / 5	1 / 4	1 / 3	1 / 3
Dairy compartment	2	2	-	-	-
Number of egg racks	3	3	3	3	3
KEY FEATURES – FREEZER SECTION					
Number of freezer drawers including BigBox / EasyAccess	Pull out drawers	2	2	2	3
SuperFreeze function	●	●	●	●	●
Number of ice packs / ice cube trays	2 / 2	2 / 2	2 / 2	2 / 1	- / 1
FUNCTIONS					
Door open warning signal / malfunction	●	●	●	●	●
Holiday / Sabbath mode	●	●	●/-	-	-
PERFORMANCE AND CONSUMPTION					
Energy efficiency class					
Annual energy consumption ¹ (kWh)	384	546	384	262	259
Total unit net capacity (litres)	631	631	631	508	438
Refrigerator net capacity including 0°C drawers (litres)	479	479	479	400	330
Freezer net capacity (litres)	152	152	152	108	108
Climate Class ²	SN-T	SN-T	SN-T	SN-T	SN-T
Noise level (dB(A) re 1 pW)	42	40	42	42	40
Noise Emission Class	D	C	D	D	C
Dimensions of the product (H x W x D) (cm)	186 x 86 x 81	186 x 86 x 81	186 x 86 x 81	193 x 70 x 80	203 x 70 x 67
EAN code	4242005159956	4242005159956	4242005159956	4242005159956	4242005162963

● = yes - = no

¹Actual energy consumption will depend on how the appliance is used and where it is located.

²Climate zone SN = designed to operate in ambient temperatures of +10°C to 32°C. Climate zone T = designed to operate in ambient temperatures of +18°C to 43°C.



TYPE	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER
DESIGN FAMILY	SERIE 4	SERIE 6	SERIE 6	SERIE 6	SERIE 4
MODEL	KGN49XWEA	KGN39HIIP	KGN39AIBT	KGN39AWCTG	KGN39VICT
Colour	White	Stainless steel, easy clean	Stainless steel, easy clean	White	Stainless steel, easy clean
DESIGN FEATURES					
Fridge / Freezer split	70 / 30	70 / 30	60 / 40	60 / 40	60 / 40
Frost-free system	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost
Colour of side panels	White	Chrome inox metallic	Chrome inox metallic	White	Chrome inox metallic
Door handle type	Integrated Vertical	Vertical Bar	Vertical Bar	Vertical Bar	Vertical Bar
Temperature display	Exterior / Digital LED	Exterior / Digital LCD	Exterior / Digital LED	Exterior / Digital LED	Interior / Digital LED
Reversible door, hinged on right	●	-	●	●	●
Home Connect / Built in cameras	-	●	-	-	-
FOOD FRESHNESS SYSTEM					
Food preservation container	2 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer	1 x VitaFresh Plus 0°C drawer, 1 x VitaFresh Plus vegetable drawer	1 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer	1 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer	1 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer
KEY FEATURES – FRIDGE SECTION					
LED light	●	●	●	●	●
SuperCool function	●	●	●	●	●
Bottle rack	●	●	●	●	●
Number of glass safety shelves	5	5	5	5	4
Number of adjustable shelves	4	3	3	3	2
Number of door bins large / small	1 / 3	1 / 2	1 / 4	1 / 4	1 / 4
Dairy compartment	-	●	-	-	-
Number of egg racks	3	3	3	3	3
KEY FEATURES – FREEZER SECTION					
Number of freezer drawers including BigBox / EasyAccess	3	3	3	3	3
SuperFreeze function	●	●	●	●	●
Number of ice packs / ice cube trays	- / 1	2 / 1	- / 1	- / 1	- / 1
FUNCTIONS					
Door open warning signal / malfunction	●	●	●	●	●
Holiday / Sabbath mode	-	●	-	-	-
PERFORMANCE AND CONSUMPTION					
Energy efficiency class					
Annual energy consumption ¹ (kWh)	259	238	129	162	162
Total unit net capacity (litres)	438	368	368	368	326
Refrigerator net capacity including 0°C drawers (litres)	330	279	279	279	237
Freezer net capacity (litres)	108	89	89	89	89
Climate Class ²	SN-T	SN-T	SN-T	SN-T	SN-T
Noise level (dB(A) re 1 pW)	40	39	33	35	35
Noise Emission Class	C	C	B	B	B
Dimensions of the product (H x W x D) (cm)	203 x 70 x 67	204 x 60 x 66	203 x 60 x 66	203 x 60 x 66	203 x 60 x 66
EAN code	4242005209934	4242005171729	4242005253326	4242005281626	4242005274123

● = yes - = no

¹Actual energy consumption will depend on how the appliance is used and where it is located. ²Climate zone SN = designed to operate in ambient temperatures of +10°C to 32°C. Climate zone T = designed to operate in ambient temperatures of +18°C to 43°C.

5 year warranty - Promotion dates 01.04.22 – 31.03.23. T&C's apply. Online registration required. Selected models only.

For full specification details, please log onto our website and download a full specification sheet.

No Frost Fridge freezers



TYPE	FRIDGE FREEZER		FRIDGE FREEZER	
DESIGN FAMILY	SERIE 4		SERIE 4	
MODEL	KGN392IDFG		KGN397LDFG	
Door colour	Stainless steel, easy clean		Inox look	
DESIGN FEATURES				
Fridge / Freezer split	70 / 30		70 / 30	
Frost-free system	NoFrost		NoFrost	
Door handle type	Integrated Vertical		Integrated Vertical	
Temperature display	Interior / Digital LED		Interior / Digital LED	
Reversible door, hinged on right	●		●	
Latest Condenser Technology	-		-	
Home Connect / Built in cameras	-		-	
FOOD FRESHNESS SYSTEM				
Food preservation container	1 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer		1 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer	
KEY FEATURES – FRIDGE SECTION				
LED light	●		●	
SuperCool function	●		●	
Bottle rack	●		●	
Number of glass safety shelves	5		5	
Number of adjustable shelves	3		3	
Number of door bins large / small	1 / 4		1 / 4	
Dairy compartment	-		-	
Number of egg racks	3		3	
KEY FEATURES – FREEZER SECTION				
Number of freezer drawers including BigBox / EasyAccess	3		3	
SuperFreeze function	●		●	
Number of ice packs / ice cube trays	- / 1		- / 1	
FUNCTIONS				
Door open warning signal / malfunction	●		●	
Holiday / Sabbath mode	-		-	
PERFORMANCE AND CONSUMPTION				
Energy efficiency class				
Annual energy consumption* (kWh)	203		203	
Total unit net capacity (litres)	363		363	
Refrigerator net capacity including 0°C drawers (litres)	280		280	
Freezer net capacity (litres)	119		119	
Climate Class²	SN-T		SN-T	
Noise level (dB(A) re 1 pW)	35		35	
Noise Emission Class	B		B	
Dimensions of the product (H x W x D) (cm)	203 x 60 x 66		203 x 60 x 66	
EAN code	4242005281602		4242005343515	

● = yes - = no
¹Actual energy consumption will depend on how the appliance is used and where it is located. ²Climate zone SN = designed to operate in ambient temperatures of +10°C to 32°C. Climate zone T = designed to operate in ambient temperatures of +18°C to 43°C.

5 year warranty - Promotion dates 01.04.21 – 31.03.22. T&C's apply. Online registration required. Selected models only.
For full specification details, please log onto our website and download a full specification sheet.

Explore more at bosch-home.co.uk / bosch-home.ie



TYPE	FRIDGE FREEZER		FRIDGE FREEZER		FRIDGE FREEZER		FRIDGE FREEZER	
DESIGN FAMILY	SERIE 4		SERIE 4		SERIE 4		SERIE 4	
MODEL	KGN392WDFG		KGN367ICTG		KGN36VICT		KGN362IDFG	
Colour	White		Inox, easy clean		Stainless steel, easy clean		Stainless steel, easy clean	
DESIGN FEATURES								
Fridge / Freezer split	70 / 30		70 / 30		70 / 30		70 / 30	
Frost-free system	NoFrost		NoFrost		NoFrost		NoFrost	
Colour of side panels	White		Chrome inox metallic		Chrome inox metallic		Chrome inox metallic	
Door handle type	Integrated Vertical		Vertical bar handle		Vertical bar handle		Integrated Vertical	
Temperature display	Interior / Digital LED		Exterior / Digital LED		Interior / Digital LED		Interior / Digital LED	
Reversible door, hinged on right	●		●		●		●	
Latest Condenser Technology	-		-		-		-	
Home Connect / Built in cameras	- / -		- / -		- / -		- / -	
FOOD FRESHNESS SYSTEM								
Food preservation container	1 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer		1 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer		1 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer		1 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer	
KEY FEATURES – FRIDGE SECTION								
LED light	●		●		●		●	
SuperCool function	●		●		●		●	
Bottle rack	●		●		●		●	
Number of glass safety shelves	5		2		4		4	
Number of adjustable shelves	3		-		2		2	
Number of door bins large / small	1 / 4		3		1 / 3		1 / 3	
Dairy compartment	-		-		-		-	
Number of egg racks	3		3		3		3	
KEY FEATURES – FREEZER SECTION								
Number of freezer drawers including BigBox / EasyAccess	3		3		3		3	
SuperFreeze function	●		●		●		●	
Number of ice packs / ice cube trays	- / ●		- / ●		- / ●		- / ●	
FUNCTIONS								
Door open warning signal / malfunction	●		●		●		●	
Holiday	-		-		-		-	
PERFORMANCE AND CONSUMPTION								
Energy efficiency class	A D		A C		A C		A D	
Annual energy consumption¹ (kWh)	203		-		159		199	
Total unit net capacity (litres)	363		321		321		321	
Refrigerator net capacity including 0°C drawers (litres)	280		218		218		171	
Freezer net capacity (litres)	119		103		103		86	
Climate Class²	SN-T		SN-T		SN-T		SN-T	
Noise level (dB(A) re 1 pW)	35		35		35		35	
Noise Emission Class	D		C		B		B	
Dimensions of the product (H x W x D) (cm)	203 x 60 x 66		186 x 60 x 66		186 x 60 x 66		186 x 60 x 66	
EAN code	4242005281633		4242005281619		4242005281541		4242005281596	

● = yes - = no
¹Actual energy consumption will depend on how the appliance is used and where it is located. ²Climate zone SN = designed to operate in ambient temperatures of +10°C to 32°C. Climate zone T = designed to operate in ambient temperatures of +18°C to 43°C.

For full specification details, please log onto our website and download a full specification sheet.

Making **life easy** through innovative technologies

No Frost Fridge freezers



TYPE	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER
DESIGN FAMILY	SERIE 4	SERIE 4	SERIE 4	SERIE 4	SERIE 2	SERIE 2
MODEL	KG367LDF	KG362LDFG	KG36VWDTG	KG362WDFG	KG36NWEAG	KG34NLEAG
Colour	Inox look	Stainless steel, easy clean	White	White	White	Stainless steel look
DESIGN FEATURES						
Fridge / Freezer split	70 / 30	70 / 30	70 / 30	70 / 30	60 / 40	50 / 50
Frost-free system	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost
Door handle type	Integrated Vertical	Integrated Vertical	Vertical bar handle	Integrated Vertical	Integrated Horizontal	Integrated Horizontal
Temperature display	Interior / Digital LED	Interior / Digital LED	Interior / Digital LED	Interior / Digital LED	Interior / Electronic LED	Interior / Electronic LED
Reversible door, hinged on right	●	●	●	●	●	●
Latest Condenser Technology	-	-	-	-	●	●
Home Connect / Built in cameras	-	-	-	-	-	-
FOOD FRESHNESS SYSTEM						
Food preservation container	1 x VitaFresh 0°C drawer, 1 x VitaFresh vegetable drawer	1 x VitaFresh 0°C drawer, 1 x VitaFresh vegetable drawer	1 x VitaFresh 0°C drawer, 1 x VitaFresh vegetable drawer	1 x VitaFresh 0°C drawer, 1 x VitaFresh vegetable drawer	1 x MultiBox vegetable drawer	1 x MultiBox vegetable drawer
KEY FEATURES – FRIDGE SECTION						
LED light	●	●	●	●	●	●
SuperCool function	●	●	●	●	-	-
Bottle rack	●	●	●	●	-	-
Number of glass safety shelves	4	4	4	4	4	4
Number of adjustable shelves	2	2	2	2	3	2
Number of door bins large / small	1 / 3	1 / 3	1 / 3	1 / 3	1 / 3	1 / 2
Dairy compartment	-	-	-	-	-	-
Number of egg racks	3	3	3	3	3	3
KEY FEATURES – FREEZER SECTION						
Number of freezer drawers including BigBox / EasyAccess	3	3	3	3	3	3
SuperFreeze function	●	●	●	●	●	●
Number of ice packs / ice cube trays	2 / 1	- / 1	- / 1	- / 1	- / -	- / 1
FUNCTIONS						
Door open warning signal / malfunction	●	●	●	●	●	●
Holiday	●	-	-	-	-	-
PERFORMANCE AND CONSUMPTION						
Energy efficiency class						
Annual energy consumption ¹ (kWh)	199	199	199	199	244	244
Total unit net capacity (litres)	321	321	321	321	300	300
Refrigerator net capacity including 0°C drawers (litres)	218	218	218	218	193	193
Refrigerator 0°C net capacity (litres)	103	103	103	103	107	107
Freezer net capacity (litres)	103	103	103	103	107	107
Climate Class ²	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T
Noise level (dB(A) re 1 pW)	35	35	35	35	42	42
Noise Emission Class	D	D	D	D	D	D
Dimensions of the product (H x W x D) (cm)	186 x 60 x 66	186 x 60 x 66	186 x 60 x 66	186 x 60 x 66	186 x 60 x 66	186 x 60 x 66
EAN code	4242005281510	4242005281589	4242005343539	4242005281640	4242005196685	4242005183326
	-	-	-	-	4242005196302	-

● = yes - = no

¹Actual energy consumption will depend on how the appliance is used and where it is located. ²Climate zone SN - designed to operate in ambient temperatures of +10°C to 32°C. Climate zone T - designed to operate in ambient temperatures of +18°C to 43°C.

For full specification details, please log onto our website and download a full specification sheet.

Explore more at bosch-home.co.uk / bosch-home.ie



TYPE	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER
DESIGN FAMILY	SERIE 2	SERIE 2	SERIE 2	SERIE 2	SERIE 2	SERIE 2
MODEL	KG34NWEAG	KG33NLEAG	KG33NWEAG	KG27NBFAg	KG27NLFAG	KG27NWFAG
Colour	White	Stainless steel look	White	Black	Stainless steel look	White
DESIGN FEATURES						
Fridge / Freezer split	50 / 50	50 / 50	50 / 50	50 / 50	50 / 50	50 / 50
Frost-free system	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost
Colour of side panels	White	Chrome inox metallic	White	Black	Chrome inox metallic	White
Door handle type	Integrated Horizontal	Integrated Horizontal	Integrated Horizontal	Integrated Vertical	Integrated Vertical	Integrated Vertical
Temperature display	Interior / Electronic LED	Interior / Electronic LED	Interior / Electronic LED	Interior / Electronic LED	-	-
Reversible door, hinged on right	●	●	●	●	-	-
Latest Condenser Technology	●	●	●	-	●	●
Home Connect / Built in cameras	-	-	-	-	-	-
FOOD FRESHNESS SYSTEM						
Food preservation container	1 x MultiBox vegetable drawer	1 x MultiBox vegetable drawer	1 x MultiBox vegetable drawer	1 x MultiBox 0°C drawer, 1 x VitaFresh vegetable drawer	1 x vegetable drawer	1 x vegetable drawer
KEY FEATURES – FRIDGE SECTION						
LED light	●	●	●	●	●	●
SuperCool function	-	-	-	-	-	-
Bottle rack	-	-	-	●	-	-
Number of glass safety shelves	4	3	3	4	2	2
Number of adjustable shelves	2	2	2	0	-	-
Number of door bins large / small	1 / 2	1 / 2	1 / 2	1 / 3	1 / 2	1 / 2
Dairy compartment	-	-	-	-	-	-
Number of egg racks	3	3	3	3	3	3
KEY FEATURES – FREEZER SECTION						
Number of freezer drawers including BigBox / EasyAccess	3	3	3	4	4	4
SuperFreeze function	●	●	●	-	-	-
Number of ice packs / ice cube trays	- / 1	-	-	- / 1	-	-
FUNCTIONS						
Door open warning signal / malfunction	●	●	●	-	-	-
Holiday	-	-	-	-	-	-
PERFORMANCE AND CONSUMPTION						
Energy efficiency class						
Annual energy consumption ¹ (kWh)	244	237	237	287	-	287
Total unit net capacity (litres)	297	282	282	255	256	256
Refrigerator net capacity including 0°C drawers (litres)	192	193	193	171	171	171
Refrigerator 0°C net capacity (litres)	105	89	89	84	86	86
Freezer net capacity (litres)	105	89	89	86	86	86
Climate Class ²	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T
Noise level (dB(A) re 1 pW)	42	42	42	41	41	41
Noise Emission Class	D	D	D	C	D	D
Dimensions of the product (H x W x D) (cm)	186 x 60 x 66	176 x 60 x 66	176 x 60 x 66	182 x 55 x 56	183 x 55 x 56	183 x 55 x 56
EAN code	4242005196722	4242005196500	4242005196524	4242005341580	4242005159956	4242005159956
	-	-	-	-	4242005196302	-

● = yes - = no

¹Actual energy consumption will depend on how the appliance is used and where it is located. ²Climate zone SN - designed to operate in ambient temperatures of +10°C to 32°C. Climate zone T - designed to operate in ambient temperatures of +18°C to 43°C.

For full specification details, please log onto our website and download a full specification sheet.

Making **life easy** through innovative technologies

Low Frost Fridge freezers



TYPE	FRIDGE FREEZER		FRIDGE FREEZER		FRIDGE FREEZER	FRIDGE FREEZER	
DESIGN FAMILY	SERIE 6		SERIE 6		SERIE 4	SERIE 6	
MODEL	KGE49AICAG		KGE49AWCAG		KGV39VLEAG	KGV39VWEAG	KGE36AWCA
Colour	Stainless steel easy clean		White		Stainless steel look	White	White
DESIGN FEATURES							
Fridge / Freezer split	70 / 30		70 / 30		70 / 30	70 / 30	60 / 40
Frost-free system	LowFrost		LowFrost		LowFrost	LowFrost	LowFrost
Colour of side panels	Chrome inox metallic		White		Chrome inox metallic	White	White
Door handle type	Integrated Vertical		Integrated Vertical		Integrated Vertical	Integrated Vertical	Integrated Vertical
Temperature display	Interior / Digital LED		Interior / Digital LED		Interior / Electronic LED	Interior / Electronic LED	Interior / Digital LED
Reversible door, hinged on right	●		●		●	●	●
Latest Condenser Technology	-		-		-	-	-
Home Connect / Built in cameras	-		-		-	-	-
FOOD FRESHNESS SYSTEM							
Food preservation container	1 x VitaFresh 0°C drawer, 1 x VitaFresh vegetable drawer		1 x VitaFresh 0°C drawer, 1 x VitaFresh vegetable drawer		1 x VitaFresh vegetable drawer	1 x VitaFresh vegetable drawer	1 x VitaFresh 0°C drawer, 1 x VitaFresh vegetable drawer
KEY FEATURES – FRIDGE SECTION							
LED light	●		●		●	●	●
SuperCool function	●		●		-	-	●
Bottle rack	●		●		●	●	●
Number of glass safety shelves	5		5		5	5	4
Number of adjustable shelves	2		2		2	2	2
Number of door bins large / small	1 / 3		1 / 3		1 / 3	1 / 3	1 / 2
Dairy compartment	-		-		-	-	-
Number of egg racks	3		3		3	3	3
KEY FEATURES – FREEZER SECTION							
Number of freezer drawers including BigBox / EasyAccess	3		3		3	3	3
SuperFreeze function	●		●		●	●	●
Number of ice packs / ice cube trays	2 / -		2 / -		-	-	2 / -
FUNCTIONS							
Door open warning signal / malfunction	●		●		-	-	●
Holiday / Sabbath mode	● / -		● / -		-	-	● / -
PERFORMANCE AND CONSUMPTION							
Energy efficiency class							
Annual energy consumption¹ (kWh)	163		163		238	238	149
Total unit net capacity (litres)	419		419		368	368	308
Refrigerator net capacity including 0°C drawers (litres)	302		302		279	279	214
Refrigerator 0°C net capacity (litres)	28		28		-	-	0
Freezer net capacity (litres)	117		117		89	89	94
Climate Class²	SN-T		SN-T		SN-T	SN-T	SN-T
Noise level (dB(A) re 1 pW)	38		38		39	39	38
Noise Emission Class	C		C		C	C	C
Dimensions of the product (H x W x D) (cm)	201 x 70 x 65		201 x 70 x 65		201 x 60 x 65	201 x 60 x 65	186 x 60 x 65
EAN code	4242005219056		4242005215935		4242005197620	4242005197712	4242005196302

● = yes - = no
¹Actual energy consumption will depend on how the appliance is used and where it is located. ²Climate zone SN - designed to operate in ambient temperatures of +10°C to 32°C. Climate zone T - designed to operate in ambient temperatures of +18°C to 43°C.

For full specification details, please log onto our website and download a full specification sheet.

Explore more at bosch-home.co.uk / bosch-home.ie



TYPE	FRIDGE FREEZER		FRIDGE FREEZER		FRIDGE FREEZER	FRIDGE FREEZER
DESIGN FAMILY	SERIE 4		SERIE 4		SERIE 4	SERIE 4
MODEL	KGV36VLEAG		KGV36VWEAG		KGV33VLEAG	KGV336VWEAG
Colour	Stainless steel look		White		Stainless steel look	White
DESIGN FEATURES						
Fridge / Freezer split	60 / 40		60 / 40		50 / 50	50 / 50
Frost-free system	LowFrost		LowFrost		LowFrost	LowFrost
Colour of side panels	Chrome inox metallic		Chrome inox metallic		Chrome inox metallic	White
Door handle type	Integrated Vertical		Integrated Vertical		Integrated Vertical	Integrated Vertical
Temperature display	Interior / Electronic LED		Interior / Electronic LED		Interior / Electronic LED	Interior / Electronic LED
Reversible door, hinged on right	●		●		●	●
Latest Condenser Technology	-		-		-	-
Home Connect / Built in cameras	-		-		-	-
FOOD FRESHNESS SYSTEM						
Food preservation container	1 x VitaFresh vegetable drawer		1 x VitaFresh vegetable drawer		1 x VitaFresh vegetable drawer	1 x VitaFresh vegetable drawer
KEY FEATURES – FRIDGE SECTION						
LED light	●		●		●	●
SuperCool function	-		-		-	-
Bottle rack	●		●		●	●
Number of glass safety shelves	4		4		4	4
Number of adjustable shelves	2		2		2	2
Number of door bins large / small	1 / 2		1 / 2		1 / 2	1 / 1
Dairy compartment	-		-		-	●
Number of egg racks	3		3		3	3
KEY FEATURES – FREEZER SECTION						
Number of freezer drawers including BigBox / EasyAccess	3		3		3	3
SuperFreeze function	●		●		●	●
Number of ice packs / ice cube trays	-		-		-	-
FUNCTIONS						
Door open warning signal / malfunction	-		-		-	-
Holiday / Sabbath mode	-		-		-	-
PERFORMANCE AND CONSUMPTION						
Energy efficiency class						
Annual energy consumption* (kWh)	238		233		228	228
Total unit net capacity (litres)	326		308		289	289
Refrigerator net capacity including 0°C drawers (litres)	237		214		195	195
Refrigerator 0°C net capacity (litres)	-		-		-	-
Freezer net capacity (litres)	89		94		94	94
Climate Class*	SN-T		SN-T		SN-T	SN-T
Noise level (dB(A) re 1 pW)	39		39		39	39
Noise Emission Class	C		C		C	C
Dimensions of the product (H x W x D) (cm)	186 x 60 x 65		186 x 60 x 65		176 x 60 x 65	176 x 60 x 65
EAN code	4242005197408		4242005197408		4242005237159	4242005197330

● = yes - = no
¹Actual energy consumption will depend on how the appliance is used and where it is located. ²Climate zone SN - designed to operate in ambient temperatures of +10°C to 32°C. Climate zone T - designed to operate in ambient temperatures of +18°C to 43°C.

For full specification details, please log onto our website and download a full specification sheet.

Making **life easy** through innovative technologies

Selecting the right fridge or freezer for you

Joining strips


If you choose to have a freestanding single door fridge and single door freezer installed into your kitchen, you may want to consider using joining strips to go between the two appliances. This allows a more seamless finish to your kitchen, as the gap between the appliances will be covered.

We have two available options, including stainless steel or white. Simply select the joining strip to suit your appliance colour.



Side by side

Single door fridges and freezers are designed to sit side-by-side to give you the double door effect. With hinges that can be fitted to either side of the appliances, you can choose which side you would like your fridge and freezer. Of course, if you want your appliances separate, this is possible as well. Choose from a variety of heights to suit your kitchen.



Fridges



TYPE	FRIDGE	FRIDGE	FRIDGE	FRIDGE
DESIGN FAMILY	SERIE 6	SERIE 4	SERIE 4	SERIE 2
MODEL	KSV36AWEPG	KSV36VLEP	KSV36VWEPG	KSV36NWEPG
Colour	White	Innox look	White	White
DESIGN FEATURES				
Colour of side panels	White	Chrome inox metallic	White	White
Door handle type	Vertical Bar	Vertical Bar	Vertical Bar	Vertical Bar
Temperature display	Interior / Digital LED	Interior / Electronic LED	Interior / Electronic LED	Interior / Electronic LED
Reversible door, hinged on left	●	●	●	●
Latest Condenser Technology	●	●	●	●
Home Connect / Built in cameras	-	-	-	-
FOOD FRESHNESS SYSTEM				
Food preservation container	1 x VitaFresh Plus, 1 x MultiBox vegetable drawer	1 x VitaFresh vegetable drawer	1 x VitaFresh vegetable drawer	1 x MultiBox vegetable drawer
KEY FEATURES – FRIDGE SECTION				
LED light	●	●	●	●
SuperCool function	●	●	●	●
Bottle rack	●	●	●	-
Number of glass safety shelves	7	7	7	6
Number of adjustable shelves	4	5	5	5
Number of door bins large / small	2 / 2	2 / 2	2 / 2	2 / 3
flex Shelf	-	-	-	-
Dairy compartment	●	●	●	-
Number of egg racks	3	3	3	3
FUNCTIONS				
Door open warning signal / malfunction	●	-	-	-
Holiday / Sabbath mode	-	-	-	-
PERFORMANCE AND CONSUMPTION				
Energy efficiency class				
Annual energy consumption ¹ (kWh)	116	116	116	116
Refrigerator net capacity including 0°C drawers (litres)	346	346	346	346
Refrigerator 0°C net capacity (litres)	-	-	-	-
Climate Class ²	SN-T	SN-T	SN-T	SN-T
Noise level (dB(A) re 1 pW)	39	39	39	39
Noise Emission Class	C	C	C	C
Dimensions of the product (H x W x D) (cm)	186 x 60 x 65	186 x 60 x 65	186 x 60 x 65	186 x 60 x 65
EAN code	4242005216130	4242005202195	4242005208241	4242005202010
Matching Freezer	GSN36AWFPG	GSN36VLFP	GSN36VWFPG	GSN36VWFPG

● = yes - = no
¹Actual energy consumption will depend on how the appliance is used and where it is located. ²Climate zone SN = designed to operate in ambient temperatures of +10°C to 32°C. Climate zone T = designed to operate in ambient temperatures of +18°C to 43°C.

Fridges



TYPE	FRIDGE	FRIDGE	FRIDGE	FRIDGE
DESIGN FAMILY	SERIE 4	SERIE 4	SERIE 4	SERIE 2
MODEL	KSV33VLEPG	KSV33VWEPG	KSV29VLEP	KSV29NWEPG
Colour	Innox look	White	Stainless steel look	White
DESIGN FEATURES				
Colour of side panels	Chrome inox metallic	White	Chrome inox metallic	White
Door handle type	Vertical Bar	Vertical Bar	Vertical Bar	Vertical Bar
Temperature display	Interior / Electronic LED	Interior / Electronic LED	Interior / Electronic LED	Interior / Electronic LED
Reversible door, hinged on left	●	●	●	●
Latest Condenser Technology	●	●	●	●
Home Connect / Built in cameras	-	-	-	-
FOOD FRESHNESS SYSTEM				
Food preservation container	1 x VitaFresh vegetable drawer	1 x VitaFresh vegetable drawer	1 x VitaFresh vegetable drawer	1 x MultiBox vegetable drawer
KEY FEATURES – FRIDGE SECTION				
LED light	●	●	●	●
SuperCool function	●	●	●	●
Bottle rack	●	●	●	-
Number of glass safety shelves	7	7	6	5
Number of adjustable shelves	5	5	4	4
Number of door bins large / small flex Shelf	2 / 2	2 / 2	1 / 2	1 / 3
Dairy compartment	-	●	●	-
Number of egg racks	3	3	3	3
FUNCTIONS				
Door open warning signal / malfunction	-	-	-	-
Holiday / Sabbath mode	-	-	-	-
PERFORMANCE AND CONSUMPTION				
Energy efficiency class	A G	A G	A G	A G
Annual energy consumption¹ (kWh)	113	113	109	109
Refrigerator net capacity including 0°C drawers (litres)	324	324	290	290
Refrigerator 0°C net capacity (litres)	324	-	-	-
Climate Class²	SN-T	SN-T	SN-T	SN-T
Noise level (dB(A) re 1 pW)	39	39	39	39
Noise Emission Class	C	C	C	C
Dimensions of the product (H x W x D) (cm)	176 x 60 x 65	176 x 60 x 65	161 x 60 x 65	161 x 60 x 65
EAN code	4242005320974	4242005205721	4242005205677	4242005205080
Matching Freezer	GSN33VLEP	GSN33VWEPG	GSN29VLEP	GSN29NWEPG

● = yes - = no
¹Actual energy consumption will depend on how the appliance is used and where it is located. ²Climate zone SN = designed to operate in ambient temperatures of +10°C to 32°C. Climate zone T = designed to operate in ambient temperatures of +18°C to 43°C.

Freezers



TYPE	FREEZER	FREEZER	FREEZER	FREEZER	FREEZER	FREEZER
DESIGN FAMILY	SERIE 4	SERIE 4	SERIE 4	SERIE 4	SERIE 4	SERIE 4
MODEL	GSN36VLFPG	GSN36VWFPG	GSN33VLEPG	GSN33VWEPG	GSN29VLEP	GSN29VWEVG
Colour	Innox look	White	Innox look	White	Stainless steel look	White
DESIGN FEATURES						
Frost-free system	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost
Colour of side panels	White	White	Chrome inox metallic	White	Chrome inox metallic	White
Door handle type	Vertical Bar	Vertical Bar	Vertical Bar	Vertical Bar	Vertical Bar	Vertical Bar
Temperature display	Exterior / Digital LED	Interior / Electronic LED	Interior / Electronic LED	Interior / Electronic LED	Interior / Electronic LED	Interior / Electronic LED
Reversible door, hinged on right	●	●	●	●	●	●
Latest Condenser Technology	●	●	●	●	●	●
Home Connect / Built in cameras	-	-	-	-	-	-
FOOD FRESHNESS SYSTEM						
MultiAirflow system	●	●	●	●	●	●
KEY FEATURES – FREEZER SECTION						
LED light	●	●	●	●	●	●
Number of freezer compartments	7	7	7	7	6	6
Number of freezer drawers including bigBox	5	5	4	4	4	5
Number of freezer flaps / easyAccess shelves	2 / -	2 / -	- / 3	- / 3	- / 2	1 / -
Number of glass safety shelves	6	6	6	6	5	5
SuperFreeze function	●	●	●	●	●	●
Twist Ice Box	●	-	-	-	-	-
Number of ice packs / ice cube trays	2 / -	2 / 1	2 / 1	2 / 1	1 / 1	1 / 1
FUNCTIONS						
Door open warning signal / malfunction	●	●	●	●	●	●
Holiday / Sabbath mode	-	-	-	-	-	-
PERFORMANCE AND CONSUMPTION						
Energy efficiency class	A F	A G	A G	A G	A G	A G
Annual energy consumption¹ (kWh)	294	294	229	229	221	221
Freezer net capacity (litres)	242	242	225	225	200	200
Climate Class²	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T
Storage period in event of power failure (hours)	25	25	25	25	25	25
Noise level (dB(A) re 1 pW)	40	39	39	39	39	39
Noise Emission	C	C	C	C	C	C
Dimensions of the product (H x W x D) (cm)	186 x 60 x 65	186 x 60 x 65	176 x 60 x 65	176 x 60 x 65	161 x 60 x 65	161 x 60 x 65
EAN code	4242005223077	4242005097876	4242005247974	4242005247981	4242005247929	4242005247943
Matching Fridge	-	KSV36VW3PG	KSV33VLEP	KSV33VWEPG	KSV29VLEP	KSV29NWEPG

● = yes - = no
¹Actual energy consumption will depend on how the appliance is used and where it is located. ²Climate zone SN = designed to operate in ambient temperatures of +10°C to 32°C. Climate zone T = designed to operate in ambient temperatures of +18°C to 43°C.

For full specification details, please log onto our website and download a full specification sheet.

Undercounter fridges & freezers



TYPE	UNDERCOUNTER FRIDGE	UNDERCOUNTER FRIDGE FREEZER	UNDERCOUNTER FRIDGE FREEZER
DESIGN FAMILY	SERIE 2	SERIE 2	SERIE 2
MODEL	KTR15NWFAG	KTL15NWFAG	GTV15NWEAG
Colour	White	White	White
DESIGN FEATURES			
Colour of side panels	White	White	White
Door handle type	Integrated Horizontal	Integrated Horizontal	Integrated Horizontal
Temperature display	-	-	-
Reversible door, hinged on right	●	●	●
Latest Condenser Technology	-	-	-
Home Connect / Built in cameras	-	-	-
FOOD FRESHNESS SYSTEM			
Food preservation container	1 x MultiBox vegetable drawer	1 x MultiBox vegetable drawer	-
KEY FEATURES – FRIDGE SECTION			
LED light	●	●	-
SuperCool function	-	-	-
Bottle rack	-	-	-
Number of glass safety shelves	3	2	-
Number of adjustable shelves	1	1	-
Number of door bins large / small	1 / 2	1 / 2	-
Dairy compartment	-	-	-
Number of egg racks	2	2	-
KEY FEATURES – FREEZER SECTION			
Number of freezer compartments	-	1	3
SuperFreeze function	-	-	-
Number of ice packs / ice cube trays	-	-	-
FUNCTIONS			
Door open warning signal / malfunction	-	-	-
Holiday / Sabbath mode	-	-	-
PERFORMANCE AND CONSUMPTION			
Energy efficiency class			
Annual energy consumption ¹ (kWh)	114	142	164
Total unit net capacity (litres)	136	120	83
Refrigerator net capacity (litres)	136	106	-
Freezer net capacity (litres)	-	14	83
Climate Class ²	SN-T	SN-T	SN-T
Noise level (dB(A) re 1 pW)	39	39	39
Noise emission	C	D	C
Dimensions of the product (H x W x D) (cm)	85 x 56 x 58	85 x 56 x 58	85 x 56 x 58
EAN code	4242005209125	4242005209095	4242005208968

● = yes - = no
¹Actual energy consumption will depend on how the appliance is used and where it is located. ²Climate zone SN = designed to operate in ambient temperatures of +10°C to 32°C. Climate zone T = designed to operate in ambient temperatures of +18°C to 43°C.

For full specification details, please log onto our website and download a full specification sheet.

Explore more at [bosch-home.co.uk](https://www.bosch-home.co.uk) / [bosch-home.ie](https://www.bosch-home.ie)

American Style / Multi-Door Fridge Freezers

The best of both worlds

Get the look and feel of a classic American Style but with a full width XXL American Style / Multi Door Fridge Freezers capacity for effortless organisation.



✓ **XXL capacity:**

A spacious fridge-freezer, that doesn't take up too much space in your kitchen, it gives you the flexibility to organise your food how you like it.

✓ **Efficient cooling:**

VitaFresh XXL means your fruit & veg, and meat & fish stay fresh for longer.

✓ **NoFrost:** Never worry about defrosting your fridge-freezer again.

✓ **Super storage:**

Two NoFrost Big Boxes in each freezer cavity are perfect for stacking frozen food containers or catering for a family gathering.

Making **life easy** through innovative technologies

Multi-door fridge freezers



TYPE	FRENCH	MULTI-DOOR	MULTI-DOOR
DESIGN FAMILY	SERIE 8	SERIE 6	SERIE 4
MODEL NUMBER	KFF96PIEP	KFN96APEAG	KFN96VPEAG
Colour of door panels	Innox, easy clean	Stainless steel, easy clean	Stainless steel, easy clean
Colour of sides	Innox	Innox	Innox
Style of handle	Horizontal and vertical bar handle	Horizontal and vertical bar handle	Horizontal and vertical bar handle
Colour of handle	Stainless steel	Black	Black
NoFrost in fridge and freezer	●	●	●
Home Connect, WiFi dongle included	● / -	● / -	-
FOOD FRESHNESS SYSTEM			
vitaFresh / Fresh Safe / hyperFresh	3 vitaFresh plus drawers with telescopic rails, 1 Chiller drawer	1 vitaFresh plus drawer with telescopic rails, 1 BigBox drawer with telescopic rails, 1 Chiller drawer	BigBox drawer, 1 Chiller drawer
KEY FEATURES – FRIDGE SECTION			
Product highlights	LED	LED	LED
Water dispenser	Internal	-	-
SuperCool	●	●	●
Type of control	Electronic	Electronic	Electronic
Number of shelves	4	4	3
Number of adjustable shelves	3	3	2
Shelves for bottles	1	-	-
Number of door bins / shelves	6	5	5
Temperature display	Digital	Digital	Digital
Warning signal door open	Visual and audible	Visual and audible	Visual and audible
KEY FEATURES – FREEZER SECTION			
Door opened indicator	Visual and audible	Visual and audible	Visual and audible
SuperFreeze function	●	●	●
Temperature adjustable in freezer	●	●	●
Number of ice cube trays	Automatic ice cube maker	-	-
Ice dispenser features	Internal, Ice cubes	-	-
Number of freezer drawers	2	6	6
ADDITIONAL INFORMATION			
Energy efficiency class	A G E	A G E	A G E
Energy consumption annual kWh ¹	333 kWh/a	333 kWh/a	333 kWh/a
Total net capacity (litres)	573	605	605
Refrigerator net capacity (litres)	402	405	405
Freezer net capacity (litres)	171	200	200
Climate class ²	SN-T	SN-T	SN-T
Noise level dB(A) re 1 pW	39 Db	38 dB	38 dB
Noise emission class	C	C	C
Additional accessories included	-	3 x egg tray	3 x egg tray
Height of product (mm)	1830	1830	1830
Width of product (mm)	905	910	910
Depth of product (mm)	706	730	730

● = yes - = no
¹Actual energy consumption will depend on how the appliance is used and where it is located.
²Climate zone SN = designed to operate in ambient temperatures of +10°C to 32°C.
Climate zone T = designed to operate in ambient temperatures of +18°C to 43°C.

Explore more at bosch-home.co.uk / bosch-home.ie

American fridge freezers



AMERICAN	AMERICAN	AMERICAN	AMERICAN	AMERICAN
SERIE 8	SERIE 6	SERIE 6	SERIE 6	SERIE 4
KAG93AIEPG	KAD93VIFPG	KAD93VBFG	KAI93VIFPG	KAN93VIFPG
Stainless steel, easy clean	Stainless steel, easy clean	Black	Stainless steel, easy clean	Stainless steel, easy clean
Grey	Grey	Grey	Grey	Grey
Vertical bar handle	Vertical bar handle	Vertical bar handle	Vertical bar handle	Vertical bar handle
Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
●	●	●	●	●
-	-	-	-	-
2 MultiBox drawer on rails	2 MultiBox drawers on rails	2 MultiBox drawers on rails	2 MultiBox drawers on rails	2 MultiBox drawers on rails
LED	LED	LED	LED	LED
-	-	-	-	-
●	●	●	●	●
Electronic	Electronic	Electronic	Electronic	Electronic
5	5	5	5	5
-	-	-	-	-
1	-	-	-	-
5	5	5	5	5
Digital	Digital	Digital	Digital	Digital
Visual and audible	Visual and audible	Visual and audible	Visual and audible	Visual and audible
Visual and audible	Visual and audible	Visual and audible	Visual and audible	Visual and audible
●	●	●	●	●
●	●	●	●	●
Automatic ice cube maker	Automatic ice cube maker	Automatic ice cube maker	Automatic ice cube maker	-
Crushed ice, Homebar, Ice cubes, Water, Water filter	Crushed ice, Ice cubes, Water, Water filter	Crushed ice, Ice cubes, Water, Water filter	Crushed ice, Ice cubes, Water	-
2	2	2	2	-
A G E	A G F	A G F	A G F	A G F
323 kWh/a	404 kWh/a	404 kWh/a	404 kWh/a	413 kWh/a
560	562	562	562	580
369	371	371	371	372
191	191	191	191	208
SN-T	SN-T	SN-T	SN-T	SN-T
42 dB	42 dB	42 dB	42 dB	42 dB
D	D	D	D	D
1 x connection hose, 1 x egg tray	1 x connection hose, 1 x egg tray	1 x connection hose, 1 x egg tray	1 x egg tray	1 x egg tray
1787	1787	1787	1787	1787
908	908	908	908	908
707	707	707	707	707

● = yes - = no
¹Actual energy consumption will depend on how the appliance is used and where it is located.
²Climate zone SN = designed to operate in ambient temperatures of +10°C to 32°C.
Climate zone T = designed to operate in ambient temperatures of +18°C to 43°C.

All models comply with COMMISSION REGULATION (EC) No 1275/2008 with regard to ecodesign requirements for standby and off mode electric power consumption.

Making **life easy** through innovative technologies

Your own personal wine cellar.

The range of stylish Bosch wine coolers blend seamlessly into your kitchen, while constantly keeping your red and white wine perfectly stored and at an ideal temperature.



High quality European oak shelves store your bottles neck to neck, allowing you to stock, display and access them with ease. Featuring carefully embedded smooth running compressors, the telescopic rails ensure your wines are kept safe due to low-vibration and quiet conditions.

Each wine cooler features two temperature zones, ranging from 5°C to 20°C and an interior LED light bar with on/off function for presentation.

Model shown: KWK36ABGAG 

Wine coolers



TYPE	WINE COOLER	
DESIGN FAMILY	SERIE 6	SERIE 6
MODEL NUMBER	KWK36ABGAG	KWK16ABGAG
Colour	Black, Glass door	Black, Glass door
DESIGN FEATURES		
Colour of side panels	Cast iron	Cast iron
Type of glass door	3 glass panels, UV-filtered	3 glass panels, UV-filtered
Door handle type	Integrated Vertical, Push to open	Integrated Vertical, Push to open
Temperature display	Interior / Digital LED	Interior / Digital LED
Reversible door, hinged on right	●	●
Home Connect / Built in cameras	-	-
KEY FEATURES		
Range of temperature (0°C)	5 - 20	5 - 20
Temperature zones	2	2
LED light	●	●
Number of shelves	10	5
Number of oak shelves	8	3
Number of adjustable shelves	4	-
Presenter shelf and lighting	●	-
Capacity in 0.75l (Bordeaux bottles)	199	44
FUNCTIONS		
Door open warning signal / malfunction	●	●
Child lock	●	●
PERFORMANCE AND CONSUMPTION		
Energy efficiency class		
Annual energy consumption¹ (kWh)	TBA	TBA
Refrigerator net capacity (litres)	367	108
Climate class²	SN - ST	SN - ST
Noise level (dB(A) re 1 pW)	38	38
Noise emission class	D	D
Dimensions of the product (H x W x D) (cm)	185.7 x 59.8 x 60.5	81.8 x 59.8 x 58.6
EAN code	4242005225576	4242005225545

● = yes - = no

¹Actual energy consumption will depend on how the appliance is used and where it is located. ²Climate zone SN = designed to operate in ambient temperatures of +10°C to 32°C. Climate zone T = designed to operate in ambient temperatures of +18°C to 43°C.

Introducing the Bosch vacuum cleaner range.

The vacuum **battery power** you can trust.

Whether you need your vacuum to be flexible enough to tackle those hard to reach places, quick charging to use when time is tight, or powerful enough to take on your whole house from floor to ceiling, the Bosch range of vacuums has a model to suit you.

Using industry-leading battery technology developed from over 50 years of cordless power innovation, the Flexxo, Athlet and Unlimited vacuums offer the performance, durability and efficiency that you have come to expect from Bosch.



The **pioneers** of **power**.

Today, Bosch's batteries are unrivalled, offering compact and lightweight long-life batteries that consistently deliver on power, performance and efficiency – making Bosch the number one choice for cordless technology in the home and garden.



Powered by Bosch.

The **Flexxo**

The flexible one. Perfect for those hard to reach spaces.

The Flexxo is lightweight and flexible enough to manoeuvre into the trickiest of spaces, while the integrated accessories mean that you have everything you need at your fingertips.



The **Athlet**

The powerful one. Less effort, with more cleaning power.

With a runtime of up to 75 minutes, the Athlet's powerful, cordless technology will take any floor in its stride, no matter what crumbs, dust or pet hair stand in its way.



The **Unlimited**

The never ending one. Works on so many levels.

The Unlimited handheld vacuum offers powerful 360 degree cordless cleaning and the battery is also exchangeable*, which means it's always ready to go, whenever you need it. *Additional battery with selected models.



We have the **perfect** vacuum cleaner for all **lifestyles**.

For the Athlet, Flexxo and Unlimited vacuum cleaner range there is a ProAnimal, ProPower or ProHome model. Bosch makes it easy to choose the perfect vacuum for your lifestyle and cleaning requirements.



ProAnimal



ProPower



ProHome

Unlimited Serie 8

Power4All System.

Bosch battery technology ensures powerful performance across all our products. The exchangeable **Power4All System** only requires a single battery pack, which means complete flexibility when charging. The battery is part of our Power4All system so it's compatible with more than 20 power tools and lawn and garden products from Bosch.



ProAnimal

BBS81PETGB



TYPE	UNLIMITED VACUUM CLEANERS
DESIGN FAMILY	UNLIMITED 8
MODEL NUMBER	BBS81PETGB
	Multi use
SUB-RANGE	ProAnimal
FEATURES	
Main Trade Up Feature	Power for ALL interchangeable battery packs
	Pet kit 8 x accessories
Continuous runtime	
All Floors	●
SmartSensor	-
Lithium battery	●
Advanced Lithium battery	●
Turbo Spin Motor	-
HiSpin motor	●
Performace brush bar	●
large, aerodynamic brush bar	●
Motorised brush head	●
Cartridge filter cleaning	●
Auto clean filter	●
BDLC motor	-
Additional Features	-
ACCESSORIES	
Pet Mini Turbo	●
Hose	-
XXL Upholstery Tool	-
XXL Crevice nozzle	-
2 in 1 crevice/upholstery tool	●
Flexible crevice tool	●
Removeable handheld	●
Mattress Nozzle	-
Keyboard nozzle	-
Additional Brushbar	●
Short handle	-
Athlet strap	-
Exchangeable battery pack	●
Wall mount	-
Spare filter	-
CHARGING	
Charge time	5 hours
Docking station	●
Fast charger	-
POWER & PERFORMANCE	
Runtime	40 mins
Volts	18.0V
Ampere Hour	3
Batteries included	1
Removable Power4All batteries	●
More Power	-
Superior Performance	-
TECHNICAL SPECS	
Weight (kg)	2.9
Dust Bin size (L)	0.4
Performance levels	2

● = Yes - = No

Unlimited Serie 6

Experience Bosch’s lightest ever cordless handstick vacuum with the flexibility to clean from floors to ceilings and sofas to cars. You can also swap batteries between the Unlimited vacuum and compatible Bosch cordless garden and power tools.



ProHome

BCS612GB



TYPE		UNLIMITED VACUUM CLEANERS	
DESIGN FAMILY		UNLIMITED 6	UNLIMITED 6
MODEL NUMBER		BCS612GB	BCS611GB
		Multi use	Multi use
SUB-RANGE		ProHome	ProHome
FEATURES			
Main Trade Up Feature		Power for ALL interchangeable battery packs	
		2 x batteries	3 accessories
Continuous runtime			
All Floors		●	●
SmartSensor		-	-
Lithium battery		●	●
Advanced Lithium battery		●	●
Turbo Spin Motor		-	-
HiSpin motor		-	-
Performace brush bar		●	●
large, aerodynamic brush bar		-	-
Motorised brush head		●	●
Cartridge filter cleaning		-	-
Auto clean filter		-	-
BDLC motor		●	●
Additional Features		-	-
ACCESSORIES			
Pet Mini Turbo		-	-
Hose		-	-
STD Crevice tool		-	-
XXL Upholstery Tool		-	-
STD Upholstery tool		-	-
XXL Crevice nozzle		-	-
2 in 1 crevice/upholstery tool		●	●
Flexible crevice tool		●	●
Removeable handheld		●	●
Mattress Nozzle		●	●
Keyboard nozzle		-	-
Additional Brushbar		-	-
Short handle		-	-
Athlet strap		-	-
Exchangeable battery pack		●	●
Wall mount		-	-
Spare filter		-	-
CHARGING			
Charge time		5 hours	5 hours
Docking station		●	●
Fast charger		-	-
POWER & PERFORMANCE			
Runtime		60 mins	40 mins
Volts		18.0V	18.0V
Ampere Hour		2.5	3
Batteries included		2	1
Removable Power4All batteries		●	●
More Power		-	-
Superior Performance		-	-
TECHNICAL SPECS			
Weight (kg)		2.3	2.3
Dust Bin size (L)		0.4	0.4
Performance levels		2	2

● = Yes - = No

Athlet Vacuum cleaners



TYPE	ATHLET VACUUM CLEANERS					
DESIGN FAMILY	SERIE 8	SERIE 6	SERIE 6	SERIE 6	SERIE 4	SERIE 4
MODEL NUMBER	BCH87POWGB	BCH86HYGGB	BBH6POWGB	BCH86PETGB	BCH85KITGB	BCH85NGB
	1in1			1in1	1in1	1in1
SUB-RANGE	ProPower	ProHygienic	ProPower	ProAnimal	ProHome	ProClean
FEATURES						
Main Trade Up Feature	High Performance, 80 min runtime, 36V	60 min runtime	Higher power 28V, 65 min runtime	High Performance	45 min run time, 20V	45 min run time, 20V
	-	ProHygienic Filter - filters out more than 99.9% of particles	Faster charge time under 3 hours	6 x accessories	6 x accessories	-
Continuous runtime	-	-	-	-	-	-
All Floors	●	●	●	●	●	●
SmartSensor	●	●	●	●	●	●
Lithium battery	●	●	●	●	●	●
Advanced Lithium battery	●	-	-	-	-	-
HiSpin motor	●	-	-	●	-	-
Performance brush bar	●	-	-	●	-	-
large, aerodynamic brush bar	●	-	-	-	-	-
Motorised brush head	●	●	●	●	●	●
Cartridge filter cleaning	●	-	-	●	-	-
Auto clean filter	●	●	-	●	-	-
BDLC motor	●	-	-	-	-	-
Smart Auto Mode	-	-	-	-	-	-
Additional Features	-	Ultra Allergy Filter	-	-	-	-
ACCESSORIES						
Pet Mini Turbo	-	-	-	●	-	-
Hose	-	●	-	●	●	●
STD Crevice tool	-	●	-	-	●	●
XXL Upholstery tool	-	-	-	●	●	●
STD Upholstery tool	-	●	-	-	-	-
XXL Crevice nozzle	-	-	-	-	-	-
2 in 1 crevice/upholstery tool	-	-	-	●	-	-
Flexible crevice tool	-	-	-	-	-	-
Removeable handheld	-	-	-	-	-	-
Mattress Nozzle	-	-	-	-	-	-
Keyboard nozzle	-	-	-	-	-	-
Additional Brushbar	-	-	-	●	-	-
Exchangeable battery pack	-	-	-	-	-	-
Spare filter	-	●	-	●	-	-
CHARGING						
Charge time	6 hours	6 hours	3 hours	6 hours	6 hours	6 hours
Docking station	-	-	●	-	-	-
Fast charger	-	-	-	-	-	-
POWER & PERFORMANCE						
Runtime	80 mins	60 mins	65 mins	60 mins	45 mins	45 mins
Volts	36V	28V	28V	28V	18V	18V
Ampere Hour	-	-	-	-	-	-
Batteries included	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated
Removable Power4All batteries	-	-	-	-	-	-
More Power	●	-	●	-	-	-
Superior Performance	●	-	●	-	-	-
TECHNICAL SPECS						
Weight (kg)	3.3	3.3	3.3	3.3	3.3	3.3
Dust Bin size (L)	0.9	0.9	0.9	0.9	0.9	0.9
Performance levels	3	3	3	3	3	3

● = Yes - = No

Flexxo & Readyy'y Vacuum cleaners



TYPE	FLEX XO			READY Y
DESIGN FAMILY	SERIE 4	SERIE 4	SERIE 4	SERIE 4
MODEL NUMBER	BBH3ZO0GB	BBH3280GB	BBH3230GB	BCHF220GB
	2in1	2in1	2in1	2in1
SUB-RANGE	ProAnimal	ProHome	ProHome	
FEATURES				
Main Trade Up Feature	55 min runtime, 25V, LED lights	55 min runtime, 25V, LED lights	50 min runtime, 23V, LED lights	44 min runtime, 20V
	Pet kit 8 x accessories	Tools on Board	3 accessories	Removable handheld
Continuous runtime	-	-	-	-
All Floors	●	●	●	●
SmartSensor	-	-	-	-
Lithium battery	●	●	●	●
Advanced Lithium battery	-	-	-	-
HiSpin motor	-	-	-	-
Performance brush bar	-	-	-	-
large, aerodynamic brush bar	-	-	-	-
Motorised brush head	●	●	●	●
Cartridge filter cleaning	-	-	-	-
Auto clean filter	-	-	-	-
BDLC motor	-	-	-	-
Smart Auto Mode	-	-	-	-
Additional Features	-	-	-	-
ACCESSORIES				
Pet Mini Turbo	●	-	-	-
Hose	-	-	-	-
STD Crevice tool	●	●	●	●
XXL Upholstery tool	-	-	-	-
STD Upholstery tool	●	●	●	-
XXL Crevice nozzle	-	-	-	-
2 in 1 crevice/upholstery tool	●	●	●	●
Flexible crevice tool	-	-	-	-
Removeable handheld	-	●	●	●
Mattress Nozzle	●	-	-	-
Keyboard nozzle	-	-	-	-
Additional Brushbar	●	-	-	-
Exchangeable battery pack	-	-	-	-
Spare filter	●	-	-	-
CHARGING				
Charge time	5 hours	5 hours	5 hours	5 hours
Docking station	-	-	-	-
Fast charger	-	-	-	-
POWER & PERFORMANCE				
Runtime	55 mins	55 mins	50 mins	44 mins
Volts	25.2V	25.2V	21.6V	18.0V
Ampere Hour	-	-	-	-
Batteries included	Integrated	Integrated	Integrated	Integrated
Removable Power4All batteries	-	-	-	-
More Power	-	-	-	-
Superior Performance	-	-	-	-
TECHNICAL SPECS				
Weight (kg)	3.0	3.0	3.0	2.5
Dust Bin size (L)	0.4	0.4	0.4	0.4
Performance levels	2	2	2	2

● = Yes - = No

Microwaves



OVEN TYPE	MICROWAVE OVEN	MICROWAVE OVEN	MICROWAVE OVEN WITH GRILL	MICROWAVE OVEN	MICROWAVE OVEN
DESIGN FAMILY	SERIE 2	SERIE 2	SERIE 2	SERIE 2	SERIE 2
MODEL/COLOUR	FFL023MS2B	FEL023MS2B	FFL023MW0B	FEL020MS2B	FFL020MS2B
DESIGN					
Electronic controls	●	●	●	-	-
Control Dial	●	●	●	●	●
Retractable control dial	1	1	1	-	-
Push buttons	●	●	●	●	●
Left hinged door	●	●	●	●	●
Door Open Button	●	●	●	●	●
FEATURES					
Electronic clock timer	Red LED	Red LED	Red LED	-	-
Interior lights	1 standard	1 standard	1 standard	1 standard	1 standard
Max. 99 minute timer	●	●	●	-	-
Max. 60 minute timer	-	-	-	●	●
Stainless steel interior	-	●	-	-	-
Laquered interior	●	-	●	●	●
Glass turntable	●	●	●	●	●
PROGRAMMES / FUNCTIONS					
Microwave	●	●	●	●	●
Quartz grill	-	●	-	●	-
Microwave and Grill Combination operation	-	●	-	●	-
Microwave / grill combination programmes	-	1	-	-	-
Automatic programmes	7	8	7	-	-
Memory function	●	●	●	-	-
PERFORMANCE / TECHNICAL INFORMATION					
Cavity dimensions (HxWxDmm)	215x337x354	194x290x274	194x290x274	194x290x274	194x290x274
Useable oven capacity (L)	25	17	17	17	17
Microwave distribution	Turntable	Turntable	Turntable	Turntable	Turntable
Turntable diameter (mm)	315	245	245	245	245
Maximum microwave power (W)	900	800	800	800	800
Number of microwave power levels	5	5	5	5	5
Grill power (W)	-	1000	-	1000	-
Voltage (V)	230	230	230	230	230
Total connected loading (W)	1450	1270	1270	1270	1270
Cable length (cm)	130	130	130	130	130
GB plug	●	●	●	●	●
STANDARD ACCESSORIES					
Wire rack	-	1	-	1	-
Turntable	1	1	1	1	1

● = Yes - = No

*Will be UKCA approved before 01/12/2021

Explore more at [bosch-home.co.uk](https://www.bosch-home.co.uk) / [bosch-home.ie](https://www.bosch-home.ie)

Food Preparation

Bosch makes it, easy.

Our multi-functional stand mixers, food mixers and processors are packed with innovative, labour-saving technology so you can chop, blend, shred, mix and whisk your way more quickly through your food preparation task.

TYPE	OPTIMUM STAND MIXER	
MODEL	MUM9GX5S21	
Housing colour	Platinum silver	
Side panel colour	Black	
Housing material	Metal	
Wattage / Power (W)	1500	
SensorControl (egg whites / cream / yeast dough)	●	
Scale	●	
Timer	●	
Speed settings	7-stage	
On/Off switch with LED indication	Illuminated ON / OFF switch	
Gentle start	●	
Bowl with anti-splash cover (SAN)	Stainless steel	●
	Plastic	-
	Volume bowl (l)	5.5
	Max. flour + ingredients (kg)	1.5
	Max. dough capacity yeast dough (kg)	-
	Max. dough capacity sponge mixture (kg)	3.5
Stirring concept	3D Planetary Mix	
Parking position	-	
Tools (stainless steel)	Stirring whisk	-
	Beating whisk	●
	Dough hook	●
	Professional Absolute stirring whisk	●
	Professional Steering & beating whisk	-
ACCESSORIES/ NUMBER		
Colour coding		●
Blender / jar with scale	Plastic blender / jar	-
	Blender / jar	●
	Glass blender / jar	8,500 min-1
ToGo bottle with drinking lid, BPAfree		-
Glass grinder (detach. stainl. st. knife, dishw. safe)		-
Glass chopper (detach. stainl. st. knife, dishw. safe)		-
Glass containers with storage lid		-
Continuous shredder with stainless steel discs		●
Multi mixer with stainless steel discs		-
	Number of discs / functions continuous shredder	-
	Reversible slicing disc thick / thin	●
	Reversible shredding disc coarse / fine	●
	Rough grating disc	-
Meat mincer	Grating disc medium / fine	●
	ProfessionalSuperCut disc	-
	Asia-vegetable / Julienne disc	-
	Diameter 3 mm disc holes	-
	Diameter 5 mm disc holes	-
	Diameter 8 mm disc holes	-
	Fancy biscuit attachment	-
Citrus press		-
Cube cutter with cleaning brush	insert with 0.9 x 0.9 cm	-
	insert with 1.3 x 1.3 cm	-
Storage	Cable storage	Auto. cable retraction
	Accessory holder	-
	Accessory bag / grey	-
	Accessory bag / red	-
Plug-type		GB plug
Safety features	Overload protection	-
	Safety lock	-
	Suction feet for extra stability	Rubber feet
RECIPES		
	Booklet	Integrated in
	DVD	-
Languages	Arabic, Chinese, Chinese trad(zh-tw) English, Malay	

● = Yes - = No



Make sense of mixing with Optimum.

Intuitive sensor technology and incredible versatility means the Optimum easily takes care of all your mixing, weighing, chopping and blending.

Offering everything-in-one, this stand mixer makes cooking and baking a whole lot easier for you. Including a huge variety of professional accessories for all your cooking and baking ideas, this is the only stand mixer you will ever need to bring your recipes to life.

Integrated scales.

The Optimum makes life even easier thanks to the built-in scales that accurately weigh all your ingredients as you add them to the bowl, saving you cleaning additional bowls.

Perfectly mixed ingredients.

Your ingredients will be perfectly mixed thanks to the 3D Planetary mixing system. Simply add your ingredients to the bowl and let the mixer do the work for you. The mixing tool is rotated in three different directions, this ensures all the ingredients are perfectly mixed and nothing remains stuck to the sides of the bowl, eliminating the need to use a spatula as well. The large stainless steel mixing bowl with 5.5L capacity and two handles further guarantees ease of use.

Thanks to smart tool detection, no matter what tool is used, the Optimum takes care of the maximum speed for each tool.

The CreationLine Stand Mixer will look stunning in any kitchen, thanks to its elegant design.



Integrated timer & scales

The handy integrated timer and scale, including LED display and tare function, are meticulously precise, meaning perfect results every time!

TYPE			CREATIONLINE STAND MIXER WITH SCALE	
MODEL		MUM5XW10GB		
Housing colour		White		
Side panel colour		Champagne		
Housing material		Plastic		
Wattage / Power (W)		1.000		
SensorControl (egg whites / cream / yeast dough)		-		
Scale		●		
Timer		●		
Speed settings		7-Stage		
On/Off switch with LED indication		LED indicator		
Gentle start		●		
Bowl with anti-splash cover (SAN)	Stainless steel	●		
	Plastic	-		
Volume bowl (l)		3.90		
Max. flour + ingredients (kg)		1.00		
Max. dough capacity yeast dough (kg)		-		
Max. dough capacity sponge mixture (kg)		2.7		
Stirring concept		3D Planetary Mix		
Parking position		●		
Tools (stainless steel)	Stirring whisk	-		
	Beating whisk	-		
Dough hook (kneading hook)		●		
Premium stirring whisk		●		
Premium beating whisk		●		
Professional Absolute stirring whisk		-		
Professional Steering & beating whisk		-		
Professional kneading hook		-		
Beating whisk set		-		
Kneading hook stainless steel/aluminium		-		
ACCESSORIES / NUMBER				
Smart tool detection		-		
Blender / jar with scale	Plastic blender / jar	-		
	Glass blender / jar	-		
rpm		14.000 min-1		
ToGo bottle with drinking lid, BPAfree		-		
Glass grinder (detach. stainl. st. knife, dishw. safe)		-		
Glass chopper (detach. stainl. st. knife, dishw. safe)		-		
Glass containers with storage lid		-		
Continuous shredder with stainless steel discs		●		
Multi mixer with stainless steel discs		-		
Number of discs / functions continuous shredder		-		
Reversible slicing disc thick / thin		●		
Reversible shredding disc coarse / fine		●		
Course grating disc		-		
Fine grating disc		●		
Reversible shredding and slicing disc		●		
SuperCut disc		-		
French fries disc		-		
Asia vegetable disc		-		
Meat mincer	Chamber size	-		
	Blocking power	-		
	Output (kg/min)	-		
	Diameter 3 mm disc holes	-		
	Diameter 5 mm disc holes	-		
	Diameter 8 mm disc holes	-		
Fancy biscult attachment		-		
Citrus press		-		
Cube cutter with cleaning brush	insert with 0.9 x 0.9 cm	-		
	insert with 1.3 x 1.3 cm	-		
Storage	Cable storage	Auto, cable retraction		
	Accessory bag / grey	●		
Plug-type		GB plug		
Safety features	Suction feet for extra stability	Rubber feet		
RECIPES				
Booklet		-		
DVD		-		

● = Yes - = No

Multifunctional.

Whether you want to whisk, mix, knead or chop, the CreationLine saves you from needing to own multiple devices, freeing up that well needed space in your kitchen. Your dishes will also be ready even quicker thanks to the 7 speed settings.

Included in the box are flexible stirring whisk with silicon edge, beating whisk, kneading hook as well as the shredder with 4 stainless steel shredding and grating discs.

Additional accessories available
for purchase.

Explore more at bosch-home.co.uk / bosch-home.ie

3D Planetary Mixing.

3D Planetary Mixing means the tools move in three directions, while the socket turns in the opposite direction, ensuring the mixture is picked up properly from around the sides, bottom and centre of the bowl.



TYPE		SERIE 2 STAND MIXER		CREATIONLINE STAND MIXER		CREATIONLINE STAND MIXER		CREATIONLINE STAND MIXER	
MODEL		MUM52EW00G		MUM59340GB		MUM59N26CB		MUM5XW40G	
Housing colour		White		Grey		Carbon black		White	
Side panel colour		White		Anthracite		Black		Champagne	
Housing material		Plastic		Plastic		Brushed stainless steel		Plastic	
Wattage / Power (W)		700		1000		1000		1000	
SensorControl (egg whites / cream / yeast dough)		-		-		-		-	
Scale		-		-		-		●	
Timer		-		-		-		-	
Speed settings		4-stage		7-stage		7-stage		7-stage	
On/Off switch with LED indication		-		LED indicator		LED indicator		LED indicator	
Gentle start		●		●		●		●	
Bowl with anti-splash cover (SAN)		Stainless steel		●		●		●	
		Plastic		-		-		-	
Volume bowl (l)		3.8		3.9		3.9		3.9	
Max. flour + ingredients (kg)		0.75		0.75		0.75		0.75	
Max. dough capacity yeast dough (kg)		-		-		-		-	
Max. dough capacity sponge mixture (kg)		2		2		2		2	
Stirring concept		3D Planetary Mixing		3D Planetary Mixing		3D Planetary Mixing		3D Planetary Mixing	
Parking position		-		●		●		●	
Tools (stainless steel)		Stirring whisk		-		-		-	
		Beating whisk		-		-		-	
		Dough hook (kneading hook)		●		●		●	
		Premium stirring whisk		●		●		●	
		Premium beating whisk		-		●		●	
		Professional Absolute stirring whisk		-		-		-	
		Professional Steering & beating whisk		-		-		-	
		Professional kneading hook		-		-		-	
		Beating whisk set		-		-		-	
		Kneading hook stainless steel/aluminium		-		-		-	
ACCESSORIES / NUMBER		4		11		9		12	
Smart tool detection		-		-		-		-	
Blender / jar with scale		Plastic blender / jar		-		-		●	
		Glass blender / jar		-		-		-	
		rpm		14.000 min-1		14.000 min-1		14.000 min-1	
ToGo bottle with drinking lid, BPAfree		-		-		-		-	
Glass grinder (detach. stainl. st. knife, dishw. safe)		-		-		-		-	
Glass chopper (detach. stainl. st. knife, dishw. safe)		-		-		-		-	
Glass containers with storage lid		-		-		-		-	
Continuous shredder with stainless steel discs		-		●		●		●	
Multi mixer with stainless steel discs		-		-		-		-	
Number of discs / functions continuous shredder		-		-		-		-	
Reversible slicing disc thick / thin		-		-		-		●	
Reversible shredding disc coarse / fine		-		●		●		●	
Course grating disc		-		-		-		-	
Fine grating disc		-		●		●		●	
Reversible shredding and slicing disc		-		-		-		-	
SuperCut disc		-		●		●		-	
French fries disc		-		-		-		-	
Asia vegetable disc		-		-		-		-	
Meat mincer		Chamber size		-		-		-	
		Blocking power		-		-		-	
		Output (kg/min)		-		-		-	
		Diameter 3 mm disc holes		-		-		-	
		Diameter 5 mm disc holes		●		-		-	
		Diameter 8 mm disc holes		-		-		-	
		Fancy biscuit attachment		-		-		-	
Citrus press		-		●		-		-	
Cube cutter with cleaning brush		insert with 0.9 x 0.9 cm		-		-		-	
		insert with 1.3 x 1.3 cm		-		-		-	
Storage		Cable storage compartment		Auto. cable retraction		Auto. cable retraction		-	
		Accessory bag / grey		●		●		-	
Plug-type		GB plug		GB plug		GB plug		-	
Safety features		Suction feet for extra stability		Rubber feet		Rubber feet		-	
RECIPES									
Booklet		Integrated in		Downloadable from barcode		-		-	
DVD		-		●		-		-	

● = Yes - = No

Food Processors



TYPE	KITCHEN MACHINE		KITCHEN MACHINE
BRAND	MULTITALENT3		MULTITALENT8
MODEL	MCM3100WGB		MC812S734G
Housing colour	White	Black	White
Front colour	Grey	Brushed stainless steel	Brushed stainless steel
Housing material	Plastic	Plastic	Plastic
Wattage / Power (W)	700	800	1200
Speed settings	2-stage	2-stage	Infinitely variable
Pulse function	-	-	-
LED	-	-	Illuminated ON / OFF switch
Bowl (BPAfree)	M: plastic (vol max xml / usable 2.300ml)	•	-
	L: plastic (vol max 3.900ml / usable 2.400ml)	-	•
	Max. flower + ingredients (kg)	0.8	1.5
	Max. dough capacity sponge mixture (kg)	0.8	1.5
Knife (stainless steel)	M: Universal knife	•	•
	L: serrated knife	-	•
ACCESSORIES/ NUMBER			
Smart tool detection	-	-	•
Whisk	-	-	•
Beating disc	•	•	-
Dough hook	Plastic	•	-
	Metal	-	-
No. of stainless steel discs:	-	-	-
	Reversible Slicing & Shredding Disc	•	-
	Reversible slicing disc thick / thin	-	•
	Reversible shredding disc coarse / fine	-	•
	SuperCut disc	-	•
Asia-vegetable / Julienne disc	-	-	-
	-	-	-
No. of inserts (only MCM4)	-	-	-
	Slicing fine	-	-
	Slicing coarse / thick	-	-
	Shredding fine	-	-
	Shredding medium	-	-
Blender/ jar (BPAfree, lid)	-	•	•
	S: material (vol max xml/ usable 1.000ml)	-	-
	M: material (vol max xml/ usable 1.250ml)	-	-
	L: material (vol max xml/ usable 1.500ml)	-	-
rpm	17,000 min-1	17,000 min-1	15,000 min-1
	-	-	•
Citrus Press	-	-	-
Centrifugal Juicer	-	-	-
Small chopper	-	•	-
Small mill	-	•	-
Cube cutter	-	-	-
Storage	-	-	-
	-	-	-
Cable compartment	Cable storage compartment	Cable storage compartment	Cable storage compartment
	Accessories	Standard acc. in the bowl	accessory bag dark grey
Plug-type	GB plug	GB plug	GB plug
	-	-	-
Safety features	-	-	-
	Knife guard	•	-
Suction feet for extra stability	Suction foot	Suction foot	Suction foot

• = Yes - = No

VitaPower Blender – high performance guaranteed



The VitaPower Mini Blender is easy, safe and effortless to handle. With powerful 450W motor blend your smoothie at the touch of a button directly into the leak proof 0.8l ToGo bottle and take it with you. The ergonomic shape fits even into car bottle holders.

Serie 2 Mini Blender

TYPE	PERFORMANCE BLENDER
DESIGN FAMILY	VITAPOWER
MODEL	MMB6174SG
Housing colour	Silver
Secondary colour	Black
Housing material	Plastic
Wattage / Power (W)	1.200
RPM	30.000
On/off switch	Not illuminated Rotary switch
Speed settings (2,5, variable)	2-stage
Gentle Start	-
Pulse function	●
Material	Borosilicate
S: vol max 1000ml / usable 600ml or ToGo: vol max 600ml / usable 500ml	-
M: vol max 2300ml / 2400ml / usable 1500ml	●
L: vol max 2500ml / usable 2000ml	-
XL Vacuum: max vol 2000ml / usable 1500ml	-
Pusher	●
Knife stainless steel	Stainless steel
No. of knives	-
Not detachable	-
detachable: screw mechanism	-
detachable: EasyClick mechanism	-
Ice crush function	●

ACCESSORIES	
1 ToGo bottle with drinking lid	•
1 Vacuum ToGo bottle with drinking lid	-
1 Vacuum storage container (usable 1.000ml)	-
2 Vacuum storage containers (usable 1.000&2.000ml)	-
Storage - cable compartment	Cord keeper
Plug-type	GB plug

SAFETY FEATURES	
Safety stop	-
Suction feet for extra stability	Suction foot

RECIPES	
Booklet	Integrated in Operating Instr
Languages	-
VitaBar App	•

• = Yes - = No

TYPE	MINI BLENDER
DESIGN FAMILY	VITAPOWER
MODEL	MMB2111MG
Housing colour	Silver
Secondary colour	Black
Housing material	Stainless Steel
Wattage / Power (W)	450
RPM	40.000
On/off switch	-
Speed settings (2,5, variable)	One touch On/Off
Gentle Start	-
Pulse function	-
Material	Tritan BPA free
S: vol max 1000ml / usable 600ml or ToGo: vol max 600ml / usable 500ml	0,8l max/ 0,6l usable
M: vol max 2300ml / 2400ml / usable 1500ml	-
L: vol max 2500ml / usable 2000ml	-
XL Vacuum: max vol 2000ml / usable 1500ml	-
Pusher	-
Knife stainless steel	-
No. of knives	4
Not detachable	-
detachable: screw mechanism	-
detachable: EasyClick mechanism	-
Ice crush function	-
ACCESSORIES	
1 ToGo bottle with drinking lid	●
1 Vacuum ToGo bottle with drinking lid	-
1 Vacuum storage container (usable 1.000ml)	-
2 Vacuum storage containers (usable 1.000&2.000ml)	-
Storage - cable compartment	-
Plug-type	GB plug

• = Yes - = No

Our VitaPower Serie 4 Blender will allow you to achieve great smoothie texture even with frozen ingredients with its stainless steel blades made in Solingen, Germany, its powerful 1.200W motor - highest power in its price class and its unique 3D dynamic Flow Boosters in the jar.

The handling is easy, safe and effortless with a patented EasyKlick blade holder and dishwasher safe parts.



Serie 4 Blender

Two-in-one: direct blending into the big 1.5l jar or in the ToGo bottle – without adapter.

Vacuum technology for perfect taste and perfect storage.

The VitaPower Serie 8 Vacuum Blender & Storage. Blending under vacuum gives you perfect taste with a smooth texture.

Smoothies are blended under vacuum with minimal oxidation which leads to a longer preservation of oxygen sensitive vitamins, keeping your fruit and vegetables fresh for up to two times longer*.

TYPE	VACUUM BLENDER
DESIGN FAMILY	VITAPOWER SERIE 8
MODEL	MMBV625M
Housing colour	Silver
Secondary colour	Black
Housing material	Aluminium
Wattage / Power (W)	1.000
RPM	37.000
On/off switch	Illuminated ON / OFF switch
Speed settings (2,5, variable)	Infinitely variable
Gentle Start	•
Pulse function	•
Material	Plastic
S: vol max 1000ml / usable 600ml or ToGo: vol max 600ml / usable 500ml	-
M: vol max 2300ml / 2400ml / usable 1500ml	-
L: vol max 2500ml / usable 2000ml	-
XL Vacuum: max vol 2000ml / usable 1500ml	•
Pusher	-
Knife stainless steel	Stainless steel
No. of knives	-
Not detachable	-
detachable: screw mechanism	•
detachable: EasyClick mechanism	-
Ice crush function	•
ACCESSORIES	
1 ToGo bottle with drinking lid	-
1 Vacuum ToGo bottle with drinking lid	•
1 Vacuum storage container (usable 1.000ml)	-
2 Vacuum storage containers (usable 1.000&2.000ml)	•
Storage - cable compartment	Without cable housing
Plug-type	GB plug
SAFETY FEATURES	
Safety stop	•
Suction feet for extra stability	Rubber feet
RECIPES	
Booklet	Separate enclosure
Languages	EN DE RU ES
VitaBar App	•

• = Yes - = No



Accessories.

The VitaPower Serie 8 Vacuum Blender comes with 2 vacuum storage boxes which allow you to store almost any food under vacuum, keeping it fresh for longer.

The ToGo bottle enables you to store any leftover smoothie under vacuum meaning you'll have less layers, less bubbles, more natural colours and preservation of oxygen-sensitive vitamins. You even get a FREE smoothie recipe book for inspiration.

*Stored in vacuum container and bags in refrigerator, compared to ordinary non-vacuum storage methods, study conducted by an independent laboratory 09/2018, 6/2019 and 12/2019.


Keep food fresh for longer with the new ErgoMixx Fresh Vacuum System.

Enjoy the taste of fresh food every day.

Attach the vacuum pump to your hand blender with a simple click and preserve fresh food, leftovers or snacks in vacuum containers and zipper bags.

Motor with maximum power to meet the highest demands.

Thanks to having incredible Bosch power with a 1000 watt motor, the toughest ingredients can be processed. Giving excellent results in no time.



TYPE	VACUUM BLENDER
DESIGN FAMILY	ERGOMIXX
MODEL	MS6CB61V5G
Housing colour	Plano black
Secondary colour	Anthracite
Housing material	Plastic with stainless steel
Wattage / Power (W)	1.000
Cable length (m)	1.4
SoftTouch	•
Speed	14.500 min-1
Settings	12-stage
Turbo function	•
Foot	-
Stainless steel	•
Plastic (BPAfree)	-
M: QuattroBlade knife with 4 blades	-
L: QuattroBlade Pro + 4 knives	•
Mini foot	-
Accessories	Plastic beaker (BPAfree)
Chopper with lid	•
Plug-type	GB plug
Eject mechanism	•
Hanging loop	-

• = Yes - = No

Homemade food simply tastes best.

The durable and extra sharp **QuattroBlade** delivers outstanding cutting action for fine blending results. Whether it's herbs, nuts, meat or onions they are chopped in no time. In addition, the **AntiSplash** function prevents splashes and helps keep your kitchen spotless.

Variable speed settings.

You can always be in control of the precise settings for every task, simply select the best speed from the variable 12 speed settings depending on the results you desire.

Accessories.

The dishwasher-safe chopper and whisk attachments are ready to use right away. The stackable vacuum container (1.2L) and 6 zipper bags (3 1.2L and 3.8L each) are BPA-free so they can also be cleaned in the dishwasher and used again.

Hand Blenders

Bosch handheld kitchen blenders provide practical and powerful blending at the press of a button. Innovative technology and a range of accessories can transform your Bosch stick blender into a versatile and enviable kitchen gadget for blending, chopping, whisking and beating.



TYPE	HAND BLENDER	HAND BLENDER	HAND BLENDER	HAND BLENDER	HAND BLENDER
DESIGN FAMILY	MY COLLECTION	MSM6	MSM6	CLEVERMIXX	CLEVERMIXX
MODEL	MSMP1000GB	MSM6B150GB	MSM66020GB	MSM2610BGB	MSM2623GGB
Housing colour	White	White	White	Piano black	White
Secondary colour	Deep red	Grey	Window Grey	Anthracite	Vivid green
Housing material	Plastic	Plastic	Plastic	Plastic	Plastic
Wattage / Power (W)	350	300	600	600	600
Cable length (m)	1.5	1.5	1.4	1.2	1.2
SoftTouch	-	-	●	-	-
Speed	12.500 min-1	12.500 min-1	11.200 min-1	15.000 min-1	15.000 Min-1
Settings	1-stage	1-stage	12-stage	1-stage	1-Stage
Turbo function	-	-	●	-	-
Foot	-	-	-	-	-
Stainless steel	-	-	-	●	●
Plastic (BPA free)	●	●	●	-	-
M: QuattroBlade knife with 4 blades	●	●	●	●	●
L: QuattroBlade Pro + 4 knives	-	-	-	-	-
Mini foot	-	-	-	-	●
ACCESSORIES					
Beaker	-	●	●	●	●
Maximum volume (l)	-	-	-	-	-
Usable volume (l)	-	-	-	-	-
Lid	-	-	-	-	-
Stainless steel	-	-	-	-	-
Chopper with lid	-	-	●	-	●
Lid	-	-	-	-	●
Whisk, stainless steel	-	-	-	-	-
Plug-type	GB plug	GB plug	GB plug	GB plug	GB plug
Eject mechanism	Bayonet	Bayonet	Eject	Eject	Bayonet
Hanging loop	-	-	-	-	-
Overhead protection	-	-	-	-	-
RECIPES					
Booklet	-	-	-	-	Separate enclosure

● = Yes - = No




HAND BLENDER	HAND BLENDER	HAND BLENDER	HAND BLENDER	HAND BLENDER	HAND BLENDER
ERGOMIXX	ERGOMIXX	ERGOMIXX	ERGOMIXX	MAXOMIXX	MAXOMIXX
MS6CA4150G	MSM6S90BGB	MS62B6190G	MS6CB61V5G	MS8CM6160G	MS84CB6110
White	Stainless steel	Piano black	Piano black	Stainless steel	Stainless steel
Anthracite	Black	Anthracite	Anthracite	Black	Black
Plastic	Plastic with stainless steel	Plastic	Plastic with stainless steel	Plastic with stainless steel	Plastic with stainless steel
800	750	1000	1000	1.000	1.000
1.4	1.4	1.4	1.4	1.4	1.4
●	●	●	●	●	●
11.200 Min-1	14.500 Min-1	14.500 Min-1	14.500 Min-1	16.000 Min-1	16.000 Min-1
12-Stage	12-Stage	12-Stage	12-Stage	12-Stage	12-Stage
●	●	●	●	●	●
-	-	-	-	-	-
●	●	●	●	●	●
-	-	-	-	-	-
●	●	●	●	-	-
-	-	-	-	●	●
-	-	-	-	●	-
-	-	-	-	-	-
●	●	●	●	-	-
GB plug	GB plug	GB plug	GB plug	GB plug	Helix cord
Eject	Eject	Eject	Eject	Eject	Eject
-	-	-	-	●	-
●	●	●	●	-	-
-	-	-	-	-	-

● = Yes - = No

Hand Mixers

Bosch hand mixers and electric whisks add finesse to your cooking and a splash of colour to your kitchen. Bosch mixers are designed to deliver powerful performance whether mixing, whipping or kneading, while barely making a sound.



TYPE	HAND MIXER		HAND MIXER		HAND MIXER WITH BOWL
DESIGN FAMILY	CLEVERMIXX	ERGOMIXX	CLEVERMIXX	STYLELINE	CLEVERMIXX
MODEL	MFQ3030GB	MFQ36300GB	MFQ2420BGB	MFQ4020GB	MFQ3555GB
Value class name	CleverMixx	ErgoMixx	CleverMixx	Styleline	CleverMixx
Housing colour	White	White	Piano black	White	White
Secondary colour	Red	Red	Silver	Anthracite	Red
Housing material	Plastic	Plastic	Plastic	Plastic	Plastic
Wattage / Power (W)	350	400	400	450	350
SoftTouch	No	No	No	Yes	No
Speed	1,050 min-1	1,000 min-1	1,050 min-1	1,000 min-1	1,100 min-1
Settings	4-stage	5-stage	4-stage	5-stage	5-stage
Pulse = Turbo	-	-	-	-	-
Connection for accessories	No	No	No	Yes	Yes
Stand 'n' bowl (plastic)	-	-	-	-	Yes
Max. capacity (ml)	-	-	-	-	3000
ACCESSORIES:					
Beater, stainless steel	-	-	-	-	-
Standard	●	-	-	-	-
Turbo	●	-	●	-	●
FineCreamer	-	●	-	●	-
Hooks, stainless steel	-	-	-	-	-
Standard	●	●	●	-	-
Turbo	-	-	-	-	-
Beaker	-	-	-	-	-
Lid	-	-	-	-	-
Chopper	-	-	-	-	-
Ice crush knife	-	-	-	-	-
lid	-	-	-	-	-
Blender foot	-	-	-	-	-
Stainless steel	-	-	-	-	-
Plastic (BPA free)	-	-	-	-	-
Eject button (for beater / hooks)	●	●	●	●	●
Safety features	-	-	-	-	-

TYPE	MINI CHOPPER
DESIGN FAMILY	CHOPPER
MODEL	MMR08R1GB
Housing colour	Red
Secondary colour	Grey
Housing material	Plastic
Wattage / Power (W)	400
Speed	3800
Settings	1-stage
Bowl	●
Ice crush knife	-
Beating disc	-
Plug type	GB plug
Cable housing	●
Safety features	-



● = Yes - = No

Explore more at [bosch-home.co.uk](https://www.bosch-home.co.uk) / [bosch-home.ie](https://www.bosch-home.ie)

Kettles & Toasters

Breakfast at your fingertips.

With the elegant design and the latest heating technology that features across our range, the Sky kettle and toaster will help you start every morning the right way.



With the TouchControl display you can choose between 7 temperature settings from 70 °C to boiling.

TYPE		TOASTER	
DESIGN FAMILY		SKY	
MODEL		TAT7201GB	TAT7203GB
Main colour		Stainless steel	Black
Secondary colour		White	-
Type of toaster		Compact toaster	
Material		Stainless steel	
Wattage / Power (W)		860 - 1050	
CHARACTERISTICS			
Defrost function		●	
Reheat function		●	
Stop function		●	
High-lift		-	
Bun warmer		Integrated	
Crumb tray		●	
Thick & thin function		●	
Toasting degree selector		Inf. variable rotary control	
Automatic shut off at end of roasting cycle		●	
Automatic shut off when toast gets jammed		●	
Heating type		Large-surface heating element	
DIMENSIONS			
HxWxD mm		140x35x125	
Size of roasting chamber (LxWxD mm)		-	
POWER SUPPLY			
Voltage (V)		220-240	
Frequency (Hz)		50 / 60	
Plug type		GB plug	
Cable length (cm)		90 cm	

TYPE	KETTLE	
DESIGN FAMILY	SKY	
MODEL	TWK7201GB	TWK7203GB
Main colour	Stainless steel	Stainless steel
Secondary colour	White	Black
PRODUCT SPECIFICATION		
Connection Rating (W)	3000	
Voltage (V)	220-240	
Frequency (Hz)	50 / 60	
Length electrical supply cord (cm)	80	
Plug type	GB plug	
Approval certificates	UKCA	
Material body	Stainless steel	
Capacity (l)	1.7	
Power on indicator	●	
Water level indicator	Readable from outside	
Lift-Switch_Off	●	
Filter	Plastic scale filter	
Button for opening lid	●	
Cordless	●	
DESCRIPTION		

• 1.7 l capacity • Wattage: 2500-3000 W • one-cup minimum indicator: for small amounts (300ml) • Water level indicator readable from outside
• Cordless, 360° rotary base • Stainless steel interior base with concealed heating element • Removable limescale filter • Button for opening lid • Safety locking lid
• TemperatureControl: Temperature setting at 70°C, 80°C, 90°C, 100°C • Keep Warm Function • on/off switch with separate power indicator
• Automatic switch-off: kettle automatically switches off when water has boiled • Boil-dry and overheat protection • Lift switch off: the kettle automatically switches off when removed from its base • Large opening for easy cleaning • Acoustic ready signal • Non-slip feet on base • Easy storage: Cord keeper for simple and quick storage of the cable

● = Yes - = No

*Will be UKCA approved before 01/12/2021

Making **life easy** through innovative technologies



TYPE	KETTLE				
DESIGN FAMILY	DESIGNLINE PLUS	DESIGNLINE PLUS	DESIGNLINE PLUS	DESIGNLINE ERGO	DESIGNLINE ERGO
MODEL	TWK4P440GB	TWK4P439GB	TWK4P437GB	TWK5P480GB	TWK5P475GB
Main colour	Silver	Copper	Cream	Silver	Anthracite
Secondary colour	Black	Black	Black	Black	Black
FEATURES / BENEFITS					
Connection Rating (W)	3000	3000	3000	3000	3000
Voltage (V)	220-240	220-240	220-240	220-240	220-240
Frequency (Hz)	50/60	50/60	50/60	50/60	50/60
Length electrical supply cord (cm)	70.0	70.0	70.0	70.0	70.0
Plug type	GB plug	GB plug	GB plug	GB plug	GB plug
Approval certificates	UKCA*	UKCA*	UKCA*	UKCA*	UKCA*
Material body	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Capacity (l)	1.70	1.70	1.70	1.70	1.70
Power on indicator	●	●	●	●	●
Water level indicator	●	●	●	●	●
Lift switch-off when removed from the base	●	●	●	●	●
Filter	Plastic scale filter	Plastic scale filter	plastic scale filter	plastic scale filter	plastic scale filter
Button for opening lid	●	●	●	●	●
Cordless	●	●	●	●	●
Stainless Steel interior base	●	●	●	●	●
Concealed heating element	●	●	●	●	●
Removeable limescale filter	●	●	●	●	●
Cordless 360° rotary base	●	●	●	●	●
Safety locking lid	●	●	●	●	●
Illuminated on/off switch	●	●	●	●	●
Automatic switch-off when kettle has boiled	●	●	●	●	●
Boil-dry and overheat protection	●	●	●	●	●
Easy storage: Cord keeper for simple and quick storage of the cable	●	●	●	●	●
TemperatureControl: settings at 70°C, 80°C, 90°C, 100°C	-	-	-	-	-
Keep Warm Function	-	-	-	-	-
Large opening for easy cleaning	-	-	-	-	-
One cup minimum indicator (min. 300ml)	-	-	-	-	-
Acoustic ready signal	-	-	-	-	-
Non-slip feet on base	-	-	-	-	-
Large water window: good visibility for right and left handed persons	●	-	-	-	-
Anti slip 'soft touch' handle	-	-	-	●	●
Ergonomic handle design	-	-	-	-	-
SensorTouch' controls	-	-	-	-	-



TYPE	TOASTER					
DESIGN FAMILY	DESIGNLINE PLUS	DESIGNLINE PLUS	DESIGNLINE PLUS	DESIGNLINE PLUS	DESIGNLINE ERGO	DESIGNLINE ERGO
MODEL	TAT4P440GB	TAT4P449GB	TAT4P447GB	TAT4P443GB	TAT5P440GB	TAT5P445GB
Type of toaster	4 Slot toaster	4 Slot toaster	4 Slot toaster	4 Slot toaster	4 Slot toaster	4 Slot toaster
Main colour	Silver	Copper	Cream	Black	Silver	Anthracte
Secondary colour	Black	Black	Black	Black	Black	Black
Material	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Wattage / Power (W)	825 - 980	825 - 980	825 - 980	825 - 98	825 - 980	825 - 980
FEATURES / BENEFITS						
Defrost function	●	●	●	●	●	●
Reheat function	●	●	●	●	●	●
Stop function	●	●	●	●	●	●
High-lift	●	●	●	●	●	●
Bun warmer - integrated	●	●	●	●	●	●
Crumb tray	●	●	●	●	●	●
Thick & thin function	●	●	●	●	●	●
Toasting degree selector	Variable rotary control	Variable rotary control	Variable rotary control	Variable rotary control	Variable rotary control	Variable rotary control
Automatic shut off at end of roasting cycle	●	●	●	●	●	●
Automatic shut off when toast gets jammed	●	●	●	●	●	●
Heating type	Large-surface heating element	Large-surface heating element	Large-surface heating element	Large-surface heating element	Large-surface heating element	Large-surface heating element
Voltage (V)	220-240 V~	220-240 V~	220-240 V~	220-240 V~	220-240 V~	220-240 V~
Frequency (Hz)	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz
Plug type	GB plug	GB plug	GB plug	GB plug	GB plug	GB plug

● = Yes - = No *Will be UKCA approved before 01/12/2021

Explore more at bosch-home.co.uk / bosch-home.ie



KETTLE						
DESIGNLINE ERGO	SILICONE	SILICONE	STYLINE	STYLINE	SKY	SKY
TWK5P471GB	TWK7S05GB	TWK7S04GB	TWK8631GB	TWK8633GB	TWK7201GB	TWK7203GB
White	Grey	Silver	White	Black	Stainless steel	Stainless steel
Black	Silver	Black	Anthracite	Black	White	Black
3000	3000	3000	3000	3000	3000	3000
220-240	220-240	220-240	220-240	220-240	220-240	220-240
50/60	50/60	50/60	50/60	50/60	50/60	50/60
70.0	80.0	80.0	80.0	80.0	80.0	80.0
GB plug	GB plug	GB plug	GB plug	GB plug	GB plug	GB plug
UKCA*	CE, VDE	CE, VDE	UKCA*, VDE	UKCA*, VDE	UKCA*, VDE	UKCA*, VDE
Stainless steel	Stainless steel	Stainless steel	Plastic w. stainl.steel appl.	Plastic w. stainl.steel appl.	Stainless steel	Stainless steel
1.70	1.70	1.70	1.50	1.50	1.70	1.70
●	●	●	●	●	●	●
●	-	-	-	-	-	-
●	●	●	●	●	●	●
plastic scale filter	plastic scale filter	plastic scale filter	Scale filter in pouring spout	Scale filter in pouring spout	Plastic scale filter	Plastic scale filter
●	●	●	●	●	●	●
●	●	●	●	●	●	●
●	●	●	●	●	●	●
●	●	●	●	●	●	●
●	●	●	●	●	●	●
●	●	●	●	●	●	●
●	●	●	●	●	●	●
●	●	●	●	●	Power indicator	Power indicator
●	●	●	●	●	●	●
●	●	●	●	●	●	●
-	-	-	●	●	●	●
-	-	-	●	●	●	●
-	-	-	-	-	●	●
-	-	-	-	-	●	●
-	-	-	●	●	●	●
-	-	-	-	-	●	●
●	-	-	●	●	●	●
-	-	-	-	-	-	-
-	-	-	-	-	●	●



TOASTER						
DESIGNLINE ERGO	SILICONE	SILICONE	STYLINE	STYLINE	SKY	SKY
TAT5P441GB	TAT7S45GB	TAT7S44GB	TAT8611GB	TAT8613GB	TAT7201GB	TAT7203GB
4 Slot toaster	4 Slot toaster	4 Slot toaster	Compact toaster	Compact toaster	Compact toaster	Compact toaster
White	Grey	Red	White	Black	Stainless steel	Stainless steel
Black	Black	Black	Anthracite	Black	White	Black
Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Painted steel	Painted steel
825 - 980	915 - 1.090	915 - 1.090	860	860	860 - 1.050	860 - 1.050
●	●	●	●	●	●	●
●	●	●	●	●	●	●
●	●	●	●	●	●	●
●	●	●	●	●	●	●
●	●	●	●	●	●	●
●	●	●	●	●	●	●
Variable rotary control	Variable rotary control	Variable rotary control	LED display w. memory function	LED display w. memory function	Variable rotary control	Variable rotary control
●	●	●	●	●	●	●
●	●	●	●	●	●	●
Large-surface heating element	Large-surface heating element	Large-surface heating element	Quartz glass heater	Quartz glass heater	Large-surface heating element	Large-surface heating element
220-240 V~	220-240 V~	220-240 V~	220-240 V~	220-240 V~	220-240 V~	220-240 V~
50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz
GB plug	GB plug	GB plug	GB plug	GB plug	GB plug	GB plug

Kettles & Toasters



Kettles & Toasters



Kettles & Toasters

Kettles & Toasters



Small appliances 84 | 85



Small appliances 84 | 85

Small appliances 84 | 85

Brita Maxtra Water Filter.

A Brita Maxtra water filter system is installed in the water tank of your Tassimo. This filter system from Brita reduces limescale and chlorine to a minimum, thereby ensuring improved aroma and better taste in each cup. The filter system also guarantees a longer appliance life. A digital memo lets you know when the filter needs to be replaced.



Descaling tablets.

Descaling tablets. Keep your Tassimo machine in perfect working order with our Descaling Tablets. Each tablet removes limescale, residue and calcium deposits from your machine, so that it remains in the best condition to create delicious drinks for years.



TYPE	MY WAY 2 TASSIMO
BLACK	TAS6502GB
RED	TAS6503GB
WHITE	TAS6504GB
CREAM	TAS6507GB
KEY FEATURES	
INTELLIBREW barcode reader	•
One Touch Operation	•
Multi Beverage	•
Removeable Water Tank	•
Transparent Water Tank	•
Water Tank Size (L)	1.3
Water Level Gauge	•
Colour Alternatives	•
Smart Start	-
Brita Maxtra Water Filter	•
Wattage / Power (W)	1500
Pump Pressure	3.3 Bar
Adjustable Cup Stand	•
Removeable Drip Tray	•
Auto Shut-Off	•
Auto Shut-Off Time – After 60 seconds	•
Automatic Cleaning & Descaling Programme	•
Descale Warning Feature	•
Dishwasher Safe Parts	•
Personalisation Settings	•
Sensor-Touch Interface	•
Appliance Dimensions (HxWxD) (mm)	290x230x325
Standy By Display	Indicator Light
Power Cord Length (cm)	100



Black



Red



White



Cream

Tassimo
My Way 2



Bosch Tassimo My Way 2 is a hot drinks machine that combines innovative technology and contemporary design to make customised coffees at the touch of a button. Personalisation settings offer the flexibility to change the temperature, size and strength of drinks to suit everybody's taste, with memory function to save up to 4 user profiles.



INTELLIBREW barcode reader.

Thanks to patented barcode technology INTELLIBREW™, the drink specialities from Tassimo are always perfectly prepared with the correct amount of water, at the right temperature and for the right brewing time.



All of your
favourite drinks
and **favourite**
brands.



Tassimo coffee machines



TYPE	HAPPY TAS10		JOY TAS45	
MODEL/COLOUR	TAS1001GB - PURPLE/WHITE TAS1002GB - BLACK TAS1003GB - RED/BLACK TAS1006GB - RED/WHITE TAS1007GB - CREAM/BLACK TAS1009GB - GREY TAS1002NGB - BLACK		TAS4502NGB - BLACK	
KEY FEATURES				
INTELLIBREW barcode reader	•		•	
One Touch Operation	•		•	
Multi Beverage	•		•	
Removeable Water Tank	•		•	
Transparent Water Tank	•		•	
Water Tank Size (L)	0.7		1.4	
Water Level Gauge	•		•	
Colour Alternatives	•		-	
Smart Start	-		-	
Brita Maxtra Water Filter	-		•	
Wattage / Power (W)	1400		1300	
Pump Pressure	3.3 Bar		3.3 Bar	
Adjustable Cup Stand	•		•	
Removeable Drip Tray	•		•	
Auto Shut-off	•		-	
Auto Shut-off time	After 60 seconds		On/off button	
Automatic Cleaning & Descaling Programme	•		•	
Descale Warning Feature	•		•	
Dishwasher Safe Parts	•		•	
Personalisation Settings	-		-	
Sensor-Touch Interface	-		-	
Appliance Dimensions (HxWxD) (mm)	265x175x305		289x230x333	
Standby By Display	Indicator Light		Indicator Light	
Power Cord Length (cm)	90		90	

• = Yes - = No

Filter Coffee Machines

Enjoy perfect aroma.

Refines your coffee – for exceptional indulgence.



DualHeating System
Coffee must be brewed at the correct temperature to ensure that the full aroma can develop. Two powerful sensor-controlled heating systems ensure that the brewing water is heated to the ideal temperature of 92-96 °C. The second heating system keeps the coffee warm at 80-85 °C.

VolumeAutomatic
– a sensor in the water tank that detects how many cups are required, then automatically adjusts the brewing time and optimises the brewing process.

TYPE	FILTER COFFEE MACHINE	
DESIGN FAMILY	STYLINE	STYLINE
MODEL	TKA8011	TAT7203GB
Main colour	Plastic	Plastic
Secondary colour	White / Anthracite	Black / Black
Availability	June 2021	June 2021
KEY FEATURES		
Approval certificates	UKCA*	UKCA*
Power on indicator	•	•
Auto-Off	•	•
Volume water tank	1.25	1.25
Number of cups big/small	Glass carafe with soft handle	Glass carafe with soft handle
POWER SUPPLY		
Connection Rating (W)	1160	1160
Voltage (V)	220-240	220-240
Frequency (Hz)	50 / 60	50 / 60
Plug type	GB plug	GB plug
Cable length (cm)	100 cm	100 cm

• = Yes - = No

Integrated descaling system
– for a long appliance life and excellent taste.


Auto-off – safe and energy-saving, as the device switches off automatically after 40 minutes of keeping it warm.



Removable water tank – easy and quick to fill directly under the tap.


Accessories and product specification guide

2022




Cooling technical diagrams


American-style fridge freezer




KFN96APEAG, KFN96VPEAG



KFF96PIEP



KAG93AIEPG, KAD93VIFPG, KAD93VBFG, KAI93VIFPG



KAN93VIFPG

All diagram measurements are in millimetres (mm)

We try to keep up to date with constant technological improvements, so from time to time we may update installation guidelines. Therefore we strongly recommend that you download the latest installation guidelines from www.bosch-home.co.uk. Line drawings are for guidance only, and we recommend that you refer to the latest installation guidelines. Though every care is taken to ensure instructions are correct at the time of printing, Bosch cannot accept responsibility for incorrect planning or installation as a result of the use of these line drawings.

LAUNDRY ACCESSORIES	
Stacking kit	
Model	WTZ20410
Stacking kit (pull-out shelf)	
Model	WTZ11400
Stacking kit	
Model	WTZ27410
Stacking kit (pull-out shelf)	
Model	WTZ27400
Condenser drainage kit	
Model	WTZ1110
Floor securing component	
Model	WMZ2200
Extension for cold water inlet/ AquaStop	
Model	WMZ2381
Built under cover	
Model	WMZ2420
Stacking kit	
Model	WTZ2741X
Stacking kit with pull-out shelf	
Model	WTZ2742X

DISHCARE ACCESSORIES			
Cutlery baskets		Cutlery baskets (45cm & Compacts)	
Model	SMZ5100	Model	SPZ5100
Hose extension		Wine Glass Holder	
Model	SGZ1010	Model	SMZ5300
Silver Cassette			
Model	SMZ5002		

COOLING ACCESSORIES		
203cm Joining strips		
Model	KSZ39AW00	KSZ39AL00

Dishwasher accessories

DESCRIPTION	Accessory Nr.	SMS8YCI03E	SMS8TCI00E	SMS6ZDW48G	SMS6EDI02G	SMS6EDW02G	SMS6ZCI00G	SMS6ZCW00G	SMS4HCI40G	SMS4HCW40G
Aqua stop extension	SGZ1010	●	●	●	●	●	●	●	●	●
Silver polishing cassette - 60cm dishwashers	SMZ5002	-	●	●	●	●	●	●	-	-
Vario cutlery basket - 45cm dishwashers	SPZ5100	-	-	-	-	-	-	-	-	-
Vario cutlery basket - 60cm dishwashers	SMZ5100	●	-	-	-	-	-	-	●	●
Wine glass holder accessory (Glass secure tray)	SMZ5300	●	●	●	●	●	●	●	●	●
DESCRIPTION	Accessory Nr.	SMS4HAW40G	SMS2HKI66G	SMS2HKW66G	SMS2HVI66G	SMS2HVV66G	SMS2ITI41G	SMS2ITW41G	SPS2IKW04G	SKS62E32EU
Aqua stop extension	SGZ1010	●	●	●	●	●	●	●	●	●
Silver polishing cassette - 60cm dishwashers	SMZ5002	-	●	-	-	-	-	-	-	-
Vario cutlery basket - 45cm dishwashers	SPZ5100	-	-	-	-	-	-	-	-	-
Vario cutlery basket - 60cm dishwashers	SMZ5100	-	-	-	●	●	-	-	-	-
Wine glass holder accessory (Glass secure tray)	SMZ5300	●	●	●	●	●	●	●	●	-

Laundry stacking kit compatibility

DESCRIPTION	Accessory Nr.	WTX88EH9GB	WTX88RH9GB	WTWH7660GB	WQG245R9GB	WQG245S9GB	WQG24509GB
Stacking kit	WTZ20410	-	-	-	-	-	●
Stacking kit with pull-out shelf	WTZ11400	-	-	-	-	-	-
Stacking kit	WTZ27410	●	●	●	-	-	●
Stacking kit with pull-out shelf	WTZ27400	●	●	●	-	-	-
Condenser drainage kit	WTZ110	-	-	-	-	-	-
Floor securing component	WMZ2200	-	-	-	-	-	-
Extension for cold water inlet/ AquaStop	WMZ2381	-	-	-	-	-	-
Built under cover	WMZ2420	-	-	-	-	-	-
Stacking kit	WTZ2741X	-	-	-	●	●	-
Stacking kit with pull-out shelf	WTZ2742X	-	-	-	●	●	-
DESCRIPTION	Accessory Nr.	WQG233D8GB	WTG86402GB	WTH85222GB	WTN85201GB	WTH84000GB	WTN83201GB
Stacking kit	WTZ20410	-	●	●	●	-	-
Stacking kit with pull-out shelf	WTZ11400	-	●	●	●	-	-
Stacking kit	WTZ27410	●	-	-	-	●	●
Stacking kit with pull-out shelf	WTZ27400	●	-	-	-	●	●
Condenser drainage kit	WTZ110	-	-	-	-	-	-
Floor securing component	WMZ2200	-	-	-	-	-	-
Extension for cold water inlet/ AquaStop	WMZ2381	-	-	-	-	-	-
Built under cover	WMZ2420	-	-	-	-	-	-
Stacking kit	WTZ2741X	-	-	-	-	-	-
Stacking kit with pull-out shelf	WTZ2742X	-	-	-	-	-	-

Download a copy of our catalogues online at **www.bosch-home.co.uk** or call **0344 892 8979**

Contact Bosch Customer Service

To arrange an engineer visit, obtain product advice or order replacement spare parts or accessories visit **www.bosch-home.co.uk** or call **0344 892 8979**

Republic of Ireland customers should visit **www.bosch-home.ie** to arrange an engineer's visit, or to order spare parts and accessories, or call **(01) 450 2655**



BoschHomeIE



boschhomeireland

Calls are charged at the basic rate, please check with your telephone service provider for exact charges.

Disclaimer: This brochure is current as from the publication date and supersedes all previous brochures for these products. This brochure should not be regarded as an infallible guide nor as an offer for sale of any particular product. Whilst BSH Home Appliances Ltd believes that all information contained within this brochure is correct at the time of going to print, no representation or warranty, express or implied, is or will be made and no responsibility or liability is or will be accepted by BSH Home Appliances Ltd in relation to the accuracy or completeness of this information and any liability is expressly disclaimed. To the extent permitted by law, BSH Home Appliances Ltd expressly excludes: i) all conditions, warranties and other terms which might otherwise be implied by statute, common law or the law of equity and ii) any liability for any direct, indirect or consequential loss or damage (including, without limitation, damages for loss of business or loss of profits) arising in contract, tort or otherwise from the use of or reliance on any information contained within this brochure or from any action or decision taken as a result of such use or reliance. BSH Home Appliances Ltd reserves the right to modify technical data and all other information contained within this brochure without notice. All rights reserved. No part of this publication may be reproduced in any form or without the prior written permission of BSH Home Appliances Ltd. All colour variations are due to the limitations of the printing process. We recommend a visit to a Bosch dealer to confirm that specifications and colours are to your satisfaction.

April 2022.

BSH Home Appliances Limited
Grand Union House
Old Wolverton Road, Wolverton
Milton Keynes MK12 5PT
www.bosch-home.co.uk

BSH Home Appliances Limited
M50 Business Park
Ballymount, Dublin 12
Tel: 1890 626 041
www.bosch-home.ie