24" Recessed Handle Dishwasher

100 Series - White SHE3AEM2N





SHE3AEM2N White

Also available in:
Stainless Steel SHE3AEM5N
Black SHE3AEM6N

Bosch Dishwashers are engineered to the highest standards, passing 485 stringent quality checks resulting in exceptional workmanship and reliable performance.

Features & Benefits

50 dBA: Quietest dishwasher brand in North America.¹

Home Connect® lets you monitor and control your appliance remotely, via the Home Connect® app.

24/7 Overflow Protection System* helps prevent water leaks, even when your dishwasher is off.

The Favorite button allows you to easily access your preferred cycle/option combination with 1 touch.

General Properties	
Wash cycles (control panel)	5 (Heavy, Auto, Normal, Speed60 (1hr Wash), Favorite)
Additional wash cycles (in Home Connect®)	3 (Delicate, Rinse, MachineCare)
Options (control panel)	3 (Sanitize, Remote Start, Extra Dry)
Additional options (in Home Connect®)	4 (Half Load, Eco, Extra Quiet, Fast Forward)
dBA	50
Wash system	PrecisionWash®
Drying system	PureDry®
Third rack	No
Rack adjustability	None
Tub material	Stainless steel/ polypropylene
Concealed water heating element	Yes
Leak protection system	24/7 Overflow Protection
NSF®-certified² sanitize option	Yes
Water softener	No
Five-level wash	Yes
Child Lock button suspension	Yes
Home Connect® (Wi-Fi enabled)	Yes
Anti-Fingerprint Finish	N/A
Efficiency	
Water usage per cycle	3.5 gal
Total annual energy consumption	269 kWh

Capacity	
Number of place settings	14
Technical Details	
Watts	1440 W
Current	12 Amps
Volts	120 V
Frequency	60 Hz
Power cord full length	67"
Power cord install length from edge of unit when facing the door	Left – 45" Right – 50"
Minimum water pressure	14 lb/sin
Length outlet hose	90 1/2"
Dimensions & Weight	
Overall appliance dimensions (HxWxD)	33 7/8" x 23 9/16" x 22 9/16"
Required cutout size (HxWxD)	33 7/8" x 24" x 24"
	33 7/8" x 24" x 24" Yes
(HxWxD)	
(HxWxD) Adjustable feet	Yes
(HxWxD) Adjustable feet Net weight	Yes
(HxWxD) Adjustable feet Net weight Accessories—Optional Supply Hose Kit with	Yes 62 lbs
(HxWxD) Adjustable feet Net weight Accessories—Optional Supply Hose Kit with Elbow	Yes 62 lbs SMZSH1ABUC
(HxWxD) Adjustable feet Net weight Accessories—Optional Supply Hose Kit with Elbow Junction Box Junction box & Water	Yes 62 lbs SMZSH1ABUC SMZPCJB1UC





Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

¹Based on an average of sound ratings of 24" Full Size Stainless Steel Tub dishwashers contained in major brands websites. Major brands defined as Yipit Top 5 Market Share December 2024.


²Certification to NSF/ANSI Standard 184 for residential dishwashers.


24" Recessed Handle Dishwasher


100 Series - White SHE3AEM2N





Installation Details











Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.


Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.


24" Recessed Handle Dishwasher

100 Series - White SHE3AEM2N



Installation Details





Note: Plumbing installations will vary - refer to local codes. Drain hose included is $90\,^{1}/^{2}$ " (230 cm) and can be extended to a maximum of $168\,^{1}/^{2}$ " (428 cm).

Always use the approved drain hose extension kit (SGZ1010UC). $\label{eq:constraint} % \begin{subarray}{ll} \end{subarray} % \begin{subarray}{ll$

Ensure a portion of the drain hose is raised between min. 33" (84 cm) and max. 43" (110 cm) above the cabinet floor.