

Built-in Appliances



Bosch BI KSA catalouge English.indd 1 22/10/2025 5:13 PM



Bosch BI KSA catalouge English.indd 2 22/10/2025 5:13 PM





Quality

Over 130 years of experience paired with the latest German engineering allows Bosch to manufacture quality products that make everyday life easier.



With Bosch you get the best.

That's why we've been named the number one oven company brand in the world.



Most trusted brand.


In 2023, Bosch is again elected the 'Most Trusted Brand' for Home Appliances in Germany by consumers.



Design

Every detail of every appliance has been carefully designed, where everything just matches perfectly and makes your time spent in the kitchen as enjoyable as possible.

Bosch BI KSA catalouge English.indd 3 22/10/2025 5:13 PM



Selecting the right oven for you and your kitchen.

Whether you're designing a new kitchen or you are simply updating one of your appliances, we have a wide variety of cooking products available to you to choose from. Depending on the space you have in your kitchen, you can choose from a single product or combination.

Single ovens



Compact ovens



Choose our built-in companion appliances to compliment your built-in oven.

Microwave



Warming drawer



Bosch BI KSA catalouge English.indd 5 22/10/2025 5:13 PM



 Bosch BI KSA catalouge English.indd
 6
 22/10/2025
 5:13 PM



Thin Handle.

A thin stainless steel-look handle with an embossed Bosch logo highlights the elegant design.





Digital Control Ring.

With the Digital Control Ring, you can adjust your oven settings intuitively. Just move your finger across the ring engraved in the glass on the control panel and confirm the desired setting.



TFT Touch Display.

Additionally, you are supported by a highresolution TFT Touch Display: clear, vivid images and info texts take you through each step as you navigate the program options. Thus, you enjoy a complete overview and full control over your appliance's functions. For those who love an extra good overview, we have designed the enlarged TFT Touch Display Plus and the 6.8-inch full-surface TFT Touch Display Pro.

Bosch BI KSA catalouge English.indd 7 22/10/2025 5:13 PM

New Ovens, New Functions.





Air Fry Function.

The program combines fast air movement and heat from the grill to achieve a crispy finish. Simply place thin slices on the Air Fry and Grill tray, add a little oil, select the Air Fry Function, and soon you'll have yummy healthy snacks

*Applies to some selected Model






Crisp Finish Function.


The Crisp Function removes moisture directly from the oven cavity during the roasting or baking process. This gives your finished dish the extra crispiness you want.

*Applies to some selected Model



Bosch BI KSA catalouge English.indd 8 22/10/2025 5:13 PM











PerfectBake Plus.*

Choose your desired dish from the Assist Menu, press 'Start' and your oven will automatically choosethe right setting. Thanks to Artificial Intelligence within the Home Connect app and the Baking Sensor that measures the humidity inside your oven, you can see how many minutes are left until your dish is ready to serve.






PerfectRoast Plus.*

Using the 3-point Meat Probe Assistant with PerfectRoastPlus, you can now achieve your preferred degree of doneness. The recommended core temperature will be determined using the Meat Probe Assistant, and using Artificial Intelligence through the Home Connect app, the minutes it will take to achieve your desired roast will be shown.

*Features available with selected models.



What could be nicer than the fragrance of fresh baked bread – with a perfect crust on the outside and still fluffy on the inside? Or a perfect Sunday roast, juicy on the inside and crisp on the outside? It's easy when you use steam functions of our ovens.



Added Steam.

The Added Steam function gives your food mouth-watering texture, inside and out. It's ideal for baking bread, giving your loaves a deliciously crispy crust while keeping the inside fluffy. You can also use it for superb results when roasting and re-heating. Simply fill up the water container and your oven does the rest.



More vitamins and nutrients.


Steaming broccoli at a temperature over 100°C, retains up to 54% more nutrients and up to 10% more Vitamin C than conventional cooking methods**. Whereas steaming red pepper at a temperature over 100°C retains up to 15% more Vitamin C!** They also keep their full, natural flavor, so you can go easy on the extra seasoning and use much less salt when cooking. In short – healthy food has never tasted better.

** Steam Function Plus compared to cooking in boiled water, University of Hohenheim test results 5/2022 and 10/2022

 Bosch BI KSA catalouge English.indd
 12
 22/10/2025
 5:14 PM



Bosch BI KSA catalouge English.indd 13 22/10/2025 5:14 PM



From Bosch ovens offer heating functions that deliver everything from haute cuisine to everyday feasts.





Possible to use added steam for this type of heating (operation only possible when the water tank is full). ^To cook on all four levels simultaneously, four wire racks are required for best results. For up to three levels, all accessories are suitable,ie. universal tray or baking tray. Features may vary depending on models. Please check individual product specifications.

 Bosch BI KSA catalouge English.indd
 15
 22/10/2025
 5:14 PM

Programs and Functions.

Perfect baking and roasting not only require the right temperature, but also the appropriate heating function for each dish. From 4D HotAir to Slow Cooking, Bosch ovens are there for all your cooking needs.



4D HotAir

Heat is distributed swiftly and evenly throughout your oven's interior. Place your tray or rack on any level from one to four and enjoy consistently perfect results from



3D HotAir

By maintaining the right temperature across three shelf levels, consistently even cooking results are



HotAir Gentle

The fan distributes the heat evenly throughout the oven cavity, which can help save energy. When baking on a single level – such as small baked goods, cakes in tins or cakes on a baking tray - no preheating is necessary.



Top and Bottom Heat

Uses both the upper and lower heating elements. Heat travels to the centre of the oven which is the best position to obtain the selected temperature. Suitable for traditional baking and roasting and offers best results for cakes with moist toppings.



Top and Bottom Heat Gentle

With this heating mode, you can prepare small baked goods, bread and rolls to perfection every time. Depending on the particular food and method of preparation, you can also save energy.



Bottom Heat

This targeted form of heat is especially suited for dishes cooked in a water bath or in need of additional baking or brown ing on the bottom.



Once the desired temperature has been reached, the fan switches on and optimally distributes the hot air, especially around large dishes. Ideal for perfectly crisp roasts, poultry and whole fish.

Features may vary depending on models. Please check individual product specifications.
*To cook on all four levels simultaneously, four wire racks are required for best results. For up to three levels.



Bosch BI KSA catalouge English.indd 16 22/10/2025 5:14 PM





Pizza Setting

Create crispy pizzas or give any dish that extra heat that's needed from underneath by using a combination of heating elements.



Keep Warm

This function keeps dishes warm – to help you serve multiple dishes.



Slow Cooking

For slow and gentle cooking at low temperature, e.g. 85 °C, for super-tender vegetables or poultry.



Preheat Ovenware

This function pre-heats your plates to the perfect tempera ture so that foods stay hot longer after serving.



Fast Pre-heating

With rapid heating you can shorten the heat-up time for selected heating functions, including 4D HotAir and top and bottom heating.



Fan Assisted Top and Bottom Heating

Uses both upper and lower heating elements while a fan disperses heat evenly.



Defrost

Gently defrosts food evenly and more quickly than it would take on the kitchen counter.



Reheating

For plated meals and baked items. Cooked food is gently reheated. The steam ensures the food does not dry out.



HotAir Steam

Use with steam bowl for delicious baking and roasting results.



SoftMove door

A special damping mechanism prevents the oven door from slamming. It prevents the door from fully closing and then gently and quietly closes itself. When opening the door, it gently comes to a stop.



AutoPilot

Every dish is a perfect success thanks to pre-set automatic programs.

 Bosch BI KSA catalouge English.indd
 17
 22/10/2025
 5:14 PM

At last there's someone in the house who likes to clean.

Thanks to Pyrolytic self-cleaning and Eco Clean Direct, as well as the furnished universal pan with a ceramic non-stick coating, cleaning the oven and baking tray is now effortless. Our doors are also designed to be easily disassembled for cleaning, – so you can spend a minimum of time cleaning and have even more time to enjoy cooking.





Pyrolytic self-cleaning.

Our pyrolytic self-cleaning ovens let you say goodbye to this unpopular chore once and for all. Just select the feature, press "Start" and, depending on the degree of soiling, your oven heats up to 480°C, burning away grease or food residue – no chemicals needed. Once the oven has cooled down, simply wipe out the bit of ash and you're done. So you can enjoy more time savouring the results and less time cleaning up.

*Only in selected model



Eco Clean Direct.

Eco Clean Direct takes the effort out of oven cleaning. A special coating of microfine ceramic spheres on the oven walls and roof gently breaks down grease spatters while you roast or bake. Whenever you want to clean the oven, you only need to clean simply wipe the oven floor and the glass door. For optimum cleaning, simply activate the regeneration cycle from time to time. This long-lasting coating saves you time and energy.

*Only in selected model



Cleaning Assistance.

Is your oven lightly soiled and in need of a quick cleaning? Just place approximately 400 ml of water with a drop of liquid detergent in the bottom of the oven cavity and select the proper cleaning programme. The environmentally friendly cleaning system softens baked-on residue, making it much easier to wipe off afterwards.

*Only in selected model



Universal pan with ceramic non-stick coating.

Bosch is now offering an universal pan with a ceramic non-stick coating. This special non-stick coating makes the surface easy to clean. And the ceramic coating has another advantage: You no longer need to use parchment paper or to grease the tray, which makes baking, roasting and cleaning much easier.

*Only in selected model



Easy-clean door.

Most Bosch oven doors are extremely easy and time-saving to clean. Whereas the cover is often bolted onto the actual oven door, on selected models you can easily release the right and left sides with the touch of a finger and remove the pane for cleaning. The chore of removing the screws is gone forever.

Bosch BI KSA catalouge English.indd 19 22/10/2025 5:14 PM




Bosch BI KSA catalouge English.indd 20



A smart home should be built around your needs! Our smart appliances make daily living even easier. With just your mobile device and our Home Connect app, you are in complete control, from wherever you are.









CoffeeWorld and CoffeePlaylist.

Control your built-in Bosch coffee machine with any smart device. Try CoffeeWorld, the tech that offers a variety of international coffee specialties for your coffee machine to create. Use Coffee Playlist to add various beverages into a list and prepare them one after another.



Recipe World.

HomeConnect transfers your selected recipe's cooking setting requirements directly to your oven. To enjoy this feature, just connect your oven to your registered Home Connect account.

 Bosch BI KSA catalouge English.indd
 21
 22/10/2025
 5:14 PM





60CM ELECTRIC OVENS



	HBG776NB1M	HBG756CB1M	
Control	Digital Control Ring	Digital Control Ring	
Automatic Programs	•	•	
Display and Control	TFT Touch Display Plus	TFT Touch Display Plus	
HotAir Gentle	✓	✓	
Cooking Function	14	14	
Fast Preheat	✓	\checkmark	
Air Fry Function	✓	✓	
Home Connect	✓	✓	
Soft Open/Soft Close	✓	✓	
Cleaning	Pyrolytic	Full Catalytic	
HotAir Technology	4D-HotAir	4D HotAir	
Telescopic Rail	✓	\checkmark	
Perfect Roast	✓	✓	
Perfect Bake	✓	•	
Crisp Finish	✓	•	
Interior Light	LED	LED	
Steam Function	•	•	
Door Glazing	Quadraple	Triple	
Included Accessories	2 Combo GridUniversal PanAir Fry TrayMeat Probe	Enamel Baking TrayCombo GridUniversal PanMeat Probe	
TECHNICAL INFORMATION			

Capacity	71L
Connected Load	3,600W
Dimension (HXWXD)	595 X 594 X 548 mm
Temperature Range	30 °C - 300 °C
Number of Shelves	5
Installation Dimension (mm)	585-595 x 560-568 x 550


22/10/2025 5:14 PM Bosch BI KSA catalouge English.indd 24



 Bosch BI KSA catalouge English.indd
 25
 22/10/2025
 5:14 PM

60CM ELECTRIC OVENS	0 5 5 5 5 5 7 5 6 0 5 5 5 5 5 7 5 6	- 18d		
	HBJ559EB6M	HUA736EA0M		
Control	Jog Dial	LCD + Rotary		
Automatic Programs	AutoPilot 40	AutoPilot 10		
Display and Control	LED Display	LED Display		
HotAir Gentle	✓	✓		
Cooking Function	12	8		
fast Preheat	\checkmark	\checkmark		
Air Fry Function	✓	✓		
Home Connect	✓	•		
Soft Open/Soft Close	•	•		
Cleaning	Catalytic	Catalytic		
HotAir Technology	3D- Hotair	3D- Hotair		
Telescopic Rail	✓	✓		
Perfect Roast	•	•		
Perfect Bake	•	•		
Crisp Finish	•	•		
Interior Light	Halogen	Halogen		
Steam Function	•	✓		
Door Glazing	Triple	Triple		
Included Accessories	Combo GridUniversal PanAir Fry Tray	Combo GridUniversal PanAir Fry TrayDeep Tray		
TECHNICAL INFORMATION				
Capacity	66L	76L		
Connected load	3,100 W	2,800 W		
Dimension (HXWXD)	595 x 594 x 548	595 x 594 x 548		
Temperature Range	50 °C - 275 °C	50 °C - 275 °C		
Number of Shelves	5	5		
Installation Dimension (mm)	575-597 x 560-568 x 550	585-595 x 560-568 x 550		

Bosch BI KSA catalouge English.indd 26 22/10/2025 5:14 PM



Bosch BI KSA catalouge English.indd 27 22/10/2025 5:14 PM

60CM ELECTRIC OVENS







	HBF512BS1M	HBF011BA1M	HBF011BR2M
Control	Rotary + Pop Out	Rotary	Rotary
Automatic Programs	•	•	•
Display and Control	LED Display	Minute Minder	Minute Minder
HotAir Gentle	•	•	•
Cooking Function	7	4	4
fast Preheat	✓	•	•
Air Fry Function	•	•	•
Home Connect	•	•	•
Soft Open/Soft Close	•	•	•
Cleaning	Hydrolytic	Hydrolytic	Hydrolytic
HotAir Technology	3D- Hotair	•	•
Telescopic Rail	•	•	•
Perfect Roast	•	•	•
Perfect Bake	•	•	•
Crisp Finish	•	•	•
Interior Light	Halogen	•	•
Steam Function	•	•	•
Door Glazing	Triple	Double	Double
Included Accessories	Enamel Baking TrayCombination GridUniversal Pan	Combination Grid Universal Pan	Combination Grid Universal Pan
TECHNICAL INFORMATION			
Capacity	66L	71L	71L
Connected load	2,990 W	2,850W	2,850W
Dimension (HXWXD)	595 x 594 x 548	595 x 594 x 548	595 x 594 x 548
Temperature Range	50 °C - 275 °C	50 °C - 275 °C	50 °C - 275 °C
Number of Shelves	5	4	4
Installation Dimension (mm)	575-597 x 560-568 x 550	575-597 x 560-568 x 550	575-597 x 560-568 x 550

Bosch BI KSA catalouge English.indd 28 22/10/2025 5:14 PM

90CM ELECTRIC OVENS





OVENS		⊕ BOSCH		
	VBC514CR0	VBC011BR0M		
Control	Rotary +LCD	Rotary		
Automatic Programs	•	•		
Display and Control	LED Display	Minute Minder		
HotAir Gentle	•	•		
Cooking Function	8	3		
fast Preheat	✓	•		
Air Fry Function	•	•		
Home Connect	•	•		
Soft Open/Soft Close	•	•		
Cleaning	Hydrolytic	Hydrolytic		
HotAir Technology	Hotair	•		
Telescopic Rail	•	•		
Perfect Roast	•	•		
Perfect Bake	•	•		
Crisp Finish	•	•		
Interior Light	Halogen	Halogen		
Steam Function	•	•		
Door Glazing	Double	Double		
Included Accessories	Combination Grid Universal Pan	Combination Grid Universal Pan		
TECHNICAL INFORMATION				
Capacity	85L	85L		
Connected load	3100 W	3101 W		
Dimension (HXWXD)	590 x 960 x 690	590 x 960 x 680		
Temperature Range	50 °C - 250 °C	50 °C - 250 °C		
Number of Shelves	4	4		
Installation Dimension (mm)	477-480 x 860-864 x 560	477-480 x 860-864 x 560		

Bosch BI KSA catalouge English.indd 29 22/10/2025 5:14 PM

MICROWAVES





	CMG7361B1M	BIC7101B1B	BEL7321B1M
Control	LED-touch	LED-touch	LED-touch
Automatic Programs		_	8
Display and Control	TFT Plus	_	TFT Touch
Grill Function	✓	_	✓
Cooking Function	20	4	_
Air Fry	✓	•	•
Grill Function	✓	_	✓
Interior Material	Enamel Anthracite	Stainless Steel	Stainless Steel
Home Connect	✓	✓	•
Inverter Technology	✓	_	✓
Door Opening	Handle	Push-Pull	Button
Cleaning	Catalytic Rear	_	Catalytic
HotAir Technology	4D- Hotair	_	_
Crisp Function	✓	_	•
Interior Light	LED	Halogen	Halogen
Included Accessories	Grid, Pan, Air Fry Tray	None	Grid, Glass Tray
TECHNICAL INFORMATION			
Capacity	45	20	21
Microwave Power	900	_	900
Connected load	3,600 W	820W	2,050W
Dimension (HXWXD)	455x594x548	140x594x518	382x594x318
Temperature Range	30 °C - 300°C	30 °C - 80 °C	_
Number of Shelves	3	_	5
Installation Dimension (mm)	450-455 x 560-568 x 550	140 x 560 x 550	362-382 x 560-568 x 300

Bosch BI KSA catalouge English.indd 30 22/10/2025 5:14 PM

AUTOMATIC COFFEE MACHINE





CTL7181B0

Series 8, Built-In Fully Automatic Coffee Machine, Black, Removable water tank

- TFT-touchdisplay Pro: Smooth slide and touch display for comfortable operation.
- Coffee World: Discover the delicious taste of international coffee specialties.
- Favorites: Save up to 30 individual coffee preferences.
- Aroma Select: The perfect aroma profile for every individual taste.
- AutoMilk Clean: Automatic cleaning with steam.
- 2.40 L water tank capacity
- 500g capacity bean container
- Cup lighting
- Home connect Wi-Fi

Bosch BI KSA catalouge English.indd 31 22/10/2025 5:14 PM



 Bosch BI KSA catalouge English.indd
 32
 22/10/2025
 5:14 PM

Why induction?

Bring 2 litres of water to a boil in just 4.7 minutes. Our PowerBoost function can increase the power output to a selected cooking zone by approximately 50%. Saving you precious time.

Why is it so fast, so easy to clean and safe?

Induction Hobs are easier to clean, because the ceramic glass doesn't get as hot. Any spillages can be quickly and easily wiped away.

With an Induction Hob, micro-currents are generated in the bottom of the pot. Consequently, heat is only created when the pan is connected to the hob – heating will stop as soon as it's removed, which means it's far safer than cooking with traditional hobs.

DID YOU RNOW

Time (in minutes) for heating 2 litres of water from 15°C to 90°C




Radiant



Gas



Induction



Induction with PowerBoost



The Best Cooking needs just One Ingredient: Bosch

Modern cooking offers so many wonderful new tastes and textures You need a cooktop that's flexible enough to keep up.





Perfect Result Anytime

✓ PerfectCook

Our hobs are designed with a sensor so you'll be able to control your cooking by the temperature in the pot rather than the power level. So whether you're defrosting, warming up, cooking or deep fat frying, you're in control with our smart CookingSensor. Because precise temperature control guarantees perfect cooking results.



 Bosch BI KSA catalouge English.indd
 36
 22/10/2025
 5:14 PM

✓ PerfectFry

Enjoy perfectly cooked steak, however you like it. Our clever FryingSensor measures the temperatupan for perfect results. So when you're reducing a sauce, the heat will be low and gentle, and when you want a high heat for frying a steak, you'll have precisely the right temperature. Say goodbye to overcooking and under-cooking your favourite meals



Different types of oil have different smoke points and without exact temperature management, food can be burnt easily. PerfectFry shows you when the ideal temperature for adding the oil to the pan has been reached.

Achieving perfect results with the 5 PerfectFry temperature levels:



Ideal for boiling down sauces




Suitable for frying with virgin olive oil, or for frying omelettes



Perfect for frying fish, meatballs or sausages



Perfect for frying steak (medium or well done), ragout or vegetables



Perfect for frying potatoes or rare stea



 Bosch BI KSA catalouge English.indd
 37
 22/10/2025
 5:14 PM


Electric hobs.Features and Benefits.

Performance



Quality ceramic top

High quality and durable ceramic top that can withstand heat up to 700°C .



17-stage power setting

Enjoy total control on every recipe with 17-stage power settings. This function allows cooking zones to be set in increments of 0.5 (eg. 0.5, 1, 1.5, 2...9).



Automatic pan recognition

The automatic pan recognition function allows our induction hobs to identify the size of the pan and only heats up the base of the pan, not the entire zone, saving time and energy.



PowerBoost

With PowerBoost, the power level of your induction hobs is increased to help you give that little extra boost when cooking. This means you can bring a pot filled with two litres of water to boil almost three times as quickly as on a conventional ceramic hob.

 Bosch BI KSA catalouge English.indd
 38
 22/10/2025
 5:14 PM

Safety



Childproof lock

Maximum protection for children's hands: the integrated lock function allows you to secure your cooking area and protect it against unwanted operation. This guarantees total safety – for both you and your loved ones.



Overflow protection

A safety system protects the hob. If a metal object is placed on the hob or should there be any spillage, the hob may switch off and sound an alarm. An "E" naming message will appear on the display. This ensures safety for your loved ones.



H -High temperature of more than 120°c



2-stage residual heat display

The 2-stage residual heat display provides clear indication on the heat of the zones after it is turned off, providing enhanced safety for the family.



ReStart

If the hob is accidentally switched off, you can restore the last selected setting by just turning on the hob.



QuickStart

The cooktop automatically detects where a pot has been placed after being switched on, and the zone is indicated on the display. You can get started immediately and select the desired cooking level for your pot.

 Bosch BI KSA catalouge English.indd
 39
 22/10/2025
 5:14 PM


The **Bosch cooktop** with integrated ventilation.

Fits perfectly into any kitchen









Choose any spot for your pots, pans and roasters.




FlexInduction, Series 8.

Your cooktop automatically detects the size and position of cookware that's in the zone. Whether you want to make a pot of espresso, or warm a large roasting tray, your cooktop heats all types of cookware precisely and efficiently.

 Bosch BI KSA catalouge English.indd
 44
 22/10/2025
 5:14 PM

When you're cooking, sometimes the surface of the cooktop can get a little crowded – especially when you have to prepare several dishes at once. Whether you use one pot or several, or even position them one behind the other – with the induction cooktops from Bosch, the choice is all yours.



Combi Zone

If you need more space for a long single piece of cookware, such as a roaster, you can combine two individual 21 cm wide cooking zones into one large one with a combined heat level at the touch of a button with Combi Zone.

ELECTRIC HOBS





	PKF375CA2E	PKF375FP2E		
Number of Cooking Zone	2	2		
Control Type	Knobs	DirectSelect		
Power Levels	9	17		
Extendable Zones	Yes (18cm)	Yes (18cm)		
Boost Function	•	✓		
Residual Heat Indicator	✓	✓		
Restart Function	•	✓		
Timer Function	•	Switch-off, Count-down, Count-up		
Energy Consumption Display	•	✓		
Perfect Fry				
Child Lock	•	✓		
Wipe Protection	•	•		
Power Managament	•	•		
Simultaneous Cooking Zones	2	2		
Wok Burner Power	1,800W	2,000W		
TECHNICAL INFORMATION				
Connected Load (W)	3200	3500		
Installation Dimensions (H x W x D mm)	48 x 270 x 490	38 x 270 x 490		
Product Dimensions (H x W x D mm)	48 x 306 x 527	38 x 306 x 527		

Bosch BI KSA catalouge English indd 46 22/10/2025 5:14 PM









PKE611BA2E	PKE611FB2M	PKF645FA8M	PKC975FB2M	
4	4	4	4	
Touch Select	DirectSelect	DirectSelect	DirectSelect	
17	17	17	17	
Yes (21cm)	Yes (210mm)	Yes (21cm)	Yes (Roaster, 28cm, 18cm)	
•	✓	✓	✓	
✓	✓	✓	✓	
✓	✓	✓	✓	
•	Switch-off, Count-down	Switch-off	Switch-off, Count-down	
•	✓	•	Yes	
•	•	•	•	
•	✓	✓	✓	
•	✓	~	✓	
•	•	•	✓	
4	4	4	4	
2,200 W	2,100W	2,200W	2,600W	
TECHNICAL INFORMATION				
6600 W	2900	5000	7000	
44 x 560 x (490- 500)	45 x 560 x 490	48 x 560 x 490	44 x 880 x 500	

Bosch BI KSA catalouge English.indd 47 22/10/2025 5:14 PM

INDUCTION HOBS



11003	010 · xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx		
	PUE611BB5E		
Number of Cooking Zone	4		
Control Type	Touch Select		
Power Levels	17		
Flex Induction Zones	•		
Boost Function	Yes (All Zones)		
PerfectFry	•		
Timer Functions	Switch-off, Count-down		
Restart Function	✓		
Energy Consumption Display	•		
Perfect Fry			
Child Lock	✓		
Wipe Protection	•		
Power managament	✓		
Home Connect	•		
Simultaneous Cooking Zones	4		
Wok Burner Power	3,700 W		
TECHNICAL INFORMATION			
Connected Load (W)	4600W		
Installation Dimensions (H x W x D mm)	51x592x522		
Product Dimensions (H x W x D mm)	51x560x(490-500)		


 Bosch BI KSA catalouge English.indd
 48
 22/10/2025
 5:14 PM

- Tops		
PXX375FB1E	PXX675DV1E	PXX975DC1E
2	4	5
DirectSelect	DirectSelect Premium	DirectSelect Premium
17	17	17
Yes (1 zone)	Yes (2 zones)	Yes (3 zones)
Yes (All Zones)	Yes (All Zones + Pan Boost)	Yes (All Zones + Pan Boost)
•	✓	✓
Switch-off, Count-down, Count-up	Switch-off, Count-down, Count-up	Switch-off, Count-down, Count-up
✓	✓	✓
✓	✓	✓
	•	•
✓	✓	✓
•	✓	✓
✓	✓	✓
•	✓	•
2	4	5
3,700 W	3,700 W	3,700 W
	TECHNICAL INFORMATION	
3700W	4600W	4600W
51x306x527	51x592x522	51x592x522
51x270x(490-500)	51x560x(490-500)	51x560x(490-500)

Bosch BI KSA catalouge English.indd 49 22/10/2025 5:14 PM



VENTING COOKTOP





		PVS601B16E	PVS811B16E
	Appliance Width	60CM	80CM
	Number of Cooking Zone (Induction) 4		4
	Control Type	trol Type Touch Select	
	Silmutaneous Cooking Zone	4	4
	Power Levels	17	17
	Flex Induction Zones	•	•
	Boost Function	Yes (All Zones)	Yes (All Zones)
	PerfectFry	•	•
SS	Timer Functions	Switch-off, Count-down	Switch-off, Count-down, Count-up
HOBS	Restart Function	\checkmark	\checkmark
I	Residual Heat Indicator	\checkmark	✓
	Display Type	7-Segment	7-Segment
	Child Lock	\checkmark	\checkmark
	Easy Touch	\checkmark	\checkmark
	Power managament	\checkmark	✓
	Combi Zone	\checkmark	\checkmark
	Simultaneous Cooking Zones	4	4
	Connected Load	7,400 W	7,400 W
	Number of Speed Setting	3 stage + intensive setting	3 stage + intensive setting
	Minimum Extraction rate	330 m3/h	330 m3/h
DS	Maximum Extraction Rate	622 m3/h	622 m3/h
0	Clean Filter Reminder	\checkmark	\checkmark
유	Maximum Sound Power	72 dB	72 dB
	Grease Filter	2	2
	Home Connect	•	•
	1	ECHNICAL INFORMATION	

Т		
Connected Load (W)	3700W	
Dimension of Heating Element	2 x (19,0 x 21,0 cm), 1 x (14,5 cm Ø), 1 x (21,0 cm Ø)	2 x (19,0 x 21,0 cm), 1 x (18,0 cm Ø), 1 x (21,0 cm Ø)
Type Of Electrical Connection 1 Phase, 3 Phase		1 Phase, 3 Phase
Product Dimensions (HxWxD mm)	227x572x512	223x802x522
Required Niche Size for Installation (HxWxD mm) 227 x 576 x 516		223 x 750-750 x 490-490
Included Accessories	1 x Slider for unducted recirculation, 1 x Clean Air Plus odor filter	1 x Slider for unducted recirculation, 1 x Clean Air Plus odor filter

Bosch BI KSA catalouge English.indd 51 22/10/2025 5:14 PM



Bosch BI KSA catalouge English indd 52 22/10/2025 5:14 PM



Bosch BI KSA catalouge English.indd 53 22/10/2025 5:14 PM



Island solutions

An island hood is the perfect ventilation solution for you if your looking for an open kitchen design and your kitchen block is not located next to a wall. Our island solution is mounted at the ceiling – above the cooking island.



Wall Solutions

You can install your wall hood as a standalone feature of your kitchen wall where it's the perfect eye-catcher, or place it between two wall units. Either way, the wall hood integrates itself perfectly into your kitchen.



Built-in Solutions

Built-in solutions are perfect for those who prefer continuous wall-unit shelves. These solutions are integrated into wall units above the hob, so that the hood is more or less hidden in the kitchen cabinets. Depending on the product, there will still be space in the upper unit to store smaller cooking utensils or herbs and spices.

 Bosch BI KSA catalouge English.indd
 54

 22/10/2025
 5:14 PM



Relax in a quieter kitchen.



EcoSilence Drive®

EcoSilence Drive® motor operates without carbon brushes, eliminating the disadvantages of conventional motors. Instead of energy loss, wear and noise, you get efficiency, durability, and smooth operation.

To reduce motor noise even further, we have optimised the airflow inside the hood. The result: low noise levels with high power.



Inner frame

The patented Bosch inner frame is specially shaped to permit an optimum flow of air and leading stability to the hood. Without any edges, cleaning the frame is also easy.

 Bosch BI KSA catalouge English.indd
 55

 22/10/2025
 5:14 PM

Bosch Rangehoods.

Series 8

Our Series 8 rangehoods offer high quality design, combined with leading edge technologies, including automatic extraction rate control with the PerfectAir sensor, making the kitchen a more pleasant environment.

Series 6

Ultimate convenience and tasteful design make our Series 6 rangehoods an asset to any kitchen. Electronic controls give you ease of use alongside elegant LED lighting.

Series 4

Our Series 4 rangehoods are quiet and easy to use, all within an impressive modern design, ensuring your kitchen has a comfortable atmosphere, free of cooking steam and disruptive noise.

Series 2

Our Series 2 rangehoods make your life easier, with easy to use controls and dishwasher proof metal grease filters for greater convenience.

Types of cooker hoods for modern kitchens

DOWNDRAFT



WALL-MOUNTED INCLINED



WALL-MOUNTED COOKER HOOD



TELESCOPIC



BUILT-UNDER COOKER HOOD



22/10/2025 5:14 PM Bosch BI KSA catalouge English.indd 56



The wall-mounted Inclined chimney hood



The wall-mounted Inclined chimney hood can mount it on the wall, giving you complete freedom in your kitchen planning.

Bosch BI KSA catalouge English.indd 57 22/10/2025 5:14 PM



 Bosch BI KSA catalouge English.indd
 58
 22/10/2025
 5:14 PM

Performance



Powerful extraction rate

With models offering up to 1000m3 /h maximum extraction and ventilating capibility, the Bosch line of efficient, high-performance hoods aids in removing steam, odours, grease and smoke quickly.



Dishwasher-safe metal grease filtersAll Bosch filters have up to 5 layers of filters and for easy cleaning it can be safely loaded into any Bosch dishwasher for sparkling results.



Active carbon filter

A recirculating kit with active carbon filter eliminates unpleasant odours and is easy to install and replace.

Convenience



Variable power settings

Odours, smoke and moisture can be effectively removed with the variable power settings on Bosch hoods. An intensive extraction setting on selected hood models provides an extra boost to the performance of the hood when needed.



Electronic clean-filter indicator

A light is illuminated when the filter needs a cleaning, ensuring optimal efficiency of the hood.

After running

Continuing operation of the hood for approx ten minutes after normal usage ensure vapours and odours are effectively removed.

Automatic switch back

When the intensive setting is selected, it may be set to automatically revert back to a pre-defined normal level after a short period of time.

22/10/2025 5:14 PM Bosch BI KSA catalouge English.indd 59

COOKER HOODS





	DHU665CGB9	DHU965CGB9
Туре	Built-under cooker hood	Built-under cooker hood
Max Extraction (m³/h)	360	368
Noise Level (dB)	62	62
Speed Settings	3	3
Control Type	Push Button	Push Button
Lighting Type	LED	LED
Recirculation Option	✓	✓
Air Quality Sensor	•	•
Clean Filter Reminder	•	•
Number of lights	2	2
Illumination (lux)	80	80
Motor Type	Capacitor Motor	Capacitor Motor
Home Connect	•	•
Lighting Power (W)	2 x 1.5	2 x 1.5
Can be equipped with clean air module	•	•
Width (cm)	60	90
Place of Installation	On the wall or under a hanging cupboard	On the wall or under a hanging cupboard
Type of Filter	Cassette with Alu frame	Cassette with Alu frame
Min Distance to Hob (cm)	65 (electric) / 65 (gas)	65 (electric) / 65 (gas)
Exhaust Air Diameter (mm)	120	120
Connection Rating (W)	306	306
Ducted or Recirculation	Both	Both

Bosch BI KSA catalouge English indd 60 22/10/2025 5:14 PM









DWP64CC59M	DWP94CC59M	DFT63CA59M	DFT93CA59M
Wall-mounted cooker hood	Wall-mounted cooker hood	Telescopic	Telescopic
135	135	300	300
64	64	62	62
-	_	3	3
Push Button	Push Button	Slide Switch	Slide Switch
LED	LED	LED	LED
✓	✓	✓	✓
•	•	•	•
•	•	•	•
2	2	2	2
100	100	100	100
Capacitor Motor	Capacitor Motor	Capacitor Motor	Capacitor Motor
•	•	•	•
-	_	8	8
•	•	•	•
60	90	60	90
On the wall	On the wall	In a hanging cupboard, 60 cm wide	In a hanging cupboard, 60 cm wide
Cassette with Alu frame	Cassette with Alu frame	Cassette with Alu frame	Cassette with Alu frame
65 (electric) / 65 (gas)	65 (electric) / 65 (gas)	50 (electric) / 65 (gas)	50 (electric) / 65 (gas)
150	150	150	150
135	135	181	181
Both	Both	Both	Both

Bosch BI KSA catalouge English.indd 61 22/10/2025 5:14 PM

COOKER HOODS





	DWB64BC51B	DWB94BC51B
Туре	Wall-mounted cooker hood	Wall-mounted cooker hood
Max Extraction (m³/h)	176	176
Noise Level (dB)	58	58
Speed Settings	3	3
Control Type	Push Button	Push Button
Lighting Type	LED	LED
Recirculation Option	✓	✓
Air Quality Sensor	•	•
Clean Filter Reminder	•	•
Number of lights	2	2
Illumination (lux)	99	99
Motor Type	Shaded-pole motor	Shaded-pole motor
Home Connect	•	•
Lighting Power (W)	_	_
Can be equipped with clean air module	\checkmark	✓
Width (cm)	60	90
Place of Installation	On the wall	On the wall
Type of Filter	Cass.w.stainl. st. perf. plate	Cass.w.stainl. st. perf. plate
Min Distance to Hob (cm)	55 (electric) / 65 (gas)	55 (electric) / 65 (gas)
Exhaust Air Diameter (mm)	120 / 150	120 / 150
Connection Rating (W)	100	100
Ducted or Recirculation	Convertible	Convertible

Bosch BI KSA catalouge English.indd 62 22/10/2025 5:14 PM









DWK64PJ60M	DWK66PJ60M	DWK96PJ60M	DWK67PJ60M
Wall-mounted Inclined	Wall-mounted Inclined	Wall-mounted Inclined	Wall-mounted Inclined
400	700	700	700
69	59	59	59
3	2 + Intensive	2 + Intensive	2 + Intensive
Touch	Touch	Touch	Touch
LED 2x1.5W	LED 2x3W	LED 2x3W	LED 2x3W
✓	✓	✓	✓
•	•	•	•
•	✓	✓	✓
2	2	2	2
80	260	260	260
Capacitor Motor	Capacitor Motor	Capacitor Motor	Capacitor Motor
•	•	•	•
2 x 1.5	2 x 3	2 x 3	2 x 3
•	•	•	•
60	60	90	60
On the wall	On the wall	On the wall	On the wall
Cassette with Alu frame			
55 (electric) / 65 (gas)			
120	120 / 150	120 / 150	120 / 150
146	256	256	256
Both	Both	Both	Both

Bosch BI KSA catalouge English.indd 63 22/10/2025 5:14 PM

COOKER HOODS





	DWK97PJ60M	DWB68JQ50B
Туре	Wall-mounted Inclined	Wall-mounted cooker hood
Max Extraction (m³/h)	700	733
Noise Level (dB)	59	73
Speed Settings	2 + Intensive	3 + 2 intensive
Control Type	Touch	touch control
Lighting Type	LED 2x3W	LED
Recirculation Option	✓	✓
Air Quality Sensor	•	✓
Clean Filter Reminder	✓	✓
Number of lights	2	4
Illumination (lux)	260	267
Motor Type	Capacitor Motor	BLDC
Home Connect	•	•
Lighting Power (W)	2 x 3	_
Can be equipped with clean air module	•	✓
Width (cm)	90	60
Place of Installation	On the wall	On the wall
Type of Filter	Cassette with Alu frame	Cass.w.stainl. st. perf. plate
Min Distance to Hob (cm)	55 (electric) / 65 (gas)	55 (electric) / 65 (gas)
Exhaust Air Diameter (mm)	120 / 150	120 / 150
Connection Rating (W)	256	163
Ducted or Recirculation	Both	_

Bosch BI KSA catalouge English.indd 64 22/10/2025 5:14 PM










DWB97CM50B	DIB97IM50M	DWB97DM50B	DDW88MM60B
Wall-mounted cooker hood	Island cooker hood	Wall-mounted cooker hood	Downdraft
722	463	411	775
70	73	75	70 (Intensive)
3 + intensive	3 + intensive	3 + intensive	3 + 2 intensive
Push Button	Touch Control	Touch Control	Electronic
LED	LED	LED	_
✓	✓	✓	✓
•	•	•	✓
•	•	•	✓
3	3	2	_
359	_	214	_
BLDC	Capacitor Motor	Capacitor	Inverter Motor
•	•	•	✓
_	_	_	_
✓	✓	✓	•
90	90	90	80
On the wall	On the ceiling	On the wall	Integrated, In a cabinet
Cassette with Alu frame	Cassette with Alu frame	Cass.w.stainl. st. perf. plate	_
55 (electric) / 65 (gas)	55 (electric) / 65 (gas)	55 (electric) / 65 (gas)	_
120 / 150	120 / 150	120 / 150	150
145	256	256	300
Covertible	Covertible	Covertible	Convertible

 Bosch BI KSA catalouge English.indd
 65

 22/10/2025
 5:14 PM



Bosch BI KSA catalouge English.indd 66 22/10/2025 5:14 PM

Bosch - a brand you can trust. Reliability guaranteed. No compromises. All Bosch home appliances are produced with maximum care with high-quality materials. We promise it in our 2-year manufacturer's warranty on all appliances. 10 Years* Rust-through warranty for the inner tub We have developed special surface treatments as well as production and joining technologies that are precisely tailored to the materials used in the interior of our dishwashers. We also use high-quality sheets of stainless steel. As a result, we are able to offer a 10 year warranty against interior rust-through on all of our dishwashers as standard. Integrated Can be concealed entirely behind a door panel to match the design of your kitchen cabinetry Control panel neatly integrated into the top of the dishwasher door Continuous kick panel provides seamless integration Optional stainless steel front panel accessory

Bosch BI KSA catalouge English.indd 67 22/10/2025 5:14 PM

The best care and drying of the dishes.

Zeolith guarantee the best care for the dishes, the minimum consumption and the best results perfect drying.



What are Zeolith?

Zeolith are 100% natural minerals porous surface, which thanks to their properties, allow efficient drying, delicate and perfect tableware.

What benefits does this technology bring?

Fundamentally perfect drying, even of plastic materials. In addition, they improve efficiency achieving energy savings of up to 10% on the highest energy classification on the market A +++. The drying process is carried out at a low temperature, so it is a more delicate treatment of your dishes. When the cycle ends, there is no shedding steam opening the dishwasher door and additionally the dishes do not get too hot.

How do they work?

In the drying stage the Zeolith absorb the humidity inside and transform it into heat to dry the dishes. During the washing stage, they regenerate and are ready for the next washed without any maintenance.

Bosch BI KSA catalouge English.indd 68 22/10/2025 5:14 PM




Bosch BI KSA catalouge English.indd 69 22/10/2025 5:14 PM

Discover the features available as standard in our dishwashers.

Our new Bosch dishwashers come with many convenient features included as standard, quieter, more efficient and with improved safety features.



 Bosch BI KSA catalouge English.indd
 70
 22/10/2025
 5:14 PM







Speed Perfect

Our SpeedPerfect+ option reduces programme times without compromising on quality. So you still get hygienically clean and dry dishes but the duration of the cycle could be reduced by up to half the time** – ideal for busy households and entertaining.

Intelligent Programme

Our intelligent programme adapts itself for your maximum satisfaction. After 3 cycles, you will be prompted to leave your feedback on the cleanliness, drying or length of the programme, or you can do so manually after every cycle.



Pre-treatment

Leave the Pre wash Phase to Your Dishwasher


Pre-washing your dishes by hand and putting them in the machine is not only tiring but also wastes water. Pre-treatment option in Bosch dishwasher washes your dishes at a temperature above 50 degrees, softening the dirt and preparing the dishes for normal washing. With the help of Bosch Self Cleaning Filter*, the heavy dirt in your dishes will not stay in the filter and the performance of your dishwasher will not be affected.

Add Home Connect

Control over your dishwasher wherever you are, whenever you want.

Remote Control is designed to bring your life more freedom and comfort. You can easily do all the controls that can be done on dishwasher via HC app, such as start/pause your dishwasher remotely, select programs and options, set timings and edit dishwasher settings via Home Connect app wherever and whenever you want.

*Only in specific models **Except: Prewash, Express 45° and Express 65° programme.



Bosch BI KSA catalouge English.indd 72 22/10/2025 5:14 PM



Discover our baskets and drawers

Thanks to their flexibility, our Bosch dishwashers make it easy for you to get all your dishes cleaned all at once – even with larger pots and pans.



VarioDrawer™ and VarioDrawer™ Pro

A third loading level for cutlery and utensils. VarioDrawer™ Pro provides loading flexibility for larger items.



Stage Rackmatic™

Height-adjustable upper basket can be adjusted in height up to 3 levels offers more flexibility and loading options with a simple touch even with a full load.



Extra Clean Zone

Extra thorough cleaning for heavily soiled items in the upper basket. This intensive zone doesn't need higher temperatures, it uses 3 jets to clean those stubborn items. So no more pre-soaking before going into the dishwasher!




Glassware support with smooth gliding baskets

New anti-slip elements and stemware support within the upper basket will give extra protection to all glassware. Baskets will glide effortlessly along the internal brackets, thanks to our new pull out systems.

 Bosch BI KSA catalouge English.indd
 74
 22/10/2025
 5:14 PM






Max FlexPro Basket

Stainless steel fascias. Colour touch points as standard. Top rack flexible areas: 6 Bottom basket flexible areas: 8






Max Flex

Brand coloured plastic fascias. Options with and without colour touch points. Top rack flexible areas: 2 Bottom basket flexible areas: 6





Vario Flex

Grey plastic fascias. Top rack flexible areas: 2 Bottom basket flexible areas: 4





	BUILT - IN		
	SMV26DX00T	SMV4HMX65M	SMV8ZDX86M
DISHWASHER			
Color	Built-in	Built-in	Built-in
Place Settings	13	14	13
User Interface	Fully integrated	Fully integrated	Fully integrated - TFT Display
Noise level dB(A)	48	44	42
Number of Programs	6	6	8
Number of Options	4	5	6
Adjustable Rack	Yes	Yes	Yes
3rd Rack	_	Yes	Yes
Connectivity	_	Home Connect	Home Connect
Auto Open door	_	_	_
Highlights	Hygiene Plus Glass Care Info Light Extra Dry	Hygiene Plus Extra Clean Zone Pre-treatment Glass Care Info Light Aquastop	Power control Zeolith Drying Emotion Light Hygiene Plus Pre treatment Intelligent Program Extra Clean Zone Glass Rack Time Light
	81.5	81.5	81.5
Dimension (cm)	59.8	59.8	59.8
	55	55	55
coo	Turkey	Turkey	Germany

Bosch BI KSA catalouge English.indd 77 22/10/2025 5:14 PM

BSH Home Appliances FZE

Regional Headquarters: Middle East P.O. Box 17312, Jebel Ali, Dubai, UAE

BoschHomeGulf
www.bosch-home.com/ae

Juffali Air Conditioning and Home Appliances Company (JAHACO)

Al Bawadi District, Kilo 14, Madinah Road, P.O. Box 21431, Jeddah, Saudi Arabia



Bosch BI KSA catalouge English.indd 78 22/10/2025 5:14 PM