




accent | line collection





## Meet your new kitchen crew



### A breath of fresh air in the kitchen

#### EcoSilence Drive


Experience efficient, quiet, and durable performance with robust magnets, making your hoods so quiet that you and your guests will barely hear a thing.



### A hob range to suit everyone

#### PerfectCook

Control your cooking by the temperature in the pan rather than the power level with our smart cooking sensor, which easily attaches to the side of your induction pot.



## Unleash your Inner Chef with a stylish oven



#### Steam Function Plus

Enhances cooking with steam infusion for richer flavors, preserved nutrients, faster cooking, and higher vitamin retention (up to 120°C).



#### Air Fry

Cook healthy with Air Fry, perfectly fried foods on a special tray using minimal oil.





## Now your favourite café is open 24/7



### Aroma Select

Enjoy espresso just the way you like it. With aroma select, you can adjust the strength of the coffee to your personal preferences.

## Sous-vide. Right to the point

### Vacuum sealing drawer

Preserve, seal, steam effortlessly!  
Our vacuum-sealing drawer keeps nutrients and flavor intact in fresh produce and leftovers. Elevate your kitchen experience today!



## Ready before you've even set the table



### Auto Pilot 10

Effortless cooking made simple!  
Our microwave's automatic programs and precise controls guarantee perfect results every time.

Just place the dish, select a program, add the weight, and press 'Start' - that's it!





# Built-in Ovens

## HBG7341B1

60 x 60 cm | Series 8 Built-in Oven, Black



### Performance

- Temperature: 30 – 300 °C
- 14 Heating Methods
- Net Volume 71 L

### Features

- 3D Hotair
- AirFry
- Digital Control Ring
- User Interface: TFT Touch Display
- Assist Function
- Oven Assistant
- Hotair Gentle

### Convenience

- Home Connect
- EcoClean Direct
- Door temperature: 40 °C

### Technical Information


- Total Connection Rating: 3600 W
- Voltage and Frequency: 220-240 V
- Power Frequency: 50-60 Hz
- Cable Length: 120 cm
- Dimensions (H x W x D): 595 x 594 x 548 mm
- Cut Out Dimensions (H x W x D): 585 x 560 x 550 mm

### Accessories

- 1 enamel baking tray
- 1 combination grid
- 1 universal pan

## HBG7764B1

60 x 60 cm | Series 8 Built-in Oven, Black



### Performance

- Temperature: 30 – 300 °C
- 14 Heating Methods
- Net Volume 71 L

### Features

- 4D Hotair
- AirFry
- Digital Control Ring
- User interface: TFT Touch Display Plus
- Assist Function
- Oven Assistant
- PerfectBake Plus
- PerfectRoast Plus
- Hotair Gentle
- Crisp Function

### Convenience

- Home Connect
- Pyrolytic Self-Cleaning
- Door temperature: 30 °C

### Technical Information

- Total Connection Rating: 3600 W
- Voltage and Frequency: 220 – 240 V
- Power Frequency: 50-60 Hz
- Cable Length: 120 cm
- Dimensions (H x W x D): 595 x 594 x 548 mm
- Cut Out Dimensions (H x W x D): 585 x 560 x 550 mm

### Accessories

- 1 enamel baking tray
- 1 combination grid
- 1 universal pan




# HRG7784B1

60 x 60 cm | Series 8 Built-in Oven with Added Steam Function, Black



Home Connect



### Performance

- Temperature: 30 – 300 °C
- 22 Heating Methods
- Net Volume 71 L

### Features

- 4D Hotair
- AirFry
- Digital Control Ring
- User interface: TFT Touch Display Pro
- Assist Function
- Oven Assistant
- PerfectBake Plus
- PerfectRoast Plus
- Hotair Gentle
- Top Bottom Heat Gentle
- Crisp Function

### Convenience

- Home Connect
- Cleaning Assistance
- Pyrolytic Self-Cleaning

### Technical Information

- Total Connection Rating: 3600 W
- Voltage and Frequency: 220 – 240 V
- Power Frequency: 50-60 Hz
- Cable Length: 120 cm
- Dimensions (H x W x D): 595 x 594 x 548 mm
- Cut Out Dimensions (H x W x D): 585 - 595 x 560 - 568 x 550 mm

### Accessories

- 1 enamel baking tray
- 1 combination grid
- 1 universal pan

# CSG7584B1

60 x 45 cm | Series 8 Built-in Compact Oven with Steam Function, Black



Home Connect



### Performance

- Temperature: 30 – 120 °C
- 23 Heating Methods
- Net Volume: 47 L

### Features

- Steam Boost Function
- 4D Hotair Compact
- AirFry
- Digital Control Ring
- User interface: TFT Touch Display Pro
- Assist Function
- Oven Assistant
- Steam Function Plus
- Added Steam Function
- PerfectBake Plus
- PerfectRoast Plus
- Hotair Gentle
- Top Bottom Heat Gentle

### Convenience

- Home Connect
- EcoClean Direct
- Door temperature: 40 °C

### Technical Information

- Total Connection Rating: 3300 W
- Voltage and Frequency: 220-240 V
- Power Frequency: 50; 60 Hz
- Cable Length: 150 cm
- Dimensions (H x W x D): 455 x 594 x 548 mm
- Cut Out Dimensions: 450-455 x 560-568 x 550 mm

### Accessories


- 1 grid
- 1 universal pan
- 1 steam container, punched size, XL
- 1 steam container, punched size, M
- 1 steam container, unpunched size, M



# Built-in Microwaves

## CEG732XB1

60 x 45 cm | Series 8 Built-in Microwave, Black



### Performance

- Net Volume 36 L
- AutoPilot 10

### Features

- TFT Touch Display
- Microwave Boost Function
- Digital Control Ring
- Flat Grill Heater
- Quick Start

### Convenience


- Cleaning Assistance

### Technical Information

- Total Connection Rating: 3100 W
- Voltage and Frequency: 220-240 V
- Power Frequency: 50; 60 Hz
- Cable Length: 150 cm
- Dimensions (H x W x D): 455 x 594 x 564 mm
- Cut Out Dimensions (H x W x D): 450 x 560 x 550 mm

## BEL7321B1

60 x 38 cm | Series 8 Built-in Microwave, Black



### Performance

- Net Volume 21 L
- AutoPilot 10

### Features

- TFT Touch Display
- Microwave Boost Function
- Digital Control Ring
- Flat Grill Heater
- Quick Start

### Convenience

- Cleaning Assistance

### Technical Information

- Total Connection Rating: 1990 W
- Voltage and Frequency: 220-240 V
- Power Frequency: 50; 60 Hz
- Cable Length: 175 cm
- Dimensions (H x W x D): 382 x 594 x 318 mm
- Cut Out Dimensions (H x W x D): 362-382 x 560-568 x 300 mm



# Built-in Ovens with Microwave Function

## HMG778NB1

60 x 60 cm | Series 8 Built-in Oven with Microwave Function, Black



### Performance

- Temperature: 30 – 300 °C
- 22 Heating Methods
- Net Volume 67 L

### Features

- 4D Hotair
- Air Fry
- Digital Control Ring
- User Interface: TFT Touch Display Pro
- Assist Function
- Oven Assistant
- PerfectBake Plus
- PerfectRoast Plus
- Hotair Gentle
- Top Bottom Heat Gentle
- Crisp Function
- Microwave Boost Function

### Convenience

- Home Connect
- Pyrolytic Self-Cleaning
- Door temperature: 30 °C

### Technical Information


- Total Connection Rating: 3600 W
- Voltage and Frequency: 220-240 V
- Power Frequency: 50; 60 Hz
- Cable Length: 120 cm
- Dimensions (H x W x D): 595 x 594 x 548 mm
- Cut Out Dimensions (H x W x D): 585-595 x 560-568 x 550 mm

### Accessories

- 1 enamel baking tray
- 1 combination grid
- 1 universal pan

## CMG778NB1

60 x 45 cm | Series 8 Built-in Compact Oven with Microwave Function, Black



### Performance

- Temperature: 30 – 300 °C
- 22 Heating Methods
- Net Volume 45 L

### Features

- 4D Hotair Compact
- Air Fry
- Digital Control Ring
- User Interface: TFT Touch Display Pro
- Assist Function
- Oven Assistant
- PerfectBake Plus
- PerfectRoast Plus
- Hotair Gentle
- Top Bottom Heat Gentle
- Crisp Function
- Microwave Boost Function

### Convenience

- Home Connect
- EcoClean Direct
- Door temperature: 30 °C

### Technical Information

- Total Connection Rating: 3600 W
- Voltage and Frequency: 220-240 V
- Power Frequency: 50; 60 Hz
- Cable Length: 150 cm
- Dimensions (H x W x D): 455 x 594 x 548 mm
- Cut Out Dimensions (H x W x D): 450-455 x 560-568 x 550 mm

### Accessories

- 1 enamel baking tray
- 1 combination grid
- 1 universal pan



# Built-in Ovens with Added Steam and Microwave Function

## HNG978QB1

60 x 60 cm | Series 8 Built-in Oven with Added Steam and Microwave Function, Black



Home Connect



### Performance

- Temperature: 30 – 300 °C
- 28 Heating Methods
- Net Volume 67 L

### Features

- 4D Hotair
- Air Fry
- Digital Control Ring
- Assist Function
- User Interface: TFT Touch Display Pro
- PerfectBake Plus
- PerfectRoast Plus
- Camera
- Hotair Gentle
- Top Bottom Heat Gentle
- Crisp Function
- Microwave Boost Function

### Convenience

- Home Connect
- Pyrolytic Self-Cleaning
- Door temperature: 30 °C

### Technical Information

- Total Connection Rating: 3600 W
- Voltage and Frequency: 220-240 V
- Power Frequency: 50; 60 Hz
- Cable Length: 120 cm
- Dimensions (H x W x D): 595 x 594 x 548 mm
- Cut Out Dimensions (H x W x D): 585-595 x 560-568 x 550 mm

### Accessories

- 1 air fry & grill tray
- 1 enamel baking tray
- 1 combination grid
- 1 universal pan



# Coffee Machine & Drawers

## CTL7181B0

60 x 45 cm | Series 8 Built-In Fully Automatic Coffee Machine, Black



HomeConnect



### Performance

- SilentCrema Drive
- Water Pump:  
19 bar pressure

### Features

- Flavour: Up to 33 beverages
- 3 different aroma profiles (mid-balance-distinctive)
- Adjustable milk ratio for classic milk-mix beverages
- AromaDouble Shot

### Convenience

- Home Connect
- TFT-Touch Display Pro: 6.8" TFT
- Favorites: save up to 30 personalised beverages
- OneTouch DoubleCup
- Removable Water Tank: 2.4 L
- Automatic Cleaning: AutoMilk Clean & Calc'nClean
- Adjustable Grinding Degree
- ChildLock

### Technical Information

- Total Connection Rating: 1500 W
- Voltage: 220 – 240 V
- Power Frequency: 50 – 60 Hz
- Cable Length: 170 cm
- Dimensions (H x W x D): 455 x 594 x 385 mm
- Cut Out Dimensions (H x W x D): 449 x 558 x 376 mm

### Accessories


- 1 milk container
- 1 test strip
- 1 connection hose for milk frother
- 1 milk pipe
- 1 welcome-box

## BIC7101B1

60 x 14 cm | Series 8 Built-in Warming Drawer, Black



HomeConnect



### Performance

- Temperature Control: 30 - 80 °C

### Features

- Touch Control Illuminated
- Touch Key Operation
- Glass plate made of toughened glass

### Convenience

- Home Connect
- Cavity volume 20 L
- Loading up to 25 kg
- Max. loading espresso cups 64 pcs & loading plates 12 pcs
- Opening without handle: Push and pull


### Technical Information

- Total Connection Rating: 820 W
- Cable Length: 175 cm
- Voltage: 220 – 240 V
- Dimensions (H x W x D): 140 x 594 x 518 mm
- Cut Out Dimensions (H x W x D): 140 x 560 - 568 x 550 mm



**BVE9101B1**

60 x 14 cm | Series 8 Built-in Vacuum Drawer, Black



## Performance

- Temperature Control:  
30 - 80 °C

## Features

- Touch Control Illuminated
- Touch Key Operation
- Stainless Steel Cavity

## Convenience

- Cavity volume 8 L
- Opening without handle: Push and pull
- Drying program for vacuuming pump
- A stop position prevents a random closing of drawer

## Technical Information


- Total Connection Rating: 320 W
- Cable Length: 150 cm
- Voltage Frequency: 220 – 240 V
- Dimensions (H x W x D):  
140 x 595 x 542 mm
- Cut Out Dimensions (H x W x D):  
140 x 560 - 568 x 550 mm

## Accessories

- 50 vacuuming bag, small & big
- 50 vacuuming bag, big
- 1 adaptor for vacuuming outside the chamber
- 1 vacuuming hose
- 1 adaptor for bottle plugs
- 3 plugs for vacuuming of bottles

# BIE7101B1

60 x 14 cm | Series 8 Built-in Accessory Drawer, Black



## Features

- Stainless steel cavity

## Convenience

- Cavity volume 21 L
- Loading up to 15 kg
- Max. loading espresso cup 64 pcs & loading plates 14 pcs
- Opening without handle: Push and pull

## Technical Information

- Dimensions (H x W x D):  
140 x 594 x 518 mm
- Cut Out Dimensions (H x W x D):  
140 x 560 - 568 x 550 mm

## Accessories

- 1 anti-slip mat



# Induction Hobs with Integrated Ventilation System

## PVQ731H26E

70 cm | Series 6, Induction hob with integrated ventilation system, Surface Mount without Frame



### Performance

- Flexibility of cooking zones: 2 Combi Zones

### Features

- Power Boost for all zones
- AutoOn Function
- PerfectFry Plus

### Convenience

- Home Connect
- Direct Select
- Favourite Button
- 17 Power levels
- Residual heat indicator
- Switch off timer
- Count-down timer

### Technical Information


- Width 70cm: space for 4 pots
- Total Connection Rating: 7400 W
- Dimensions (H x W x D): 223 x 710 x 522 mm
- Cut Out Dimensions (H x W x D): 223 x 560-560 x 490-490 mm

### Accessories

- 1 slider for unducted recirculation
- 1 clean air plus odor filter

## PXX875D67E

80cm | Series 8 Induction Hob with Integrated Ventilation System, Black, Surface Mount with Frame



### Performance

- Flexibility of cooking zones: 2 Flex Zones

### Features

- Cooking assistance: PerfectCook & PerfectFry
- Power Boost for all zones
- Boost function
- Automatic join split
- Move Mode (3 levels)
- Automatic Setting Transfer
- Automatic zone selection
- Basic surface material: Ceramic

### Convenience

- Home Connect
- DirectSelect Premium Touch Control
- 17 Power levels
- Wipe protection function
- Residual heat indicator: 2 stages
- Keep warm function for all cooking zones
- Switch off timer for every cooking zone
- Count-down timer
- Count-up timer

### Technical Information

- Width 80cm: space for 4 pots
- Total Connection Rating: 7400 W
- Dimensions (H x W x D): 223 x 816 x 527 mm
- Cut Out Dimensions (H x W x D): 223 x 750-750 x 490-490 mm

### Accessories

- 1 slider for unducted recirculation
- 1 clean air plus odor filter



# Induction Hobs

## PXY895DV1E

80 cm | Series 8, Flex Induction Hob, Black, Surface Mount with Frame



### Performance

- Flexibility of cooking zones :  
2 FlexZones

### Convenience

- Home Connect
- DirectSelect
- 17 Power levels
- Flame Failure Safety Device:  
Safety switch-off
- Residual heat indicator
- Timer with Switch-off Function

### Features

- Cooking assistance:  
PerfectFry
- Power Boost for all zones
- Automatic Pan Recogniiton
- Keep warm function


### Technical Information

- Width 81 cm
- Total Connection Rating:  
7400 W
- Dimensions (H x W x D):  
51 x 816 x 527 mm
- Cut Out Dimensions  
(H x W x D):  
51 x 750-780 x 490-500 mm

# Gas Hob

## PPH6A6B20

60 cm | Series 6, Gas Hob, Tempered Glass



### Performance

- 4 Gas Burners

### Features

- Biomethane Ready
- Wok Burner

### Convenience

- FlameSelect
- Sword Knobs
- Automatic Ignition
- Safety Gas Cut-off

### Technical Information

- Width 60cm: space for 4 pots
- Dimensions (H x W x D):  
58 x 590 x 520 mm
- Cut Out Dimensions (H x W x D):  
45 x 560-562 x 480-492 mm



# Integrated Hoods

## DBB67AM60

60cm | Series 6 Integrated Design Hood, Clear Glass Black Printed



### Performance

- Speed settings 3 speeds plus intensive setting
- Extraction rate according to EN 61591 ø 15 cm max. normal use 460m<sup>3</sup>/h. Intensive 749 m<sup>3</sup>/h
- Noise level according to EN 60704-2-13 exhaust air max. normal use: 63dB(A) re 1 pW. Intensive: 73 dB(A) re 1 pW
- Noise min./max. Normal Level: 50/63 dB
- Maximum output air extraction: 460
- Maximum output recirculating air: 451

### Convenience

- Grease filter type Multilayer cassette
- Suitable for ducted or re-circulated extraction
- Light Intensity 451 lux
- Colour temperature : 3500K
- Automatic revert
- The fan and light are automatically turned on and off by opening and closing the glass panel.
- The light can also be independently turned on and off when the glass panel is closed by quick hand touch on control area.

### Features

- Touch Select Control with Electronic display
- Metal grease filter
- Flush-fitted installation for a seamless integration in wall cupboards.
- Compact design
- Number of lights 2 x 2 W LED
- Noise Level 63 dB
- SoftLight
- Cassette with stainless steel frame

### Technical Information

- Width 60 cm
- Total Connection Rating: 256 W
- Fuse protection 10A
- Voltage: 220V-240V
- Frequency: 50Hz
- Total Power of the Lamps: 6
- Dimensions (H x W x D): 597 x 298 mm
- Cut Out Dimensions (H x W x D): 340 x 560 x 300 mm

## DBB97AM60

90cm | Series 6 Integrated Design Hood, Clear Glass Black Printed



### Performance

- Speed settings 3 speeds plus intensive setting
- Extraction rate according to EN 61591 ø 15 cm max. normal use 460m<sup>3</sup>/h. Intensive 749 m<sup>3</sup>/h
- Noise level according to EN 60704-2-13 exhaust air max. normal use: 63dB(A) re 1 pW. Intensive: 73 dB(A) re 1 pW
- Noise min./max. Normal Level: 50/63 dB
- Maximum output air extraction: 460
- Maximum output recirculating air: 451

### Convenience

- Grease filter type Multilayer cassette
- Suitable for ducted or re-circulated extraction
- Light Intensity 517 lux
- Colour temperature : 3500K
- Automatic revert
- The fan and light are automatically turned on and off by opening and closing the glass panel.
- The light can also be independently turned on and off when the glass panel is closed by quick hand touch on control area.

### Features

- Touch Select Control with Electronic display
- Metal grease filter
- Flush-fitted installation for a seamless integration in wall cupboards.
- Compact design
- Number of lights 3 x 2 W LED
- Noise Level 63 dB
- SoftLight
- Cassette with stainless steel frame

### Technical Information

- Width 90 cm
- Total Connection Rating: 259 W
- Fuse protection 10A
- Voltage: 220V-240V
- Frequency: 50Hz
- Total Power of the Lamps: 9
- Dimensions (H x W x D): 897 x 298 mm
- Cut Out Dimensions (H x W x D): 340 x 860 x 300 mm



# Designer Hoods

## DWF95AJ60T

90 cm | Series 4 Flat Design Hood, Clear Glass Black Printed



### Performance

- Speed settings: 3 speeds
- Extraction rate exhaust air according to EN 61591 max. 649 m³/h
- Maximum output air extraction: 649
- Maximum output recirculating air: 350

### Features

- Touch Select Basic Control with Electronic display
- Metal grease filter
- Flat design
- Black with glass canopy
- Number of lights 2 x LED spot 1W
- Noise Level 68 dB

### Convenience

- Grease filter type: Multilayer cassette
- Suitable for ducted or re-circulated extraction
- Light Intensity 100 lux
- Colour temperature: 4000K

### Technical Information

- Width 89 cm
- Total Connection Rating: 252 W
- Fuse protection 10A
- Voltage: 220V-240V
- Frequency: 50Hz
- Dimensions (H x W x D): 450 x 890 x 308 mm

## DWK91LT60

90 cm | Series 8 Wall Hood, Clear Glass Black Printed



### Performance

- Speed settings: 3-stage + 2 intensive
- Extraction rate exhaust air according to EN 61591 max. 441 m³/h
- Maximum output air extraction: 441
- Maximum output recirculating air: 437

### Features

- Touch Select Basic Control with Electronic display
- Type of Filter Metal grease filter | Filter cover glass
- Inclined design
- Black with glass canopy
- Number of lights 2 x LED spot 3W
- Noise Level 51 dB

### Convenience

- Grease filter type: Cassette
- Suitable for ducted or re-circulated extraction
- Light Intensity 422 lux
- Colour temperature: 3500K

### Technical Information

- Width 89 cm
- Total Connection Rating: 250 W
- Fuse protection 10A
- Voltage: 220V-240V
- Frequency: 50; 60Hz
- Dimensions (H x W x D): 892 - 1185 x 890 x 447 mm



# Integrated Downdraft

## DDW88MM66

80cm | Series 8 Downdraft Hood, Clear Glass



Home Connect



### Performance

- Extraction rate according to EN 61591 ø 15 cm max. Normal use 501m<sup>3</sup>/h. Intensive 775 m<sup>3</sup>/h
- Noise level according to EN 60704-2-13 exhaust air max. normal use:62dB(A) re 1 pW. Intensive:70 dB(A) re 1 pW

### Features

- Filter Service Indicator
- Activate Guided Air
- Decorative LED-Illumination
- Metal grease filter
- Saturation indicator for grease filter and odor filter

### Convenience

- Home Connect
- 3 speeds plus 2 intensive
- Air quality sensor
- Suitable for ducted or re-circulated extraction
- Electronic controls: Touch Select Basic Control
- Automatic revert

### Technical Information

- Width 80 cm
- Total Connection Rating: 300 W
- Dimensions (H x W x D): 709 x 816 x 140 mm
- Cut Out Dimensions (H x W x D): 703 x 781 x 123 mm



# Free-Standing Dishwasher

## SMS4HMC25M

60 cm | Series 4, Free-standing Dishwasher, Brushed Black Steel



### Performance

- Capacity: 14 place settings / 125+ utensils
- 6 Programs:  
Eco 50°C | Auto 45-65°C | Intensive 70°C | Express 65°C | Express 45°C | Favorite
- 4 Options:  
Remote Start | BabyBottle+ | Extra Rinse | SpeedPerfect+

### Technical Information

- Width 60 cm
- Total Connection Rating: 2.400 W
- Energy Consumption: 0.76 kWh per cycle on eco mode
- Water Consumption: 10.3 L per cycle on eco mode
- Voltage: 220-240 V
- Power Frequency: 50-60 Hz
- Dimensions (H x W x D): 845 x 600 x 600 mm

### Convenience

- AquaStop Plus - prevent water leakage
- Quiet operation: 44 dB
- Electronic Lock Panel

### Features

- Home Connect
- EcoSilence Drive
- DosageAssist
- AquaSensor
- Rackmatic 3-stage upper basket
- VarioFlex
- VarioDrawer
- Time Delay: 1-24 hours

## SMS4IKC62T

60 cm | Series 4, Free-standing Dishwasher, Brushed Black Steel



### Performance

- Capacity: 14 place settings / 125+ utensils
- 6 Programs:  
Eco 50°C | Auto 45-65°C | Intensive 70°C | Quick L 65°C | Quick S 45°C | Pre-Rinse (Favorite)
- 5 Options:  
Remote Start | BabyBottle+ | Pretreatment | Extra Rinse | SpeedPerfect

### Technical Information

- Width 60 cm
- Total Connection Rating: 2.400 W
- Energy Consumption: 0.84 kWh per cycle on eco mode
- Water Consumption: 9.5 L per cycle on eco mode
- Voltage: 220-240 V
- Power Frequency: 50-60 Hz
- Dimensions (H x W x D): 845 x 600 x 600 mm

### Convenience

- Quiet operation: 48 dB
- Electronic Lock Panel

### Features

- Home Connect
- EcoSilence Drive
- DosageAssist
- AquaSensor
- Rackmatic 3-stage upper basket
- VarioFlex
- Time Delay: 1-24 hours



# Refrigerator

## KFI96AXEA

183 x 90.5 cm | Series 6, French Door Bottom Freezer, Multi Door with Ice & Water Dispenser, Black Stainless Steel



### Performance

- Total volume: 574 L
- Net fridge volume: 375 L
- Net freezer volume: 199 L

### Features

- Quick Ice & Water Dispenser
- VitaFresh XXL
- XXL Capacity
- Big Box Drawer
- No Frost
- Holiday Mode
- Super Cooling Function
- Individual Temperature Control
- Electronic temperature control

### Convenience

- 7 segment electronic control
- LED interior light
- Dairy compartment
- Noise Level: 39 dB
- Eco Mode

### Technical Information

- Width: 90 cm
- Total Connection Rating: 185 W
- Voltage: 220-240 V
- Frequency: 50 Hz
- Dimensions (H x W x D): 1830 x 905 x 731 mm

### Accessories

- 3 egg tray
- 1 ice cube tray



# Built-in Refrigerator

## KIN86AF307

177.2 x 55.8 cm | Series 6, Built-in Fridge-freezer with Freezer at Bottom, Flat Hinge



### Performance

- Total volume: 254 L
- Net fridge volume: 187 L
- Net freezer volume: 67 L

### Features

- LED Lighting
- Vario Zone
- BigBox Drawer
- NoFrost

### Convenience

- Vario Shelf
- Easy Access Shelf

### Technical Information

- Width: 56 cm
- Voltage: 220-240 V
- Frequency: 50 Hz
- Dimensions (H x W x D): 1772 x 558 x 545 mm

### Accessories

- 2 egg tray
- 2 cold accumulator
- 1 ice cube tray





Phone : 0800-11-26724 (BOSCH)  
WhatsApp : 0821 1166 0377

Web : [www.bosch-home.co.id](http://www.bosch-home.co.id)  
Email : [bshjak.service@bshg.com](mailto:bshjak.service@bshg.com)

PT BSH Home Appliances  
Arkadia Green Park, Tower G, 7<sup>th</sup> Floor, Jl. TB Simatupang No.88

@boschhomeindonesia | Bosch Home ID | Bosch Home Appliances Indonesia