Overview of programmes

Program/type of laundry/information Name of the program: Brief explanation of the program and for which textiles it is suitable.	Settings max. load*; temperature spin speed* additional settings that can be selected
Super 15': Super 15' program, for less soiling and low load capacity, e.g. daily changing laundry or new laundry.	2 kg; - - - 40 °C - - -, 0 - 1200* rpm -
Easy-Care: Easy-care textiles made of fine cotton, linen, synthetic fibres or blended fabrics	4 kg; - - - 60 °C - - -, 0 - 1200* rpm **Speed Eco** , **Rinse Plus** , **Easy Iron**
Daily Wash: Textiles made of cotton and synthetic	4 kg; - - - 40 °C - - -, 0 - 1200* rpm **Speed Eco** , **Rinse Plus** , **Easy Iron**
Cotton: Hard-wearing textiles, heat-resistant textiles made of cotton or linen	8 / 5 kg**; - - - 90 °C - - - , 400 - 1200* rpm **Speed Eco** , **Rinse Plus** , **Easy Iron**
Wool: Hand or machine-washable wool or rich-wool textiles. Especially gentle wash program to prevent shrinkage, longer program pauses (textiles rest in wash liquor). **Note:** Use a detergent that is suitable for machine-washing wool.	2 kg; - - - 40 °C - - -, 0 - 800 rpm -
Shirts/Blouses: Non-iron shirts or blouses made of cotton, linen, synthetic fibres or blended fabrics	2 kg; - - - 60 °C - - -, 0 - 800 rpm **Speed Eco** , **Rinse Plus** , **Easy Iron**
Disinfectant: Special programme for using clothing disinfectant, suitable for mixed load consisting of textiles made of cotton and synthetics.	4 kg; - - - 40 °C - - -, 0 - 1200* rpm **Speed Eco** , **Rinse Plus** , **Easy Iron**

* the maximum spin speed and max. load depends on the program and model
** reduced load for the **Speed** setting

Program/type of laundry/information Name of the program: Brief explanation of the program and for which textiles it is suitable.	Settings max. load*; temperature spin speed* additional settings that can be selected
Drum clean: Special program for drum hygiene or fluff removal. 90°C = antibacterial program, use no detergent 40°C = antibacterial program, special drum cleaning detergent can be used. - - = fluff rinsing programme, to remove hair or fluff accumulated from the tub.	0 kg; - -, 40°C, 90 °C 1200* rpm -
Rinse: Extra rinse with selectable spin speed	-; - - -, 0 - 1200* rpm **Rinse Plus** , **Easy Iron**
Spin: Extra spin with selectable spin speed. Only to be emptied, set **rpm** ⟲ to 0.	-; - 0 - 1200* rpm **Easy Iron**
Delicates/Silk: For delicate, machine washable textiles, e.g. silk, satin, synthetic fibres or blended fabrics (e.g. silk blouses, silk scarf)	2 kg; - - 40 °C - -, 0 - 800 rpm **Speed Eco** , **Rinse Plus** , **Easy Iron**
Duvet: Machine-washable laundry filled with down, not for pillow or mattress **Note:** No softener is allowed. Large laundry should be washed separately.	2 kg; - - 60 °C - -, 0 - 1200* rpm **Speed Eco** , **Rinse Plus**
Outdoor: All-weather, sports and outdoor textiles with membrane technology. Not for water-repellent membrane textiles. **Note:** No softener is allowed.	2 kg; - - 40 °C - -, 0 - 800 rpm **Speed Eco** , **Rinse Plus**
Night Wash: Noise reduction without acoustic signal and slow spin speed. For cotton, synthetic fibres, blended fabric.	4 kg; - - 40 °C - -, 0 - 1200* rpm **Speed Eco** , **Rinse Plus** , **Easy Iron**
AllergyPlus: Hard-wearing textiles, heat-resistant textiles made of cotton or linen. Specially for sensitive skin.	6.5 kg; - - 60 °C - -, 400 - 1200* rpm **Speed Eco** , **Rinse Plus Easy Iron**

* the maximum spin speed and max. load depends on the program and model
** reduced load for the **Speed** setting

Consumption values table

Programme	Additional function	Load	Energy consumption**	Water consumption**	Programme duration**
Cotton 60 °C*	Eco , Rinse Plus	8 kg	0.750 kWh	59 l	7 3/5 h
Easy-Care 40 °C	-	4 kg	0.687 kWh	62 l	2 h
Daily Wash 40 °C	-	4 kg	0.63 kWh	46 l	1 1/4 h
Delicate/Silk 30 °C	-	2 kg	0.22 kWh	38 l	3/4 h
Wool 30 °C	-	2 kg	0.19 kWh	44 l	3/4 h

* Programme setting for testing and energy labelling in accordance with GB standard.
** Observed values may deviate from the indicated values due to influence of water pressure, hardness and inlet temperature, ambient temperature, type, amount and soiling of laundry, detergent used, fluctuations in power supply and selected additional functions.

Technical data



Dimensions	a = 598 mm b = 550 mm c = 848 mm
Weight	68 kg
Mains connection	Nominal voltage 220–240V, 50 Hz Minimum installation protection (⊟)10 A Nominal power 2300 W
Water pressure	0.1–1 MPa (1–10 bar)

WAN24260ID

9001179881 (9812)