



BOSCH

Invented for life



Bosch kitchen appliances,
perfected for Indian cooking.

Bosch Built-in Cooking and Dishcare range.

Contents

About us	1 - 2
Hoods	3 - 16
Hobs	17 - 24
Induction Hobs	25 - 28
Ovens	29 - 34
Microwave Ovens	35 - 38
Dishwashers	39 - 44






Invented for life.

The beauty of German craftsmanship and design, perfectly showcased by Bosch over 130 years.

Founded in 1886, Bosch has been synonymous with outstanding technology and craftsmanship. Through continuous innovation, precise electrical engineering and electronic technology, Bosch has become the world's pioneer in industrial technology. Simple yet elegant, Bosch home appliances make every kitchen an art space with their concise design and aesthetics of life. Today, Bosch is one of the leading home appliances brands in Europe. The brand offers both free-standing and built-in appliances. Renowned for its one-stop cooking solution, Bosch products include the high quality Gas hobs, Induction Hobs, Hoods - Inclined, Island and Wall Mounted, Ovens, Microwave and Dishwasher. Bosch appliances, offers a complete solution for living with innovative designs to fulfill the unique need of every consumer.

"I would rather lose money than trust", the philosophy of company founder, Robert Bosch, continues to guide Bosch in developing high-quality products and assuming social responsibility wherever it operates. True to the brand's philosophy brand "Invented for life", Bosch will continue to offer consumers with quality and perfect technology for a better life.



Awards



*Images used are for representational purposes only.

Hoods | Features

For Suction Power that is always Real.

Each Bosch hood is created using highly durable stainless steel. Designed to offer wider coverage and the most ideal suction / extraction for all kinds of kitchens all thanks to powerful blower motors & largest baffle filters. All this is offered together with the finest aesthetics, LED illumination & low noise.



Real Suction Power
For a smell-free kitchen, air needs to be cleaned 8-10 times per hour, making the extraction or suction power a function of the air volume in the kitchen. Bosch range of hoods are strictly tested keeping in mind the various kitchen sizes hence stating the most accurate real extraction out of the kitchen even considering the 2 standard bends in the ducting.



Flawless German Design
High quality material and elegant craftsmanship make Bosch hoods a treat to look at, and also to use. The finesse of our brushed steel hoods gives it a modern, minimalistic look, while the design also ensures safety as there are no sharp edges.



Largest Baffle Filter
Bosch hood is equipped with the largest baffle filter. The filter ensures complete coverage of the burners from the top which results in total elimination of grease, heat, smell and smoke from your kitchen.



LED Illumination
Bosch hoods are fitted with LED lights that offer the brightest illumination. LED illumination also ensures no heating of the hoods unlike the halogen options.



Easy To Clean
The high quality two piece baffle filter is easy to separate and clean. It can be cleaned either manually under running water, or in a dishwasher, removing the grease completely.



Oil Collector Filter
For households where heavy frying is a daily activity Bosch hoods provide the option of Oil Collector filter. The excess grease from frying melts into oil and gets accumulated in the collector container which can be easily removed and cleaned later.



A chimney hood design for every kitchen.

With a wide variety of sizes, types and finishes to choose from, it's easy to find the right chimney hood to perfectly match your kitchen.

Design	60 cm	90 cm	120 cm
Island		✓	✓
Inclined		✓	
Glass box	✓	✓	
Slim Pyramid		✓	
Slim Box		✓	
Straight glass	✓	✓	
Oil Collector		✓	
Box	✓	✓	
Pyramid	✓	✓	

Hoods | Features

Selecting the right hood for your kitchen.

If you love cooking at home, you'll know that an effective extraction method is needed to help get rid of moisture and remove odours, so that your kitchen and other areas of the home remain pleasant, relaxing environments. The short guide below takes you through the key factors you should consider when purchasing any new hood. We would like to help you choose the right hood for your kitchen.

Suction power demystified

What Suction power do you need?


To calculate the appropriate airflow level for your kitchen, you should multiply the volume of your kitchen by 10. For example: If your kitchen is 3 metres wide, 5 metres long and 2.7 metres high, your calculation will be: (3 x 5 x 2.7) x 10 = 405. This means that a hood with an Suction power of 400 m3/h should achieve efficient ventilation of the room. Bosch hoods are fine tuned to generate 800m3/h and 1000m3/h of real Suction power at low noise level. This real extraction is measured not at the air sucked at the filter level in the kitchen, but at the air thrown out after considering bends in the ducting, if any.

The Right Hood

Match your hood with your kitchen to keep your at smelling clean and fresh. The right hood replaces air in your kitchen ideally 10 times an hour.



What Suction power do I need from my hood?



When choosing a hood, always match its air delivery power to the size of your kitchen. An effective hood should be able to replace the air in your kitchen 10 times an hour.

How is the Suction power reported?

The European standard IEC/EN 61591 (introduced in 1997) is the most updated measurement method. Before its introduction, the free-blower method was commonly used. The European standard measures airflow in a realistic scenario and its therefore more representative. Hence, when comparing Suction power, ensure you are comparing based on the same methods. Bosch follows European standards, meaning the airflow is measured after 30 centimeters of ducting, plus one 90° bend and one more meter of ducting.


Did You Know ? There are different types of air extraction measurements.

Other Types of Air Extraction Measurement	Bosch Stringent Measurement on Air Extraction: Testing according to EN 61591
<p>Measurement of net fan power at the air outlet above motor in appliance without connection to ducting system</p>	
<p>Measurement of net fan power based on motor only</p>	<p>Measurement of net fan power at air outlet above motor in appliance with connection to ducting system according to EN 61591</p>









Hoods | Specifications



Model Number	DIB128G50I 120 cm Island glass box chimney hood 800 m3/h real suction 4 Baffle Filters 4 LED lamps	DIB098G50I 90 cm Island glass box chimney hood 800 m3/h real suction 3 Baffle Filters 4 LED lamps
Features	<ul style="list-style-type: none">• 120 cm Island chimney hood• Touch control for 3 + intensive speed fan regulation• LED lamps x 4• Suction: real 800 m3/h• Operation mode hoods: Ducted and recirculating operation• Max. noise level: 73 dB ducted / 77 dB recirculating• 4 High Efficiency Baffle Filters• Total power of motors: 350 W• Multi-stage fan regulation• Stainless steel hood which is easy to clean• Easy to clean Dishwasher safe filter	<ul style="list-style-type: none">• 90 cm Island chimney hood• Touch control for 3 + intensive speed fan regulation• LED lamps x 4• Suction: real 800 m3/h• Operation mode hoods: Ducted and recirculating operation• Max. noise level: 73 dB ducted / 77 dB recirculating• 3 High Efficiency Baffle Filters• Total power of motors: 350 W• Multi-stage fan regulation• Stainless steel hood which is easy to clean• Easy to clean Dishwasher safe filter
Dimensions	<ul style="list-style-type: none">• Appliance dimensions (HxWxD): 1000 mm X 1175 mm X 609 mm• Ducting connection diameter: 150 / 120 mm• Connecting cable 1.5 m	<ul style="list-style-type: none">• Appliance dimensions (HxWxD): 1000 mm X 898 mm X 609 mm• Ducting connection diameter: 150 / 120 mm• Connecting cable 1.5 m



Model Number	DIG098G50I 90 cm Island straight glass chimney hood 800 m3/h real suction 2 Baffle Filters 4 LED lamps	DWK098G60I 90 cm Inclined chimney hood 800 m3/h real suction 3 mesh filters 2 LED lamps
Features	<ul style="list-style-type: none">• 90 cm Island chimney hood• Touch control for 3 + intensive speed fan regulation• LED lamps x 4• Suction: real 800 m3/h• Operation mode hoods: Ducted and recirculating operation• Max. noise level: 73 dB ducted / 77 dB recirculating• 2 High Efficiency Baffle Filters• Total power of motors: 350 W• Multi-stage fan regulation• Stainless steel hood which is easy to clean• Easy to clean Dishwasher safe filter	<ul style="list-style-type: none">• 90 cm inclined chimney hood• Touch control for 3 + intensive speed fan regulation• LED lamps x 2• Suction: real 800 m3/h• Operation mode hoods: Ducted operation• Max. noise level: 73 dB• 3 high efficiency mesh filters• Total power of motors: 350 W• Multi-stage fan regulation• Stainless steel hood which is easy to clean
Dimensions	<ul style="list-style-type: none">• Appliance dimensions (HxWxD): 950-1050 mm X 898 mm X 700 mm• Ducting connection diameter: 150 / 120 mm• Connecting cable 1.5 m	<ul style="list-style-type: none">• Appliance dimensions (HxWxD): 882 mm X 898 mm X 339 mm• Ducting connection diameter: 150 / 120 mm• Connecting cable 1.5 m











Hoods | Specifications



Model Number	DEE928PIN	DEE936BIN
	90 cm Pyramidal slimline hood 1020 m3/h real suction 3 extra large baffle filters LED lamps	90 cm Box slimline hood 960 m3/h real suction 3 extra large baffle filters
Features	<ul style="list-style-type: none">• 90 cm Pyramidal slimline hood• Electronic Push Button• LED lamps x 2• Suction: real 1020 m3/h• Operation mode hoods: Ducted operation• Max. noise level: 71 dB• 3 extra large high efficiency baffle filters• Total power of motors: 200 W• Multi-stage fan regulation and Booster function• Archimedes air channel, strong and quiet• Clean system with filters at each key point• Stainless steel hood which is easy to clean• Easy to clean Dishwasher safe filter	<ul style="list-style-type: none">• 90 cm Box slimline hood• Electronic Push buttons• Halogen spot x 2• Suction: real 960 m3/h• Operation mode hoods: Ducted and recirculating operation• Max. noise level: 72 dB• 3 extra large high efficiency baffle filters• Total power of motors: 210 W• Multi-stage fan regulation• Archimedes air channel, strong and quiet• Clean system with filters at each key point• Stainless steel hood which is easy to clean• Easy to clean Dishwasher safe filter
Dimensions	<ul style="list-style-type: none">• Appliance dimensions (HxWxD): 707-1075 mm x 895 mm x 530 mm• Ducting connection diameter: 180 mm• Connecting cable 1.5 m	<ul style="list-style-type: none">• Appliance dimensions (HxWxD): 664-1034 mm x 900 mm x 530 mm• Ducting connection diameter: 180 mm• Connecting cable 1.5 m







Model Number	DKE906HIN	DKE908PIN
	90 cm Curved glass oil-collector hood 860 m3/h real suction Metal grease filter with oil collector	90 cm Pyramidal Slimline hood 860 m3/h real suction Metal grease filter with oil collector
Features	<ul style="list-style-type: none">• 90 cm curved glass oil-collector hood• Rocker controls for 3 speed fan regulation• Halogen spot x 2• Suction: real 860 m3/h• Operation mode hoods: Ducted operation• Max. noise level: 69 dB• Metal grease filter with oil-collector• Total power of motors: 150 W• Multi-stage fan regulation• Stainless steel hood which is easy to clean	<ul style="list-style-type: none">• 90 cm pyramidal oil-collector hood• Rocker controls for 3 speed fan regulation• Halogen spot x 2• Suction: real 860 m3/h• Operation mode hoods: Ducted operation• Max. noise level: 69 dB• Metal grease filter with oil-collector• Total power of motors: 150 W• Multi-stage fan regulation• Stainless steel hood which is easy to clean
Dimensions	<ul style="list-style-type: none">• Appliance dimensions (HxWxD): 600-890 mm x 900 mm x 505 mm• Ducting connection diameter: 160 mm• Connecting cable 1.5 m	<ul style="list-style-type: none">• Appliance dimensions (HxWxD): 595-880 mm x 900 mm x 530 mm• Ducting connection diameter: 160 mm• Connecting cable 1.5 m







Hoods | Specifications



Model Number	DWB098G50I	DWB068G50I
	90 cm Glass Box hood 800 m3/h real suction 3 Baffle Filters Touch control	60 cm Glass Box hood 800 m3/h real suction 2 Baffle Filters Touch control
Features	<ul style="list-style-type: none">• 90 cm box hood with front glass inlay• Touch controls for 3 speed fan + intensive regulation• LED lamps x 2• Suction: real 800 m3/h• Operation mode hoods: Ducted operation• Max. noise level: 73 dB• 3 High Efficiency Baffle filters• Total power of motors: 350 W• Multi-stage fan regulation• Stainless steel hood which is easy to clean• Easy to clean Dishwasher safe filter	<ul style="list-style-type: none">• 60 cm box hood with front glass inlay• Touch controls for 3 speed fan + intensive regulation• LED lamps x 2• Suction: real 800 m3/h• Operation mode hoods: Ducted operation• Max. noise level: 73 dB• 2 High Efficiency Baffle Filters• Total power of motors: 350 W• Multi-stage fan regulation• Stainless steel hood which is easy to clean• Easy to clean Dishwasher safe filter
Dimensions	<ul style="list-style-type: none">• Appliance dimensions (HxWxD): 654 mm X 898 mm X 485 mm• Ducting connection diameter: 150 / 120 mm• Connecting cable 1.5 m	<ul style="list-style-type: none">• Appliance dimensions (HxWxD): 654 mm X 598 mm X 485 mm• Ducting connection diameter: 150 / 120 mm• Connecting cable 1.5 m







Model Number	DWB098D50I	DWB068D50I
	90 cm Mechanical box hood 800 m3/h real suction 3 Baffle Filters LED lights	60 cm Mechanical box hood 800 m3/h real suction 2 Baffle Filters LED lights
Features	<ul style="list-style-type: none">• 90 cm Mechanical box hood• Push button controls for 3 speed fan regulation• LED lamps x 2• Suction: real 800 m3/h• Operation mode hoods: Ducted operation• Max. noise level: 73 dB• 3 High Efficiency Baffle Filters• Total power of motors: 350 W• Multi-stage fan regulation• Stainless steel hood which is easy to clean• Easy to clean Dishwasher safe filter	<ul style="list-style-type: none">• 60 cm mechanical box hood• Push button controls for 3 speed fan regulation• LED lamps x 2• Suction: real 800 m3/h• Operation mode hoods: Ducted operation• Max. noise level: 73 dB• 2 High Efficiency Baffle Filters• Total power of motors: 350 W• Multi-stage fan regulation• Stainless steel hood which is easy to clean• Easy to clean Dishwasher safe filter
Dimensions	<ul style="list-style-type: none">• Appliance dimensions (HxWxD): 644 mm X 898 mm X 490 mm• Ducting connection diameter: 150 / 120 mm• Connecting cable 1.5 m	<ul style="list-style-type: none">• Appliance dimensions (HxWxD): 644 mm X 598 mm X 490 mm• Ducting connection diameter: 150 / 120 mm• Connecting cable 1.5 m







Hoods | Specifications



Model Number	DWB09W851I	DWB06W851I
	90 cm Box hood 800 m3/h real suction 3 extra large baffle filters	60 cm Box hood 800 m3/h real suction 2 extra large baffle filters
Features	<ul style="list-style-type: none">• 90 cm box hood• Rocker controls for 3 speed fan regulation• Halogen spot x 2• Suction: real 800 m3/h• Operation mode hoods: Ducted / Recirculating operation• Max. noise level: 72 dB• 3 extra large high efficiency baffle filters• Total power of motors: 250 W• Multi-stage fan regulation• Stainless steel hood which is easy to clean• Easy to clean dishwasher safe filter	<ul style="list-style-type: none">• 60 cm box hood• Rocker controls for 3 speed fan regulation• Halogen spot x 2• Suction: real 800 m3/h• Operation mode hoods: Ducted / Recirculating operation• Max. noise level: 72 dB• 2 extra large high efficiency baffle filters• Total power of motors: 250 W• Multi-stage fan regulation• Stainless steel hood which is easy to clean• Easy to clean Dishwasher safe filter
Dimensions	<ul style="list-style-type: none">• Appliance dimensions (HxWxD): 516 mm x 900 mm x 500 mm• Ducting connection diameter: 150 / 120 mm• Connecting cable 1.3 m	<ul style="list-style-type: none">• Appliance dimensions (HxWxD): 516 mm x 600 mm x 500 mm• Ducting connection diameter: 150 / 120 mm• Connecting cable 1.3 m







Model Number	DWG098D50I	DWG068D50I
	90 cm Straight glass hood 800 m3/h real suction 2 Baffle filters	60 cm Straight glass hood 800 m3/h real suction 2 baffle filters
Features	<ul style="list-style-type: none">• 90 cm straight glass hood• Push button controls for 3 speed fan regulation• CFL lights x 2• Suction: real 800 m3/h• Operation mode hoods: Ducted operation• Max. noise level: 73 dB• 2 high efficiency Baffle filters• Total power of motors: 350 W• Multi-stage fan regulation• Stainless steel hood which is easy to clean• Easy to clean dishwasher safe filter	<ul style="list-style-type: none">• 60 cm straight glass hood• Push button controls for 3 speed fan regulation• CFL Lights x 2• Suction: real 800 m3/h• Operation mode hoods: Ducted operation• Max. noise level: 73 dB• 2 high efficiency Baffle filters• Total power of motors: 350 W• Multi-stage fan regulation• Stainless steel hood which is easy to clean• Easy to clean dishwasher safe filter
Dimensions	<ul style="list-style-type: none">• Appliance dimensions (HxWxD): 642 mm X 898 mm X 520 mm• Ducting connection diameter: 150 mm• Connecting cable 1.5 m	<ul style="list-style-type: none">• Appliance dimensions (HxWxD): 642 mm X 598 mm X 520 mm• Ducting connection diameter: 150 / 120 mm• Connecting cable 1.5 m



Hoods | Specifications



Model Number	DWW09W850I	DWW06W850I
	90 cm Pyramidal hood 800 m3/h real suction 3 extra large baffle filters	60 cm Pyramidal hood 800 m3/h real suction 2 extra large baffle filters
Features	<ul style="list-style-type: none">• 90 cm Pyramidal Hood• Rocker controls for 3 speed fan regulation• Halogen spot x 2• Suction: real 800 m3/h• Operation mode hoods: Ducted and recirculating operation• Max. noise level: 70 dB ducted / 75 dB recirculating• 3 extra large high efficiency baffle filters• Total power of motors: 215 W• Multi-stage fan regulation• Stainless steel hood which is easy to clean• Easy to clean Dishwasher safe filter	<ul style="list-style-type: none">• 60 cm Pyramidal Hood• Rocker controls for 3 speed fan regulation• Halogen spot x 2• Suction: real 800 m3/h• Operation mode hoods: Ducted and recirculating operation• Max. noise level: 70 dB ducted / 75 dB recirculating• 2 extra large high efficiency baffle filters• Total power of motors: 215 W• Multi-stage fan regulation• Stainless steel hood which is easy to clean• Easy to clean Dishwasher safe filter
Dimensions	<ul style="list-style-type: none">• Appliance dimensions (HxWxD): 799-976 mm x 900 mm x 500 mm• Ducting connection diameter: 150 / 120 mm• Connecting cable 1.3 m	<ul style="list-style-type: none">• Appliance dimensions (HxWxD): 799-976 mm x 600 mm x 500 mm• Ducting connection diameter: 150 / 120 mm• Connecting cable 1.3 m



Warranty on Hoods: 24 months from the date of purchase. 60 months from the date of purchase on the blower motor of DWB098G50I, DWB098D50I, DWG098D50I, DWB068G50I, DWB068D50I, DWG068D50I, DIB128G50I, DIB098G50I, DIG098G50I, DWK098G60I.



Hobs | Features

Making Phulkas is an art for you. For us, it's pure engineering.

We believe what looks perfect, must also work perfect. Our Gas Hobs, for instance, are a startling example of our obsession with perfection. They have been re-engineered with the most powerful Triple Flame Burners to give you the best possible distribution of flame. Best possible distribution of flame, just so that your Rotis, Phulkas and Chapattis puff up perfectly.


Powerful 4 kW Triple Flame Burner

Bosch hobs come equipped with the most powerful 4 kW Triple Flame Wok burners, providing three layers of vertical flames that ensure even heat distribution across big cooking pots. Bosch gas hobs are powerful for speedy cooking and at the same time, gentle for simmering.


Flame Failure Device

While cooking, if the flame accidentally goes off, there's a chance of gas leakage. But not with Bosch gas hobs, which are equipped with an ingenious device that automatically shuts off gas supply on detecting no flame. As safety cannot be optional, the Flame Failure Device comes as a standard feature with every Bosch gas hob.


Strong Pan Supports

Equipped with strong pan supports, our hobs ensure that the pots don't wobble. This in turn adds to superior heat distribution. The pan supports can be easily removed and washed, while its enamel coating makes cleaning even easier.




Intelligent Control Knobs

Different types of Indian dishes require different levels of heat. That's why Bosch hobs come equipped with control knobs for precise control over the flame. The clever design of the knobs also makes it easy and comfortable to use.




Rubber Gasket

While cleaning, there are chances of water droplets seeping inside the knobs. Precisely why, we have rubber gaskets around our knobs which ensure zero water seepage. This not only improves safety but also enhances product life.



Hobs | Specifications



Model Number	PPS916B91E	PPS816B1TI
	90 cm Black glass gas hob 5 burners Flame failure safety device	75 cm Black glass gas hob 5 burners Flame failure safety device
Features	<ul style="list-style-type: none">• 5 burner gas hob• 1 wok, 1 rapid, 2 standard, 1 economy burner• Even triple flame 4 kW Wok burner at left side• Standard burner at front right side: 1.7 kW• High-speed burner at rear right side : 3 kW• Standard burner at rear left side: 1.7 kW• Economy burner at front left side: 1 kW• Flame failure safety device• Single handed automatic ignition via control knobs• Cast iron pan supports for wobble free cooking• Tempered black glass hob which is easy to clean	<ul style="list-style-type: none">• 5 burner gas hob• 1 wok, 1 rapid, 2 standard, 1 economy burner• Even triple flame 4 kW Wok burner at left side• Standard burner at front right side: 1.7 kW• High-speed burner at rear right side : 3 kW• Standard burner at rear left side: 1.7 kW• Economy burner at front left side: 1 kW• Flame failure safety device• Single handed automatic ignition via control knobs• Steel square shaped pan supports for wobble free cooking• Tempered black glass hob which is easy to clean
Dimensions	<ul style="list-style-type: none">• Appliance Dimensions (H x W x D): 45 mm x 915 mm x 520 mm• Cut-out niche dimensions (HxWxD): 45 mm x 850 mm x 490-500 mm• Connecting cable 1.0 m	<ul style="list-style-type: none">• Appliance Dimensions (H x W x D): 58 mm x 752 mm x 520 mm• Cut-out niche dimensions (HxWxD): 45 mm x 610 mm x 480-490 mm• Connecting cable 1.0 m






Model Number	PPQ716B1TI	PCI815B8TI
	70 cm Black glass gas hob 5 burners Flame failure safety device	76 cm Stainless steel gas hob 4 burners Flame failure safety device
Features	<ul style="list-style-type: none">• 5 burner gas hob• 1 wok, 1 rapid, 2 standard, 1 economy burner• Even triple flame 4 kW Wok burner at centre• Standard burner at front right side: 1.7 kW• High-speed burner at rear right side : 3 kW• Standard burner at rear left side: 1.7 kW• Economy burner at front left side: 1 kW• Flame failure safety device• Single handed automatic ignition via control knobs• Steel square shaped pan supports for wobble free cooking• Tempered black glass hob which is easy to clean	<ul style="list-style-type: none">• 4 burner gas hob• 1 wok, 1 rapid, 1 standard, 1 economy burner• Even triple flame 4 kW Wok burner at left side• Rapid burner at right side: 3 kW• Standard burner at rear centre : 1.7 kW• Economy burner at front centre: 1 kW• Flame failure safety device• Single handed automatic ignition via control knobs• Strong continuous steel pan supports for wobble free cooking• Stainless steel gas hob which is easy to clean
Dimensions	<ul style="list-style-type: none">• Appliance Dimensions (H x W x D): 58 mm x 710 mm x 520 mm• Cut-out niche dimensions (HxWxD): 45 mm x 560 mm x 480-490 mm• Connecting cable 1.0 m	<ul style="list-style-type: none">• Appliance Dimensions (H x W x D): 45 mm x 762 mm x 520 mm• Cut-out niche dimensions (HxWxD): 45 mm x 560 mm x 480-490 mm• Connecting cable 1.0 m





Hobs | Specifications



Model Number	PPH616B1TI	PCH615B8TI
	60 cm Black glass gas hob 4 burners Flame failure safety device	60 cm Stainless steel gas hob 4 burners Flame failure safety device
Features	<ul style="list-style-type: none">• 4 burner gas hob• 1 wok, 2 standard, 1 economy burner• Even triple flame 3.3 kW Wok burner at rear right• Economy burner at front right side: 1 kW• Standard burner at rear left side: 1.7 kW• Standard burner at front left side: 1.7 kW• Flame failure safety device• Single handed automatic ignition via control knobs• Steel square shaped pan supports for wobble free cooking• Tempered black glass hob which is easy to clean	<ul style="list-style-type: none">• 4 burner gas hob• 1 wok, 1 rapid, 1 standard, 1 economy burner• Even triple flame 4 kW Wok burner at front left• Economy burner at front right side: 1 kW• High speed rapid burner at rear right side: 3 kW• Standard burner at rear left side: 1.7 kW• Flame failure safety device• Single handed automatic ignition via control knobs• Steel square shaped pan supports for wobble free cooking• Stainless steel hob which is easy to clean
Dimensions	<ul style="list-style-type: none">• Appliance Dimensions (H x W x D): 45 mm x 590 mm x 520 mm• Cut-out niche dimensions (HxWxD): 45 mm x 560 mm x 480-490 mm• Connecting cable 1.0 m	<ul style="list-style-type: none">• Appliance Dimensions (H x W x D): 45 mm x 582 mm x 520 mm• Cut-out niche dimensions (HxWxD): 45 mm x 560 mm x 480-490 mm• Connecting cable 1.0 m




Model Number	PBH615B8TI	POH616B1TI
	60 cm Stainless steel gas hob 4 burners Flame failure safety device	60 cm Black glass gas hob 4 burners Flame failure safety device
Features	<ul style="list-style-type: none">• 4 burner gas hob• 1 wok, 2 standard, 1 economy burner• Even triple flame 4 kW Wok burner at front left• Economy burner at front right side: 1 kW• Standard burner at rear right side: 1.7 kW• Standard burner at rear left side: 1.7 kW• Flame failure safety device• Single handed automatic ignition via control knobs• Steel square shaped pan supports for wobble free cooking• Stainless steel hob which is easy to clean	<ul style="list-style-type: none">• 4 burner gas hob• 1 wok, 2 standard, 1 economy burner• Even triple flame 4 kW Wok burner at front left• Economy burner at front right side: 1 kW• Standard burner at rear right side: 1.7 kW• Standard burner at rear left side: 1.7 kW• Flame failure safety device• Single handed automatic ignition via control knobs• Steel square shaped pan supports for wobble free cooking• Tempered black glass hob which is easy to clean
Dimensions	<ul style="list-style-type: none">• Appliance Dimensions (H x W x D): 43 mm x 580 mm x 510 mm• Cut-out niche dimensions (HxWxD): 43 mm x 560 mm x 480-490 mm• Connecting cable 1.0 m	<ul style="list-style-type: none">• Appliance Dimensions (H x W x D): 45 mm x 590 mm x 520 mm• Cut-out niche dimensions (HxWxD): 45 mm x 560 mm x 480-490 mm• Connecting cable 1.0 m



Hobs | Specifications



With Brass Burners



With Brass Burners



Model Number	PBD7351MS	PBD7331MS
	76 cm Stainless steel gas hob 3 brass burners Flame failure safety device	78 cm Black glass gas hob 3 brass burners Flame failure safety device
Features	<ul style="list-style-type: none">• 3 burner gas hob• 2 wok, 1 standard burner• Even triple flame 4 kW left and right burners• Wok burner at front right side: 4 kW• Standard burner at rear centre : 1.7 kW• Wok burner at front left side: 4 kW• Flame failure safety device• Single handed automatic ignition via control knobs• Strong cast iron pan supports for wobble free cooking• Stainless steel gas hob which is easy to clean	<ul style="list-style-type: none">• 3 burner gas hob• 2 wok, 1 standard burner• Even triple flame 4 kW left and right burners• Wok burner at front right side: 4 kW• Standard burner at rear centre : 1.7 kW• Wok burner at front left side: 4 kW• Flame failure safety device• Single handed automatic ignition via control knobs• Strong cast iron pan supports for wobble free cooking• Tempered black glass hob which is easy to clean
Dimensions	<ul style="list-style-type: none">• Appliance Dimensions (H x W x D): 80 mm x 760 mm x 460 mm• Cut-out niche dimensions (HxWxD): 80 mm x 700 mm x 400 mm• Connecting cable 1.2 m	<ul style="list-style-type: none">• Appliance Dimensions (H x W x D): 80 mm x 785 mm x 450 mm• Cut-out niche dimensions (HxWxD): 80 mm x 700 mm x 400 mm• Connecting cable 1.2 m



Induction Hobs | Features

Twice as fast as gas.

Induction hobs can heat food and boil water nearly twice as fast as gas and three times faster than ceramic hobs*. And as they're also more energy efficient, you'll save money as well as time.



TouchSelect
With TouchSelect control panel, desired cooking zone can be regulated easily. The +/- keys help choose the required power level for the selected zone.



TopControl-Digital Display
Now no need to worry if rice is boiled or not as Induction Hobs will alert at moment it is ready. It also showcase the time you have been cooking; all digital for more comfort.



Pan recognition sensor
Automatic pan recognition sensor, recognises the diameter of the cookware and determines the size of the cooking zone accordingly. If the pan is removed, the control panel indicator will flash and remain inactive until the pan is detected.



QuickStart Function
Start cooking quicker. New Bosch QuickStart functionality automatically detects the location of your pot and displays the cooking zone on the control panel. Just select the power level and you're away.



ReStart Function
Things happen quickly in the kitchen – if you spill something on the control panel or accidentally switch-off the cooktop, ReStart will store your last selected settings. Those settings can be instantly recalled by simply pressing the main power switch within 4 seconds.



Stage Residual Heat Indicator
Audio signal emitted at the desired cooking time with the Count-down timer will automatically deactivate the cooking zone so no more disturbance for other cooking items like our favourite curries.



Boost Function For All Zones
Power level of Induction Hobs is increased for extra boosting speed while cooking. The 32 cm cooking zones are specially designed for an action of 5.5 kW power which means boiling for rice is three times quicker.



17 Power Levels
Enjoy total control on every recipe with 17-stage power settings. This function allows cooking zones to be set in increments of 0.5 (eg. 0.5, 1, 1.5, 2...9).

*Based on time required to heat 2 litres of water at 15°C to 90°C using Bosch hobs.
*Images used only for representation purpose.




Induction Hobs | Features

Why induction?

Bring 2 litres of water to a boil in just 4.7 minutes. Our PowerBoost function can increase the power output to a selected cooking zone by approximately 50%. Saving you precious time.

Why is it so fast, so easy to clean and safe?

Induction Hobs are easier to clean than traditional hobs, because the ceramic glass doesn't get as hot. Any spillages can be quickly and easily wiped away. With an Induction Hob, micro-currents are generated in the bottom of the pot. Consequently, heat is only created when the pan is connected to the hob & heating will stop as soon as it's removed, which means it's far safer than cooking with traditional hobs.



Ovens | Features

What will get more compliments? Your Nan Khatai, or the oven it was made in.

Not only does our oven’s minimalistic design in glass and stainless steel go well with other Bosch appliances, but it also gives you that professional edge. Our engineers have used all the right ingredients for a perfect oven that caters to all your needs. From continental to Italian, desserts to even Indian cuisine, its large capacity is ideal for baking or grilling for the entire family. So set the timer, and prepare to cook to your heart’s content.



Easy Cleaning
Bosch range of ovens come equipped with Catalytic liners which ensure that cleaning the oven after heavy cooking is as easy as using the Oven itself.



Cool Door
Unlike other ovens, the outer glass door of Bosch ovens remains cool even while baking at high temperatures. This gives added safety since the door can be touched from outside while the oven is operational. The triple glass door ensures the door surface temperature is kept as low as possible.



Child lock
Few of our ovens are equipped with a child lock that prevents unwanted changes to settings. The control panel is locked so the appliance can only be switched off using the On/Off button.



Residual heat indicator
When the appliance is switched off, the display ring shows the residual heat in the cooking compartment. As the residual heat cools down, the display ring becomes darker then disappears.



TFT Touch Display
The intuitive control ring and clear TFT display with icons make it easy to operate your oven. Shortcuts to the two most commonly used heating functions, helpful icons and clear descriptions inside the control ring, provide all the information you need to keep track of your cooking.






Extra large cavity
Bosch ovens offer up to 71 usable litres of cooking space and larger baking trays. The increased cavity creates more uniform baking results due to the improved heat circulation between the racks.



Ovens | Heating Functions

Perfect heating modes to meet your every cooking need.

Perfect baking and roasting not only requires the right temperature, but also the appropriate heating function, too. From 4D Hotair to Hotair Eco, Bosch ovens offer heating functions that deliver everything from haute cuisine to everyday feasts.



Features	Recommended for
4D Hot air For baking and roasting on one or more levels. The fan distributes heat from the ring heating element in the back panel evenly around the cooking compartment. You can also bake and roast up to 4 different levels simultaneously. <ul style="list-style-type: none">• Ideal for baking Mawa cake, cookies, using three levels at the same levels at the same time.	
3D Hot Air The amazing 3D Hot Air heating mode provides two levels with equal amount of heat from all sides. Thus giving you results as perfect as possible. This feature is ideal for baking Mawa Cake, Cookies and Roasted Baingan, using two levels at the same time. <ul style="list-style-type: none">• Ideal for baking with two trays at the same time. Biscuits, sponge cake.	
Hot Air-Eco For energy-optimised cooking of selected dishes on one level without preheating. The fan distributes the energy optimised heat from the ring heating element in the back wall evenly around the cooking compartment. <ul style="list-style-type: none">• Ideal for Muffins	
Conventional Heat (Top and Bottom Heat) For traditional baking & roasting on one level. Especially suitable for cakes with moist toppings. Heat is emitted evenly from the top & bottom. <ul style="list-style-type: none">• Ideal for Rich fruit cake	

Features	Recommended for
Conventional Heat Eco (Top and Bottom Heat Eco) This supports cooking on a single shelf for energy efficient cooking. <ul style="list-style-type: none">• Ideal for Bread rolls, Fish	
Hot Air Grilling For roasting. The grill element and fan switch on and off producing even and crisp roasting results. <ul style="list-style-type: none">• Ideal for Roasted chicken, Paneer tikka	
Full Width Grill For grilling flat items. <ul style="list-style-type: none">• Ideal for Kebabs, Chicken tikka, Paneer tikka	
Half Width Grill For grilling small amounts of food where grilling a smaller surface area is required. <ul style="list-style-type: none">• Ideal for small portion of meat, veggies	
Pizza Setting For preparing pizza and dishes which require a lot of heat from underneath as well as providing moderate heat on the top of the dish. <ul style="list-style-type: none">• Ideal for Pizza	
Bottom Heat For cooking in a bain-marie (slow cooking) and for the final baking stage. Suitable for bakes that require crispy base without the top drying. <ul style="list-style-type: none">• Ideal for Pies	



Oven | Specifications



Model Number	HBG633BS1J	HBN559E1M
	60 cm Stainless steel electric built-in oven 71 ltrs 4D hot air 10 cooking functions	60 cm Stainless steel electric built-in oven 66 ltrs 3D hot air 8 cooking functions
Features	<ul style="list-style-type: none">• 71 ltr built-in oven• Multifunction oven with 10 heating methods: 4D hot air, Hot air Eco, Conventional heat, Conventional heat ECO, Hot air grilling, Full width grill, Half width grill, Pizza setting, Bottom heat, Defrost• Temperature range 30 °C - 300 °C• 4D Hot air for optimal distribution of heat on up to 2 levels simultaneously• 2.5" TFT colour and text display with touch-control buttons• Cavity with shelf support rails, Telescopic slide-out Accessory• Rapid heating up function• Integrated internal light and cooling fan• Direct coated catalytic liners: back panel, side liners, ceiling• Oven door with SoftClose, soft opening• Comes with 1 - universal pan, 1 - combination grid, 1 - enamel baking tray	<ul style="list-style-type: none">• 66 ltr built-in oven• Multifunction oven with 8 cooking functions: Hot air grilling, Full width variable grill, Half width variable grill, 3D hot air, Defrost, Conventional heat, Pizza setting, Bottom heat• Temperature range 50 °C - 270 °C• 3D Hot air for optimal distribution of heat on up to 2 levels simultaneously• Digital display with electronic clock• 1 level telescopic shelf• Rapid heating up function• Integrated internal light and cooling fan• Direct coated catalytic liners: back panel• Pop-out controls• Comes with 1 - universal pan, 1 - combination grid, 1 - enamel baking tray
Dimensions	<ul style="list-style-type: none">• Appliance Dimensions (H x W x D): 595 mm x 595 mm x 548 mm• Cut-out niche dimensions (HxWxD): 585-595 mm x 560-568 mm x 550 mm• Connecting cable 1.2 m• Total connected load: 2.85 kW	<ul style="list-style-type: none">• Appliance Dimensions (H x W x D): 595 mm x 595 mm x 548 mm• Cut-out niche dimensions (HxWxD): 575-597 mm x 560 mm x 550 mm• Connecting cable 1.0 m• Total connected load: 2.9 kW







Above range available from December, 2016



Above range available from December, 2016



Model Number	HBN531E4F	HBN311E2J
	60 cm Stainless steel electric built-in oven 66 ltrs 3D hot air 8 cooking functions	60 cm Stainless steel electric built-in oven 66 ltrs 3D hot air 5 cooking functions
Features	<ul style="list-style-type: none">• 66 ltr built-in oven• Multifunction oven with 8 cooking functions: Hot air grilling, Full width variable grill, Half width variable grill, 3D hot air, Defrost, Conventional heat, Pizza setting, Bottom heat• Temperature range 50 °C - 270 °C• 3D Hot air for optimal distribution of heat on up to 2 levels simultaneously• Digital display with electronic clock• Cool door with triple glass panes• Rapid heating up function• Integrated internal light and cooling fan• Direct coated catalytic liners: back panel, side liners, ceiling• Childproof lock• Comes with 1 - universal pan, 1 - combination grid, 1 - enamel baking tray	<ul style="list-style-type: none">• 66 ltr built-in oven• Multifunction oven with 5 cooking functions: 3D hot air, Conventional heat, Bottom heat, Hot air grilling, Full width variable grill• Temperature range 50 °C - 270 °C• 3D Hot air for optimal distribution of heat on up to 2 levels simultaneously• Cool door with triple glass panes• Rapid heating up function• Integrated internal light and cooling fan• Direct coated catalytic liners: back panel, side liners, ceiling• Comes with 1 - universal pan, 1 - combination grid
Dimensions	<ul style="list-style-type: none">• Appliance Dimensions (H x W x D): 595 mm x 595 mm x 548 mm• Cut-out niche dimensions (HxWxD): 575-597 mm x 560 mm x 550 mm• Connecting cable 1.0 m• Total connected load: 2.9 kW	<ul style="list-style-type: none">• Appliance Dimensions (H x W x D): 595 mm x 595 mm x 548 mm• Cut-out niche dimensions (HxWxD): 575-597 mm x 560 mm x 550 mm• Connecting cable 1.0 m• Total connected load: 2.9 kW





Microwave Ovens | Features

Now speed up your cooking with Bosch Microwave.

You can't cook faster than in a microwave. Or thaw, heat up and even bake. And our compact microwave ovens are multi-talented too. In addition to the classic heating methods for baking, they also have an integrated microwave. Which means that one thing is certain: You don't have to sacrifice superb cooking results even if you're in a bit of a hurry sometimes.



High Power Levels
The microwave oven allows you to heat, defrost, roast or grill anything, thanks to 1000 watts and five power levels.







Microwave Oven | Specifications



Model Number	HMT82G654I 60 cm Stainless steel electric built-in microwave 25 ltrs Grill function
Features	<ul style="list-style-type: none">• 25 ltr built-in microwave• 5 power levels: 900 W, 600 W, 360 W, 180 W, 90 W• Max. time setting (MW): 60 min• 31.5 cm glass turntable• Automatic safety switch-off• Frameless design: easy installation, harmonious integration into the kitchen furniture and easy to clean.• Push open door button• Clock type: timer
Dimensions	<ul style="list-style-type: none">• Appliance Dimensions (H x W x D): 382 mm x 594 mm x 388 mm• Cut-out niche dimensions (HxWxD): 208 mm x 328 mm x 369 mm• Connecting cable 2.0 m• Total connected load: 1.45 kW



Dishwashers | Features

Enjoy your meal. Let the dishwasher do the rest.

After a delicious cooking, soiled utensils should be the last thing on your mind. We have studied your Kadhais, pressure cookers, pans, glassware and plasticware. We have also experimented with every Masala that goes into making the perfect curry. However soiled, trust Bosch dishwashers to make them sparkling clean again.

**Intensive 70° C**

No need to wash your Kadhai over and over again to get rid of the stubborn oil stains. This programme cleans it in a single wash by increasing the water pressure in the lower basket and washing at high temperature of 70° C. Extra drying time leaves your Kadhai sparkling clean, ready to cook the next meal.

**HalfLoad option**


Now there's no need to wait for the dishwasher to fill up before starting the wash cycle. In case there is a lesser load, you can opt for the halfLoad function and save water, electricity and more importantly, your time.

**EcoSilence Drive**

It is quiet, powerful and durable. It ensures low power consumption and high cleaning efficiency. It also works without brushes and ensures top results. Not just that, its innovative magnetic technology works without friction for virtually wear-free operation.

**Dosage Assist**

The detergent tablet falls directly into a small catch pan due to DosageAssist. A jet of water quickly dissolves the tablet. The detergent is distributed evenly throughout the machine and ensures the best cleaning results for you.

**LoadSensor**

It automatically detects and adjusts the amount of water in the dishwasher. If there is a loss of water (for example, due to an inverted cup), the LoadSensor adjusts the intake by itself. This will ensure optimal quantity of water and no wastage.

**Glass Care Protection Technology**

This special programme in Bosch dishwashers washes your glassware with the greatest of care. It avoids glass damage caused by chemically aggressive water.



Dishwashers | FAQs

Why Bosch Dishwasher?

- **It can't scrub the dishes like how I do with my hands.**
Its powerful spray arms remove all the stubborn Masala and oil stains with high water pressure giving you a highly effective wash.
- **There's no way the dishwasher can clean Indian Masala stains.**
It can easily clean all types of Masala, oil stains and greasy food residue. You can also set its temperature from 45°C to 70°C depending on how dirty your dishes are.
- **If we have to pre-rinse the dishes before putting in, what's the use?**
You don't have to pre-rinse the dishes. All you have to do is just scrape off the leftovers from the dishes and load them in.
- **It doesn't have the space for my Kadhai and other large utensils.**
With two baskets, it can hold your Kadhais, pots, pans and still have space for your plates, spoons and glassware.
- **It takes a lot of time to wash dishes.**
Loading a dishwasher takes only 10 min, and your work is done. And in this time, it not only cleans your dishes but also dries them.
- **It won't fit in my kitchen.**
The dishwasher fits perfectly into any Indian kitchen, requiring space of only 60 cm width. So no more dirty dishes stacked in the sink.
- **My electricity bill will go up.**
It is highly energy efficient and uses around 0.8 kW of energy for each wash.
- **It's not hygienic to wash baby bottles in it.**
Its 70°C temperature wash kills up to 99.9% germs and is suitable for hygienically cleaning baby bottles as well.
- **The dishes have to be taken out if there's a power failure.**
There's no need for that as it continues washing from where it left.




Dishwashers | Specifications



Model Number	SMS60L12IN 60 cm Freestanding Dishwasher Colour - White	SMS60L18IN 60 cm Freestanding Dishwasher Colour - Silver Inox
Features	<ul style="list-style-type: none">• 12 place settings• Speedier dishwashers that reduce up to 60% of wash cycle time• Additional Top shower• New wash option - HalfLoad• New wash option - VarioEco• AquaSensor & LoadSensor• New wash programme Express Sparkle 65° - Wash clean & dry in 60 mins.	<ul style="list-style-type: none">• 12 place settings• Speedier dishwashers that reduce up to 60% of wash cycle time• Additional Top shower• New wash option - HalfLoad• New wash option - VarioEco• AquaSensor & LoadSensor• New wash programme Express Sparkle 65° - Wash clean & dry in 60 mins.
Programmes & Options	<ul style="list-style-type: none">• 6 programmes: Intensive Kadhai 70°C, Auto - 45-65°C, Express sparkle 65°C, Economy 50°C, Quick wash 45°C and Pre Rincse• 3 wash options: HalfLoad, ExtraDry, VarioEco	<ul style="list-style-type: none">• 6 programmes: Intensive Kadhai 70°C, Auto - 45-65°C, Express sparkle 65°C,Economy 50°C, Quick wash 45°C and Pre Rincse• 3 wash options: HalfLoad, ExtraDry, VarioEco
Convenience & Safety	<ul style="list-style-type: none">• VarioBasket system• Programme descriptive printing on the top of Dishwasher door• Time delay: 1-24 hrs• Childproof door lock• Single water protection 24 hrs	<ul style="list-style-type: none">• VarioBasket system• Programme descriptive printing on the top of Dishwasher door• Time delay: 1-24 hrs• Childproof door lock• Single water protection 24 hrs
Dimensions	<ul style="list-style-type: none">• Dimensions (H x W x D): 84.5 cm x 60 cm x 60 cm• Noise level - 52dB• Water consumption in Eco 50°C Programme: 13 Ltrs• Energy consumption in Eco 50°C Programme: 1.45 kWh	<ul style="list-style-type: none">• Dimensions (H x W x D): 84.5 cm x 60 cm x 60 cm• Noise level - 52dB• Water consumption in Eco 50°C Programme: 13 Ltrs• Energy consumption in Eco 50°C Programme: 1.45 kWh



Model Number	SMS40E32EU 60 cm Freestanding Dishwasher Colour - White	SMI25AS00E 60 cm Semi Integrated Dishwasher Stainless Steel panel Colour - White
Features	<ul style="list-style-type: none">• 12 place settings• Glass protection technology• EcoSilence Drive• Dosage Assist• A+ Energy efficiency• Load sensor & Detergent Automation	<ul style="list-style-type: none">• 12 place settings• Glass protection technology• EcoSilence Drive• Dosage Assist• A+ Energy efficiency• Load sensor & Detergent Automation
Programmes & Options	<ul style="list-style-type: none">• 4 programmes: Normal 65°C, Eco 50°C, Quick wash 45°C, Pre Rinse• Special function: Half Load	<ul style="list-style-type: none">• 5 programmes: Intensive 70°C, Auto 45 - 65°C, Eco 50°C, Quick wash 45°C, Pre Rinse• Special function: VarioSpeed
Convenience & Safety	<ul style="list-style-type: none">• Self-cleaning filter system• Cutlery rack in top basket• 2 foldable plate racks in bottom basket• Aqua stop with guarantee	<ul style="list-style-type: none">• Vario basket system• Height adjustable top basket• 2 foldable plate racks in bottom basket• Aqua stop with guarantee• Time delay : 1-24 hrs
Dimensions	<ul style="list-style-type: none">• Dimensions (H x W x D): 84.5 cm x 60 cm x 60 cm• Noise level - 52 dB• Water consumption in Eco 50°C Programme: 14 Ltrs• Energy consumption in Eco 50°C Programme: 1.02 kWh	<ul style="list-style-type: none">• Dimensions (H x W x D): 81.5 cm x 59.8 cm x 57.3 cm• Noise level - 48dB• Water consumption in Eco 50°C Programme: 11.7 Ltrs• Energy consumption in Eco 50°C Programme: 1.02 kWh



BSH Household Appliances Manufacturing Pvt. Ltd.

Arena house, 2nd floor,
Main building, Plot no 103,
Road no 12, MIDC, Andheri,
Mumbai- 400 093

www.bosch-home.com/in

Bosch Household Appliances reserves the right to change specifications without notice in the interest of technological progress.

While every effort has been made to ensure that all specifications and descriptions are correct at the time of going to press, this brochure should not be regarded as an infallible guide for a particular product. Due to variation in the reproduction process, colours of products may vary slightly from those depicted. We recommend a visit to a Bosch dealer to confirm that specifications and colours are to your own satisfaction.

All rights reserved. No part of this publication may be reproduced in any form by any means without the permission of BSH Household Appliances Manufacturing Pvt. Ltd. (E.O.E)



1 - 800 - 266 - 1880 (toll - free)

Monday - Saturday - 8:00 am to 8:00 pm