# 24" Pocket Handle Dishwasher

500 Series DLX - Stainless Steel SHP865ZD5N





SHP865ZD5N Stainless Steel

Also available in:

White SHP865ZD2N Black SHP865ZD6N

The AutoAir® drying option automatically releases the door at the end of the cycle to let moisture escape and fresh air in for drier dishes.

#### **Features & Benefits**

44 dBA: dishwasher runs quietly so your kitchen conversations aren't interrupted.

The Flexible 3rd Rack with fold down sides adds 30% more1 loading area, perfect for utensils and ramekins.

The AquaStop® leak protection system contains leaks through a precisely engineered system. If a leak occurs, the system contains it by shutting down operation and pumping out water. So you have the ultimate peace of mind whether you are away or at home.

<b>General Properties</b>	
Number of wash cycles	5
Number of options	5
dBA	44
Drying system	AutoAir®
Third rack	Flexible 3rd Rack
Rack adjustability	Rackmatic®
Tub material	Stainless Steel
Control type	Buttons
Concealed water heating element	Yes
Leak protection system	24/7 AquaStop®
NSF®-certified² sanitize option	Yes
Water softener	No
Five-level wash	Yes
ChildLock	No
Special features	InfoLight®, AutoAir® Option
Efficiency	
Water usage per cycle	3.5
ENERGY STAR® certified	No
Total annual energy consumption (kWh)	269
Total annual water consumption (g)	623.5
Capacity	
Number of place settings	16

(a) (b) (a) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d	
	а.
COV. (CE)   COV. (CE)   COV. (CE)   CEV. (	
	ı




Technical Details		
Watts (W)	1440 W	
Current (A)	12 Amps	
Volts (V)	120 V	
Frequency (Hz)	60 Hz	
Power cord full length	67"	
Power cord install length from edge of unit when facing the door (in) <sup>3</sup>	Left – 45" Right – 56"	
Minimum water pressure (lb/sin)	14	
Length outlet hose (in)	79"	
Dimensions & Weight		
Overall appliance dimensions (HxWxD) (in)	33 7/8" x 23 9/16" x 23 3/4"	
Required cutout size (HxWxD) (in)	33 7/8" x 23 5/8" x 24"	
Adjustable feet	Yes	
Net weight (lbs)	91 lbs	
Accessories-Optional		
Junction Box	SMZPCJB1UC	
Bosch Dishwasher Water Supply Hose	SMZSH002UC	
Drain Hose Extension Kit	SGZ1010UC	
Dishwasher Accessory Kit	SMZ5000	
Anti-Tarnish Silverware Cassette	SMZ5002UC	
Edge Protector + Power	SMZEPCC1UC	



Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.







Cord Clip Install Kit

<sup>&</sup>lt;sup>1</sup>Compared to a Bosch dishwasher with 2 racks

<sup>&</sup>lt;sup>2</sup>Certification to NSF/ANSI Standard 184 for residential dishwashers.

<sup>&</sup>lt;sup>3</sup>September 2020 running production change to remove adhesive routing clips for power cord. These clips and the edge protector are now included in the dishwasher accessory kit # SMZEPCC1UC.


Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST). Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.


# 24" Pocket Handle Dishwasher


500 Series DLX - Stainless Steel SHP865ZD5N





### **Installation Details**











Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.


Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.


# 24" Pocket Handle Dishwasher

500 Series DLX - Stainless Steel SHP865ZD5N



### **Installation Details**





Note: Plumbing installations will vary - refer to local codes. Drain hose included is 79" (201 cm) and can be extended to a maximum of 155 3/4" (396 cm).

Always use the approved drain hose extension kit (SGZ1010UC).

Ensure a portion of the drain hose is raised between min. 33" (84 cm) and max. 43" (110 cm) above the cabinet floor.