

Who are Bosch?



"I have always acted according to the principle that it is better to lose money than trust. The integrity of my promises, the belief in the value of my products

and in my word of honour have always had a higher priority to me than a transitory profit."

Robert Bosch, 1921

For over 125 years, the Bosch name has been synonymous with engineering excellence. Our home appliances are renowned for their quality, reliability and performance which derives from our inherent, unflagging commitment and the painstaking thoroughness with which every unit is made. As you would expect from Bosch, there are no gimmicks or frills with our products - just pure, clean lines and beautiful, functional simplicity that will enhance any kitchen.

The values that shaped Robert Bosch's vision for his new company in 1886 are the same principles that guide the business today; never lose the trust of your customers, look after your staff and partners and change things for the better. It's what has kept Bosch at the forefront of the home appliance industry and what will keep it there in the future.

Follow us to learn more on:











Contents

Home Connect 4-7 Introducing the Bosch dishwasher range Home Laundry 8-21 60cm dishwashers 27-29 Vacuum cleaners 54-58 Introducing the Bosch 8-9 Slimline dishwashers 30 Food preparation 59-63 Handheld blenders 68 Washing machines 10-16 Refrigeration Washer dryers 17 Introducing the Bosch 31-36 Kettles & toasters Tumble dryers 18-21 Fridges Fridges Fridges Fridges & freezers Fridges & freezers Fridges & freezers 46-47 Introducing the Bosch 52-53 Introducing the Bosch 52-53 Steam generator irons 52-53 Steam generator irons	0			22-30	Swell annii anasa	52-75
dishwasher range small appliance range 54-56 Introducing the Bosch 8-9 Slimline dishwashers 30 Food preparation 59-63 Handheld blenders 64 Hand mixers 66 Metrigeration range 71 Introducing the Bosch refrigeration range 8 Fridges & freezers 17 Undercounters & wine cooler American fridge freezers 49-51 Metrigeration Drawings American fridge freezers 49-51 Metrigeration Drawings 64-68 Metrigeration Production of the product o						
Introducing the Bosch laundry range Washing machines 10-16 Washer dryers 17 Introducing the Bosch Timble dryers 18-21 Washer dryers 18			dishwasher range		small appliance range	
laundry range Washing machines 10-16 Washer dryers 17 Introducing the Bosch refrigeration range Fridge freezers Fridges Fridges & freezers 14-45 Undercounters & wine cooler American fridge freezers 49-51 Handheld blenders 64-66 Kettles & toasters 66-68 Tassimo coffee machines 69-70 Microwaves 71 Steam generator irons 72-75 Undercounters & wine cooler 48 Installation Drawings American fridge freezers 49-51 Accessories						
Washing machines 10-16 Washer dryers 17 Introducing the Bosch refrigeration range Tumble dryers 18-21 18-21 18-21 18-21 18-21 Introducing the Bosch refrigeration range Fridge freezers Fridge freezers Fridges & 44-45 Fridges & freezers Undercounters & wine cooler American fridge freezers American fridge freezers 49-51 40-61 41 42-62 43-63 44-65 45-68 46-67 46-67 47-68 48-67 49-51 49-51 49-51 40-68 40-78		8-9	Slimline dishwashers	30		
Washer dryers Tumble dryers 18-21 Introducing the Bosch refrigeration range Fridge freezers Fridges Fridges Fridges Fridges & 44-45 Fridges & 46-47 Undercounters & wine cooler American fridge freezers Accessories		10-16	Refrigeration	31-51		
Tumble dryers 18-21 refrigeration range Fridge freezers Fridges Fridges Fridges & 44-45 Fridges & freezers Undercounters & wine cooler American fridge freezers American						
Fridges 37-43 Microwaves 7:1 Fridges 44-45 Steam generator irons 72-75 Fridges & freezers 46-47 Undercounters & wine cooler 48 Installation Drawings American fridge freezers 49-51 & Accessories 76-83						
Fridges 44-45 Fridges & freezers 46-47 Undercounters & wine cooler 48 American fridge freezers 49-51 ### Book ###	,		Fridge freezers	37-43		
Fridges & freezers Undercounters & wine cooler American fridge freezers American fridge freezers 49-51 Accessories 76-81			Fridges	44-45		
American fridge freezers 49-51 & Accessories						
BOSCH WANTED TO SEE						76-81
	BOSCH	Service Servic				

Looking for help? You'll find it here.



Arrange an engineer visit.

Our appliances are manufactured to the highest standards, but if you do need a visit from an engineer we are here to help. We have teams of locally based engineers around the country - employed and trained by Bosch*. This gives them unrivalled expertise and knowledge of our appliances. We repair appliances both in and out of guarantee. All repairs are analysed in advance by a technical team so that the parts likely to be needed to complete the repair are sent to the engineer's van the night before the visit.

To arrange an engineer visit to your home please call:

0344 892 8979

Calls are charged at the basic rate, please check with your telephone service provider for exact charges.

You can also arrange an engineer visit online: www.bosch-home.co.uk/ customer-service/book-a-repair-online

Product advice.

If you need help using programmes or features, or need assistance selecting a new Bosch appliance from our current range, our product advice team can help.

You can call us on

0344 892 8979

or visit: www.bosch-home.co.uk for frequently asked questions and helpful videos.

Register my appliance

We advise that you register your appliances so that we can contact you about any product updates. Visit www.registermyappliance.org.uk for more information.

You can also call Bosch directly to register your appliance on **0344 892** 8979 (option 5). Please call us within 28 days of purchase to discuss the full range of options for extending your warranty.

Visit the Bosch online store.

Find a comprehensive selection of accessories to help you get the most out of your appliance, along with our full range of replacement spare parts and cleaning and care products at the Bosch online store.

You can also purchase Tassimo hot drinks machines, vacuum cleaners, irons, steam stations, kettles, toasters and food preparation appliances directly from us online.



You can call us on

0344 892 8979

or visit: www.bosch-home.co.uk/store

Accessories.

Many appliances can be enhanced with optional extras, such as telescopic rails for ovens or special cookware for hobs.

When buying a Bosch home appliance, you know you are purchasing a quality, reliable product. However many appliances are used daily, so need cleaning and maintaining to keep them looking great and operating at peak performance.

Our cleaning and care products have been thoroughly tested and approved for safe and effective use on your Bosch home appliance.

Replacement spare parts.

We keep in stock a comprehensive range of replacement spare parts for our appliances for up to ten years. All our parts are original spare parts, not copies.

High quality service.

Bosch appliances are renowned for their quality and we believe that our customers deserve exceptional customer service. You can contact us seven days a week for assistance.

Calls will be answered


Monday to Friday 8am to 8pm, Saturday 9am to 5pm and Sunday 9am to 4pm.

*In some areas we may use an approved service partner. The process may vary for repairs carried out by our service partners.

Home connect

From controlling your Home Connect Serie 8 oven with your voice using Amazon Alexa, to never running out of dishwasher tablets again, thanks to the Amazon Dash Replenishment Service*. Smart appliances mean less things to think about, more time to spend on something else. Bosch Home Appliances with Home Connect ensure your home is ready for the future today.

How you can use your Home Connect App.



In partnership with:

amazon alexa

Voice control services based on Amazon Alexa will allow you to connect and control your appliances in your home simply by speaking to Alexa. Along with the ability to use Alexa with many other partners from Philips Hue, Spotify and IFTTT, the possibilities are endless. Once Home Connect skills are set up you can control your oven, dishwasher, coffee machine and washing machine. All you'll need to do, is simply ask: "Alexa, start Home Connect Oven" or "Alexa, tell Home Connect Oven to start". Alexa will then continue to guide you through. Perfect for those moments when you've got your hands full! Home Connect partnerships. amazondash Never run out of dishwasher





Smart connectivity for an easier life.

The future has arrived and it's knocking on your front door. Home Connect brings smart technology to your appliances and lets you control them with your phone or tablet.

So, whether you want to turn the oven on to cook your dinner when you're on your way home, or check what's in your fridge while you're at the shops, you'll be in complete control.

Simple to set up, simple to use.

There's no need to worry if you're not a technical genius. We've made sure Home Connect is simple and straightforward to set up. We've even made videos that will take you through the process and get you up and running in just a couple of minutes.

You'll find the Home Connect app just as easy to use. There are lots of pre-set options to get you started quickly, and everything is set out logically and clearly.

Relax - we're invented for life.

Home Connect uses the same security protocol as online banking so you can enjoy extra peace of mind when you're using your Bosch appliances. Our app has TUV Trusted App certification, and all of our Home Connect appliances are Wi-Fi certified by the Wi-Fi Alliance.







Check the food in your fridge, before check out.

Thanks to Home Connect, you can now check the contents of your fridge at any given time and place. Interior door cameras take pictures every time the door is closed, and conveniently sends them to your mobile device. Wherever you are, simply access your Home Connect app to get a perfect overview of what's in your fridge. Never forget the



The fridge that helps you organise.

Not sure how to store your fruit and vegetables? Your fridge has the answers. With Object Recognition, our Home Connect fridge will suggest the best place within the fridge to store your fruit and veg products, keeping them fresher for longer. You can even explore recipes to help you use up those



How you can use your Home Connect App.

Let us choose the best wash for you.

To stay at their best, different clothes need to be washed in different ways. With the Bosch Home Connect app, simply tell your washing machine what's in the load and it'll work out the perfect program. It'll even tell you if there's an item that should come out and be washed a different way.



Recipes

Meal planning has never been easier. Browse the Home Connect Recipe Book from your favourite armchair. When you've made your choice, simply send all the settings from the app directly to your oven so it's ready to go when you are.

The range of recipes are all tried and tested by Bosch Home Economists around the world, so you'll find exciting new flavours alongside old family favourites. New and seasonal recipes are added on a regular basis, so you'll never be stuck for what to eat.





Tablet top up

Amazon Dash Replenishment will automatically reorder your dishwasher tablets when your supply is running low. Simply activate Dash Replenishment in the Home Connect app and regain time spent shopping for supplies, as tablets will be automatically delivered to your doorstep. Another thing crossed off your to-do list.



Remote Delayed start

Want your dinner ready when you arrive home? That's no problem with Home Connect. Simply put your food in the oven before you go out and set the oven to start later in the day so it's ready just as you come back through the

But what if you're delayed while you're out? That's fine. You can simply adjust the start time from wherever you are and, if the food has already started cooking, you can simply press "pause". The oven will lower the temperature until you start it again so your meal isn't ruined.

Introducing the Bosch laundry range.

Energy and water-saving technologies across our latest laundry appliances give you peace of mind when washing and drying your clothes. To help you choose the right appliance, we have divided them into three categories.

BOSCH

i-DOS

Model shown: WAT286H0GB

Explore more at www.bosch-home.co.uk

Serie 8

Perfection in every detail, our Serie 8 range of laundry appliances stands out from the crowd with superior quality, results and first-class design Discover cutting-edge features and extras such as i-DOS automatic dosing in our washing machines and **ActiveOxygen™** for hygienic washing at low temperatures. Monitor and control your wash remotely with our Home Connect models, developed to give you complete control over your laundry.

Serie 6

++

Our Serie 6 models strive for sustainability and appreciate the active lifestyle of you and your family. Appliances in this range offer you real benefits and energy-efficient features combined with timeless design. i-DOS doses each load with millilitre precision, which not only delivers outstanding results but a host of savings. While **Night Wash** allows you to take advantage of evening tariffs and won't disturb you.

Serie 4

Easy to operate with family life in mind, our **Serie 4** range truly understands your requirements. Practical and straightforward to use, these appliances combine easy operation with stylish design. With Reload function, which allows you to open the whole door throughout the cycle so you can add or remove items

Laundry functions explained.

(Check model for available functions)



WaveDrum

Select the programme for your wash and the dropletshaped drum structure and asymmetrical paddles adjust the drum movements to powerful or gentle.



EcoSilence Drive

Bosch EcoSilence Drive washing machines come with a



This security gives you peace of mind that the water will stop in the unlikely event of a leak.



iDOS automatically senses exactly the right amount of detergent and water to use, as well as the correct temperature, whatever your load, adapting to the fabrics, level of soiling and weight of the load.



ActiveOxygen

This clever system cleans your most delicate fabrics at low washing temperatures, protecting their colour while eliminating 99.99% of the bacteria and germs found in clothes, without the use of any chemical additives.



Simply pause the cycle and the machine will automatically adjust the water. This allows you to add or remove items of any size to your wash.



Timer Time Delay

Have your laundry ready when you need it. Just delay the start of your programme with one simple button.



AntiVibration Design

A spiral design on the side of the washing machine that increases stability and reduces vibration. This makes for a guieter machine with improved sound dampening.



Our Free-standing washing machines have a drum capacity of up to 9kg, perfect for those busy households

Washing machines

Never miss an item again. Reload by Bosch.

For dropped socks, mistaken items with your whites or forgotten clothes, Reload function on Bosch washing machines allows you to add or remove clothing of any size to your washes. Simply pause the cycle and the machine will automatically adjust the water level to allow you to open the door. Reload your items and restart the wash.

Bosch integrated technology for a peaceful washing experience.

Enjoy the quiet life.

Our latest washing machines with **EcoSilence Drive™** generate a noise level of just 41 decibels - that's quieter than the sound of the sea at 55 decibels. The modern world is noisy enough, so it's good to know that Bosch technology can help make the home environment a little oasis of calm.

Less rock and roll.





Everything's just right with i-DOS.

i-DOS

Too much detergent or too little can lead to poor washing results. i-DOS automatically senses exactly the right amount of detergent and water to use, as well as the correct temperature, whatever your load.



The perfect dose every time.

It's easier than you might think to get the detergent dose wrong when doing the laundry. Thanks to **i-DOS**, it's no longer a worry. The **automatic dosing system** from Bosch uses the optimum amount of detergent for every wash what ever the size of your load.



The right setting for the load. Makes perfect sense.

Whether it's a quick sports wash or a full weekly load, sensors within the automatic dosing system determine the amount and type of clothes within each load and set the correct temperature and amount of detergent required for perfect results.



Too much? Too little? Just right with i-DOS.

Once activated, the i-DOS system measures the detergent automatically, to the nearest millilitre. Sensors inside the washing machine detect the type of fabric, the load volume in the drum and the degree of soiling, and adjust the detergent to the optimum dose accordingly. In this way, you'll achieve the best results for your clothes, whilst **saving detergent** and water.

Too much.

Using too much detergent – even by a little – leads to **significantly higher** water and energy consumption when washing. Visible detergent residues can be left on clothing, which can trigger skin irritation and allergies.

Too little.

Using too little detergent can lead to **poorer washing results.** Stains won't be completely removed and could be
left on clothes permanently. Insufficient detergent can also
result in discolouration and unpleasant odours.

Washing machines

To stay at their best, different clothes need to be washed in different ways. With the Bosch Home Connect app, simply tell your washing machine what's in the load and it'll work out the perfect program. It'll even tell you if there's an item that should come out and be washed a different way.



TYPE	WASHER				
DESIGN FAMILY	SERIE 8				
MODEL	WAX32GH1GB				
KEY FEATURES					
Home Connect	•				
i-DOS detergent dosing system	-				
ActiveOxygen	-				
EcoSilence Drive	•				
EcoBar+/EcoBar	•/-				
VarioPerfect / Intensive plus and SpeedPerfect	-/•				
AntiVibration design	•				
Reload facility	•				
ADDITIONAL FEATURES					
Time delay/Time Remaining	24 hours				
Child lock	•				
Drum interior light	•				
PROGRAMMES/FUNCTIONS					
Cottons	•				
Easy-care programme	•				
Wool programme	•				
Delicates/Silk	•				
Rinse/Spin	•				
Memory programmes	•				
Auto Programmme	-				
Auto stains removal	•				
Super Quick 15 /Super Quick 15/30	-/●				
Sportswear					
AllergyPlus	•				
Dark Wash/EasyCare plus	-/●				
Mixed Load	•				
Night Wash	•				
Shirts and blouses	•				
Reduced Ironing	•				
Aqua Plus/Extra Rinse	•/-				
Pre Wash	•				
Variable Temperature/Variable Spin	•				
Drum Clean	•				
PERFORMANCE / TECHNICAL INFORMATION					
Energy efficiency class	A+++				
Capacity cotton (kg)	10.0				
Maximum spin speed (rpm)	1600				
Washing performance class	A				
Spin drying performance class	A				
Energy consumption annual (kWh/annum)	-				
10% more economical than the standard value					
20% more economical than the standard value	•				
30% more economical than the standard value	-				
Water consumption annual (I/annum)	-				
Noise level washing (dB(A) re 1 pW)	49				
Noise level spinning (dB(A) re 1 pW)	75				
Dimensions of the product (cm)	85.0 x 60.0 x 59.0				





Cottons 60+ecoPerfect and Cottons 40/60+ecoPerfect are the standard washing programmes to which the information in the label relates. These programmes are suitable to clean normally soiled cotton laundry and are the most efficient programmes in terms of combined energy and water consumption. Annual energy and water consumption based on 220 standard wash cycles.













-	Ea	4		
1	6	1	1	
1	6		"	
-		1		

ТҮРЕ	WASHER						
DESIGN FAMILY	SERIE 8						
MODEL	WAYH8790GB	WAV28KH9GB	WAWH8660GB	WAW325H0GB	WAW285H0GB	WAV28MH9GB	WAW28750G
KEY FEATURES							
Home Connect	•	•	•	•	•	•	-
i-DOS detergent dosing system	-	•	•	-	-	-	-
ActiveOxygen	-	-	-		-	-	•
EcoSilence Drive	•	•	•	•	•	•	•
EcoBar+/EcoBar	•/-	•/-	•/-	•/-	•/-	•/-	•/-
VarioPerfect / Intensive plus and SpeedPerfect	•/-	-/•	•/-	•/-	-/•	•/-	•/-
AntiVibration design	•	•	•	•		•	•
Reload facility	•	•	•	•	-	•	•
ADDITIONAL FEATURES							
	041	041	041	041	0.41	041	041
Time delay/Time Remaining	24 hours						
Child lock	•	•	•	•	•	•	•
Orum interior light	•	•	•	•	•	•	•
PROGRAMMES/FUNCTIONS							
Cottons	•	•	•	•	•	•	•
Easy-care programme	•	•	•	•	•	•	•
Wool programme	•	•	•	•	•	•	•
Delicates/Silk	•	•	•	•	•	•	•
Rinse/Spin							
Memory programmes	•	-	-	-	-	-	-
Auto Programmme	-	•					
Auto stains removal	•	-	-	•	•		_
Super Quick 15 /Super Quick 15/30	-/•	-/●	•/-	•/-	-/•	•/-	•/-
Sportswear	•	•	•	•	•	•	
AllergyPlus	•	•	•			•	•
Dark Wash/EasyCare plus			•		•	•	
Mixed Load	•	•	•	•	•		•
Night Wash						•	•
Shirts and blouses			•	•	•	•	•
	•	•		•	•		•
Reduced Ironing	•	-		•	-	•	•
Aqua Plus/Extra Rinse	•/-	•/-	•/-	•/-	-/●	●/-	•/-
Pre Wash	•	•	•	•	•	•	•
Variable Temperature/Variable Spin Drum Clean	•	•	•	•	•	•	•
PERFORMANCE / TECHNICAL INFORMATION	•	•	•	•	•	•	•
Energy efficiency class	A+++ 9.0						
Capacity cotton (kg)	9.0	9.0	9.0	9.0 1600	9.0	9.0	9.0 1400
Maximum spin speed (rpm)							
Vashing performance class	A	A	A	Α .	A	A+++	A
Spin drying performance class	В	В	В	Α	В	В	В
Energy consumption annual (kWh/annum)	152	•	152	152	152		152
LO% more economical than the standard value	-	-	-	-	-	-	-
20% more economical than the standard value	-	•	-	•	•	•	-
30% more economical than the standard value	•		•	•	•		•
					11000		11220
	11220	-	11220	11220	11220		
Water consumption annual (I/annum)	11220 47	- 47	11220 47	11220 47	11220 47	47	47
Water consumption annual (I/annum) Noise level washing (dB(A) re 1 pW) Noise level spinning (dB(A) re 1 pW)							

Cottons 60+ecoPerfect and Cottons 40/60+ ecoPerfect are the standard washing programmes to which the information in the label relates. These programmes are suitable to clean normally soiled cotton laundry and are the most efficient programmes in terms of combined energy and water consumption. Annual energy and water consumption based on 220 standard wash cycles.

Washing machines

Washer dryers













ТҮРЕ	WASHER						
DESIGN FAMILY	SERIE 6	SERIE 6	SERIE 6	SERIE 6	SERIE 4	SERIE 4	SERIE 4
MODEL	WAT286H0GB	WAT2840SGB	WAT28463GB	WAT24463GB	WAN28201GB	WAN28108GB	WAN24108GB
KEY FEATURES							
Home Connect	•	-	-	-	-	-	-
-DOS detergent dosing system	•	-	-	-	-	-	-
ActiveOxygen	-	-	-	-	-	-	-
EcoSilence Drive	•	•	•	•	•	•	•
coBar+/EcoBar	•/-	-/●	-/●	-/●			
arioPerfect / Intensive plus and SpeedPerfect	•/-	•/-	•/-	•/-	•/-	•/-	•/-
AntiVibration design	•	•	•	•	•	•	•
Reload facility	•	•	•	•	•	•	•
ADDITIONAL FEATURES							
ime delay/Time Remaining	24 hours						
Child lock	•	•	•	•	•	•	•
Orum interior light	•		-	-			-
PROGRAMMES/FEATURES							
Cottons	•	•	•	•	•	•	•
		•	•	•		•	
asy-care programme	•	•		•	•		•
Vool programme	•	·	•	•		•	
Delicates/Silk	•	•	•	•	•	•	•
Rinse/Spin	•	•	•	•	•	•	•
Memory programmes	•	-	•	-	•	-	-
Auto Programmme	•	-	-	-	-	-	
Auto stains removal		-	-	-	-	-	-
Super Quick 15 /Super Quick 15/30	-/●	-/•	-/●	-/●	-/●	-/●	-/•
Sportswear	*	•	•	•	•	•	•
AllergyPlus	•	•	•	•	•	•	•
Dark Wash/EasyCare plus	•	•/-	•/-	•/-	•/-	•/-	•/-
Mixed Load	•	•	•	•	•	•	•
Night Wash	•	•	•	•	-	•	•
Shirts and blouses	•	•	•	•	•	•	•
Reduced Ironing	•	•	•	•	•		
Aqua Plus/Extra Rinse	•/-	•/-	•/-	•/-	•/-	●/-	•/-
Pre Wash	•	-	-	-	-		
/ariable Temperature/Variable Spin	•	•	•	•	•	•	•
Orum Clean	•	•	•	•	•	•	•
PERFORMANCE / TECHNICAL INFORMATION							
nergy efficiency class	A+++						
Capacity cotton (kg)	9.0	9.0	9.0	9.0	8.0	8.0	8.0
Maximum spin speed (rpm)	1400	1400	1400	1200	1400	1400	1200
Nashing performance class	A	A	Α	Α	A	A	A
Spin drying performance class	В	В	В	В	В	В	В
nergy consumption annual (kWh/annum)	152	152	152	152	176	176	176
.0% more economical than the standard value	-	-	-	-	•	•	•
20% more economical than the standard value		-	-	-			
80% more economical than the standard value	•	•	•		_	_	_
Water consumption annual (I/annum)	11200	11200	11220	11220	9900	9900	9900
Noise level washing (dB(A) re 1 pW)	48	49	49	51	55	54	54
	73	75	75	75	76	76	76
Voise level spinning (dB(A) re 1 pW)							

- Vos - No

Cottons 60+ecoPerfect and Cottons 40/60+ ecoPerfect are the standard washing programmes to which the information in the label relates. These programmes are suitable to clean normally soiled cotton laundry and are the most efficient programmes in terms of combined energy and water consumption. Annual energy and water consumption based on 220 standard wash cycles.











TYPE	WASHER DRYER	WASHER DRYER	WASHER DRYER	WASHER DRYER	WASHER DRYER
DESIGN FAMILY	SERIE 6	SERIE 6	SERIE 6	SERIE 6	SERIE 6
MODEL	WVH28424GB	WDU28560GB	WDU28568GB	WVG30462GB	WVG3047SGB
KEY FEATURES					
AirCondensation technology	•	-	-	-	-
EcoSilence Drive	•	•	•	•	•
VarioPerfect	•	•	•	•	•
Reload facility	•	•	•	•	•
AutoDry function	•	•	•	•	•
Self cleaning condenser	•	•	•	-	-
ADDITIONAL FEATURES					
Time delay/Time Remaining	24 hours	•	•	24 hours	24 hours
Child safety lock	•	•	•	•	•
Water protection system	AquaSecure	Multiple water protection	Multiple water protection	Multiple water protection	Multiple water protection
PROGRAMMES					
Cottons	•	•	•	•	•
Easy-care programme	•	•	•	•	•
Wool programme	•	•	•	•	•
Delicates / Silk	•	•	•	•	•
Intensive Dry	•	•	•	•	•
Gentle Dry	•	•	•	•	•
Rinse/Spin	•	•	•	•	•
Automatic drying programme	•	•	•	•	•
Memory	-	•	•	-	
Super Quick 15	•	•	•	•	•
Wash and Dry 60 mins	•	•	•	•	•
HygieneCare	•	-	-	•	•
Down	-	•	•		
Refresh	-	•	•		
Drum Clean	•	•	•	-	-
Sportswear	-	•	•	•	•
Allergy+	•	•	•	•	•
Mixed Load	•	•	•	•	•
Night wash /dry		•	•		
My Time		•	•	-	
Reduced Ironing	•	•	•	-	-
Aqua Plus/Rinse Plus	•/-	•	•	-/•	-/●
Pre wash	•	•	•	•	•
Variable Temperature/Spin	•	•	•	•	•
PERFORMANCE / TECHNICAL INFORMATION					
Energy efficiency class	A	A	A	A	A
Capacity cotton (Kg) washing	7.0	10.0	10.0	7.0	7.0
Capacity cotton (Kg) drying	4.0	6.0	6.0	4.0	4.0
Maximum spin speed (rpm)	1400	1400	1400	1500	1500
Washing performance class	Α	Α	Α	Α	Α
Energy consumption (wash and dry of full wash load) (kWh)	4.76	6.82	6.82	4.76	4.76
Energy consumption (wash and dry of full wash load) (kWH)	0.70	1.22	1.22	0.73	0.73
Water consumption (wash and dry full wash load) (I)	57	125	125	103	103
Noise level washing (dB(A) re 1 pW) washing/spinning /drying	46/74/61	47/71/60	47/71/60	47/74/59	47/74/59
Dimensions of the product (cm)					
Dimensions of the product (cm)	84.5 x 60.0 x 59.0	84.8 x 60.0 x 65.4	84.8 x 60.0 x 65.4	85.0 x 60.0 x 59.0	85.0 x 60.0 x 59.0

• = Yes -= No

Tumble dryers

Serie 8 +++

WTYH6791GB

Home Connect: home appliances with smart connectivity for an easier everyday life.







TYPE	DRYER				
DESIGN FAMILY	SERIE 8				
MODEL	WTYH6791GB				
KEY FEATURES					
Home Connect	•				
AutoDry	•				
Heat pump	•				
Self cleaning condenser	•				
EasyClean filter	-				
ADDITIONAL FEATURES					
Sensitive Drying system	•				
Anti crease cycle (mins)	120				
Time delay/Time Remaining	•/•				
Drum interior light	•				
Water container full/blocked filter warning indicator	•/•				
Child lock	•				
PROGRAMMES/FUNCTIONS					
Cottons	•				
Easy-care	•				
Woollen Finish	•				
Superquick 40	•				
Timed programmes	•				
Mixed Load	•				
Sportswear	•				
Shirts 15	-				
Towels	•				
Delicates	•				
Down Wear	•				
Shirts and blouses	•				
Blankets	•				
Allergy+	•				
Wool /Trainer basket	•				
Memory /My Favourite	•				
Buzzer	•				
Low Heat option	•				
Crease Guard	•				
PERFORMANCE / TECHNICAL INFORMATION					
Energy efficiency class	A++				
Capacity cotton (kg)	9.0				
Energy consumption annual (kWh/annum)	259.0				
Condensation efficiency class	A				
Condensation efficiency for stndard cotton programme on full and partial load	91%				
Ambient temperature range	5-35 C				
Noise level (dB(A) re 1pW)	64				
Dimensions of the product (cm)	84.2 x 59.9 x 59.9				
Door hinge	Right-hand				

Data valid in this table as of January 2019. Subject to modification without prior notice.













ТҮРЕ	DRYER	DRYER	DRYER	DRYER	DRYER
DESIGN FAMILY	SERIE 8	SERIE 8	SERIE 6	SERIE 6	SERIE 6
MODEL	WTWH7561GB	WTW87561GB	WTWH7660GB	WTW85493GB	WTG86402GB
KEY FEATURES					
Home Connect	•		•	-	
AutoDry	•	•	•	•	•
Heat pump	•	•	•	•	-
Self cleaning condenser	•	•	•	•	•
EasyClean filter					-
ADDITIONAL FEATURES					
Sensitive Drying system	•	•	•	•	•
Anti crease cycle (mins)	120	120	120	60	120
Time delay/Time Remaining	●/●	●/●	●/●	•/•	●/●
Drum interior light	•	•	•	•	•
Water container full/blocked filter warning indicator	•/•	●/●	•/•	●/●	●/●
Child lock	•	•	•	•	•
PROGRAMMES/FUNCTIONS					
Cottons	•	•	•	•	•
Easy-care	•	•	•	•	•
Woollen Finish	•	•	•	•	•
Superquick 40	•	•	•	•	•
Timed programmes	•	•	•	•	•
Mixed Load	•	•	•	•	•
Sportswear	•	•	•	•	•
Shirts 15			-		•
Towels	•	•	•	•	-
Delicates	•	•	•		-
Down Wear	•	•	•	•	•
Shirts and blouses	•	•	•	•	
Blankets		•	-		-
Allergy+	•	•	•	-	•
Wool /Trainer basket			-		-
Memory /My Favourite	-		-/●	-	-
Buzzer	•	•	•	•	•
Low Heat option	•	•	•	•	•
Crease Guard	•	•	•	•	•
PERFORMANCE / TECHNICAL INFORMATION					
Energy efficiency class	A++	A++	A+++	A++	В
Capacity cotton (kg)	9.0	9.0	9.0	8.0	8.0
Energy consumption annual (kWh/annum)	259.0	259.0	243.0	236.0	561.0
Condensation efficiency class	A	A	A	В	В
Condensation efficiency for standard cotton programme on full and partial load	91%	91%	91%	84%	88%
Ambient temperature range	5 - 35 C	5-35 C	5-35 C	5 - 35 C	5-35 C
Noise level (dB(A) re 1pW)	64	64	64	64	65
Dimensions of the product (cm)	84.2 x 59.9 x 59.9	84.2 x 59.9 x 59.9	84.2 x 59.9 x 59.9	84.2 x 59.8 x 59.9	84.2 x 59.8 x 59.9

• = Yes - = No

The programme cotton cupboard dry used at full and partial loads is the standard drying programme to which the information on the energy label refers. This is the most efficient programme in terms of energy consumption for cotton.

Annual consumption is based on 160 drying cycles. Data valid in this table as of January 2019. Subject to modification without prior notice.

Tumble dryers









ТҮРЕ	DRYER	DRYER	DRYER	DRYER
DESIGN FAMILY	SERIE 4	SERIE 4	SERIE 4	SERIE 4
MODEL	WTW85231GB	WTR85V21GB	WTN85200GB	WTA79200GB
KEY FEATURES				
Home Connect	-	-	-	•
AutoDry	•	•	•	•
Heat pump	•	•	-	-
Self cleaning condenser	•	-	-	-
EasyClean filter		•	-	
ADDITIONAL FUNCTIONS				
Sensitive Drying system	•	•	•	•
Anti crease cycle (mins)	60	60	120	120
Time delay/Time Remaining	●/●	●/●	•/•	•/•
Drum interior light	•	-	-	-
Water container full/blocked filter warning indicator	●/●	●/●	•/•	-/●
Child lock		•	•	-
PROGRAMMES/FUNCTIONS				
Cottons	•	•	•	•
Easy-care	•	•	•	•
Woollen Finish	•	•	•	•
Superquick 40	•	•	•	•
Timed programmes	•	•	•	•
Mixed Load	•	•	•	•
Sportswear	•	•	•	•
Shirts 15	-	-	•	-
Towels	•	•	-	•
Delicates	•	•	-	•
Down Wear	•		•	-
Shirts and blouses	•	•	-	•
Blankets	•	•	•	•
Allergy+	-	•	•	•
Wool/Trainer basket	-	•	-	-
Memory /My Favourite	•	-	· · · · · · · · · · · · · · · · · · ·	•
Buzzer	•	•	•	•
Low Heat option Crease Guard	•	•	•	•
PERFORMANCE / TECHNICAL INFORMATION	•	•	•	•
		Acc		^
Energy efficiency class	A++ 8.0	A++ 8.0	B 7.0	C 7.0
Capacity cotton (kg) Energy consumption annual (kWh/annum)	8.0 224.0	235.0	499.0	504.0
Condensation efficiency class	B	255.0 B	455.0 B	-
Condensation eliticiately class Condensation efficiency for standard cotton programme on full and partial load	83%	83%	88%	-
Ambient temperature range	5 - 35 C	5 - 35 C	5 - 35 C	5-35C
Noise level (dB(A) re 1pW)	64	65	65	65
Dimensions of the product (cm)	84.2 x 59.8 x 59.9	84.2 x 59.8 x 59.9	84.2 x 59.8 x 59.9	84.2 x 59.7 x 60.10
Door hinge	Right-hand	Right-hand	Right-hand	Right-hand

• = Yes -= No
The programme cotton cupboard dry used at full and partial loads is the standard drying programme to which the information on the energy label refers. This is the most efficient programme in terms of energy consumption for cotton.

Annual consumption is based on 160 drying cycles. Data valid in this table as of January 2019. Subject to modification without prior notice.



Introducing the Bosch dishwasher range.

All our free-standing dishwashers offer a range of advanced technologies as standard and additional options across the range to suit your individual requirements.

To help you choose the right Bosch dishwasher, we have divided them into the four ranges below.

Serie 8

Our Serie 8 range combines cutting-edge design and advanced technologies including our Home Connect feature, for optimum cleaning performance. The A+++ energy efficiency rating of this range is complemented by our **PerfectDry** function, where moisture is absorbed before being released as hot air for

energy-efficient drying. The VarioFlex Pro basket system offers additional storage and flexible loading solutions.

Serie 6

Our Serie 6 range comes packed with technology, from energy- and watersaving modes to quick washes for when time is of a premium. This range contains a **PerfectDry** model offering excellent drying results and also our

quietest model that can

operate as low as 36dB.

(A) BOSCH

Serie 4

Our Serie 4 models offer great value for money but do not compromise on Bosch build quality. They combine advanced energy- and resourcesaving features and in addition offer VarioFlex baskets with foldable racks in the lower basket.

Serie 2

Our Serie 2 dishwasher range offers you classic design with easy operation. This is the optimal solution for anyone who wants a reliable appliance to suit their individual requirements.



A clever function that saves energy by using less electricity to dry everything to perfection. And we do mean everything - plates, pans. glasses and all plastic items. Your lunch boxes and containers will be completely clean and perfectly dry, so you'll never have to pick up a tea towel to finish the job again.

The technology behind PerfectDry, unique to Bosch, is called Zeolith®. It is a process applied to every cycle that uses naturally occurring minerals, that heat up when they come into contact with water. The warm air is then distributed evenly over the load.



The dish dryer among dishwashers.

The technology behind **PerfectDry** uses **Zeolith**® minerals to help dry the load economically and efficiently. The dishwasher absorbs humidity from the washed dishes and the clever Zeolith® beads then transform that humidity into warm air that speeds up the drying process. So when you need a wash with brilliant drying results, it's time to choose Bosch.



SST ExtraDry

Want your dishes extra dry? No problem. This function gives you even more drying power when you need it. Just choose the Extra Dry option and more heat will be created to extend your load's drying cycle.



Choose the right appliance for you, for the space in your kitchen.







45cm

Compact

Different types of control.

Serie 8



TFT Display with top edge touch control




LED Display with button control

Serie 6



LED Display with Touch Control

Serie 2



LED Display with dial control

Machine care.

Your dishwasher will help look after itself with this smart function. Optimising the water and energy consumption, it works on a short run time of 80-90 minutes at high temperatures. It eliminates lime and grease deposits inside the dishwasher and works with a standard machine-care detergent. On selected Serie 8 and Serie 6 models, it will even remind you to run the programme every 30 cycles.

10 year anti-rust warranty.

Our appliances are made from top quality materials and in addition to our standard appliance warranty, we provide a free of charge warranty against rusting-through of the dishwasher's inner cavity.

Model shown: SMS88TW06G

Dishwasher functions explained.

(Check model for available functions)



ExtraDry

Want your dishes extra dry? No problem. This function gives you even more drying power when you need it. Just choose the Extra Dry option and more heat will be created to extend your load's drying cycle.



VarioSpeed Plus

Our VarioSpeed Plus option reduces programme times without compromising on quality. So you still get hygienically clean and dry dishes but in about a third of the time of the Eco programme – ideal for busy households and entertaining.



Home Connect

To stay at their best, different dishes and glassware need to be washed in different ways. With the Bosch Home Connect app, simply tell your dishwasher what's in the load and it'll work out the perfect program.



Place Settings

A selection of our dishwashers will hold up 14 place settings in one load - perfect for larger households.



Self-cleaning filters

Self cleaning filter system, with spray arms designed to direct water at the filters on every rotation.

Please note, self cleaning filters are designed to keep filters clear during the washing cycle. Regular filter cleaning and maintenance is still recor



Get the most out of your detergent with Dosage Assist; a small area at the front of the top basket that catches the tablet when it's released during the cycle. It controls how the tablet is dissolved for optimum performance.



DuoPower

Our 45cm models feature a twin spray arm in the top basket to ensure perfect water coverage every time.

Bosch dishwasher programmes. PROGRAMME NAME ITEMS SUITABLE FOR PROGRAMME TYPE OF SOILING ADDITIONAL OPERATIONAL OPTIONS Part dried, common household Mixed utensils & cutlery Economy 50 food remnants Pots, pans, non-sensitive Very stubborn burned or dried-on food Intensive 70 remains containing starch or protein utensils & cutlery Part dried, common household food Auto 45-65 Mixed utensils & cutlery IntensiveZone, VarioSpeedPlus, Half load, Sensitive utensils, cutlery, Glass 40 Lightly adhering, fresh food remains temperature-sensitive plastic & glass ExtraDry, Shine and Dry IntensiveZone, Half load, HygienePlus, Part dried, common household Mixed utensils & cutlery food remnants. ExtraDry, Shine and Dry Pre rinse All types of dishes. Cold rinsing, intermediate cleaning Sensitive utensils, cutlery, Quick 45°C* Lightly adhering, fresh food remains Extra Dry, Shine & Dry temperature-sensitive plastic & glass Part dried, common household 1 Hour 65°C Extra Dry, Shine & Dry Mixed utensils & cutlery Part dried, common household Short 60°C Mixed utensils & cutlery Very stubborn burned or dried-on food Extra Dry, Hygiene Plus, Intensive Zone, Pots, pans, non-sensitive utensils & cutlery Normal 65°C remains containing starch or protein VarioSpeed Plus Thoroughly cleans your machine - use in Machine Care Run when empty combination with a standard machine care detergent

Making life easy through innovative technologies

Bosch innovation in all our free-standing dishwashers.

Whisper quiet washing.

Bosch dishwashers are amongst the quietest in the world. With the revolutionary EcoSilence Drive™ there are dishwashers in the range which operate at 38 decibels, that's even quieter than the sound of a bee buzzing! With the Silence programme selected, the noise is reduced even further.

Energy efficiency.

The opportunity to save energy is now even greater. Innovative technology in our dishwashers gets the most out of every single drop of water. Our most energyefficient dishwashers in the Serie 8 and Serie 6 ranges boast an A+++ energy rating.

Save water every load.

The **ActiveWater**™ technology in our dishwashers means it can take as little as 6.7 litres* of water to clean 13 place settings for a three-course meal**. That's less water than it takes to fill a standard sized kitchen sink.

*6.7 litre water consumption on standard Economy 50° programme on dishwasher model SMS46JW09G

**Three-course meal as defined by dinner, soup and dessert plate, cup and saucer, glass, knife, fork, soup, tea and dessert spoons for each place setting as well as 1 serving plate, 2 serving bowls, 2 serving spoons, 1 serving fork and 1 sauce spoor





60cm dishwashers

SMS88TW06G

Serie 8




amazon alexa

Use your voice to start your dishwasher or even find out how long before your dishes are ready.



Tablet top-up

Amazon Dash Replenishment will automatically reorder your dishwasher tablets when your supply is running low. Simply activate Dash Replenishment in the Home Connect app and regain time spent shopping for supplies, as tablets will be automatically delivered to your doorstep. Another thing crossed off your to-do list.



Key to accessories: SGZ1010: inlet / outlet hose extension (2m), SMZ5300: Wine glass holder, SMZ5002: Silver polishing cassette, SMZ5100: Adjustable cutlery basket, SPZ5100: Vario cutlery basket, SZ73100: Cutlery basket

1 Based on 280 standard cleaning cycles using cold water fill, including consumption of the standby mode

2 The consumption per cleaning cycle of the "Eco 50" programme using cold water fill

3 We would recommend our dishwashers are connected to the mains water supply where possible. However, they may also be connected

to an external water softener as long as the water softener produces softened water of less than 1.1 mmol/lite (7.0°) and the water softener in the appliance is turned off. Please contact product advice for further information.

Water pressure required: 0.5 -10 Bar. Flow rate 1.0 litres per minute. Inlet valve connected directly to %" screwed joint.

All models comply with COMMISSION REGULATION (EC) No 1275/2008 with regard to ecodesign requirements for standby and off

mode electric power consumption. Data valid in this table as of April 2019. Subject to modification without prior notice.





Home Connect is a service offered by Home Connect GmbH For more information on Home Connect please visit www.bosch-home.co.uk

60cm dishwashers



DISHWASHER TYPE	60CM DISHWASHERS					
DESIGN FAMILY	SERIE 6	SERIE 6	SERIE 4	SERIE 4	SERIE 4	
MODEL	SMS67MW00G	SMS67MW01G	SMS46JW09G	SMS46MW03G	SMS46II01G	
Colour	White	White	White	White	Silver inox	
DESIGN FEATURES						
Drying system	PerfectDry Zeolith	Heat exchanger/Eco Dry	Heat exchanger	Heat exchanger	Heat exchanger	
Home Connect WiFi connectivity	-	-	-	-	-	
Control panel type	Front touch control + LED	Front touch control + LED	Front button control + LED	Front button control + LED	Front button control + LED	
Basket description	VarioFlex	VarioFlex	VarioFlex	VarioFlex	VarioFlex	
VarioDrawer 3rd loading level	VarioDrawer	VarioDrawer		VarioDrawer		
Adjustable upper basket	3-stage Rackmatic™	3-stage Rackmatic™	3-stage Rackmatic™	3-stage Rackmatic™	3-stage Rackmatic™	
Cup shelves upper/ lower baskets	2/2	2/2	2/-	2/2	2/-	
Cutlery shelves upper basket	-		•	-	•	
Largest loadable dish upper/ lower basket (cm)	21/31	21/31	27/31	21/31	27/31	
Load Sensor	•	•	•	•	•	
Aqua Sensor	•	•	•	•	•	
Start delay time max hours	24	24	24	24	24	
Time remaining indicator	•	•	•	•	•	
Emotion light (interior lighting)	·					
End of cycle indicator						
Salt/ Rinse aid light indicator	•/•	•/•	•/•	•/•	•/•	
Flood protection system	-,-	-1-	●/● Internal	●/● Internal	●/● Internal	
	AquaStop 24h	AquaStop 24h				
Safety features	Control panel lock	Control panel lock	Control panel lock, door lock	Control panel lock, door lock	Control panel lock,door lock	
PROGRAMMES / FUNCTIONS						
List of programmes	Intensive 70 °C, Auto 45-65 °C, Eco 50 ^{II} °C, Short 60 °C, Glass 40 °C, Quick 45 °C, Pre rinse, Machine Care	ntensive 70 °C, Auto 45-65 °C, Eco 50 °C, Silence 50 °C, Glass 40 °C, 1 Hour 65 °C, Quick 45 °C, Machine Care	Intensive 70 °C, Auto 45-65 °C, Eco 50 °C, Glass 40 °C, Quick 45 °C, Pre rinse, Machine Care	Intensive 70 °C, Auto 45-65 °C, Eco 50 °C, Glass 40 °C, Quick 45 °C, Pre-Rinse, Machine Care	Intensive 70 °C, Auto 45-65 °C, Eco 50 °C, Glass 40 °C, Quick 45 °C, Pre rinse, Machine Care	
Additional special options	Intensive Zone, VarioSpeed Plus, Hygiene Plus, Extra Dry	Intensive Zone, VarioSpeed Plus, Hygiene Plus, Extra Dry	VarioSpeed Plus, Hygiene Plus, Extra Dry	VarioSpeed Plus, Hygiene Plus, Extra Dry	VarioSpeed Plus, Hygiene Plus, Extra Dry	
Duration of Quick Wash programme	29	29	35	29	29	
TECHNICAL INFORMATION						
Reference programme for measurements	Economy 50	Economy 50	Economy 50	Economy 50	Economy 50	
Energy efficiency class	A+++	A+	A++	A++	A++	
	237/ 2660	299/2660	262/1876	266/ 2660	262/2660	
Total annual energy (kWh)/ Water (litres) consumption ¹ Energy (kWh)/ Water (litres) consumption ²	0.83/9.5	1.05/ 9.5	0.94/6.7	0.93/9.5	0.92/ 9.5	
Number of place settings	14	14	13	14	13	
Cleaning/ Drying performance class	A/A	A/A	A/A	A/A	A/A	
Noise level (dB(A) re 1 pW)	44	38 (36 in Silence programme)	46	46	46	
Total cycle time of reference programme (min)	195	195	245	225	225	
Maximum height adjustability feet (cm)	2	2	2	2	2	
Depth with open door 90 degree (cm)	115.5	115.5	115.5	115.5	115.5	
Length of electrical supply cord (cm)	175	175	175	175	175	
Length inlet/ outlet hose (cm)	165/ 190	165/190	150/190	150/ 190	150/ 190	
Height of the product with removable top (cm)	84.5	84.5	84.5	84.5	84.5	
Height of the product without removable top (cm)	81.5	81.5	81.5	81.5	81.5	
Width/ Depth of the product (cm)	60/ 60	60/60	60/60	60/ 60	60/60	
Net weight/ Gross weight (kg)	53/ 56	60/63	49/52	49/51	46/48	
	00/ 00					
	•	•	•	•	•	
Water softener ³ Maximum accepted water hardness (DH)		• 50°DH	● 50°DH	● 50°DH	• 50°DH	
Water softener ³	•					
Water softener ³ Maximum accepted water hardness (DH)	• 50°DH	50°DH	50°DH	50°DH	50°DH	













DISHWASHER TYPE			60CM DISHWASHERS				
DESIGN FAMILY	SERIE 4	SERIE 2	SERIE 2	SERIE 2	SERIE 2		
MODEL	SMS46IW10G	SMS25EW00G	SMS25AI00G	SMS25AB00G	SMS25AW00G		
Colour	White	White	Silver inox	Black	White		
DESIGN FEATURES							
Drying system	Heat exchanger	Heat exchanger	Heat exchanger	Heat exchanger	Heat exchanger		
Home Connect WiFi connectivity	-		-	-			
Control panel type	Front button control + LED	Front dial control + LED	Front dial control + LED	Front dial control + LED	Front dial control + LED		
Basket description	VarioFlex	Vario	Vario	Vario	Vario		
VarioDrawer 3rd loading level	-	VarioDrawer	-	-	-		
Adjustable upper basket	3-stage Rackmatic™	3-stage Rackmatic™	Adjustable when empty	Adjustable when empty	Adjustable when empty		
Cup shelves upper/ lower baskets	2/-	2/-	2/-	2/-	2/-		
Cutlery shelves upper basket	•		•	•	•		
Largest loadable dish upper/ lower basket (cm)	27/31	21/31	27/31	27/31	27/31		
Load Sensor	•	•	•	•	•		
Aqua Sensor	•		-	-	-		
Start delay time max hours	24	24	24	24	24		
Time remaining indicator	•	•	•	•	•		
Emotion light (interior lighting)	-		-	-	-		
End of cycle indicator	-		-	-			
Salt/ Rinse aid light indicator	●/●	●/●	●/●	•/•	●/●		
Flood protection system	Internal	Internal	Internal	Internal	Internal		
Safety features	Control panel lock, door lock	Door lock	Door lock	Door lock	Door lock		
PROGRAMMES / FUNCTIONS							
List of programmes	Intensive 70 °C, Auto 45-65 °C,	Intensive 70 °C, Eco 50 °C,	Intensive 70 °C, Eco 50 °C,	Intensive 70 °C, Eco 50 °C, Glass 40 °C,	Intensive 70 °C, Eco 50 °C,		

List of programmes	Intensive 70 °C, Auto 45-65 °C, Eco 50 °C, Glass 40 °C, Quick 45 °C, Pre-Rinse, Machine Care	Intensive 70 °C, Eco 50 °C, Glass 40 °C, Quick 45 °C, Pre-Rinse	Intensive 70 °C, Eco 50 °C, Glass 40 °C, Quick 45 °C, Pre-Rinse	Intensive 70 °C, Eco 50 °C, Glass 40 °C, Quick 45 °C, Pre-Rinse	Intensive 70 °C, Eco 50 °C, Glass 40 °C, Quick 45 °C, Pre-Rinse
Additional special options	VarioSpeed Plus, Hygiene Plus, Extra Dry	VarioSpeed Plus, Extra Dry	VarioSpeed Plus, Extra Dry	VarioSpeed Plus, Extra Dry	VarioSpeed Plus, Extra Dry
Duration of Quick Wash programme	29	29	29	29	29
TECHNICAL INFORMATION					
Reference programme for measurements	Economy 50	Economy 50	Economy 50	Economy 50	Economy 50
Energy efficiency class	A++	A++	A++	A++	A++
Total annual energy (kWh)/ Water (litres) consumption ¹	262/2660	262/ 2660	258/2660	258/ 2660	258/ 2660
Energy (kWh)/ Water (litres) consumption ²	0.92/ 9.5	0.92/9.5	0.9/ 9.5	0.9/ 9.5	0.9/9.5
Number of place settings	13	13	12	12	12
Cleaning/ Drying performance class	A/A	A/A	A/A	A/A	A/A
Noise level (dB(A) re 1 pW)	46	48	48	48	48
Total cycle time of reference programme (min)	225	210	210	210	210
Maximum height adjustability feet (cm)	2	2	2	2	2
Depth with open door 90 degree (cm)	115.5	115.5	115.5	115.5	115.5
Length of electrical supply cord (cm)	175	175	175	175	175
Length inlet/ outlet hose (cm)	150/190	150/190	150/ 190	150/ 190	150/190
Height of the product with removable top (cm)	84.5	84.5	84.5	84.5	84.5
Height of the product without removable top (cm)	81.5	81.5	81.5	81.5	81.5
Width/ Depth of the product (cm)	60/60	60/60	60/60	60/60	60/60
Net weight/ Gross weight (kg)	49/51	45/46	45/ 47	49/50	49/50
Water softener ³	•	•	•	•	•
Maximum accepted water hardness (DH)	50°DH	50°DH	50°DH	50°DH	50°DH
Maximum temperature for water intake (°C)	60	60	60	60	60
Included accessories	Large item spray head	Large item spray head	Large item spray head	Large item spray head	Large item spray head
Optional accessories (see below)	SGZ1010, SMZ5002, SMZ5300	SGZ1010, SMZ5300	SGZ1010, SMZ5002, SMZ5300	SGZ1010, SMZ5002, SMZ5300	SGZ1010, SMZ5002, SMZ5300

^{• =} Yes - = No

Key to accessories: SGZ1010: inlet / outlet hose extension (2m), SMZ5300: Wine glass holder, SMZ5002: Silver polishing cassette, SMZ5100: Adjustable cutlery basket, SPZ5100: Vario cutlery basket, SZ73100: Cutlery basket

Based on 280 standard cleaning cycles using cold water fill, including consumption of the standby mode

The consumption per cleaning cycle of the "Eco 50" programme using cold water fill

We would recommend our dishwashers are connected to the mains water supply where possible. However, they may also be connected to an external water softener as long as the water softener produces softened water of less than 1.1 mmo/litre (7.0°e) and the water softener in the appliance is turned off. Please contact product advice for further information.

Water pressure required: 0.5-10 Bar. Flow rater 1.0 litres per minute. Inlet valve connected directly to %" screwed joint. All models comply with COMMISSION REGULATION (EC) No 1275/2008 with regard to ecodesign requirements for standby and off mode electric power consumption. Data valid in this table as of April 2019. Subject to modification without prior notice.

Key to accessories: SGZ1010: inlet / outlet hose extension (2m), SMZ5300: Wine glass holder, SMZ5002: Silver polishing cassette, SMZ5100: Adjustable cutlery basket, SPZ5100: Vario cutlery basket, SZ73100: Cutlery basket

Based on 280 standard cleaning cycles using cold water fill, including consumption of the standby mode

The consumption per cleaning cycle of the "Eco 50" programme using cold water fill

We would recommend our dishwashers are connected to the mains water supply where possible. However, they may also be connected to an external water softener as long as the water softener produces softened water of less than 1.1 mmo/litre (7.0°e) and the water softener in the appliance is turned off. Please contact product advice for further information.

Water pressure required: 0.5-10 Bar. Flow rate: 10 litres per minute. Inlet valve connected directly to %" screwed joint. All models comply with COMMISSION REGULATION (EC) No 1275/2008 with regard to ecodesign requirements for standby and off mode electric power consumption. Data valid in this table as of April 2019. Subject to modification without prior notice.

Slimline dishwashers









DESIGN FAMILY	SERIE 6	SERIE 4	SERIE 4	SERIE 4
MODEL	SPS66TW00G	SPS46II00G	SPS46IW00G	SKS62E22EU
Colour	White	Silver inox	White	White
DESIGN FEATURES				
Drying system	Heat exchanger/ Eco Dry	Heat exchanger	Heat exchanger	Residual heat
Home Connect WiFi connectivity	-	-	-	-
Control panel type	Front button control + LED	Front button control + LED	Front button control + LED	Front dial control + LED
Basket description	VarioFlex Plus	VarioFlex	VarioFlex	Vario
VarioDrawer 3rd loading level	VarioDrawer Pro	-	-	-
Adjustable upper basket	3-stage Rackmatic™	3-stage Rackmatic™	3-stage Rackmatic™	-
Cup shelves upper/ lower baskets	1/1	2/-	2/-	-/2
Cutlery shelves upper basket	-	•	•	-
Largest loadable dish upper/ lower basket (cm)	21/31	27/31	27/31	28
Load Sensor	•	•	•	•
Aqua Sensor	•	•	•	•
Start delay time max hours	24	24	24	24
Time remaining indicator	•	•	•	•
Emotion light (interior lighting)	-	-	-	-
End of cycle indicator	-	-	-	-
Salt/ Rinse aid light indicator	●/●	•/•	•/•	●/●
Flood protection system	AquaStop 24hr	Internal	Internal	AquaStop 24hr
Safety features	Control panel lock	Control panel lock, door lock	Control panel lock, door lock	-
PROGRAMMES / FUNCTIONS				
List of programmes	Intensive 70 °C, Auto 45-65 °C, Eco 50 °C, Silence 50 °C, Glass 40 °C, Quick 45 °C, Machine Care	Intensive 70 °C, Auto 45-65 °C, Eco 50 °C, Silence 50 °C, Glass 40 °C, Quick 45 °C, Machine Care	Intensive 70 °C, Auto 45-65 °C, Eco 50 °C, Silence 50 °C, Glass 40 °C, Quick 45 °C, Machine Care	Intensive 70°C, Auto 45-65°C, Economy 50°C, Delicate 40°C, Quick 45°C, Pre Rinse
Additional special options	Intensive Zone, VarioSpeed Plus, Extra Dry	Intensive Zone, VarioSpeed Plus, Extra Dry	Intensive Zone, VarioSpeed, Extra Dry	VarioSpeed, Extra Dry
Duration of Quick Wash programme	29	29	29	29
TECHNICAL INFORMATION				
Reference programme for measurements	Economy 50	Economy 50	Economy 50	Economy 50
Energy efficiency class	A++	A+	A+	A+
Total annual energy (kWh)/ Water (litres) consumption ¹	211/2660	220/2660	220/2660	174/2240
Energy (kWh)/ Water (litres) consumption ²	0.75/9.5	0.78/9.5	0.78/9.5	0.61/8.0
Number of place settings	10	9	9	6
Cleaning/ Drying performance class	A/A	A/A	A/A	A/A
Noise level (dB(A) re 1 pW)	44 (41 in Silence programme)	46 (43 in Silence programme)	46 (43 in Silence programme)	48
Total cycle time of reference programme (min)	195	195	195	225
Maximum height adjustability feet (cm)	2	2	2	-
Depth with open door 90 degree (cm)	115.5	115.5	115.5	84.5
Length of electrical supply cord (cm)	175	175	175	170
Length inlet/ outlet hose (cm)	165/205	165/205	165/205	165/215
Height of the product with removable top (cm)	84.5	84.5	84.5	45.0
Height of the product without removable top (cm)	81.5	81.5	81.5	Top not removable
Width/ Depth of the product (cm)	45/60	45/60	45/60	55.1/50
Net weight/ Gross weight (kg)	44/45	41/42	41/42	21/24
Water softener ³	•	•	•	•
Maximum accepted water hardness (DH)	50°DH	50°DH	50°DH	50°DH
Maximum temperature for water intake (°C)	60	60	60	60
Included accessories	Large item spray head	Large item spray head	Large item spray head	-
Optional accessories (see below)	SGZ1010, SMZ5001, SMZ5300, SPZ5100	SGZ1010, SMZ5001, SMZ5300	SGZ1010, SMZ5001, SMZ5300	SGZ1010, SGZ3003, SPZ5100, SZ73100
		,,	,,	, .,

Key to accessories: SGZ1010: inlet / outlet hose extension (2m), SMZ5002: Wine glass holder, SMZ5002: Silver polishing cassette, SMZ5100: Adjustable cutlery basket, SPZ5100: Vario cutlery basket, SZ73100: Cutlery basket

Based on 280 standard cleaning cycles using cold water fill, including consumption of the standby mode

The consumption per cleaning cycle of the "Eco 50" programme using cold water fill

We would recommend our dishwashers are connected to the mains water supply where possible. However, they may also be connected to an external water softener as long as the water softener water of less than 1.1 mmo/litre (7.0°e) and the water softener in the appliance is turned off. Please contact product advice for further information.

Water pressure required: 0.5 -10 Bar, Flow rater to Il three per minute. Inlet valve connected directly to %" screwed joint. All models comply with COMMISSION REGULATION (EC) No 1275/2008 with regard to ecodesign requirements for standby and off mode electric power consumption. Data valid in this table as of April 2019. Subject to modification without prior notice.

Introducing the Bosch refrigeration range.



Model shown: KGN36HI32

Save more, waste less. Our range of freestanding fridge freezers save you money thanks to their energy efficiency ratings. They are also packed with innovative technology to keep your food fresher for longer, so you'll throw out less and save on your weekly shopping bill.

To help you choose the right appliance, we have divided them into the four ranges below.

Serie 8



Cutting-edge design meets advanced technologies. All models in our **Serie 8** range are packed with energy efficient and labour saving features that save valuable time, effort and money - perfect for modern, busy households.

Serie 6

Our Serie 6 range of appliances combines energy efficient performance with convenient storage and superior food

Serie 4

All models in our Serie 4 range combine practical features with Bosch build quality.

preservation.

Built to keep electricity costs down. With energy efficiency an increasing priority in homes, the Serie 2 refrigeration range is just as efficient as it is value for money.

Making life easy

Selecting the right fridge freezer for you.

Height, width and fridge freezer split.

Our fridge freezer options are tailored to suit every family household need so you can choose your appliance to ensure this. For those who shop little and often, try a smaller capacity fridge and freezer which doesn't impact on space. If you have a busy household and do a full weekly shop, a spacious 70/30 fridge freezer would be ideal.





Explanation of refrigeration icons.

(Check model for available functions)



Home Connect

Thanks to Home Connect, you can now check the contents of your fridge at any given time and place. Interior door cameras take pictures every time the door is closed, and conveniently send them to your mobile device.



Never defrost again, thanks to perfect protection from ice formation - that saves time and effort.



Defrost less often thanks to lower ice formation – saves work and is energy-efficient.



An extra-deep frozen food drawer for practical stacking of frozen foods containers or large frozen items like gateaux



Transparent drawer with wave bottom, ideal for the storage of fruits and vegetables



Safety Glass

Strong glass shelves ensure heavier items can be stored



Activating the SuperCooling function before you go shopping lowers the temperature for a short period, so your fresh shopping is kept at the right temperature.



MultiAirflow

The fan-assisted MultiAirflow System causes gentle, even currents of cold air to emerge at all levels of the chilling and freezing area. Temperature fluctuations are minimised and cooling times reduced.



EasyShelf Access

The shatterproof, frameless glass shelves are particularly easy to use, thanks to the smooth pull-out mechanism. And they also give you a clear view of your food at any time.



Finger Print Free

Your appliance will stay finger print free and looking clean and fresh

Features that make Bosch the right choice.



BigBox

NoFrost.

Never worry about having to defrost the freezer again. The NoFrost system prevents the build up of ice by automatically initiating the defrost operation as required. This also helps to maintain the appliance's energy efficiency.

LowFrost.

LowFrost cuts ice build up by half meaning you have to defrost your freezer less often, compared to approximately every 3 months for a static freezer, saving you energy

SuperFreeze & SuperCool.

Activating the SuperFreeze function before you go shopping lowers the temperature for a short period, so anything new put into the freezer is frozen quickly. SuperCool on your fridge performs a similar task, keeping everything at the right storage temperature.

PerfectFit.

Making

Our cooling appliances with PerfectFit can be positioned right next to side walls and furniture in your kitchen. This allows the most flexible installation possible so you have the appliance where you want it.

Model shown: KGN34XL35G

through innovative technologies

Lock in the freshness.

>> VitaFresh

With **VitaFresh**, you'll be able to store your fruit and vegetables at exactly 0°C to lock in the freshness. Also, with an adjustable humidity setting on the drawer, you'll be keeping your fresh food in a perfectly controlled environment.

This combination of temperature and humidity helps you to protect all the aromas, essential nutrients and valuable vitamins in your fresh food. Hence, it is easier than ever to maintain a healthy diet with fresh fruit and vegetables every day.

You'll also find two drawers, one for fish and one for meat, with a temperature regulating slider which lets you lower the temperature up to 4°C lower than the rest of the fridge. **VitaFresh plus** models have the added benefit of a convenient push button for humidity control.



Controlling your appliance.

Across the range of cooling appliances, there are different ways you can control the temperature inside your fridge and freezer. Below are the different variations:



Exterior LED, digital control (touch control)



Exterior LCD, digital control (touch control).



Exterior touch control (digital control).



Interior LED button control



Interior LED button (freezer only).

Whichever model you choose, you'll find lots of reasons to love your Bosch fridge freezer.

Energy efficient.

365 days a year, 24 hours a day, fridges and freezers are always on. In fact, they make up around 17% of the electricity used in the home, or even more if it's a particularly old model.* That's why we design our fridges and freezers to be as energy efficient as possible, and we're proud to be able to offer so many right across our ranges.

VarioZone.

With more flexibility due to variable-use glass shelves and drawers in the freezer compartment, you have more space to store larger items for those occasion you need to.

*Source: www.greenchoices.org/green-living/at-home/fridges-freezers



Easy to Clean Magnetic Door Seals

The magnetic door seals on all of our refrigeration ranges are **removable**, making them easy to clean and/or replace when necessary.

Model shown: KGN36AW35G



variöstyle

Designed to be redesigned.

The innovative Vario Style system is equipped with a clever combination of invisible hooks and magnets so you can easily change the colour of your door.

You don't need any specific tools or technical knowledge. Within just 3 easy steps your kitchen style is transformed.

With our Vario Style fridge freezers and VitaFresh freshness system, both your food and your kitchen will always be fresh and in season.

door set colour options

Explore more at www.bosch-home.co.u

Co	olour	Product Code	Dimensions (HxWxD) cm	EAN number	
		KSZ1AVD00	186 x 60 x 60	4242002975788	1
Es	spresso Brown	KSZ1BVD00	203 x 60 x 60	4242002978291	
		KSZ1AVD10	186 x 60 x 60	4242002975795	1
Co	offee Brown	KSZ1BVD10	203 x 60 x 60	4242002978307	-
		KSZ1AVE00	186 x 60 x 60	4242005066018	1
Ra	aspberry	KSZ1BVE00	203 x 60 x 60	4242005066025	1
		KSZ1AVF00	186 x 60 x 60	4242002976433	
Sı	unflower	KSZ1BVF00	203 x 60 x 60	4242002978345	1
-		KSZ1AVG00	186 x 60 x 60	4242005066216	
St		KSZ1BVG00	203 x 60 x 60	4242005066223	
		KSZ1AVH00	186 x 60 x 60	4242002975757	
Li		KSZ1BVH00	203 x 60 x 60	4242002978260	-
		KSZ1AVJ00	186 x 60 x 60	4242005059591	1
М		KSZ1BVJ00	203 x 60 x 60	4242005059607	45
		KSZ1AVJ00	186 x 60 x 60	4242005059591	-
Pe		KSZ1BVJ00	203 x 60 x 60	4242005059607	
		KSZ1AVK00	186 x 60 x 60	4242002976419	-
CI		KSZ1BVK00	203 x 60 x 60	4242002978321	1
		KSZ1AVL00	186 x 60 x 60	4242005059577	1
PI	lum	KSZ1BVL00	203 x 60 x 60	4242005059584	1
		KSZ1AVN00	186 x 60 x 60	4242005059614	1
Pe	earl Night Blue	KSZ1BVN00	203 x 60 x 60	4242005059621	1
		KSZ1AVO00	186 x 60 x 60	4242002975740	1
O	range	KSZ1BVO00	203 x 60 x 60	4242002978253	1
		KSZ1AVP00	186 x 60 x 60	4242005066032	
Li,	ght Rose	KSZ1BVP00	203 x 60 x 60	4242005066049	-1
		KSZ1AVR00	186 x 60 x 60	4242002975733	1
CI	herry Red	KSZ1BVR00	203 x 60 x 60	4242002978215	1
		KSZ1AVT00	186 x 60 x 60	4242005066179	1
Li,	ght Blue	KSZ1BVT00	203 x 60 x 60	4242005066186	-
		KSZ1AVU00	186 x 60 x 60	4242002975764	
Ac	qua	KSZ1BVU00	203 x 60 x 60	4242002978277	
		KSZ1AVU10	186 x 60 x 60	4242002975771	
Pe	etrol	KSZ1BVU10	203 x 60 x 60	4242002978284	
		KSZ1AVV00	186 x 60 x 60	4242005066056	
Pe	earl White	KSZ1BVV00	203 x 60 x 60	4242005066063	
		KSZ1AVX00	186 x 60 x 60	4242005066193	
Pe	earl Gold	KSZ1BVX00	203 x 60 x 60	4242005066209	
		KSZ1AVD20	186 x 60 x 60	4242002961156	
P€	earl Bronze	KSZ1BVD20	203 x 60 x 60	4242005109777	
		KSZ1AVG10	186 x 60 x 60	4242005109791	
Pe	earl Anthracite	KSZ1BVG10	203 x 60 x 60	4242005109807	
		KSZ1AVG20	186 x 60 x 60	4242005109838	
Pe	earl Grey	KSZIBVG20	203 x 60 x 60	4242005109845	
		KSZ1AVL10	186 x 60 x 60	4242005109852	1
Pe	earl Aubergine	KSZ1BVL10	203 x 60 x 60	4242005109869	
		KSZ1AVZ00	186 x 60 x 60	4242002975801	
BI	lack	KSZ1BVZ00	203 x 60 x 60	4242002978314	
		102101200	200 x 00 x 00	7272002370014	1

Fridge freezers

Serie 6

KGN36HI32

Thanks to Home Connect, you can now check the contents of your fridge at any given time and place. Interior door cameras take pictures every time the door is closed, and conveniently send them to your mobile device. Wherever you are, simply access your Home Connect app to get a perfect overview of what's in your fridge. Never forget an item again.





TYPE	FRIDGE FREEZERS		
DESIGN FAMILY	SERIE 6		
MODEL	KGN36HI32		
Colour	Stainless steel easy clean		
DESIGN FEATURES			
Fridge / Freezer split	60 / 40		
Frost-free system	NoFrost		
Colour of side panels	Chrome inox metallic		
Door handle type	Vertical Bar		
Temperature display	Exterior / Digital LED		
Reversible door, hinged on right			
Latest Condenser Technology	-		
Home connect / Built in cameras	•/•		
FOOD FRESHNESS SYSTEM			
Food preservation container	1 x VitaFresh Plus 0°C drawer, 1 x VitaFresh Plus vegetable drawer		

Food preservation container	1 x VitaFresh Plus vegetable drawer
KEY FEATURES - FRIDGE SECTION	
LED light	•
SuperCool function	•
Bottle rack	•
Number of glass safety shelves	4
Number of adjustable shelves	2
Number of door bins large / small	1/2
Dairy compartment	•
Number of egg racks	1
KEY FEATURES - FREEZER SECTION	
Number of freezer drawers including BigBox / EasyAccess	3
SuperFreeze function	•
Number of ice packs / ice cube trays	-/1
FUNCTIONS	
Door open warning signal/malfunction	•
Holiday / Sabbath mode	-/-
ADDITIONAL INFORMATION	
Energy efficiency class	A++
Annual energy consumption ¹ (kWh)	258
Total unit net capacity (litres)	320
Refrigerator net capacity including 0°C drawers (litres)	234
Refrigerator 0°C net capacity (litres)	23
Freezer net capacity (litres)	86

Noise level dB (A) re 1 pW Dimensions of the product (cm) H x W x D

● = yes -= no

¹ Actual energy consumption will depend on how the appliance is used and where it is located

² Climate zone SN = designed to operate in ambient temperature of +1.0°C to 3.2°C

Climate zone T = designed to operate in ambient temperature of +1.8°C to 4.3°C



connect

Home Connect is a service offered by Home Connect GmbH.

For more information on Home Connect please visit www.bosch-home.co.uk

For full specification details, please log onto our website and download a full specification sheet.

Fridge freezers



ТҮРЕ	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER
DESIGN FAMILY	SERIE 6	SERIE 6	SERIE 6	SERIE 4	SERIE 4
MODEL	KGN49AI31	KGN36AI35G	KGN36AW35G	KGN56XL30	KGN49XL30G
Colour	Stainless steel easy clean	Stainless steel easy clean	White	Stainless steel look	Stainless steel look
DESIGN FEATURES					
Fridge / Freezer split	70/30	60 / 40	60 / 40	70/30	70 / 30
Frost-free system	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost
Colour of side panels	Chrome inox metallic	Chrome inox metallic	White	Chrome inox metallic	Chrome inox metallic
Door handle type	Vertical Bar	Vertical Bar	Vertical Bar	Integrated Vertical	Integrated Vertical
remperature display	Exterior / Digital LCD	Exterior / Digital LCD	Exterior / Digital LCD	Exterior / Digital LED	Exterior / Digital LED
Reversible door, hinged on right	e Exterior / Digital EOD	e Exterior / Digital EOD	• Exterior / Digital COD	• Exterior / Digital EED	• Exterior / Digital EED
atest Condenser Technology Home connect / Built in cameras	•/-	•/-	•/-	-/-	-/-
	•/-	•/-	•/-	-/-	-/-
FOOD FRESHNESS SYSTEM					
Food preservation container	2 x VitaFresh Plus 0°C drawers, 1 x VitaFresh Plus vegetable drawer	2 x VitaFresh Plus 0°C drawers, 1 x VitaFresh Plus vegetable drawer	2 x VitaFresh Plus 0°C drawers, 1 x VitaFresh Plus vegetable drawer	2 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer	2 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawe
KEY FEATURES – FRIDGE SECTION					
LED light	•	•	•	•	•
SuperCool function	•	•	•	•	•
Bottle rack	•	•	•	•	•
lumber of glass safety shelves	5	4	4	4	5
Number of adjustable shelves	4	2	2	3	4
Number of door bins large / small	1/2	1/1	1/1	1/3	1/3
Dairy compartment	•	•	•	-	
Number of egg racks	3	3	3	3	3
KEY FEATURES – FREEZER SECTION					
Number of freezer drawers including BigBox / EasyAccess	3	3	3	2	3
SuperFreeze function	•	•	•	•	•
Number of ice packs / ice cube trays	2/1	2/1	2/1	2/1	-/1
FUNCTIONS					
Door open warning signal/malfunction	•	•	•	•	•
Holiday / Sabbath mode	●/ ●	•/•	●/●	-/-	-/-
ADDITIONAL INFORMATION					
nergy efficiency class	A++	A++	A++	A++	A++
Annual energy consumption ¹ (kWh)	303	260	260	325	303
otal unit net capacity (litres)	435	324	324	505	435
Refrigerator net capacity including 0°C drawers (litres)	330	237	237	400	330
Refrigerator 0°C net capacity (litres)	25	21	21	38	28
reezer net capacity (litres)	105	87	87	105	105
Climate Class ²	SN-T	SN-T	SN-T	SN-T	SN-T
loise level dB (A) re 1 pW	40	39	39	42	40
Dimensions of the product (cm) H x W x D	203 x 70 x 67	186 x 60 x 66	186 x 60 x 66	193 x 70 x 80	203 x 70 x 67



 ⁼ yes · = no
 Actual energy consumption will depend on how the appliance is used and where it is located
 2 Climate zone SN = designed to operate in ambient temperature of +10°C to 32°C
 Climate zone T = designed to operate in ambient temperature of +18°C to 43°C

For full specification details, please log onto our website and download a full specification sheet.

		variŏstyle	

FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER
SERIE 4	SERIE 4	SERIE 4	SERIE 4	SERIE 4	SERIE 4	SERIE 4
KGN49XW30	KGN36XW35G	KGN39XL35G	KGN39XW36G	KGN39IJ3AG	KGN39VL3AG	KGN39VW35G
White	White	Stainless steel look	White	VarioStyle interchangeable doors	Stainless steel look	White
70 / 30	60 / 40	70/30	70 / 30	70/30	70 / 30	70 / 30
NoFrost	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost
White	White	Chrome inox metallic	White	Chrome inox metallic	Chrome inox metallic	White
Integrated Vertical	Vertical Bar	Vertical Bar	Integrated Vertical	Integrated Vertical	Integrated Vertical	Integrated Vertical
Exterior / Digital LED	Exterior / Digital LED	Exterior / Digital LED	Exterior / Digital LED	Interior / Electronic LED	Interior / Electronic LED	Interior / Electronic LED
•	•	•	•	•	•	•
•	•	•	•	•	•	•
-/-	-/-	-/-	-/-	-/-	-/-	-/-
2 x VitaFresh 0°C drawers, v VitaFresh vegetable drawer	2 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer	2 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer	2 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer	2 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer	2 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer	2 x VitaFresh 0°C drawer 1 x VitaFresh vegetable dra
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	-	•	•	•	•	-
5	4	5	5	5	5	5
4	2	3	3	3	3	3
1/3	1/2	1/3	1/3	1/3	1/3	1/3
-	•	•	-	-	•	
3	3	3	3	3	3	3
3	3	3	3	3	3	3
•	•	•	•	•	•	•
-/1	-/1	-/1	-/1	-/1	-/1	-/1
•	•	•			•	•
-/-	-/-	-/-	• -/-	-/-	-/-	-/-
-/-	-)-	-/-	-1-	-)-	-1-	-1-
A++	A++	A++	A++	A++	A++	A++
303	260	273	273	273	273	273
435	324	366	366	366	366	366
330	237	279	279	279	279	279
28	24	24	24	24	24	24
105	87	87	87	87	87	87
SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T
40	39	39	39	39	39	39

 ⁼ yes · = no
 Actual energy consumption will depend on how the appliance is used and where it is located
 2 climate zone SN = designed to operate in ambient temperature of +10°C to 32°C
 Climate zone T = designed to operate in ambient temperature of +18°C to 43°C

Fridge freezers



ТУРЕ	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER
DESIGN FAMILY	SERIE 4	SERIE 4	SERIE 4	SERIE 4
MODEL	KGN36IJ3AG	KGN36VL35G	KGN34XL35G	KGN34XW35G
Colour	VarioStyle interchangeable doors	Stainless steel look	Stainless steel look	White
DESIGN FEATURES				
Fridge / Freezer split	60 / 40	60 / 40	50 / 50	50/50
rost-free system	NoFrost	NoFrost	NoFrost	NoFrost
colour of side panels	Chrome inox metallic	Chrome inox metallic	Chrome inox metallic	White
loor handle type	Integrated Vertical	Integrated Vertical	Vertical Bar	Vertical Bar
emperature display	Interior / Electronic LED	Interior / Electronic LED	Exterior / Digital LED	Exterior / Digital LED
eversible door, hinged on right	• Interior / Electronic EED	• • • • • • • • • • • • • • • • • • •	e Exterior y Digital EED	exterior / Digital EED
	•	•	•	•
atest Condenser Technology ome connect / Built in cameras	-/-	-/-	-/-	-/-
	-/-	-/-	-1-	-1-
OOD FRESHNESS SYSTEM				
ood preservation container	2 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer	2 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer	2 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer	2 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer
EY FEATURES – FRIDGE SECTION				
ED light	•	•	•	•
uperCool function	•	•	•	•
ottle rack	·			·
umber of glass safety shelves	4	4	4	4
umber of adjustable shelves	2	2	2	2
umber of door bins large / small	1/2	1/2	1/2	1/2
	1/2	1/2	1/2	1/2
airy compartment	•	•	-	
umber of egg racks	3	3	3	3
EY FEATURES - FREEZER SECTION				
umber of freezer drawers including BigBox / EasyAccess	3	3	3	3
uperFreeze function	•	•	•	•
umber of ice packs / ice cube trays	-/1	-/1	-/1	-/1
UNCTIONS				
oor open warning signal/malfunction	•	•	•	•
oliday / Sabbath mode	-/-	-/-	-/-	-/-
DDITIONAL INFORMATION				
nergy efficiency class	A++	A++	A++	A++
nnual energy consumption ¹ (kWh)	260	260	267	267
tal unit net capacity (litres)	324	324	319	319
efrigerator net capacity including 0°C drawers (litres)	237	237	214	214
efrigerator 0°C net capacity (litres)	24	24	24	24
eezer net capacity (litres)	87	87	105	105
imate Class ²	SN-T	SN-T	SN-T	SN-T
oise level dB (A) re 1 pW	39	39	39	39
imensions of the product (cm) H x W x D	186 x 60 x 66			



 ⁼ yes · = no
 Actual energy consumption will depend on how the appliance is used and where it is located
 2 climate zone SN = designed to operate in ambient temperature of +10°C to 32°C
 Climate zone T = designed to operate in ambient temperature of +18°C to 43°C

I			-
S. Samuel			

FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER
SERIE 4	SERIE 2	SERIE 2	SERIE 2	SERIE 2	SERIE 2
KGN34VB35G	KGN34NL3AG	KGN34NW3AG	KGN36NW30G	KGN33NL3AG	KGN33NW3AG
Black	Stainless steel look	White	White	Stainless steel look	White
50/50	50 / 50	50/50	60 / 40	50/50	50 / 50
NoFrost	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost
Chrome inox metallic	Chrome inox metallic	White	White	Chrome inox metallic	White
Integrated Vertical	Integrated Horizontal	Integrated Horizontal	Integrated Horizontal	Integrated Horizontal	Integrated Horizontal
Interior / Electronic LED	Interior / Electronic LED	Interior / Electronic LED	Interior / Electronic LED	Interior / Electronic LED	Interior / Electronic LED
•	•	•	•	•	•
•	•	•	•	•	•
-/-	-/-	-/-	-/-	-/-	-/-
2 x VitaFresh 0°C drawers, x VitaFresh vegetable drawer	1 x MultiBox vegetable drawer	1 x MultiBox vegetable drawer	1 x MultiBox vegetable drawer	1 x MultiBox vegetable drawer	1 x MultiBox vegetable drawe
•	•	•	•	•	•
•	-	-	-	-	•
	-	-	-	· ·	
4	4	4	4	3	3
2	2	2	3	2	2
1/2	1/2	1/2	1/3	1/2	1/2
-	-	•	· · · · · · · · · · · · · · · · · · ·	· ·	-
3	3	3	3	3	3
3	3	3	3	3	3
•	•	•	•	•	•
-/1	-/1	-/1	-/-	-/-	-/-
			_	_	
•	•	•	•	•	•
-/-	-/-	-/-	-/-	-/-	-/-
A++	A++	A++	A++	A++	A++
267	242	242	235	228	228
319	297	297	302	279	279
214	192	192	215	192	192
24	-	-	-	-	-
105	105	105	87	87	87
SN-T	SN-T	SN-T	SN-T	SN-T	SN-T
39	42	42	42	42	42
	186 x 60 x 66	186 x 60 x 66	186 x 60 x 66	176 x 60 x 66	176 x 60 x 66

For full specification details, please log onto our website and download a full specification sheet.

 ⁼ yes · = no
 Actual energy consumption will depend on how the appliance is used and where it is located
 2 climate zone SN = designed to operate in ambient temperature of +10°C to 32°C
 Climate zone T = designed to operate in ambient temperature of +18°C to 43°C

Fridge freezers



TYPE	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER
DESIGN FAMILY	SERIE 4	SERIE 4	SERIE 4	SERIE 4
MODEL	KGE49VI4AG	KGE49VW4AG	KGE36VW4A	KGV39VL31G
Colour	Stainless steel easy clean	White	White	Stainless steel look
DESIGN FEATURES				
ridge / Freezer split	70/30	70/30	60 / 40	70/30
rost-free system	LowFrost	LowFrost	LowFrost	LowFrost
colour of side panels	Chrome inox metallic	White	White	Chrome inox metallic
oor handle type	Integrated Vertical	Integrated Vertical	Integrated Vertical	Integrated Vertical
emperature display	Interior / Digital LED	Interior / Digital LED	Interior / Digital LED	Interior / Electronic LED
eversible door, hinged on right	•	•	•	•
atest Condenser Technology	-	-	-	
ome connect / Built in cameras	-/-	-/-	-/-	-/-
OOD FRESHNESS SYSTEM				
ood preservation container	1 x VitaFresh 0°C drawer, 1 x VitaFresh vegetable drawer	1 x VitaFresh 0°C drawer, 1 x VitaFresh vegetable drawer	1 x VitaFresh 0°C drawer, 1 x VitaFresh vegetable drawer	1 x VitaFresh vegetable drawer
KEY FEATURES – FRIDGE SECTION				
ED light	•	•	•	•
uperCool function	•	•	•	_
ottle rack	•	•	•	•
umber of glass safety shelves	5	5	4	5
umber of adjustable shelves	2	2	2	2
umber of door bins large / small	1/3	1/3	1/2	1/3
airy compartment	-	-	· ·	
umber of egg racks	3	3	3	3
EY FEATURES – FREEZER SECTION				
umber of freezer drawers including BigBox / EasyAccess	3	3	3	3
uperFreeze function	•	•	•	•
umber of ice packs / ice cube trays	2/-	2/-	2/-	-/-
UNCTIONS				
oor open warning signal/malfunction	•	•	•	-
loliday / Sabbath mode	●/ -	•/-	•/-	-/-
DDITIONAL INFORMATION				
nergy efficiency class	A+++	A+++	A+++	A++
nnual energy consumption ¹ (kWh)	190	190	161	237
tal unit net capacity (litres)	413	413	302	342
frigerator net capacity including 0°C drawers (litres)	302	302	214	248
efrigerator 0°C net capacity (litres)	28	28	22	-
eezer net capacity (litres)	111	111	88	94
imate Class ²	SN-T	SN-T	SN-T	SN-T
ise level dB (A) re 1 pW	38	38	38	39
mensions of the product (cm) H x W x D	201 x 70 x 65	201 x 70 x 65	186 x 60 x 65	201 x 60 x 65



 ⁼ yes -= no
 Actual energy consumption will depend on how the appliance is used and where it is located
 Climate zone SN = designed to operate in ambient temperature of +10°C to 32°C
 Climate zone T = designed to operate in ambient temperature of +18°C to 43°C

For full specification details, please log onto our website and download a full specification sheet.

















| FRIDGE FREEZER |
|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| SERIE 4 |
KGV39VW32G	KGV36VL32G	KGV36VW32G	KGV33VL31G	KGV33XW30G
White	Stainless steel look	White	Stainless steel look	White
70/30	60 / 40	60 / 40	50/50	50/50
LowFrost	LowFrost	LowFrost	LowFrost	LowFrost
White	Chrome inox metallic	White	Chrome inox metallic	White
Integrated Vertical				
Interior / Electronic LED				
• Interior / Electronic EED	•	•	•	•
				· ·
-/-	-/-	-/-	-/-	-/-
	η.	-1-		-7-
1 x VitaFresh vegetable drawer				
•	•	•	•	•
-	-	-	-	-
•	•	•	•	•
5	4	4	4	4
2	2	2	2	2
1/3	1/2	1/2	1/2	1/1
-	-	-		•
3	3	3	3	3
3	3	3	3	3
•	•	•	•	•
-/-	-/-	-/-	-/-	-/-
-	•	-		-
-/-	-/-	-/-	-/-	-/-
A++	A++	A++	A++	A++
237	226	226	219	219
342	307	307	287	287
248	213	213	193	193
	-	-	-	-
-				
94	94	94	94	94
94 SN-T	94 SN-T	SN-T	SN-T	SN-T
94	94			

 $For full specification \ details, please \ log \ onto \ our \ website \ and \ download \ a \ full \ specification \ sheet.$

 ^{■ -} yes - = no
 Actual energy consumption will depend on how the appliance is used and where it is located
 Climate zone SN - designed to operate in ambient temperature of +10°C to 32°C
 Climate zone T - designed to operate in ambient temperature of +18°C to 43°C

Selecting the right fridge or freezer for you

Joining strips

If you choose to have a freestanding single door fridge and single door freezer installed into your kitchen you may want to consider using joining strips to go between the two appliances.

This allows a more seamless finish to your kitchen as the gap between the appliances will be covered.

We have two available options, from stainless steel or white, simply select the joining strip which suits your appliance colour.



Single door fridges and freezers are designed to sit side by side to give you the double door effect. With hinges that can be fitted to either side of the appliances, you can choose which side you would like your fridge and freezer. Of course, if you want your appliances separate this is possible as well. Choose from a variety of heights to suit your kitchen.



Fridges



ТҮРЕ	FRIDGE	FRIDGE	FRIDGE	FRIDGE	FRIDGE
DESIGN FAMILY	SERIE 6	SERIE 6	SERIE 4	SERIE 4	SERIE 4
MODEL	KSV36AW4PG	KSV36AW3PG	KSV36VB3PG	KSV36VL3PG	KSV36VW3PG
Colour	White	White	Black	Stainless steel look	White
DESIGN FEATURES					
Colour of side panels	White	White	Black	Chrome inox metallic	White
Door handle type	Vertical Bar	Vertical Bar	Vertical Bar	Vertical Bar	Vertical Bar
Temperature display	Interior / Digital LED	Interior / Digital LED	Interior / Electronic LED	Interior / Electronic LED	Interior / Electronic LED
Reversible door, hinged on left	•	•	•	•	•
Latest Condenser Technology	•	•	•	•	•
Home connect / Built in cameras	-/-	-/-	-/-	-/-	-/-
FOOD FRESHNESS SYSTEM Food preservation container	1 x VitaFresh Plus, 1 x MultiBox vegetable drawer	1 x VitaFresh Plus, 1 x MultiBox vegetable drawer	1 x VitaFresh vegetable drawer	1 x VitaFresh vegetable drawer	1 x VitaFresh vegetable drawer
KEY FEATURES – FRIDGE SECTION					
LED light	•	•	•	•	•
SuperCool function	•	•	•	•	•
Bottle rack	•	•	•	•	•
Number of glass safety shelves	7	7	7	7	7
Number of adjustable shelves	4	4	5	5	5
Number of door bins large / small	2/2	2/2	2/2	2/2	2/2
flex Shelf	-	-	-	-	
Dairy compartment	•	•	•	•	•
Number of egg racks	3	3	3	3	3
FUNCTIONS					
Door open warning signal/malfunction	•	•			
Holiday / Sabbath mode	-/-	-/-	-/-	-/-	-/-
PERFORMANCE AND CONSUMPTION					
Energy efficiency class	A+++	A++	A++	A++	A++

186 x 60 x 65

186 x 60 x 65

Climate Class²

Matching Freezer

Noise level dB (A) re 1 pW

Annual energy consumption1 (kWh) Refrigerator net capacity including 0°C drawers (litres)

Refrigerator 0°C net capacity (litres)

Dimensions of the product (cm) H x W x D

lack = yes -= no \$\$^1\$ Actual energy consumption will depend on how the appliance is used and where it is located \$\$^2\$ Climate zone SN = designed to operate in ambient temperature of +10°C to 32°C Climate zone T = designed to operate in ambient temperature of +18°C to 43°C

186 x 60 x 65

For full specification details, please log onto our website and download a full specification sheet

186 x 60 x 65

186 x 60 x 65

1/-

2/1

A++

200

SN-T

25


42

161 x 60 x 65

KSV29NW3PG

Fridges & freezers





ГҮРЕ	FREEZER
DESIGN FAMILY	SERIE 6
MODEL NUMBER	GSN58AW35
Colour	White
DESIGN FEATURES	
Frost-free system	NoFrost
Colour of side panels	White
Door handle type	Vertical Bar
lemperature display	Interior / Digital LED
Reversible door, hinged on right	•
Latest Condenser Technology	•
Home connect / Built in cameras	-/-
FOOD FRESHNESS SYSTEM	
MultiAirflow system	•
KEY FEATURES – FREEZER SECTION	
ED light	•
Number of freezer compartments	8
lumber of freezer drawers including bigBox	5
lumber of freezer flaps / easyAccess shelves	3/-
Number of glass safety shelves	7
SuperFreeze function	•
Twist Ice Box	-
Number of ice packs / ice cube trays	3/1
FUNCTIONS	
Door open warning signal/malfunction	•
Holiday / Sabbath mode	-/-
PERFORMANCE AND CONSUMPTION	
inergy efficiency class	A++
Annual energy consumption ¹ (kWh)	301
reezer net capacity (litres)	360
Climate Class ²	SN-T
Storage period in event of power failure (hours)	25
Noise level dB (A) re 1 pW	42

FREEZER	FREEZER	FREEZER	FREEZER	FREEZER	FREEZER	FREEZER
FNEEZEN	FNELZEN	FALLELA	FREEZER	FALLELA	FALLELA	FREEZER
SERIE 6	SERIE 4	SERIE 4	SERIE 4	SERIE 4	SERIE 4	SERIE 4
SERIE 6	SERIE 4	SERIE 4	SERIE 4	SERIE 4	SERIE 4	SERIE 4
SERIE 6 GSN36AW3PG	SERIE 4 GSN36VB3PG	SERIE 4 GSN36VL3PG	SERIE 4 GSN36VW3VG	SERIE 4 GSN33VL3P	SERIE 4 GSN33VW3PG	SERIE 4 GSN29VW3VG
SERIE 6 GSN36AW3PG	SERIE 4 GSN36VB3PG	SERIE 4 GSN36VL3PG	SERIE 4 GSN36VW3VG	SERIE 4 GSN33VL3P	SERIE 4 GSN33VW3PG	SERIE 4 GSN29VW3VG
SERIE 6 GSN36AW3PG White	SERIE 4 GSN36VB3PG Black	SERIE 4 GSN36VL3PG Stainless steel look	SERIE 4 GSN36VW3VG White	SERIE 4 GSN33VL3P Stainless steel look	SERIE 4 GSN33VW3PG White	SERIE 4 GSN29VW3VG White
SERIE 6 GSN36AW3PG White NoFrost	SERIE 4 GSN36VB3PG Black NoFrost	SERIE 4 GSN36VL3PG Stainless steel look NoFrost	SERIE 4 GSN36VW3VG White NoFrost	SERIE 4 GSN33VL3P Stainless steel look NoFrost	SERIE 4 GSN33VW3PG White NoFrost	SERIE 4 GSN29VW3VG White NoFrost
SERIE 6 GSN36AW3PG White NoFrost White	SERIE 4 GSN36VB3PG Black NoFrost Black	SERIE 4 GSN36VL3PG Stainless steel look NoFrost Chrome inox metallic	SERIE 4 GSN36VW3VG White NoFrost White	SERIE 4 GSN33VL3P Stainless steel look NoFrost Chrome inox metallic	SERIE 4 GSN33VW3PG White NoFrost White	SERIE 4 GSN29VW3VG White NoFrost White
SERIE 6 GSN36AW3PG White NoFrost White Vertical Bar Interior / Digital LED	SERIE 4 GSN36VB3PG Black NoFrost Black Vertical Bar	SERIE 4 GSN36VL3PG Stainless steel look NoFrost Chrome inox metallic Vertical Bar	SERIE 4 GSN36VW3VG White NoFrost White Vertical Bar	SERIE 4 GSN33VL3P Stainless steel look NoFrost Chrome inox metallic Vertical Bar Interior / Electronic LED	SERIE 4 GSN33VW3PG White NoFrost White Vertical Bar	SERIE 4 GSN29VW3VG White NoFrost White Vertical Bar Interior / Electronic LED
SERIE 6 GSN36AW3PG White NoFrost White Vertical Bar Interior / Digital LED	SERIE 4 GSN36VB3PG Black NoFrost Black Vertical Bar Interior / Electronic LED	SERIE 4 GSN36VL3PG Stainless steel look NoFrost Chrome inox metallic Vertical Bar Interior / Electronic LED	SERIE 4 GSN36VW3VG White NoFrost White Vertical Bar Interior / Electronic LED	SERIE 4 GSN33VL3P Stainless steel look NoFrost Chrome inox metallic Vertical Bar Interior / Electronic LED	SERIE 4 GSN33VW3PG White NoFrost White Vertical Bar Interior / Electronic LED	SERIE 4 GSN29VW3VG White NoFrost White Vertical Bar Interior / Electronic LED
SERIE 6 GSN36AW3PG White NoFrost White Vertical Bar Interior / Digital LED	SERIE 4 GSN36VB3PG Black NoFrost Black Vertical Bar Interior / Electronic LED	SERIE 4 GSN36VL3PG Stainless steel look NoFrost Chrome inox metallic Vertical Bar Interior / Electronic LED	SERIE 4 GSN36VW3VG White NoFrost White Vertical Bar Interior / Electronic LED	SERIE 4 GSN33VL3P Stainless steel look NoFrost Chrome inox metallic Vertical Bar Interior / Electronic LED	SERIE 4 GSN33VW3PG White NoFrost White Vertical Bar Interior / Electronic LED	SERIE 4 GSN29VW3VG White NoFrost White Vertical Bar Interior / Electronic LED
SERIE 6 GSN36AW3PG White NoFrost White Vertical Bar Interior / Digital LED	SERIE 4 GSN36VB3PG Black NoFrost Black Vertical Bar Interior / Electronic LED	SERIE 4 GSN36VL3PG Stainless steel look NoFrost Chrome inox metallic Vertical Bar Interior / Electronic LED	SERIE 4 GSN36VW3VG White NoFrost White Vertical Bar Interior / Electronic LED	SERIE 4 GSN33VL3P Stainless steel look NoFrost Chrome inox metallic Vertical Bar Interior / Electronic LED	SERIE 4 GSN33VW3PG White NoFrost White Vertical Bar Interior / Electronic LED	SERIE 4 GSN29VW3VG White NoFrost White Vertical Bar Interior / Electronic LED
SERIE 6 GSN36AW3PG White NoFrost White Vertical Bar Interior / Digital LED	SERIE 4 GSN36VB3PG Black NoFrost Black Vertical Bar Interior / Electronic LED	SERIE 4 GSN36VL3PG Stainless steel look NoFrost Chrome inox metallic Vertical Bar Interior / Electronic LED	SERIE 4 GSN36VW3VG White NoFrost White Vertical Bar Interior / Electronic LED	SERIE 4 GSN33VL3P Stainless steel look NoFrost Chrome inox metallic Vertical Bar Interior / Electronic LED	SERIE 4 GSN33VW3PG White NoFrost White Vertical Bar Interior / Electronic LED	SERIE 4 GSN29VW3VG White NoFrost White Vertical Bar Interior / Electronic LED
SERIE 6 GSN36AW3PG White NoFrost White Vertical Bar Interior / Digital LED -/-	SERIE 4 GSN36VB3PG Black NoFrost Black Vertical Bar Interior / Electronic LED -/-	SERIE 4 GSN36VL3PG Stainless steel look NoFrost Chrome inox metallic Vertical Bar Interior / Electronic LED -/-	SERIE 4 GSN36VW3VG White NoFrost White Vertical Bar Interior / Electronic LED -/-	SERIE 4 GSN33VL3P Stainless steel look NoFrost Chrome inox metallic Vertical Bar Interior / Electronic LED -/-	SERIE 4 GSN33VW3PG White NoFrost White Vertical Bar Interior / Electronic LED -/-	SERIE 4 GSN29VW3VG White NoFrost White Vertical Bar Interior / Electronic LED -/-
SERIE 6 GSN36AW3PG White NoFrost White Vertical Bar Interior / Digital LED -/-	SERIE 4 GSN36VB3PG Black NoFrost Black Vertical Bar Interior / Electronic LED -/-	SERIE 4 GSN36VL3PG Stainless steel look NoFrost Chrome inox metallic Vertical Bar Interior / Electronic LED -/-	SERIE 4 GSN36VW3VG White NoFrost White Vertical Bar Interior / Electronic LED -/-	SERIE 4 GSN33VL3P Stainless steel look NoFrost Chrome inox metallic Vertical Bar Interior / Electronic LED -/-	SERIE 4 GSN33VW3PG White NoFrost White Vertical Bar Interior / Electronic LED -/-	SERIE 4 GSN29VW3VG White NoFrost White Vertical Bar Interior / Electronic LED -/-
SERIE 6 GSN36AW3PG White NoFrost White Vertical Bar Interior / Digital LED - / -	SERIE 4 GSN36VB3PG Black NoFrost Black Vertical Bar Interior / Electronic LED ./-	SERIE 4 GSN36VL3PG Stainless steel look NoFrost Chrome inox metallic Vertical Bar Interior / Electronic LED	SERIE 4 GSN36VW3VG White NoFrost White Vertical Bar Interior / Electronic LED • • • ·/·	SERIE 4 GSN33VL3P Stainless steel look NoFrost Chrome inox metallic Vertical Bar Interior / Electronic LED /-	SERIE 4 GSN33VW3PG White NoFrost White Vertical Bar Interior / Electronic LED / -	SERIE 4 GSN29VW3VG White NoFrost White Vertical Bar Interior / Electronic LED • • • •/-

A++

242

SN-T

25

42

186 x 60 x 65

KSV36VW3PG

225

SN-T

25

42

176 x 60 x 65

KSV33VL3PG

225

25

176 x 60 x 65

KSV33VW3PG

2/1

A++

242

SN-T

25

42

186 x 60 x 65

KSV36VB3PG

A++

242

SN-T

186 x 60 x 65

KSV36VL3PG

A++

242

186 x 60 x 65

KSV36AW4PG / KSV36AW3PG

 ⁼ yes -= no
 Actual energy consumption will depend on how the appliance is used and where it is located
 Climate zone SN = designed to operate in ambient temperature of +10°C to 32°C
 Climate zone T = designed to operate in ambient temperature of +18°C to 43°C

Undercounters & wine cooler







DESIGN FAMILY	SERIE 4		
MODEL NUMBER	KSW30V81GB		
Colour	Glass door		
DESIGN FEATURES			
Colour of side panels	Silver		
Type of glass door	2 glass panels, UV-filtered		
Door handle type	Integrated Vertical		
Temperature display	Exterior / Digital LED		
Door hinge	Right		
Home connect / Built in cameras	-/-		
KEY FEATURES - WINE COOLER SECTION	N		
Range of temperature (0°C)	6-18		
LED light	•		
Number of shelves	9		
Number of adjustable shelves	8		
Capacity in 0.75l (Bordeaux bottles)	120		
PERFORMANCE AND CONSUMPTION			
Energy efficiency class	В		
Annual energy consumption ¹ (kWh)	266		
Refrigerator net capacity (litres)	360		
Climate Class ²	ST		
Noise level dB (A) re 1 pW	41		
Dimensions of the product (cm) $H \times W \times D$	185 x 59.5 x 60		

American fridge freezers

rie 8	++ TYPE	AMERICAN
5G	DESIGN FAMILY	SERIE 8
	MODEL NUMBER	KAN92LB35G
	Colour of door panels	Black glass
	Colour of sides Style of handle	Chrome Inox-metallic
	Style of handle Colour of handle	Integrated vertical handle -
	noFrost in fridge and freezer	•
	Home Connect, WIFI dongle included	
@ noscu	FOOD FRESHNESS SYSTEM	
	POOD TRESHINESS STSTEM	1 vito Fresh plus de constité telev
	vitaFresh	1 vitaFresh plus drawer with telescopic ra 1 MultiBox drawer with telescopic rails 1 Chiller drawer
	KEY FEATURES – FRIDGE SECTION	
	Product highlights	LED
	Super Cool	•
	Type of control	Electronic
	Number of shelves	4
	Number of adjustable shelves	3
	Shelves for bottles	
	Number of door bins / shelves	5
	Temperature display	Digital
	Warning signal door open	Visual and audible
	KEY FEATURES - FREEZER SECTION	
	Door opened indicator	Visual and audible
	Super Freeze function	visual and audible
	Super Freeze function Temperature adjustable in freezer	
	Number of ice cube trays	Twist ice box
	lce dispenser features	I WIST ICE DOX
	Number of freezer drawers	2
	ADDITIONAL INFORMATION	
	Energy efficiency class	A++
	Energy consumption annual kWh	385
	Total net capacity litres	592
	Refrigerator net capacity	375
	Freezer net capacity litres	202
	Climate class	SN-T
	evel dB(A) re 1 pW	43
Additional acce	ssories included	2 x ice packs, 1 x egg tray
Height of produc	t mm	1756
Width of product	mm	912
Depth of product mr	m	732
	110	
1		
1		1
1		® BOSCH
		● BOSCH
	THE PERSON NAMED IN	
	The second section with the second	
And Division in which the same of the same	The second secon	
W		
1		
	122 (1 2)	
	Making life	easy through innovative tecl

 ⁼ yes -= no
 Actual energy consumption will depend on how the appliance is used and where it is located
 Climate zone SN = designed to operate in ambient temperature of +10°C to 32°C
 Climate zone T = designed to operate in ambient temperature of +18°C to 43°C

American fridge freezers













TYPE	AMERICAN	AMERICAN	AMERICAN
DESIGN FAMILY	SERIE 6	SERIE 4	SERIE 6
MODEL NUMBER	KAD92AI20G	KAN92VI35	KAG90AI20G
Colour of door panels	Inox-easyclean	Inox-easyclean	Inox-easyclean
Colour of sides	Chrome Inox-metallic	Chrome Inox-metallic	Grey
Style of handle	Vertical bar handle	Integrated vertical handle	Vertical bar handle
Colour of handle	Stainless steel	-	Stainless steel
NoFrost in fridge and freezer	•	•	•
Home Connect, WIFI dongle included	•		
FOOD FRESHNESS SYSTEM			
VitaFresh	1 VitaFresh plus drawer with telescopic rails 1 MultiBox drawer with telescopic rails 1 Chiller drawer	1 VitaFresh drawer with humidity control 1 MultiBox drawer with telescopic rails	2 MultiBox drawers on rails
KEY FEATURES - FRIDGE SECTION			
Product highlights	LED	LED	LED
SuperCool	•	•	•
Type of control	Electronic	Electronic	Electronic
Number of shelves	4	4	3
Number of adjustable shelves	3	3	1
Shelves for bottles			
Number of door bins / shelves	4	5	4
Temperature display	Digital	Digital	Digital
Warning signal door open	Visual and audible	Visual and audible	Visual and audible
KEY FEATURES - FREEZER SECTION			
Door opened indicator	Visual and audible	Visual and audible	Visual and audible
SuperFreeze function	•	•	•
Temperature adjustable in freezer	•	•	•
Number of ice cube trays	Automatic ice cube maker	Twist ice box	Automatic ice cube maker
Ice dispenser features	Crushed Ice, Ice Cubes, Water, Water filter	•	Crushed Ice, Homebar, Ice Cubes, Water, Water filter
Number of freezer drawers	2	2	2
ADDITIONAL INFORMATION			
Energy efficiency class	A+	A++	A+
Energy consumption annual kWh	443	389	432
Total net capacity litres	541	604	522
Refrigerator net capacity	368	387	359
Freezer net capacity litres	158	202	157
Climate class	SN-T	SN-T	SN-T
Noise level dB(A) re 1 pW	43	43	43
Additional accessories included	2 x ice packs, 1 x connection hose, 1 x egg tray	1 x egg tray	1 x connection hose, 1 x egg tray
Height of product mm	1756	1756	1770
Width of product mm	912	912	910
Depth of product mm	732	732	720



 ⁼ yes · = no
 Actual energy consumption will depend on how the appliance is used and where it is located
 Climate zone SN = designed to operate in ambient temperature of +10°C to 32°C
 Climate zone T = designed to operate in ambient temperature of +18°C to 43°C

















AMERICAN	AMERICAN	AMERICAN	AMERICAN
SERIE 6	SERIE 6	SERIE 6	SERIE 4
KAD90VI20G	KAI90VI20G	KAD90VB20G	KAN93VIFPG
Inox-easyclean	Inox-easyclean	Black	Stainless steel
Grey	Grey	Black	Grey
Vertical bar handle	Vertical bar handle	Vertical bar handle	Vertical bar handle
Aluminium	Stainless steel	Stainless steel	Stainless steel
•	•	•	•
-	-	-	•
2 MultiBox drawers on rails	2 MultiBox drawers on rails	2 MultiBox drawers on rails	1 MultiBox drawer with telescopic rails

•	•	•	•
2 MultiBox drawers on rails	2 MultiBox drawers on rails	2 MultiBox drawers on rails	1 MultiBox drawer with telescopic rails
LED	LED	LED	LED
•	•	•	•
Electronic	Electronic	Electronic	Electronic
4	4	4	4
1	•	1	-
		•	
4	4	4	5
Digital	Digital	Digital	Digital
Visual and audible	Visual and audible	Visual and audible	Visual and audible
Visual and audible	Visual and audible	Visual and audible	Visual and audible
•	•	•	•
•	•	•	•
Automatic ice cube maker	Automatic ice cube maker	1 ice cube tray	Twist ice box
Crushed Ice, Ice Cubes, Water, Water filter	Crushed Ice, Ice Cubes, Water	Crushed Ice, Ice Cubes, Water, Water filter	-
2	2	2	2
A+	A+	A+	A++
436	432	436	363
533	523	533	560
370	360	370	371
157	157	157	189
SN-T	SN-T	SN-T	SN-T
43	43	43	42
1 x connection hose, 1 x egg tray	1 x egg tray	1 x connection hose, 1 x egg tray	1 x egg tray
1770	1770	1770	1786
910	910	910	908

^{• =} yes · = no

1 Actual energy consumption will depend on how the appliance is used and where it is located

2 Climate zone SN = designed to operate in ambient temperature of +10°C to 32°C

Climate zone T = designed to operate in ambient temperature of +18°C to 43°C

Introducing the Bosch small appliances.

Our award-winning range of appliances isn't just restricted to large models. We also design and engineer high quality vacuum cleaners, irons, steam generators, drinks machines, kettles, toasters, kitchen machines and other food preparation appliances.

Cordless.
Charge less.

The Bosch Unlimited cordless vacuum, with two batteries and quick charger, you have continuous run-time in the palm of your hand.

Cleaning on all levels.

ou no longer need different

clean from floor to ceiling. The

evices to clean different parts of

your home. Now, you can effectively

Unlimited comes with useful accessories (BCS122GB and BCS111GB only) that allow you to clean all kinds of flooring, such as tiles or hard floors, as well as all kinds of surfaces, such as stairs, tables, upholstery and even the ceiling. It is also perfect for vacuuming

Continuous runtime*.

If you want to keep your home clean at all times, you need a device that is always at hand whenever you need it. The Unlimited provides continuous runtime, thanks to **exchangeable battery packs** and a quick charger (EHZUC181GB). One battery can be charged while the other battery is in use, so the device is always ready to go and never runs out of power. Second battery is included with BCS122GB or additional batteries can be purchased separately (BHZUB1830: 3 Ah battery).

Power4All System.

Bosch battery technology ensures powerful performance across all our products. The exchangeable **Power4All System** only requires a single battery pack, which means complete flexibility when charging. The battery is part of our Power4All system so can be used in compatible power tools and lawn and garden products

Quick charger accessory.

from Bosch

Although cordless vacuum cleaners are very convenient, their batteries might not always last as long as you wish. The quick charger accessory (EHZUC181GB)*
allows charging the

exchangeable batteries of the Power4All System within 60 minutes and therefore extends the Unlimited's runtime.

*Available separately when not included with pack.



*Under 60 minutes charge time with quick charger (EHZUC181GB). Compared to other manufacturers'

Model shown: BCH732KTGB vacuum cleaner
MUM9GX5S21 kitchen machine

Explore more at www.bosch-home.co.uk

king **life gasy** through innovative technologies

Vacuum cleaners



Unlimited

BCS122GB



TYPE	VACUUM CLEANERS		
DESIGN FAMILY	SERIE 8	SERIE 8	SERIE 8
MODEL NUMBER	BCS122GB	BCS111GB	BCS101GE
	Multi use	Multi use	Multi use
COLLECTION	UNLIMITED	UNLIMITED	UNLIMITED
POWER & PERFORMANCE			
Runtime (mins)	60	60	60
Volts	18.0	18.0	18.0
Ampere Hour	3	3	3
Batteries included	2	1	1
Removable Power4All batteries	•	•	•
More Power	-		-
Superior Performance	-	-	-
CHARGING			
Charge time (hrs)	less than1	5	5
Docking station	•	•	•
Fast charger	•	-	-
FEATURES			
Continuous runtime	•		-
All Floors	•	•	•
SmartSensor	-	-	-
Lithium battery	•	•	•
Advanced Lithium battery	•	•	•
HiSpin motor	•	•	•
Performance brush bar	•	•	•
Large, aerodynamic brush bar	•	•	•
Motorised brush head	-	-	-
Cartridge filter cleaning	•	•	
Auto clean filter	•	•	-
BDLC motor	-	-	-
Additional Features	-	-	-
ACCESSORIES			
'et	-	÷	-
Crevice tool	•	•	•
Jpholstery tool	•	•	•
2 in 1 crevice/upholstery tool	•	•	•
lexible crevice tool	•	•	•
Removeable handheld	•	•	
Spare filter	-		-
ADDITIONAL INFORMATION			
Weight (kg)	2.9	2.9	2.9
Dust Bin size	0.41	0.41	0.41
Performance levels	2	2	2





Explore more at www.bosch-home.co.uk Making **life easy** through innovative technologies













MODEL NUMBER	BBH65PETGB	BBH65KITGB	BCH6PETGB	BCH625K2GB	всн6нүддв
	1in1	1in1	1in1	1in1	1in1
SERIES	6		4	4	4
COLLECTION	ATHLET	ATHLET	ATHLET	ATHLET	ATHLET
POWER & PERFORMANCE					
Runtime (mins)	65	65	60	60 mins	60 mins
Volts	25.2	25.2	25.2	25.2V	25.2V
Ampere Hour	-	-	-	-	-
Batteries included	Integrated	Integrated	Integrated	Integrated	Integrated
Removable Power4All batteries	-	-	-	-	-
More Power	+20%	+20%	-	-	-
Superior Performance	-	-	-	-	-
CHARGING					
Charge time (hrs)	6	6	6	6	6
Docking station					
Fast charger			-		
FEATURES					
Continuous runtime					•
All Floors	•	•	•	•	•
SmartSensor	•	•	•	•	•
Lithium battery	•	•	•	•	•
Advanced Lithium battery	•	•	-	-	•
HiSpin motor	•	•	-		•
Performace brush bar	•	•	-		•
large, aerodymanic brush bar	•	-	-	•	-
Motorised brush head	•	•	•	•	•
Cartridge filter cleaning	-	-	-	•	-
Auto clean filter	-	-	-	•	•
BDLC motor	-	-	-	-	-
Additional Features	-	<u>. </u>	-	· · · · · · · · · · · · · · · · · · ·	-
ACCESSORIES					
Pet	•	-	•	-	-
Hose	•	•	•	•	-
Crevice tool	•	•	•	•	-
Upholstery tool	•	•	•	•	
2 in 1 crevice/upholstery tool	-	-	-	-	-
Flexible crevice tool	-	-	-	-	-
Removeable handheld	-	-	-	-	
Spare filter	•		•	-	•
ADDITIONAL INFORMATION					
Weight (kg)	3.3	3.3	3.3	3.3 kg	3.3 kg
Dust Bin size (litres)	0.9	0.9	0.9	0.9	0.9
Performance levels	3	3	3	3	3
i ci iorinance revers	3	3	3	3	3

• = Yes - = No

Vacuum cleaners



MODEL NUMBER	BCH6ATH1GB	BCH625KTGB	BBHL2D18GB	BBHL2M21GB	BBHL2R21GB
	1in1	1in1	2in1	2in1	2in1
SERIES	4	4	2	2	2
COLLECTION	ATHLET	ATHLET	READY'YY	READY'YY	READY'YY
POWER & PERFORMANCE					
Runtime (mins)	60 mins	60 mins	40	45	45
Volts	25.2V	25.2V	18.0	21.6	21.6
Ampere Hour	-	· ·	· ·	-	-
Batteries included	Integrated	Integrated	Integrated	Integrated	Integrated
Removable Power4All batteries	-	-	-	-	-
More Power	-	· ·	· ·	-	-
Superior Performance	-	<u>. </u>	<u> </u>	<u>. </u>	-
CHARGING					
Charge time (hrs)	6 hours	6 hours	5	5	5
Docking station	-	-	-	-	-
Fast charger	-	-	-	-	-
FEATURES					
Continuous runtime					-
All Floors	•	•	•	•	•
SmartSensor	•	•	-	-	-
Lithium battery	•	•	•	•	•
Advanced Lithium battery	-	-	-	-	-
HiSpin motor	-	-	-	-	-
Performace brush bar	-	-	-	-	-
large, aerodymanic brush bar	-	-	-	-	-
Motorised brush head	•	•	•	•	•
Cartridge filter cleaning	-	-	-	-	-
Auto clean filter	-	-	-	-	-
BDLC motor	-	-	-	-	-
Additional Features	-	-	-	-	-
ACCESSORIES					
Pet					
Hose	•	•	_	_	-
Crevice tool	•	•	•	•	•
Upholstery tool	•	•			
2 in 1 crevice/upholstery tool	-	-	•	•	•
Flexible crevice tool	-	-	-	-	
Removeable handheld	-	-	•	•	•
Spare filter	•	-	-	-	-
ADDITIONAL INFORMATION					
Weight (kg)	3.3 kg	3.3 kg	2.5	2.5	2.5
Dust Bin size	0.9	0.9	0.41	0.41	0.41
Performance levels	3	3	2	2	2
i oriormanoo lovola	0	0	2	_	4

With AutoCook you can.

Welcome to a new way of cooking. With AutoCook, you can bake, steam,



50 preset programmes

You can preset the perfect temperature and cooking times for your chosen dish, and even store your own recipes.

Innovative induction technology

Our perfect heat distribution and precise temperature settings guarantee tasty results every time.

Pressure cooking function with steam pressure

The gentle cooking method retains vitamins and minerals while reducing cooking time by up to 60%.

Large 5L stainless steel bowl

This sizeable stainless steel bowl has a non-stick coating that prevents food from burning and is the perfect size for familysized portions.

Easy to clean

The bowl and other accessories are all dishwasher-safe.

Bring tasty back to mealtimes with...

- ✓ Perfectly delicious dishes every time you cook.
- ✓ 16 different ways to cook with one appliance.
- ✓ No burning or boiling over ever again.
- ✓ Quick pressure cooking and induction technology.
- ✓ A delayed start option so your meals are always freshly cooked.
- ✓ Over 100 recipe ideas with your free book and app.

PRODUCT RANGE		MULTICOOKER AUTOCOOK / AUTOCOOK PRO	
MODEL NUMBER		MUC88B68GB	
Value class name		Premium	
BRAND		возсн	
Housing colour		-	
Secondary colour		-	
Housing material		Stainless steel	
Lid		•	
Window		-	
Wattage/ Power (W)		1.200	
Display		LED indication	
Display language		EN	
Heating		Induction	
Pressure cooking		•	
Keep warm function		•	
Start delay (hrs)		12	
Temperature	Max (°C)	160	
	Min (°C)	40	
	Steps	5°C steps	
Bowl (max 5.000 ml/ usable 4.000ml)			
Bowl (max 5.000 ml/ usable 4.000ml) Number of programs		50 PC	

Baking / Cooking / Fry / Jam / Legumes / Pasta / Rice / Risotto / Rice pudding / Soft fry / Sous Vide / Soup / Steam / Stew / Warm up / Yogu Baking / Cooking / Fry / Jam / Porridge CN / Pasta / Pizza / Rice CN / Soft fry / Sous Vide / Soup / Steak / Steam / Stew / Warm up / Yogurt ACCESSORIES Deep fry sieve Steaming baske Handle tool Storage - cable com GB plug Plug-type Safety features Overheat protection Separate enclosure No. of recipes >100

English

Bosch makes it, easy.



Make sense of mixing with OptiMUM.

Intuitive sensor technology and incredible versitility means the OptiMUM easily takes care of all your mixing, weighing, chopping and blending.

Offering everything-in-one, this kitchen machine makes cooking and baking a whole lot easier for you. Including a huge variety of professional accessories for all your cooking and baking ideas, this is the only kitchen machine you will ever need to bring your recipes to life.

Perfect results at the touch of a button.

Another smart feature of the OptiMUM is its highly sensitive sensors that measure the consistency of the ingredients and stop automatically at exactly the right time. So, you'll always have perfect results at the touch of a button - whether it's dough, whipped cream or egg whites.

And rather than keeping an eye on the machine, you'll be free to do something else.

3D Mixing.

The mixing tool is rotated in three different directions, this ensures all the ingredients are perfectly mixed and nothing remains stuck to the sides of the bowl, eliminating the need to use a spatula as well.

The large stainless steel mixing bowl with 5.5L capacity and two handles further guarantees ease of use.

Integrated scales.

The OptiMUM makes life even easier thanks to the built-in scales that accurately weigh all your ingredients as you add them to the bowl, saving you cleaning additional bowls.

Food preparation







ГУРЕ	OPTIMUM KITCHEN MACHINE	OPTIMUM KITCHEN MACHINE	OPTIMUM KITCHEN MACHINE	
BRAND	K4 – OPTIMUM	K4 – OPTIMUM	K4 – OPTIMUM	
MODEL	MUM9GX5S21	MUM9GT4S00	MUM9G32S00	
Housing colour	platinum silver	platinum silver	platinum silver	
Side panel colour	Black	Black	Black	
Housing material	Metal	Metal	Metal	
Wattage/ Power (W)	1.500 W	1.400 W	1.200 W	
SensorControl (egg whites/ cream/ yeast dough)	•	•		
Scale	•			
Timer	•	•		
Speed settings	7-stage	7-stage	7-stage	
On/Off switch with LED indication	Illuminated ON / OFF switch	Illuminated ON / OFF switch	none	
Gentle start	•	•	•	
Bowl with anti-splash cover (SAN) Stainless steel				
Plastic				
Volume bowl (I)	5,501	5.501	5,501	
Max. flour + ingredience (kg)	1,50 kg	1,50 kg	1,50 kg	
Max. dough capacity yeast dough (kg)	-	-	-	
Max. dough capacity sponge mixture (kg)	3,5 kg	3,5 kg	3,5 kg	
Stirring concept	MultiMotion Drive	MultiMotion Drive	MultiMotion Drive	
Parking position	-	·	-	
Tools (stainless steel) Stirring whisk				
Beating whisk	•	•	•	
Dough hook	•	•	•	
Professional Absolute stirring whisk	•	:	· · · · · · · · · · · · · · · · · · ·	
Professional Steering & beating whisk	· ·			
ACCESSORIES/ NUMBER				
1002000 HEGY NOMBER				
Colour coding	•	•	•	
Blender/ jar with scale Plastic blender/ jar blender/ jar	-	÷	•	
Glass blender/ jar	•			
rpm	8.500 min-1	8.500 min-1	8.500 min-1	
loGo bottle with drinking lid, BPAfree	-	-		
Glass grinder (detach. stainl. st. knife, dishw. safe)	•	-		
Glass chopper (detach. stainl. st. knife, dishw. safe)	•	+		
Glass containers with storage lid		*		
Continuous shredder with stainless steel discs	•			
Multi mixer with stainless steel discs				
Number of discs/ functions continuous shredder	•			
Reversible slicing disc thick/ thin	•			
Reversible shredding disc coarse/ fine				
Rough grating disc	•			
Grating disc medium/ fine	-			
Professional Super Cut disc				
Asia-vegetable/ Julienne disc				
Meat mincer Diameter 3 mm disc holes				
Diameter 5 mm disc holes				
Diameter 8 mm disc holes	-			
Fancy biscuit attachment				
Citrus press				
Cube cutter with cleaning brush insert with 0,9 x 0,9 cm				
insert with 1,3 x 1,3 cm				
torage Cable storage	Auto. cable retraction	Auto. cable retraction	Cable storage compartment	
Accessory holder	Auto. Cable retraction	Auto. cable retraction	-	
Accessory bag/ grey		·		
Accessory bag/ grey Accessory bag/ red		·	·	
lug-type	- GB plug	- GB plug	- GB plug	
	GB plug	GB plug	GB plug	
Safety features Overload protection				
Safety lock Suction feet for extra stability	- Rubber feet	- Suction foot	- Suction foot	
Suction feet for extra stability	Nubbel Teet	Suction toot	Suction foot	
RECIPES				
Booklet	Integrated in	Integrated in	Integrated in	
DVD	- Arabic, Chinese, Chinese trad(zh-tw) English, Malay	- Arabic, Chinese, Chinese trad(zh-tw) English, Malay	- Arabic, Chinese, Chinese trad(zh-tw) English, Malay	

Food preparation





ТҮРЕ	KITCHEN MACHINE	KITCHEN MACHINE
BRAND	MUM5	MUM4
MODEL	MUM57830GB	MUM4807GB
Housing colour	mystic black	White
Side panel colour	Brushed stainless	White
Housing material	Plastic	Plastic
Wattage/ Power (W)	900 W	600 W
SensorControl (egg whites/ cream/ yeast dough)		-
Scale		
Timer		
Speed settings	7-stage	4-stage
On/Off switch with LED indication	LED indicator	4-Stage
Gentle start	•	•
Bowl with anti-splash cover (SAN) Stainless steel	•	•
Plastic	•	•
Volume bowl (I)	3,901	3,901
Max. flower + ingredience (kg)	0,75 kg	0,75kg
Max. dough capacity yeast dough (kg)	•	1,0 kg
Max. dough capacity sponge mixture (kg)	2,0 kg	2,0 kg
Stirring concept	MultiMotion Drive	MultiMotion Drive
Parking position	Yes	Yes
Tools (stainless steel) Stirring whisk	•	
Beating whisk	·	
Beating whisk Dough hook		
	•	•
Professional Absolute stirring whisk	•	•
Professional Steering & beating whisk	•	•
ACCESSORIES/ NUMBER		
Colour coding		
Blender/ jar with scale Plastic blender/ jar blender/ jar	•	
Glass blender/ jar	·	
Volume usable xml	·	·
Volume max xml	•	•
rpm	14.000 min-1	12.250 min-1
ToGo bottle with drinking lid, BPAfree	•	·
Glass grinder (detach. stainl. st. knife, dishw. safe)	•	•
Glass chopper (detach. stainl. st. knife, dishw. safe)		
Glass containers with storage lid		
Continuous shredder with stainless steel discs	•	
Multi mixer with stainless steel discs		·
Number of discs/ functions continuous shredder		
Reversible slicing disc thick/ thin	•	
	· .	
Reversible shredding disc coarse/ fine		
Rough grating disc		•
Grating disc medium/ fine	•	•
ProfessionalSuperCut disc	*	*
Asia-vegetable/ Julienne disc	·	•
Meat mincer Diameter 3 mm disc holes	•	•
Diameter 5 mm disc holes		
Diameter 8 mm disc holes		
Fancy biscuit attachment		
Citrus press	•	
Cube cutter with cleaning brush insert with 0,9 x 0,9 cm	· ·	
insert with 0,3 x 0,3 cm		
		Cable storage
Storage Cable storage	Auto. cable retraction	Cable storage compartment
Accessory holder	•	•
Accessory bag/ grey	•	•
Accessory bag/ red	·	•
Plug-type	GB plug	GB plug
Safety features Overload protection		·
Safety lock	·	
Suction feet for extra stability	Rubber feet	Rubber feet
RECIPES		
Booklet	Separate enclosure	













TYPE	KITCHEN MACHINE	KITCHEN MACHINE	KITCHEN MACHINE	KITCHEN MACHINE	KITCHEN MACHINE	KITCHEN MACHINE
BRAND	MULTITALENT8	MULTITALENT8	MULTITALENT3	MULTITALENT3	MULTITALENT3	MULTITALENT3
MODEL	MC812S734G	MC812M853G	MCM3100WGB	MCM3501MGB	MCM3500MGB	MCM3301BGB
Housing colour	White	Black	White	Black	White	Black
Front colour	Brushed stainless steel	Brushed stainless steel	Grey	Brushed stainless steel	Brushed stainless steel	Black
Housing material	Plastic	Plastic	Plastic	Plastic	Plastic	Plastic
Nattage/ Power (W)	1.200 W	1.250 W	700 W	800 W	800 W	800 W
Speed settings	Infinitely variable	Infinitely variable	2-stage	2-stage	2-stage	2-stage
Pulse function			*			
ED	Illuminated ON / OFF switch	Illuminated ON / OFF switch		-	-	-
Bowl (BPAfree) M: plastic (vol max xml/ usable 2.300ml)	-	-	•	•	•	•
L: plastic (vol max 3.900ml/ usable 2.400ml)	•	•	-	-		
Max. flower + ingredience (kg)	1,50 kg	1,50 kg	0,80 kg	0,80 kg	0,80 kg	0,80 kg
Max. dough capacity sponge mixture (kg)	1,5 kg	1,5 kg	0,8 kg	0,8 kg	0,8 kg	0,8 kg
Knife (stainless steel) M:Universal knife	•	•	•	•	•	•
L: serrated knife	•	•	-	-		
ACCESSORIES/ NUMBER						
Whisk	•	•	-			
Beating disc			•	•	•	•
Dough hook						
Plastic						
Metal		•	•			•
		•	•		· ·	
No. of stainless steel discs:	-	•	-	•	•	
Reversible Slicing & Shredding Disc		•	•	-	•	-
Reversible slicing disc thick/ thin	•	•	-	•	•	•
Reversible shredding disc coarse/ fine	•	•	-	•	•	•
SuperCut disc	•		-	-	-	-
Asia-vegetable/ Julienne disc		•	-	-	-	-
No. of inserts (only MCM4)	-		-	-		-
Slicing fine				-	-	-
Slicing coarse/ thick	-	-	-	-		
Shredding fine						-
Shredding medium						
ilender/ jar (BPAfree, lid)		•			•	
S: material (vol max xml/ usable 1.000ml)						<u> </u>
M: material (vol max xml/ usable 1.250ml)						
			•			
L: material (vol max xml/ usable 1.500ml)						
rpm	15.000 min-1	15.000 min-1	17.000 min-1	17.000 min-1	17.000 min-1	17.000 min-1
Citrus Press	•	•	•	•	•	-
Centrifugal Juicer	-	•	-	•	•	-
Small chopper	-	•	-	•		•
Small mill				•	•	
Cube cutter	-	-	-	-	-	-
torage				-		-
Cable compartment	Cable storage compartment	Cable storage compartment	Cable storage compartment	Cable storage compartment	Cable storage compartment	Cable storage compartment
Accessories	accessory bag dark grey	accessory bag dark grey	Standard acc. in the bowl			
lug-type	GB plug	GB plug	GB plug	GB plug	GB plug	GB plug
afety features	-		-	-		
Knife guard					•	•
Suction feet for extra stability	Suction foot	Suction foot	Suction foot	Suction foot	Suction foot	Suction foot
RECIPES						
LUITES						
Booklet						

• = Yes - = No

Explore more at www.bosch-home.co.uk Making life easy through innovative technologies

Handheld blenders

Bosch handheld kitchen blenders provide practical and powerful blending at the press of a button. Innovative technology and a range of accessories can transform your Bosch stick blender into a versatile and enviable kitchen gadget for blending, chopping, whisking and beating.



ТҮРЕ	HAND BLENDER	HAND BLENDER	HAND BLENDER	HAND BLENDER	HAND BLENDER	HAND BLENDER
DESIGN FAMILY	MAXOMIXX	ERGOMIXX	ERGOMIXX	ERGOMIXX	CLEVERMIXX	CLEVERMIXX
MODEL	MSM88160GB	MSM66135GB	MSM6S50BGB	MSM6S55BGB	MSM24100GB	MSM2623GGB
Value class name	MaxoMixx	ErgoMixx	ErgoMixx	ErgoMixx	CleverMixx	CleverMixx
Housing colour	Black	White	Piano black	Piano black	White	White
Secondary colour	Brushed stainless steel	Window grey	Brushed stainless steel	Brushed stainless steel	Deep red	Vivid green
Housing material	Plastic with stainless steel	Plastic	Plastic with stainless steel	Plastic with stainless steel	Plastic	Plastic
Wattage/ Power (W)	800 W	600 W	750 W	750 W	400 W	600 W
SoftTouch	yes	yes	yes	yes	no	no
Speed	14.700 min-1	11.200 min-1	14.500 min-1	14.500 min-1	13.000 min-1	15.000 min-1
Settings	12-stage	12-stage	12-stage	12-stage	1-stage	1-stage
Turbo function	•	•	•	•	-	-
Foot		-	-		-	-
Stainless steel	•	•	•	•	•	•
Plastic (BPAfree)						
M: QuattroBlade knife with 4 blades	-	•	•	•	-	-
L: QuattroBlade Pro + 4 knifes	•					-
Mini foot					-	•
Masher foot			-			
ACCESSORIES:						
Beaker	•	•	•	•	•	•
lid	•	•	•	-	•	-
Chopper with lid	•	-	•	•	•	•
XL VarioChopper (max vol 1100ml/ usable vol 500ml)	-	-	•	•	•	-
Ice crush knife	•	-	•	-	-	-
Lid	•		-	-	-	-
Whisk, stainless steel	•	•	•	•	-	•
Food Processor (w. st. steel chopping knife)	-	-	-	-	-	-
Slicing disc inserts thin		-	-	-	-	-
Slicing disc inserts thick	-	-	-	-	-	-
Shredding disc inserts	-	-	-	-	-	-
Grating disc inserts	-	-	-			-
Kneading tool (plastic/ BPAfree)		-	-			-
Cube cutter insert with 0,9 x 0,9 cm	•	•	-	-	-	-
Cube cutter insert with 1,3 x 1,3 cm		-	-	-	-	-
Helix cord	-	-	-	-	-	-
Hanging loop	•	-	-	-	-	-
Safety features	-	-	-	-	-	-
Overhead protection	•	-	•	•	-	-
RECIPES						
Booklet	Without	Without	Without	Without	Without	Separate enclosure
Dooklet	Michodo	Williout	Milliout	Milliout	Midlodt	ocparate criciosure

• = Yes - = No

Hand mixers

Bosch hand mixers and electric whisks add finesse to your cooking and a splash of colour to your kitchen. Bosch mixers are designed to deliver powerful performance whether mixing, whipping or kneading, while barely making a sound.









		0		0 ,
ТҮРЕ	HAND MIXER	HAND MIXER	HAND MIXER	HAND MIXER
DESIGN FAMILY	ERGOMIXX	CLEVERMIXX	CLEVERMIXX	CLEVERMIXX
MODEL	MFQ3030GB	MFQ24200GB	MFQ2420GB	MFQ36300GB
Value class name	ErgoMixx	CleverMixx	CleverMixx	CleverMixx
lousing colour	White	White	Piano black	White
Secondary colour	Red	Silver	Silver	Red
lousing material	Plastic	Plastic	Plastic	Plastic
/attage/ Power (W)	400 W	400 W	400 W	350 W
SoftTouch	no	no	no	no
peed	1.000 min-1	1.050 min-1	1.050 min-1	1.050 min-1
Setting	S 5-stage	4-stage	4-stage	4-stage
Pulse = Turb	-	-	-	-
onnection for accessories	-			
and 'n' bowl (plastic)	-	-		
Max. capacity (m	-	-		-
ACCESSORIES:				
leater, stainless steel	-	-	-	
Standar	d -	-	-	•
Turb	-	•	•	-
FineCreame	•	-		-
ooks, stainless steel				
Standar	d •	•	•	•
Turb	-	-		-
eaker	-	-		
Li	d -	-	-	
hopper	-	-	-	
lce crush knif	е -	-		
li	d -	-	-	
ender foot	-	-	-	
Stainless ster		-		
Plastic (BPAfree	-	-		
ject button (for beater/ hooks)	•	•	•	•

• = Yes - = No

Kettles & toasters

With the elegant design and the latest heating technology that features across our range, the Sky toaster and kettle



ТҮРЕ	TOASTER		
DESIGN FAMILY	SKY		
MODEL	TAT7201GB	TAT7203GB	
Main colour	Stainless steel	Black	
Secondary colour	White		
Type of toaster	Compac	t toaster	
Material	Stainle	ss steel	
Wattage / Power (W)	860 - 1	.050 W	
CHARACTERISTICS			
Defrost function		•	
Reheat function		•	
Stop function	•		
High-lift			
Bun warmer	Integ	rated	
Crumb tray		•	
Thick & thin function		•	
Toasting degree selector	Inf. variable r	rotary control	
Automatic shut off at end of roasting cycle		•	
Automatic shut off when toast gets jammed		•	
Heating type	Large-surface h	neating element	
DIMENSIONS			
HxWxD mm	184x15	55x292	
Size of roasting chamber (LxWxD mm)		-	
POWER SUPPLY			
Voltage (V)	220-2	240 V~	
Frequency (Hz)	50/6	60 Hz	
Plug type	GB plug		
Cable length (cm)	90,0 cm		

TYPE	KET	KETTLE		
DESIGN FAMILY	Si	кү		
MODEL	TWK7201GB	TWK7203GB		
Main colour	Stainless steel	Black		
Secondary colour	White	-		
PRODUCT SPECIFICATION				
Connection Rating (W)	30	000		
Voltage (V)	220	-240		
Frequency (Hz)	50	/60		
Length electrical supply cord (cm)	80	0.0		
Plug type	GB	plug		
Approval certificates	CE,	VDE		
Material body	Stainle	ss steel		
Capacity (I)	1.	70		
Power on indicator		•		
Water level indicator	Readable for	rom outside		
Lift-Switch_Off		•		
Filter	Plastic s	cale filter		
Button for opening lid		•		
Cordless		•		

• 1.7 I capacity • Wattage: 2500-3000 W • one-cup minimum indicator: for small amounts (300ml) • Water level indicator readable from outside
• Cordless, 360° rotary base • Stainless steel interior base with concealed heating element • Removable limescale filter • Button for opening lid • Safety locking lid
• Temperature Control: Temperature setting at 70°C, 80°C, 90°C, 100°C • Keep Warm Function • on/off switch with separate power indicator
• Automatic switch-off: kettle automatically switches off when water has boiled • Boil-dry and overheat protection • Lift switch off: the kettle automatically switches off when removed from its base • Large opening for easy cleaning • Acoustic ready signal • Non-slip feet on base • Easy storage: Cord keeper for simple and quick storage of the cable















ТҮРЕ	KETTLE	KETTLE	KETTLE	KETTLE	KETTLE	KETTLE
DESIGN FAMILY	STYLINE	STYLINE	STYLINE SENSOR	STYLINE SENSOR	ANTHRACITE	СІТҮ
MODEL	TWK8633GB	TWK8631GB	TWK86101GB	TWK86103GB	TWK7105GB	TWK7101GB
Main colour	Black	White	White	Black	Anthracite	Stainless steel
Secondary colour	Black	Anthracite	Anthracite	Anthracite	Black	Black
PRODUCT SPECIFICATION						
Connection Rating (W)	3000	3000	3000	3000	3000	3000
Voltage (V)	220-240	220-240	220-240	220-240	220-240	220-240
Frequency (Hz)	50/60	50/60	50/60	50/60	50/60	50/60
Length electrical supply cord (cm)	80.0	80.0	80.0	80.0	80.0	80.0
Plug type	GB plug	GB plug	GB plug	GB plug	GB plug	GB plug
Approval certificates	CE, VDE	CE, VDE	CE, VDE	CE, VDE	CE, VDE	CE, VDE
Material body	Plastic w. stainl.steel appl.	Plastic w. stainl.steel appl.	Plastic w. stainl.steel appl.	Plastic w. stainl.steel appl.	Stainless steel	Stainless steel
Capacity (I)	1.50	1.50	1.50	1.50	1.70	1.70
Power on indicator	•	•	•	•	•	•
Water level indicator	Both-sided for left/right hand, Readable from inside, Readable from outside	Both-sided for left/right hand, Readable from inside, Readable from outside	Both-sided for left/right hand, Readable from inside, Readable from outside	Both-sided for left/right hand, Readable from inside, Readable from outside	Readable from outside, with cup scale	Readable from outside, with cup scale
Lift-Switch_Off	•	•	•	•	•	•
Filter	Scale filter in pouring spout	Scale filter in pouring spout	Scale filter in pouring spout	Scale filter in pouring spout	Plastic scale filter	plastic scale filter
Button for opening lid	•	•	•	•	•	•
Cordless	•	•	•	•	•	•
Description	1.5 I capacity - Wattage: 3000 W, Temporat 70°C, 80°C, 90°C, 10°C, Keep Warn base, Stainless steel interior base with o stainless steel limescale filter - large wat and left handed persons, Button for oper locking lid, Boll-dry and overheat protect storage: Cord keeper for simple and quic	n Function • Cordless, 360° rotary oncealed heating element, Removable er window: good visibility for right ning lid, Acoustic ready signal, Safety tion, Anti slip 'soft touch' handle, Easy	1.5 I capacity, Wattage: 3000 W, Temper 70°C, 80°C, 90°C, 10°C, Neep Warm F. Stainless steel interior base with concoal stainless steel limescale filter, large wate left handed persons, Button for opening overheat protection, Easy storage: Cord of the cable	unction, Cordless, 360° rotary base, led heating element, Removable r window: good visibility for right and lid, Safety locking lid, Boil-dry and	1.7 I capacity, Wattage: 2500-3000 W, concealed heating element, Removable base, Water level indicator readable fron locking lid, Lighted on-off switch, Autom switches off when water has boiled, Lift. switches off when removed from its base Easy storage: Cord keeper for simple and	limescale filter, Cordless, 360° rotary noutside, Button for opening lid, Safety atic switch-off: kettle automatically switch off: the kettle automatically be boil-dry and overheat protection,







TYPE	TOASTER	TOASTER	TOASTER
DESIGN FAMILY	STYLINE	STYLINE	СІТҮ
MODEL	TAT8611GB	TAT861GB	TAT6A913GB
Type of toaster	Compact toaster	Compact toaster	Compact toaster
Main colour	White	Black	Stainless steel
Secondary colour	Anthracite	Black	Black
Material	Stainless steel	Stainless steel	Stainless steel
Wattage / Power (W)	860 W	860 W	860 - 1.050 W
CHARACTERISTICS			
Defrost function	•	•	•
Reheat function	•	•	•
Stop function	•	•	•
High-lift	•	•	-
Bun warmer	Integrated	Integrated	Integrated
Crumb tray	•	•	•
Thick & thin function	•	•	•
Toasting degree selector	LED display w. memory function	LED display w. memory function	Inf. variable rotary control
Automatic shut off at end of roasting cycle	•	•	•
Automatic shut off when toast gets jammed	•	•	•
Heating type	Quartz glass heater	Quartz glass heater	Large-surface heating element
DIMENSIONS			
HxWxD mm	184x313x170	184x313x170	184x155x292
POWER SUPPLY			
Voltage (V)	220-240 V~	220-240 V~	220-240 V~
Frequency (Hz)	50/60 Hz	50/60 Hz	50/60 Hz
Plug type	GB plug	GB plug	GB plug
Cable length (cm)	105.0 cm	105.0 cm	90.0 cm

Kettles & toasters









ТҮРЕ	KETTLE	KETTLE	KETTLE	KETTLE	
DESIGN FAMILY	СІТҮ	VILLAGE	VILLAGE	VILLAGE	
MODEL	TWK7105GB	TWK76033GB	TWK7601GB	TWK76075GB	
Main colour	Stainless steel	Black	White	Cream	
Secondary colour	Black	Black	Light grey	Anthracite	
PRODUCT SPECIFICATION					
Connection Rating (W)	3000	3000	3000	3000	
Voltage (V)	220-240	220-240	220-240	220-240	
Frequency (Hz)	50/60	50/60	50/60	50/60	
Length electrical supply cord (cm)	80.0	70.0	70.0	70.0	
Plug type	GB plug	GB plug	GB plug	GB plug	
Approval certificates	CE, VDE	CE	CE	CE	
Material body	Stainless steel	Plastic	Plastic	Plastic	
Capacity (I)	1.70	1.70	1.70	1.70	
Power on indicator	•	•	•	•	
Water level indicator	Both-sided for left/right hand, Readable from outside, with cup scale	Both-sided for left/right hand, Readable from outside	Both-sided for left/right hand, Readable from outside	Both-sided for left/right hand, Readable from outside	
Lift-Switch_Off	•	•	•	•	
Filter	plastic scale filter	Plastic scale filter	Plastic scale filter	Plastic scale filter	
Button for opening lid	•	•	•	•	
Cordless	•	•	•	•	
Description	1.7 I capacity, Wattage: 2500-3000 W, Stainless steel interior base with concealed heating element, Removable limescale filter, Cordless, 360° rotary base, Water level indicator readable from outside, Button for opening lid, Safety locking lid, Lighted on-off switch, Automatic switch off: kettle automatically switches off when removed from its base, Boil-dry and overheat protection, Easy storage: Cord keeper for simple and quick storage of the cable				

• = Yes - = No







ТҮРЕ	TOASTER	TOASTER	TOASTER	
DESIGN FAMILY	VILLAGE	VILLAGE	VILLAGE	
MODEL	TAT3A0175G	TAT3A0133G	TAT3A011GB	
Type of toaster	Compact toaster	Compact toaster	Compact toaster	
Main colour	Cream	Black	White	
Secondary colour	Black grey	Black	Light grey	
Material	Plastic	Plastic	Plastic	
Wattage / Power (W)	825 - 980 W	825 - 980 W	825 - 980 W	
CHARACTERISTICS				
Defrost function	Integrated in toasting knob	Integrated in toasting knob	Integrated in toasting knob	
Reheat function	•	•	•	
Stop function	•	•	•	
High-lift	•	•	•	
Bun warmer	Integrated	Integrated	Integrated	
Crumb tray	•	•	•	
Thick & thin function	•	•	•	
Toasting degree selector	Inf. variable rotary control	Inf. variable rotary control	Inf. variable rotary control	
Automatic shut off at end of roasting cycle	•	•	•	
Automatic shut off when toast gets jammed	•	•	•	
Heating type	Large-surface heating element	Large-surface heating element	Large-surface heating element	
DIMENSIONS				
HxWxD mm	190x310x160	190x310x160	190x310x160	
POWER SUPPLY				
Voltage (V)	220-240 V~	220-240 V~	220-240 V~	
requency (Hz)	50/60 Hz	50/60 Hz	50/60 Hz	
Plug type	GB plug	GB plug	GB plug	
Cable length (cm)	100.0 cm	100.0 cm	100.0 cm	



• = Yes - = No



TYPE	MY WAY TASSIMO
BLACK	TAS6002GB
RED	TAS6003GB
WHITE	TAS6004GB
KEY FEATURES	
INTELLIBREW barcode reader	•
One Touch Operation	•
Multi Beverage	•
Removeable Water Tank	•
Transparent Water Tank	•
Water Tank Size	1.3L
Water Level Gauge	•
Colour Alternatives	•
Smart Start	-
Brita Maxtra Water Filter	-
Power Output	1500 Watts
Pump Pressure	3.3 Bar
Adjustable Cup Stand	•
Removeable Drip Tray	•
Auto Shut-off	•
Automatic Cleaning & Descaling Programme	•
Descale Warning Feature	•
Dishwasher Safe Parts	•
Personalisation Settings	•
Sensor-Touch Interface	•
Appliance Dimensions (HxWxD) (mm)	290x230x325 mm
Standy By Display	Indicator Light
Power Cord Length (cm)	100 cm

Tassimo coffee machines

Microwaves









ТҮРЕ	HAPPY TAS10	VIVY TAS14	SUNY TAS32	CADDY TAS70/TAS75
MODEL/COLOUR	TAS1001GB - PURPLE/WHITE TAS1002GB - BLACK TAS1003GB - RED/BLACK TAS1006GB - RED/WHITE TAS1007GB - CREAM/BLACK	TAS1401GB - PINK TAS1402GB - BLACK TAS1403GB - RED TAS1407GB - CREAM	TAS3202GB - BLACK TAS3203GB - RED TAS3204GB - WHITE	TAS7004GB - WHITE TAS75SE2GB - SILVER TAS7002GB - BLACK
KEY FEATURES				
NTELLIBREW barcode reader	•	•	•	•
One Touch Operation	•	•	•	•
Multi Beverage	•	•	•	•
Removeable Water Tank	•	•	•	•
ransparent Water Tank	•	•	•	•
Vater Tank Size	0.7L	0.7L	0.8L	1.2L
Vater Level Gauge	•	•	•	•
Colour Alternatives	•	•	•	•
Smart Start	-	-	•	•
Brita Maxtra Water Filter	-	-	-	TAS75SE2GB Only
Power Output	1400 Watts	1300 Watts	1300 Watts	1300 Watts
Pump Pressure	3.3 Bar	3.3 Bar	3.3 Bar	3.3 Bar
djustable Cup Stand	•	•	•	•
Removeable Drip Tray	•	•	•	•
luto Shut-off	•	•	•	•
Automatic Cleaning & Descaling Programme	•	•	•	•
Descale Warning Feature	•	•	•	•
Dishwasher Safe Parts	•	•	•	•
ersonalisation Settings	-	-	-	-
ensor-Touch Interface	-	-	-	-
ppliance Dimensions HxWxD) (mm)	265x175x305 mm	251x169x310 mm	251x167x305 mm	322x183x270 mm
Standy By Display	Indicator Light	Indicator Light	Indicator Light	Indicator Light
Power Cord Length (cm)	90 cm	90 cm	90 cm	100 cm



OVEN TYPE	MICROWAVE OVEN	MICROWAVE OVEN WITH GRILL	MICROWAVE OVEN	MICROWAVE OVEN WITH GRILL	MICROWAVE OVEN
DESIGN FAMILY	SERIE 2	SERIE 2	SERIE 2	SERIE 2	SERIE 2
MODEL/COLOUR	HMT84M451B - STAINLESS STEEL HMT84M461B - BLACK HMT84M421B - WHITE	HMT75G451B - STAINLESS STEEL	HMT75M451B - STAINLESS STEEL HMT75M461B - BLACK HMT75M421B - WHITE	HMT72G450B - STAINLESS STEEL	HMT72M450B - STAINLESS STEEL
DESIGN					
Electronic controls	•	•	•	-	
Control Dial	•	•	•	•	•
Retractable control dial	1	1	1	-	
Push buttons	•	•	•	•	•
Left hinged door	•	•	•	•	•
Door Open Button	•	•	•	•	•
FEATURES					
Electronic clock timer	Red LED	Red LED	Red LED		
Interior lights	1 standard	1 standard	1 standard	1 standard	1 standard
Max. 99 minute timer	•	•	•	-	-
Max. 60 minute timer	-	-	-	•	•
Stainless steel interior	-	•	-	-	-
Laquered interior	•	_	•	•	•
Glass turntable	•	•	•	•	•
PROGRAMMES / FUNCTIONS					
Microwave	•	•		•	•
Quartz grill	-			•	
Microwave and Grill Combination operation	_	•	_	•	
Microwave/ grill combination programmes	_	1	_	· · · · · · · · · · · · · · · · · · ·	
Automatic programmes	7	8	7	_	
Memory function	•	•	•	_	
PERFORMANCE / TECHNICAL INFORM	ATION				
Cavity dimensions (HxWxDmm)	215x337x354	194x290x274	194x290x274	194x290x274	194x290x274
Useable oven capacity (L)	25	17	17	17	17
Microwave distribution	Turntable	Turntable	Turntable	Turntable	Turntable
Turntable diameter (mm)	315	245	245	245	245
Maximum microwave power (W)	900	800	800	800	800
Number of microwave power levels	5	5	5	5	5
Grill power (W)	-	1000	-	1000	
Voltage (V)	230	230	230	230	230
Total connected loading (W)	1450	1270	1270	1270	1270
Cable length (cm)	130	130	130	130	130
GB plug	130	130	130	130	•
STANDARD ACCESSORIES					
Wire rack	-	1	÷	1	-
Turntable	1	1	1	1	1

• = Yes - = No

Explore more at www.bosch-home.co.uk Making **life easy** through innovative technologies

Steam generator irons

Bosch steam generators, making it easy to help you choose the right iron for your needs and lifestyle.

DESIGN FAMILY MODEL		erie 8 +++
MODEL	SERIE 8	S8030GB
	TDS8030GB	30030GB
olour	white/black	
ain colour of product	white	
UNCTIONS		
rtical steam	•	
riable steam control riable temperature control	•	
D control light	•	
ater spray function ater refil beaker	· · · · · · · · · · · · · · · · · · ·	
et Steam	•	
ERFORMANCE / TECHNICAL INFORMATION		
onnection Rating (W)	2400 Watt max.	-
oleplate	CeraniumGlissée	
ontinous steam not of steam	480 g/min 120 gr	
otor Steam	-	
ip Stop	•	The state of the s
ecure auto shut-off Гетр	•	ASSES.
ygienie Function		
nti Calc ecure auto shut-off	Calc'n clean timer, Calc'nClean Perfect, De-scale sponge	
ntiShine	•	One setting for all your ironing.
ength of main cable /ater tank capacity	180 cm 1300 ml	
• Yes - = No		i-Temp uses one optimum
		temperature to suit all fabrics so
		now there's no need to pre-sort
		the laundry. With i-Temp you can
		save time and carefully look after
		your clothes. Available on both the
		VarioComfort and EasyComfort range.
		CalcinClean Perfect is a highly
		Calc'nClean Perfect is a highly
		efficient cleaning system – a first
		efficient cleaning system – a first for both the steam generator and
		efficient cleaning system – a first for both the steam generator and iron. The fully-automatic cleaning
		efficient cleaning system – a first for both the steam generator and iron. The fully-automatic cleaning programme for the iron also removes
		efficient cleaning system – a first for both the steam generator and iron. The fully-automatic cleaning
		efficient cleaning system – a first for both the steam generator and iron. The fully-automatic cleaning programme for the iron also removes any limescale particles.
		efficient cleaning system – a first for both the steam generator and iron. The fully-automatic cleaning programme for the iron also removes any limescale particles. Glide your way to perfection.
		efficient cleaning system – a first for both the steam generator and iron. The fully-automatic cleaning programme for the iron also removes any limescale particles. Glide your way to perfection. Our VarioComfort system is easy
	(B) B00	efficient cleaning system – a first for both the steam generator and iron. The fully-automatic cleaning programme for the iron also removes any limescale particles. Glide your way to perfection. Our VarioComfort system is easy to use and has a programme for all
	® Bosc	efficient cleaning system – a first for both the steam generator and iron. The fully-automatic cleaning programme for the iron also removes any limescale particles. Glide your way to perfection. Our VarioComfort system is easy to use and has a programme for all fabrics. It applies a constant high-
	® Bosch	efficient cleaning system – a first for both the steam generator and iron. The fully-automatic cleaning programme for the iron also removes any limescale particles. Glide your way to perfection. Our VarioComfort system is easy to use and has a programme for all fabrics. It applies a constant high- pressure steam allowing you to
	(a) Bosch	efficient cleaning system – a first for both the steam generator and iron. The fully-automatic cleaning programme for the iron also removes any limescale particles. Glide your way to perfection. Our VarioComfort system is easy to use and has a programme for all fabrics. It applies a constant high-pressure steam allowing you to achieve precision ironing faster and
		efficient cleaning system – a first for both the steam generator and iron. The fully-automatic cleaning programme for the iron also removes any limescale particles. Glide your way to perfection. Our VarioComfort system is easy to use and has a programme for all fabrics. It applies a constant high-pressure steam allowing you to achieve precision ironing faster and easier than ever before. With flexible
		efficient cleaning system – a first for both the steam generator and iron. The fully-automatic cleaning programme for the iron also removes any limescale particles. Glide your way to perfection. Our VarioComfort system is easy to use and has a programme for all fabrics. It applies a constant high-pressure steam allowing you to achieve precision ironing faster and easier than ever before. With flexible settings to suit all fabrics, a unique
		efficient cleaning system – a first for both the steam generator and iron. The fully-automatic cleaning programme for the iron also removes any limescale particles. Glide your way to perfection. Our VarioComfort system is easy to use and has a programme for all fabrics. It applies a constant high-pressure steam allowing you to achieve precision ironing faster and easier than ever before. With flexible settings to suit all fabrics, a unique hygiene programme on selected
		efficient cleaning system – a first for both the steam generator and iron. The fully-automatic cleaning programme for the iron also removes any limescale particles. Glide your way to perfection. Our VarioComfort system is easy to use and has a programme for all fabrics. It applies a constant high-pressure steam allowing you to achieve precision ironing faster and easier than ever before. With flexible settings to suit all fabrics, a unique
	Bosch Variocomfort	efficient cleaning system – a first for both the steam generator and iron. The fully-automatic cleaning programme for the iron also removes any limescale particles. Glide your way to perfection. Our VarioComfort system is easy to use and has a programme for all fabrics. It applies a constant high-pressure steam allowing you to achieve precision ironing faster and easier than ever before. With flexible settings to suit all fabrics, a unique hygiene programme on selected
		efficient cleaning system – a first for both the steam generator and iron. The fully-automatic cleaning programme for the iron also removes any limescale particles. Glide your way to perfection. Our VarioComfort system is easy to use and has a programme for all fabrics. It applies a constant high-pressure steam allowing you to achieve precision ironing faster and easier than ever before. With flexible settings to suit all fabrics, a unique hygiene programme on selected models and a smooth-gliding and
		efficient cleaning system – a first for both the steam generator and iron. The fully-automatic cleaning programme for the iron also removes any limescale particles. Glide your way to perfection. Our VarioComfort system is easy to use and has a programme for all fabrics. It applies a constant high-pressure steam allowing you to achieve precision ironing faster and easier than ever before. With flexible settings to suit all fabrics, a unique hygiene programme on selected models and a smooth-gliding and scratch-resistant soleplate, you'll
		efficient cleaning system – a first for both the steam generator and iron. The fully-automatic cleaning programme for the iron also removes any limescale particles. Glide your way to perfection. Our VarioComfort system is easy to use and has a programme for all fabrics. It applies a constant high-pressure steam allowing you to achieve precision ironing faster and easier than ever before. With flexible settings to suit all fabrics, a unique hygiene programme on selected models and a smooth-gliding and scratch-resistant soleplate, you'll
		efficient cleaning system – a first for both the steam generator and iron. The fully-automatic cleaning programme for the iron also removes any limescale particles. Glide your way to perfection. Our VarioComfort system is easy to use and has a programme for all fabrics. It applies a constant high-pressure steam allowing you to achieve precision ironing faster and easier than ever before. With flexible settings to suit all fabrics, a unique hygiene programme on selected models and a smooth-gliding and scratch-resistant soleplate, you'll
		efficient cleaning system – a first for both the steam generator and iron. The fully-automatic cleaning programme for the iron also removes any limescale particles. Glide your way to perfection. Our VarioComfort system is easy to use and has a programme for all fabrics. It applies a constant high-pressure steam allowing you to achieve precision ironing faster and easier than ever before. With flexible settings to suit all fabrics, a unique hygiene programme on selected models and a smooth-gliding and scratch-resistant soleplate, you'll
		efficient cleaning system – a first for both the steam generator and iron. The fully-automatic cleaning programme for the iron also removes any limescale particles. Glide your way to perfection. Our VarioComfort system is easy to use and has a programme for all fabrics. It applies a constant high-pressure steam allowing you to achieve precision ironing faster and easier than ever before. With flexible settings to suit all fabrics, a unique hygiene programme on selected models and a smooth-gliding and scratch-resistant soleplate, you'll









ГҮРЕ	STEAM GENERATOR	STEAM GENERATOR	STEAM GENERATOR	STEAM GENERATOR
MODEL NUMBER	TDS6080GB	TDS6081GB	TDS6030GB	TDS4070GB
Colour	White/deep violet	White/deep violet	White/ deep berry	White/berry cream
Main colour of product	white	white	white	White
FUNCTIONS				
/ertical steam	•	•	•	•
/ariable steam control	•	•	•	-
/ariable temperature control	•	•	•	
ED control light	•	•	•	•
Water spray function	-	-	-	•
Vater refil beaker	•	•	•	•
let Steam	•	•	•	-
PERFORMANCE / TECHNICAL INF Connection Rating (W)	FORMATION 2400 Watt max.	2400 Watt max.	2400 Watt max.	2400 Watt max.
Soleplate	CeraniumGlissée	CeraniumGlissée	Ceranium Glissée	CeraniumGlissée
Continous steam	400 g/min	390 g/min	370 g/min	300 g/min
Shot of steam	120 gr	120 gr	120 gr	120 gr
Motor Steam	-	-	-	-
Orip Stop	•	•	•	•
	•	•	•	•
Secure auto shut-off				
Secure auto shut-off -Temp	•	•	•	•
	•	•	•	•
-Temp	Calc'n clean timer, Calc'nClean Perfect, De-scale sponge	Calc'n clean timer, Calc'nClean Perfect, De-scale sponge		
-Temp Hygienie Function	Calc'n clean timer, Calc'nClean Perfect,	Calc'n clean timer, Calc'nClean Perfect,	-	-
-Temp Hygienie Function Anti Calc	Calc'n clean timer, Calc'nClean Perfect,	Calc'n clean timer, Calc'nClean Perfect, De-scale sponge	- Calc'n clean timer, Calc'nClean Perfect	- Calc 'n clean timer
Temp dygienie Function Inti Calc Gecure auto shut-off	Calc'n clean timer, Calc'nClean Perfect, De-scale sponge	Calc'n clean timer, Calc'nClean Perfect, De-scale sponge •	- Calc'n clean timer, Calc'nClean Perfect •	Calc 'n clean timer









ТҮРЕ	STEAM GENERATOR	STEAM GENERATOR	STEAM GENERATOR	STEAM GENERATOR
MODEL NUMBER	TDS4040GB	TDS8040GB	TDS6010GB	TDS2140GB
Colour	White/berry cream	white/dark violet	white/night blue/pastel blue	night blue/pastel blue
Main colour of product	White	white	white	blue
FUNCTIONS				
Vertical steam	•	•	•	•
Variable steam control		-		•
Variable temperature control	-	•	-	-
LED control light		•	•	
Water spray function	•	-	-	•
Water refil beaker	•	•	•	•
Jet Steam		•	•	-
PERFORMANCE / TECHNICAL IN	NFORMATION			
Connection Rating (W)	2400 Watt max.	2400 Watt max.	2400 Watt max.	2400 Watt max.
Soleplate	CeraniumGlissée	CeraniumGlissée	CeraniumGlissée	PalladiumGlissée
Continous steam	270 g/min	500 g/min	350 g/min	210 g/min
Shot of steam	120 gr	120 gr	120 gr	110 gr
Motor Steam		-	-	-
Drip Stop	•	•	•	•
Secure auto shut-off	•	•	•	•
i-Temp	•	•	•	•
Hygienie Function	-	•	-	-
Anti Calc	Calc 'n clean timer	Calc'n clean timer ,Calc'nClean Perfect ,De-scale sponge	Calc'n clean timer ,Calc'nClean Perfect ,De-scale sponge	calc 'n clean timer
Secure auto shut-off	•	•	•	•
AntiShine				-
Length of main cable	180 cm	180 cm	180 cm	190 cm
Water tank capacity	1300 ml	1300 ml	1300 ml	1500 ml

Steam irons













ТҮРЕ	STEAM IRON	STEAM IRON	STEAM IRON	STEAM IRON	STEAM IRON	STEAM IRON
MODEL NUMBER	TDI9080GB	TDI9020GB	TDI9015GB	TDI9010GB	TDA70EYGB	TDA7060GB
Colour	Deep violet/berry cream	Anthracite metalic/ rosso red	ice blue/magic night blue	White/magic night blue	White/ black	White/smokey blue
Main colour of product	Deep violet	Anthracite metalic	ice blue	White	White	White
FUNCTIONS						
Vertical steam	•	•	•	•	•	•
Variable steam control	•	•	•	•	•	•
Variable temperature control	•	•	•	•	•	•
LED control light		-	-	-	-	
Water spray function	•	•	•	•	•	•
Water refil beaker	•	•	•	•	•	•
Jet Steam	•	•	•	•	•	•
PERFORMANCE / TECHNIC	CAL INFORMATION					
Connection Rating (W)	3120 Watt max.	3120 Watt max.	3000 Watt max.	2800 Watt max.	2400 Watt max.	2800 Watt max.
Soleplate	CeraniumGlissée	CeraniumGlissée	CeraniumGlissée	CeraniumGlissée	CeraniumGlissée	CeraniumGlissée
Continous steam	65 g/min	65 g/min	60 g/min	55 g/min	45 g/min	50 g/min
Shot of steam	220 gr	200gr	200 gr	200gr	200gr	200gr
Motor Steam	•	•	•	•	-	-
Drip Stop	•	•	•	•	•	•
Secure auto shut-off	•	•	•	•	•	•
i-Temp	•	•	•	•	•	•
Hygienie Function	-			-		-
Anti Calc	4AntiCalc feature: four cleaning function with self-clean, calc 'n clean, built-in anti-calc system and descale liquid	4AntiCalc feature: four cleaning function with self-clean, calc 'n clean, built-in anti-calc system and descale liquid	4AntiCalc feature: four cleaning function with self-clean, calc 'n clean, built-in anti-calc system and descale liquid	4AntiCalc feature: four cleaning function with self-clean, calc 'n clean, built-in anti-calc system and descale liquid	3AntiCalc feature: triple cleaning function with self-clean, calc 'n clean and built-in anti-calc system	3AntiCalc feature: triple cleaning function with self-clean, calc 'n clean and built-in anti-calc system
Secure auto shut-off	•	•	•	•	•	•
AntiShine	•	•	•	•	-	-
Length of main cable	300 cm	300 cm	300 cm	300 cm	300 cm	300 cm
Water tank capacity	300 ml	300 ml	300 ml	300 ml	340 ml	340 ml















TVDE	CTEAMIDON	CTEANIDON	CTEAMIDON	CTEANIDON	CTEAMIDON	CTEAMIDON
ТҮРЕ	STEAM IRON					
MODEL NUMBER	TDA5085GB	TDA5080GB	TDA5071GB	TDA5070GB	TDA3022GB	TDA3020GB
Colour	Black/tekegrey	Black/ ice Blue	Anthratice/ magic violet	Black/red	Black/tekegrey	Black/tekegrey
Main colour of product	Black	ice blue	magic violet	Black	Black	Black
FUNCTIONS						
Vertical steam	•	•	•	•	•	•
Variable steam control	•	•	•	•	•	•
Variable temperature control	•	•	•	•	•	•
LED control light	-	-	-	-	-	-
Water spray function	•	•	•	•	•	•
Water refil beaker	•	•	•	•	•	•
Jet Steam	-	•	•	•	•	•
PERFORMANCE / TECHNIC	CAL INFORMATION					
Connection Rating (W)	3050 Watt max.	3000 Watt max.	3100 Watt max.	3050 Watt max.	2850 Watt max.	2800 Watt max.
Soleplate	CeraniumGlissée	CeraniumGlissée	CeraniumGlissée	CeraniumGlissée	CeraniumGlissée	CeraniumGlissée
Continous steam	50 g/min	50 g/min	50 g/min	50 g/min	40 g/min	40 g/min
Shot of steam	200gr	200gr	200gr	200gr	210 gr	170 gr
Motor Steam	-		-	-	-	-
Drip Stop	•	•	•	•	•	•
Secure auto shut-off		-	-		-	-
i-Temp	-		-	-	-	-
Hygienie Function	-		-	-		
Anti Calc	3AntiCalc feature: triple cleaning function with self-clean, calc 'n clean and built-in anti-calc system	3AntiCalc feature: triple cleaning function with self-clean, calc 'n clean and built-in anti-calc system	3AntiCalc feature: triple cleaning function with self-clean, calc 'n clean and built-in anti-calc system	3AntiCalc feature: triple cleaning function with self-clean, calc 'n clean and built-in anti-calc system	3AntiCalc feature: triple cleaning function with self-clean, calc 'n clean and built-in anti-calc system	3AntiCalc feature: triple cleaning function with self-clean, calc 'n clean and built-in anti-calc system
Secure auto shut-off		-	-	-	-	-
AntiShine		-	-	-	-	-
Length of main cable	300 cm					
Water tank capacity	350 ml	350 ml	350 ml	320 ml	320 ml	320 ml













ТҮРЕ	STEAM IRON	STEAM IRON	STEAM IRON	STEAM IRON	STEAM IRON	STEAM IRON
MODEL NUMBER	TDA3017GB	TDA2690GB	TDA2670GB	TDA2651GB	TDA2633GB	TDA2625GB
Colour	Whtie telegrey	White/blue berry	Ice blue/night blue	White / Deep Violet	White/turquoise	White/deep berry
Main colour of product	White	White	Blue	White	White	White
FUNCTIONS						
Vertical steam	•	•	•	•	•	•
Variable steam control	•	•	•	•	•	•
Variable temperature control	•	•	•	•	•	•
LED control light	-	-	-	-	-	
Water spray function	•	•	•	•	•	•
Water refil beaker	•	•	•	•	•	•
Jet Steam	•	•	•	•	•	
PERFORMANCE/TECHNIC	CAL INFORMATION					
Connection Rating (W)	2650 Watt max.	2400 Watt max.	2400 Watt max.	2300 Watt max.	2200 Watt max.	2000 Watt max.
Soleplate	CeraniumGlissée	PalladiumGlissée	PalladiumGlissée	PalladiumGlissée	PalladiumGlissée	PalladiumGlissée
Continous steam	40 g/min	30 g/min	25 g/min	25 g/min	30 g/min	25 g/min
Shot of steam	200 gr	170 gr	140 gr	95 gr	90 gr	85 gr
Motor Steam	-	-		-		-
Drip Stop	•	•	•	•	•	•
Secure auto shut-off	-	-	-	-	-	-
i-Temp	-	-	-	-	-	
Hygienie Function	-	-	-			
Hygienie Function Anti Calc	3AntiCalc feature: triple cleaning	3AntiCalc feature: triple cleaning	3AntiCalc feature: triple cleaning	3AntiCalc feature: triple cleaning	3AntiCalc feature: triple cleaning function with self-clean, calc 'n clean and built-in anti-calc system	3AntiCalc feature: triple cleaning
	3AntiCalc feature: triple cleaning function with self-clean, calc 'n clean	3AntiCalc feature: triple cleaning function with self-clean, calc 'n clean	3AntiCalc feature: triple cleaning function with self-clean, calc 'n clean	3AntiCalc feature: triple cleaning function with self-clean, calc 'n clean	3AntiCalc feature: triple cleaning function with self-clean, calc 'n clean	3AntiCalc feature: triple cleaning function with self-clean, calc 'n clean
Anti Calc	3AntiCalc feature: triple cleaning function with self-clean, calc'n clean and built-in anti-calc system	3AntiCalc feature: triple cleaning function with self-clean, calc 'n clean and built-in anti-calc system	3AntiCalc feature: triple cleaning function with self-clean, calc 'n clean and built-in anti-calc system	3AntiCalc feature: triple cleaning function with self-clean, calc 'n clean	3AntiCalc feature: triple cleaning function with self-clean, calc 'n clean and built-in anti-calc system	3AntiCalc feature: triple cleaning function with self-clean, calc 'n clean and built-in anti-calc system
Anti Calc Secure auto shut-off	3AntiCalc feature: triple cleaning function with self-clean, calc 'n clean and built-in anti-calc system -	3AntiCalc feature: triple cleaning function with self-clean, calc 'n clean and built-in anti-calc system -	3AntiCalc feature: triple cleaning function with self-clean, calc 'n clean and built-in anti-calc system	3AntiCalc feature: triple cleaning function with self-clean, calc 'n clean and built-in anti-calc system -	3AntiCalc feature: triple cleaning function with self-clean, calc 'n clean and built-in anti-calc system	3AntiCalc feature: triple cleaning function with self-clean, calc 'n clean and built-in anti-calc system -












ТҮРЕ	STEAM IRON	STEAM IRON	STEAM IRON	STEAM IRON	STEAM IRON
MODEL NUMBER	TDA2623GB	TDA2329GB	TDA2080GB	TDA1070GB	TDA1060GB
Colour	White/green	White/deep berry	Black/rosso red	White/smokey blue	White / Deep Violet
Main colour of product	White	White	Black	White	White
FUNCTIONS					
Vertical steam	•	•	•	•	•
Variable steam control	•	•	•	•	•
Variable temperature control	•	•	•	•	•
LED control light		-	-		-
Water spray function	•	•	•	•	•
Water refil beaker	•	•	•	•	•
Jet Steam	-	-			-
PERFORMANCE / TECHNIC	CAL INFORMATION				
Connection Rating (W)	2000 Watt max.	2200 Watt max.	2400 Watt max.	2400 Watt max.	2400 Watt max.
Soleplate	PalladiumGlissée	PalladiumGlissée	PalladiumGlissée	PalladiumGlissée	PalladiumGlissée
Continous steam	25 g/min	22 g/min	35 g/min	30 g/min	30 g/min
Shot of steam	80 gr	70 gr	180 gr	110 gr	100 gr
Motor Steam	-	-	-	-	
Drip Stop	•	•	•	•	•
Secure auto shut-off		-	-	-	
i-Temp		-	-		
Hygienie Function					-
Anti Calc	2AntiCalc	3AntiCalc feature: triple cleaning function with self-clean, calc 'n clean and built-in anti-calc system	calc 'n clean	calc 'n clean	3AntiCalc feature: triple cleaning function with self-clean, calc 'n clea and built-in anti-calc system
Secure auto shut-off	-	- 1	-	•	
AntiShine	-	-	-		-
Length of main cable	250 cm	190 cm	300 cm	300 cm	300 cm
Water tank canacity	290 ml	220 ml	300 ml	300 ml	300 ml

Explore more at www.bosch-home.co.uk Making life easy through innovative technologies

Accessories and product specification guide


2019




Cooling technical diagrams

American-style fridge freezer | 1756 | 910 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756 | 1756

KAN92LB35G N.B. Doors need to be able to be opened to a minimum of 160° angle to allow the drawers to be fully accessible



KAD92Al2OG, KAN92VI35 N.B. Doors need to be able to be opened to a minimum of 122° angle to allow the drawers to be fully accessible



KAG90Al20G, KAD90Vl20G, KAI90Vl20G, KAD90VB20G


All diagram measurements are in millimetres (mm)

We try to keep up to date with constant technological improvements, so from time to time we may update installation guidelines. Therefore we strongly recommend that you download the latest installation guidelines from www.bosch-home.co.uk. Line drawings are for guidance only, and we recommend that you refer to the latest installation guidelines. Though every care is taken to ensure instructions are correct at the time of printing, Bosch cannot accept responsibility for incorrect planning or installation as a result of the use of these line drawings.

Accessories







Explore more at www.bosch-home.co.uk Making **life easy** through innovative technologies Download a copy of our catalogues online at **www.bosch-home.co.uk** or call **0344 892 8979**

Contact Bosch Customer Service

To arrange an engineer visit, obtain product advice or order replacement spare parts or accessories visit **www.bosch-home.co.uk** or call

www.bosch-home.co.uk or call 0344 892 8979

Republic of Ireland customers should visit **www.bosch-home.ie** to arrange an engineer's visit, or to order spare parts and accessories, or call

(01) 450 2655





Calls are charged at the basic rate, please check with your telephone service provider for exact charges.

Disclaimer: This brochure is current as from the publication date and supersedes all previous brochures for these products. This brochure should not be regarded as an infallible guide nor as an offer for sale of any particular product. Whilst BSH Home Appliances Ltd believes that all information contained within this brochure is correct at the time of going to print, no representation or warranty, express or implied, is or will be made and no responsibility or liability is or will be accepted by BSH Home Appliances Ltd in relation to the accuracy or completeness of this information and any liability is expressly disclaimed. To the extent permitted by law, BSH Home Appliances Ltd expressly excludes: i) all conditions, warranties and other terms which might otherwise be implied by statute, common law or the law of equity and ii) any liability for any direct, indirect or consequential loss or damage (including, without limitation, damages for loss of business or loss of profits) arising in contract, tort or otherwise from the use of or reliance on any information contained within this brochure or from any action or decision taken as a result of such use or reliance. BSH Home Appliances Ltd reserves the right to modify technical data and all other information contained within this brochure without notice. All rights reserved. No part of this publication may be reproduced in any form or without the prior written permission of BSH Home Appliances Ltd. All colour variations are due to the limitations of the printing process. We recommend a visit to a Bosch dealer to confirm that specifications and colours are to your satisfaction.

This brochure is printed on environment-friendly chlorine-free bleached paper.

April 2019.

BSH Home Appliances Limited

Grand Union House Old Wolverton Road, Wolverton Milton Keynes MK12 5PT www.bosch-home.co.uk **BSH Home Appliances Limited**

M50 Business Park Ballymount, Dublin 12 **Tel: 1890 626 041**

www.bosch-home.ie



Stock code: 2019BOSCHFS