



**BOSCH**

Invented for life

Groundbreaking household solutions, backed by German engineering quality.

Experience the perfect results with Bosch, Europe's No.1\* Home Appliances Brand.


[www.bosch-home.com/ae](http://www.bosch-home.com/ae)



**EUROPE'S  
BRAND NO.1\***

\*For major domestic appliances. Source: Euromonitor, volume sales, 2018

# History in every product.



The history of Bosch is one we are proud of. So, let's start at the beginning and explore how Bosch became the industry-leading home appliance manufacturer it is today.

Sometimes the oldest ideas are the best. So in 1886 Robert Bosch founded... well, Bosch. And even though we've been around for 125 years, our values are more modern than ever. Robert Bosch believed whoever stopped improving has stopped being good. This is just one of his many principles, which still shapes the corporate culture and lives on in the spirit and attitude of more than 375,000 employees worldwide. It provides a foundation for which the successes of the past can be built upon into the future.



## Innovating for the future.

With over **77,000** registered patents, Bosch is one of the most innovative enterprises in the world.


Our dissatisfaction with ourselves, our performance and our appliances drive us to always look for new technological solutions. Our goal is to create meaningful technology that improves not only our appliances, but also the quality of life for our customers. At the end of the day, we develop technology for life.

## Quality you can trust.

Two heads are better than one. **3,500** heads in our research and development team, that may just be good enough to ensure great quality.

If a single detail does not satisfy our requirements, we simply re-develop it. Over and over again, if it has to be. So the 3,500 colleagues working in research and development have to be really persistent. Even if an idea finally becomes a product, we check every single screw, every button and every detail in numerous tests.

If something isn't at its 100%, we go back to the drawing board. Sounds tough, but that's how we make sure only the best and most reliable solutions are leaving our factories. That is the staple of German engineering.



# And the award goes to...



At Bosch, we put passion into the work we do and it shows in the numerous awards we have won throughout the years. We wouldn't be known as one of the leading suppliers of built-in appliances if we left a single detail to chance. Therefore, our designers ensure that individual modules can be combined flexibly and efficiently while still looking wonderful. And we're not the only ones who think so. For years and years, our appliances have been at the pinnacle of international awards, such as the IF Product Design Award and the Best Interior Innovation Award.

It was not our main aim to win the beauty contest, but our products have gathered **610** design awards over the years up until 2016.



The Bosch Serie 8 oven has won the coveted German Design Award 2015, with its combination of high-quality stainless steel panels and the integrated operating ring and glass design. What's more, the Volcano Black model has also received the renowned Interior Innovation Award 2015.




**DESIGN PLUS**

But what we value the most is the satisfaction of our customers, without whom we would not be creating beautiful products till today.

# United in global projects.

Today, Bosch Home, headquartered in Munich, has **80** subsidiaries in 48 countries and operates **41** factories in 13 countries.



This global network not only performs development work, but also boasts highly efficient manufacturing facilities. By setting up local production facilities and sales organisations, we have been able to meet the specific needs of customers in the various countries with optimum effectiveness.

We have also found success in partnering with a number of international companies on specific projects. By offering home appliances that excel in terms of quality, function and design, Bosch Home Appliances is your experienced partner. After all, quality engineered in Germany is in demand across the world.

## Customer, satisfied.

There are **14** customer service locations in the Arabian region which provide you with premium home appliances and service availability around the clock, making your life at home with all the little challenges, better.






**BOSCH**

Invented for life

Built-in appliances,  
for your convenience  
in the kitchen.

Built-in







## Same perfect results. Cooked with less energy.

By cooking on just one shelf level, Hotair Eco gives perfect results and uses up to 30% less energy.\*

Most people generally use just one shelf when they use their oven. A great example of this would be when cooking a lasagna or shepherd's pie. This means energy is being used to provide optimum heat to all shelves when it may not be needed. Whilst it doesn't impact the end result, we felt there must be a smarter way to cook. Our research led to the development

of the Hotair Eco cooking programme for all those times when you just cook on one shelf. It works by optimising the heat in the oven around the single shelf used, thereby reducing the energy required to generate the heat by up to 30%\*. Also, it doesn't affect the performance of the oven, so whatever you're cooking, it comes out perfectly every time.



\*30% more economical (0.66 kWh) than the maximum value (0.99 kWh) allowed for energy efficiency class A (measured in accordance with EN 50304).

# The new generation of Bosch ovens bring style and elegance to the kitchen.

Our ovens combine the highest quality stainless steel and glass for a sleek look. The matching control panels and horizontal lines allow you to mix and match with other cooking appliances for a totally coordinated look.

## **Metal behind glass**

The new generation of Bosch ovens bring style and elegance to the kitchen. The new concept U-form door has a horizontal section of steel behind the outer glass for a unique, chic look.

## **Sleek new lines**

Our new ovens combine the highest quality stainless steel and glass for a sleek and resistant finish. The ergonomically designed all-steel straight bar handle integrates perfectly with the door. The matching control panels and horizontal lines allow you to mix and match different products vertically and horizontally for a completely coordinated look.

## **Control panel**

Fully programme able, the controls are intuitive and simple to use. Select models also feature clear text on the LCD display screen.

## **Pop-out controls**

Not only do these make the oven easy to operate, they also maintain a clean line when the oven is not in use, making its control panel easy to clean. Our top of the range models also have an illuminated red band.

## **Enamel coating**

The grey enamel interior coating is easy to clean and the lighter colour improves visibility of your dishes while cooking.

## **Door constructions**

Our range of single ovens is available in two different door constructions; drop-down and side opening, so you can ensure the best solution for your kitchen environment and personal requirements.

## **Colour options**

Bosch built-in appliances come in a number of finishes to complement most kitchen styles. Brushed steel offers a bold, stunning statement, while premium black models feature glass fascias, steel handles and steel-finished control dials to deliver a modern, contemporary twist to old favourites. For those who prefer their black models in a more traditional form, Bosch also offers models with colour coordinated handles, controls and metal fascias.

## **SoftClose door**

A hidden mechanism in the door hinge enables the controlled SoftClose action of the oven door, reducing noise and allowing it to close gently and safely.



# Simple, safe & stylish.

Our ovens are incredibly easy to use and maintain. Pyrolytic self-cleaning makes cleaning the oven a pleasure instead of a chore. They are extremely safe with double or triple glazed doors and a safety lock that disables all functions. For extra peace of mind, our electronic models also feature automatic switch-off.

## Pyrolytic self-cleaning system

The ultimate in self-cleaning, power and convenience. During the pyrolytic self-cleaning cycle, the oven is heated to around 480°C. At this temperature, any deposits are quickly reduced to a thin layer of ash, which can then be simply wiped away with a damp cloth to leave a completely clean oven.

## EcoClean self-cleaning programme

This oven cleaning function is highly effective and simple to use. Simply turn the dial to select the clean function and then choose from the three different cleaning cycles depending on how dirty the EcoClean liners are: Level 1 = 45 minutes, Level 2 = 1 hour, Level 3 = 1 hour 15 minutes.

## Automatic switch-off (electronic ovens)

For extra peace of mind, if left unattended, the electronic oven will switch off after a specific period of time. This additional safety feature is only available on electronic models. This can be over-ridden simply by periodically adjusting the temperature.

Temperature Range	Automatic Switch-off After
Under 140°C	7 hours
141 - 200°C	6 hours
201 - 250°C	3 hours
251 °C+	2 hours

## Memory function

Store your favourite recipe instructions (e.g. heating mode + temperature + cooking duration), then simply press the memory button to repeat the sequence at any time.

## Safer touch doors

Bosch oven doors are either double or triple glazed, depending on the model, and ensure the temperature of the door is always well within safety standards.

## Control panel lock

With the oven off, simply press the lock key for 4 seconds to disable all functions.

## Telescopic rail with stop function

Available on one level of the oven\*, these easy-to-use stable rails make it easier than ever to check on the progress of your food. The rails are fully extendible so that food is fully visible and accessible without having to reach into the oven. The stop function means you can never pull the rails out too far. A 3-level version of this is available as an optional accessory on many single and double ovens.

\*Selected models

# Become a master chef at the touch of a button.

When you cook with a Serie 8 oven with PerfectBake and PerfectRoast functions, there is almost no limit to what you can do. The combination of these two sensor-controlled functions ensures that your oven always knows precisely how your dish is progressing. It sets the optimal heating mode, temperature and cooking time accordingly. Every dish, from roast beef to lemon pie, is cooked to perfection, so you no longer need to constantly check on their progress – unless you can't help but admire the cutting-edge technology at work.



## PerfectBake

Baking has never been easier. The PerfectBake sensor offers uniquely precise sensitivity, constantly measuring the moisture level of your dishes and automatically regulating the baking process. You'll never have to set the heating mode, length of time or temperature ever again – the PerfectBake sensor has it all under control. Simply select the type of dish, such as 'Cake', and press 'Start'. Your oven will do the rest. The result: Bread, cake and quiches baked to perfection.



## PerfectRoast

Turkey, lamb or Sunday roast – with the PerfectRoast meat probe, you'll get perfect results every time. Just like a professional chef, but with total ease. Through several highly sensitive measuring points, the probe determines the core temperature of your roast to the exact degree and second, guaranteeing perfect roasting results. Another benefit: You can also use the meat probe in the microwave and steam oven mode.

# Cooking functions.

Multi-function cooking provides a solution for all your cooking requirements. With a choice of over 11 different cooking functions, from traditional heating systems to more specialised functions, such as Hydrobaking and Pizza setting, a Bosch oven will provide you with the flexibility to prepare a variety of meals for you and your family.

## **4D Hotair**

Thanks to 4D Hotair, you can place your dishes on any shelf level from 1 to 4. The fan wheel changes its direction of rotation to distribute heat evenly across all levels. This also allows for baking on up to 4 levels in parallel; for perfect results – from the first batch to the last. 4D Hotair, the heating mode for perfect results.

## **Pizza function**

Designed with the pizza-lover in mind, but equally useful for quiches and tarts, this innovative function delivers cooking power for a perfectly crisp, browned base while keeping the topping moist. Suitable also for frozen food, and in many cases no pre-heating is required.

## **Hydrobaking**

Retains the natural moisture emitted during the cooking process to prevent your baking from drying out. Ideal for bread and pastries.

## **Plate warming**

Food stays warm for longer if served up in pre-heated ovenware. Plate warming allows you to pre-heat porcelain ovenware to between 30°C and 65°C.

## **Low temperature cooking**

Ideally suited for keeping high quality pan-fried meat at the desired level of rareness or otherwise for an extended period of time without it spoiling. Juices and textures are retained whilst you get on with preparing the rest of your dinner.

## **Defrost**

Perfect for gently defrosting meat, poultry, bread, cream cakes and much more.

## **Conventional top and bottom heat**

Employs both the upper and lower heating elements. The heat travels to the centre of the oven by natural convection, which is the best position to obtain the selected temperature. Most foods can be cooked using this system, but it is best suited to foods which require a dark crisp finish or long slow cooking.

## **Full-width variable grill**

Enables you to grill large quantities with precise temperature control. For added efficiency, grilling is performed with the oven door closed.

## **Half-width variable grill**

On selected ovens, you have the option to select just the centre section of the grill element as an economical way to grill smaller quantities of food.

## **Hotair grilling**

An ideal cooking method for meat and poultry where a rotisserie effect is desired. The grill and fan operate alternately, which results in even, crisp food and can use up to 50% less energy than traditional roasting.

## **Intensive heat**

Delivers immediate intense heat from below, which is particularly effective for foods with a crisp base such as flans. It makes it unnecessary to pre-heat the oven when baking cakes and quiches, and is also ideal for baking with tin, glass or porcelain moulds, which tend to reflect heat or are poor conductors of heat.

## **Bottom heat only**

Only the bottom element is used to generate heat. This method is ideal for reheating or for when a crisp underside is required, such as bread bases and pastry cases. It can also be used for drying herbs and bain-marie cooking.

## **Auto Cook / Assist**

Simply place the dish in the oven, and then choose the appropriate automatic programme from the menu. Specify how you want your dish cooked (e.g. rare, medium or well done), input the weight of the meat or fish and press start. Auto Cook then takes over and determines the cooking mode, temperature and duration to cook your dish to perfection.

## **Fast heat**

This time-saver pre-heats the oven approximately 30% faster by using all the heating elements at once.

## **Keep warm**

This convenient function keeps food items warm at temperatures between 66°C and 100°C at the touch of a button.

## **Hotair Eco – up to 30% more economical than energy efficiency class A**

Optimised to cook efficiently and economically on one shelf level, therefore reducing your electricity consumption by up to 30%. Energy consumption isn't the only thing that is exemplary though, cooking results are unrivalled as well.



# Healthy eating has never tasted this good.

Steam ovens.

## Healthy eating has never tasted so good

Natural foods contain many essential vitamins and minerals. How we prepare food determines how many of these important vitamins and minerals are preserved. Steam cooking is accepted as the most gentle and, therefore, healthy heating mode available.

## Hotair and steam – a recipe for success

We have combined the beneficial effects of steaming with the Hotair system so you can make food that is deliciously crisp on the outside while remaining juicy and healthy on the inside.

## Hotair

Ideal for meat roasts, moist cakes and for pre-heating plates and dishes.

## Steaming

Perfect for vegetables and fish, drying fruit, blanching, making hard - or soft-boiled eggs and sterilising jars, bottles or baby bottles (only after thorough cleaning). You can also reheat dishes with no risk of hard, dried-up results.

## Combination cooking

Ideal for meat like tender roast beef, crispy leg of lamb and casseroles. Perfect for bread, baking and for yeast dough that rises beautifully. Optimal for defrosting frozen food without causing the loss of the shape and by keeping food hot with no risk of hard, dried-up results.

## Better for you

Steaming helps retain the vitamins and minerals in foods, which dissolve when immersed in water. In fact, compared to boiling, steam cooking retains almost 50% more of the vitamin and mineral content.

## Better-looking and tastier food

The gentle heat action of steaming not only preserves the flavour, colour and aroma of the food, but also maintains the form and texture. Food retains its natural juices and does not dry out.

## Automatic programmes

Simply place the dish in the oven and then choose the appropriate automatic programme from the menu. There are up to 70 recipes to choose from depending on the model. Input the weight and the oven will automatically calculate the temperature and cooking duration required.

## Descaling programme

The appliance will automatically inform you when descaling is needed, then simply select the descaling programme and follow the easy-to-understand instructions.

## Regeneration

A unique feature to steam ovens which revitalises pre-cooked food. The function allows you to reheat up to two items at a time, gently reheating the food without danger of hot spots or drying-out the food. This is also a great feature for revitalising breads.

## Cleaning programme


Select the cleaning programme, add a small amount of detergent (washing-up liquid) to the bowl of water in the base of the appliance and press start. Detergent-laden steam then helps to soften grease deposits, making it easy for you to wipe the interior clean.

## Flexible installation

Our range of steam ovens offer you total flexibility when it comes to installation. All models are suitable for installation in a standard 60 cm unit and can be built into a tall cupboard or built under a worktop.


### Vitamin content (B2)

Source: Bognår 1988, 2002



### Mineral content

Source: HEA 2006 | Prof. Elmar Schlich, Justus-Liebig University Giessen, Dr. Michaela Ziems, University of Koblenz Landau



Steaming not only preserves vitamins and minerals better than any other form of cooking, but also preserves natural flavours, meaning there is practically no need for seasoning.





# Throw a party. Don't think twice!

Combi microwave ovens.

Bosch microwaves offer the perfect blend of style and performance that says you are passionate about how your kitchen looks. The elegant styling gives your kitchen the sophisticated built-in appearance you want. The Bosch microwave offers automatic cooking, reheating and defrosting programmes at the touch of a button.

#### **AutoPilot**

Press the programme button, select the programme number and enter the weight. The oven will automatically calculate the power and time required to cook or defrost your dish to perfection.

#### **3-stage programing**

The 3-stage programing allows you to programme up to three power levels and cooking times consecutively at any single time.

#### **Digital display**

The digital display clearly indicates the power level and cooking duration selected. Bosch microwaves also feature a 24-hour digital clock and timer control for up to 99 minutes.

#### **Memory function**

Store your favourite recipe instructions (e.g. heating mode + temperature + cooking duration), then press the memory button to repeat the sequence at any time.



# Let the conversation begin.

Coffee maker.

## **SensoFlow heating system**

Provides fast water heating and precise temperature control for improved taste and energy efficiency.

## **Aroma pressure system**

Ensures optimum compression and extraction of ground coffee for a perfect tasting cup of coffee.

## **Fully automatic rinse programme**


Each cup of coffee is freshly brewed every time. Pipes are automatically rinsed after use and any residual water is pumped away. Fresh water guarantees fresh coffee flavour and aroma every time.

## **Cream centre**

An external insulated milk container supplies milk into the cream centre only when it is needed, so that the milk stays fresher for longer, giving you perfect milk froth and making it easier to clean.

## **One touch function for milk drinks**

Allows you to store the settings for your favourite milk drink (e.g. cappuccino, latte, white coffee, etc.) so that you only have to press one button for your regular drink.



# Hot to the table.

Warming drawers.

## **Plate warming**

Food stays warm for longer if served up in pre-heated ovenware. Bosch warming drawers allow you to pre-heat porcelain ovenware from 30°C to 65°C.

## **Keep warm**

Not only can you heat up your crockery with a Bosch warming drawer, but you can also keep food hot for up to an hour.

## **Defrost**

Perfect for gently defrosting meat, poultry, bread, cream cakes and much more. Also ideal for defrosting non-sensitive foods.

## **Dough proving**

The gentle heat of the warming drawer is the perfect environment for proving dough.



# Finally, a fire that does exactly what you want.

Cooking has never been this precise and reliable thanks to FlameSelect. There's no need anymore to check the height of the flame as FlameSelect will do it for you.

Innovative and patented valve technology regulates the gas output precisely and noticeably in from levels 1 to 9. The power levels can be set in proportional steps such as the power setting of an electric cooktop.

Additionally, the knobs are accentuated with printed numbers in order to clearly highlight the chosen power levels. Perfect your cooking results with the nine adjustable and reliable power levels.



## Twice as fast as gas.

Induction hobs can heat food and boil water nearly twice as fast as gas and three times faster than ceramic hobs\*. And as they're also more energy efficient, you'll save money as well as time.

Besides reducing cooking times and increasing your control, induction is a more intelligent heat source. Rather than using heating elements under the glass to heat the pan, induction actually heats the base of

the pan. This means the hob glass around the cooking zone remains cool to touch. Any spillages are therefore more easily dealt with as they don't burn on and can be simply wiped away.

\*Based on time required to heat 2 litres of water at 15°C to 90°C using Bosch hobs.



# Bosch in every detail.

The features that set us apart.

## Induction for speed, controllability and safety

Induction uses an electromagnetic field to instantly generate heat, giving you the control and responsiveness of gas, whilst being incredibly energy efficient. Heat is only applied where it is required in the pan. Changes in temperature happen instantaneously, which makes cooking with Bosch induction both faster and more precise than a gas or a ceramic hob, saving energy and time.

## Energy saving

Induction hobs are far more energy efficient than any other hob. Gas only uses about 50% of the energy consumed to heat the pan, whereas induction uses 75%, and only heats the exact area of the pan placed upon it.

## Time saving

More than twice as fast as a standard ceramic hob and up to 45% faster than gas, Bosch induction is ideal for a busy lifestyle.

## DirectSelect

Select the required power level from keys laid out on the hob instead of having to press +/- keys repeatedly.

## Freeze function

'Freezes' the control panel at its current settings to allow the surface to be wiped down (if something spills). Saves the user having to switch off the hob to clean it or risk disturbing the settings. Reverts back at the touch of the key or after approximately 20 seconds.

## Boost function

Increases the power output of the selected cooking zone by approximately 50% by 'borrowing' power from another zone. Note that when boost is selected for a particular zone, the partner zone contributing the power cannot be used.

## Automatic pan recognition

The hob recognises the size of the pan and only heats up the base of the pan and not the whole zone, saving time and energy. Ideally your pan will be the same diameter as the zone and, for safety reasons, 65% of the surface area of the zone should be covered in order for the pan to be 'recognised' and activate the zone.

## Small utensil detection

If you leave a serving spoon on the induction zone when it is turned on, the hob will not recognise it as being suitable cookware. As an added safety mechanism, the hob will automatically switch off, giving you the peace of mind.

## Pans that work with induction

Only pans with a ferrous (magnetic) base can be used with induction hobs. So, if a fridge magnet sticks to your pan, you know it is induction-ready. In general, special stainless steel, iron and enamel are all suitable.

## Power management

Bosch research shows that most households generally use only one or two zones together when preparing meals, which has allowed us to develop a model that can operate with a lower power connection. The available power is sufficient for two zones to operate simultaneously at higher power levels. However, the option of using more than two zones is available: The clever electronics automatically share the available power between the required zones depending on the power levels selected.

## PerfectFry sensor

When it comes to frying the right temperature is crucial for a perfect meal. With PerfectFry, frying has never been easier. The PerfectFry sensor is integrated in the hob, all you have to do is choose your frying results on the control panel, for example, level 1 is perfect for reducing sauces, level 3 is the ideal setting for frying fish, or level 5 for frying rare steaks. PerfectFry constantly measures and automatically perfects the temperature level, and when the desired temperature is reached, the hob gives back audio and visual feedback.


## HEZ390041 – Induction pan set

This 4-piece pan set is designed especially for use with induction hobs and has been rigorously tested for optimum use with Bosch induction hobs, facilitating quick and even heat distribution. A handy litre scale is printed on the inside. The dishwasher proof set includes: 1.2 litres saucepan 16 cm, 1.7 litres pan with glass lid 16 cm, 4.2 litres pan with glass lid 22 cm and a 24 cm frying pan with non-stick coating.

\* Professional installation recommended.

## Cooking speed

Time required to heat 2 litres of water at 15 °C to 90 °C.



# Ultimate flexibility with our new FlexInduction hobs.

One, two, three pots or even a large casserole: The new Bosch FlexInduction feature leaves it up to you. At the flick of a switch, you can combine two induction zones into a large induction surface on which you can cook the way you want.

## FlexInduction

FlexInduction hobs feature a rectangular zone covering the length of the hob consisting of four 20 cm x 9 cm induction coils. This is great for multiple pans, large pans, or for placing pans of varying sizes anywhere on the zone.

## Even more energy efficient

Induction hobs are already more energy efficient than other hobs, but FlexInduction saves even more energy. Because it is made up of 4 separate zones, only the zones actually covered will activate, so for example, a small pan would only activate one zone.

## Better heat distribution

A large pan placed on the FlexInduction zone will benefit from more even heat distribution. For example a fish kettle or griddle is the wrong shape for a standard circular zone. The FlexInduction zone ensures that every part of the pan is served by an induction zone, eliminating hot and cold spots, giving you perfect results every time.

## Small item detection

A zone must be 30% covered to activate, so it is less likely that a small item such as a knife or spoon will activate the hob, making it even safer. Conversely, the fact that each individual induction zone is smaller within the FlexInduction zone, smaller diameter pans will still be activated.

## Connect/Disconnect mode

With FlexInduction, you can control 2 pots separately on 'Disconnect' default mode. Alternatively, use the whole area on 'Connect' for a large casserole, fish kettle or several pans – there's plenty of space and you can use it any way you like.

## Flexible choice

Choose from a variety of configurations to suit your cooking style, from 5 induction cooking zones, which can become 3 FlexInduction zones, and a twin FlexInduction hob.



Large FlexInduction zone connected

FlexInduction zones disconnected

# Our elegant electric hobs will transform the look of your kitchen.

With their electronic touch controls and flexible cooking zones, they combine great looks with smart function and design. Dual ring cook zones save on energy, whilst extendable zones allow you to use specialist cookware, such as fish kettles.

## Quick-therm ceramic hobs

With their electronic touch controls and flexible cooking zones, our ceramic hobs combine great looks with smart function and design. The smooth ceramic glass hob surface is tough and durable, as well as practical and easy to clean.

## Dual zones

Available on select hobs, this energy-saving feature allows you to select a smaller cook zone for small pans, and a larger zone for larger pans.

## Extendable zone

The cooking zone can be extended, giving you a much larger area to accommodate big saucepans, fish kettles and other special cooking dishes.

## Timer

99-minute timer with acoustic tone, which automatically switches off the zone once the cooking time has come to an end.

## 2-stage residual heat display

Provides clear indication of when a zone is still hot after it has been turned off. There are two levels: 'H' – residual heat sufficient to finish off cooking or to keep items warm and 'h' – residual heat insufficient to cook, but zone is still hot enough for caution.

## Emergency stop

Allows you to switch all cook zones off at the touch of a single button – ideal if the doorbell rings.

## Automatic boil start

The cooking zone may be set to operate at full power for a period of time before reverting to a pre-set power level.

## Automatic safety shut off

If the hob is left unattended for an extended period of time, the safety shut off facility ensures the hob turns itself off.

## Safety lock

Featured as standard on all touch control models, it prevents the hob from being inadvertently operated.



# Your kitchen will become your favourite room at home.

Bosch rangehoods ensure that odours,  
grease and steam are eliminated effectively.

Your kitchen isn't just a place where you cook food. You spend time there with your friends and family, sharing recipes, laughing and hovering around the cooktop while playing the perfect host. That's why, Bosch rangehoods offer optimum air extraction to effectively eliminate unwanted odours, grease and steam to ensure that nothing comes in between these perfect moments.





# Bosch in every detail.

The features that set us apart.

Whether you have an open-plan kitchen and living-room, or a small closed-off kitchen, Bosch rangehoods offer optimum air extraction for kitchens of all sizes.

## Design

Worktop integrated halogen lighting ensures that the cooking area is clearly illuminated. The halogen bulbs are more efficient than standard lights. Some models feature SoftLight with a dimmer function.

Bosch also provides you with the Inclined & Flat Hoods, giving you the complete freedom in your kitchen design.

## Performance

### Ducted extraction

Ducting out is the most effective method of extraction. Ducted extraction is suitable if the hood can be sited on an outside wall, or an outside wall can be reached via ducting.

### Re-circulated air operation

If an outside wall cannot be reached, the rangehood can be set up for re-circulated air operation. Air is drawn into the appliance through the filters to neutralise odours and remove grease particles. The cleaned air is then returned to the kitchen. A carbon filter or re-circulating kit is necessary for re-circulation (optional accessory).

The re-circulation operation of a rangehood is based on the principle of air exchange. Instead of extracting kitchen vapours to the outside, like a ducted system, taking in fresh air through the window, the vapours are filtered and purified during the re-circulation operation. The air is constantly renewed in a continuous cycle. An active carbon filter is always required for the purpose: Either as a standard active carbon filter or CleanAir module.

### Re-circulating kit

Contains a carbon filter and any other necessary components to ensure that odour-free air is returned into the kitchen. To ensure that the hood performance is maintained, the carbon filter should be replaced on a regular basis.

### CleanAir module

The large slatted surface of the special active carbon filter in the CleanAir module guarantees 95% odour reduction. That is every bit as good as the ducted system and up to 25% better than a conventional ducted system. The surface area of the special active carbon filter is the equivalent of around 50 football pitches.

### Standard active carbon filter

You can also choose the re-circulated starter kit for re-circulation operation. It contains an active carbon filter, which eliminates unpleasant odours and is easy to install and replace.

## Built-in Cooking Appliances - Warming Drawer / Oven

## Notes:

---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---

**Serie | 8**  
**BIC630NS1M**  
**Warming drawer**
**Type of oven / heating system:**

- Easy to clean heated ceramic glass base
- Temperature control in 4 levels: ca. 30°C - 80°C (glass surface temperature)
- Cavity volume: 20 l

**Comfort:**

- Loading up to 25 kg
- Max. loading espresso cups: 64 PC or Max. loading plates: 12 PC
- 5 Functions: dough proving thawing of delicate foods keeping drinks and food warm pre-warming of crockery gentle cooking
- Telescopic pull-out drawer
- cool door
- push&pull

**Technical Info:**

- Length of mains cable: 150 cm
- Connection load 0.81 kW
- Appliance dimension (hxwx): 140 mm x 594 mm x 548 mm
- Niche dimension (hxwx): 140 mm x 560 mm - 568 mm x 550 mm

**Serie | 2**  
**HBN211E2M**  
**Built-in single oven Stainless steel**


- Heating system multifunction (4 heating modes: Circulating Air, hot air grilling, Top/bottom heat, Full width variable grill)
- Temperature range 50 °C - 270 °C
- mechanical timer
- Cavity volume: 66 l
- Interior lighting
- Enamelled cavity (brown)
- Oven cavity with removable rack supports
- 1 x combination grid, 1 x universal pan
- Integral cooling fan
- Removable oven door for easy-cleaning
- Total connected load electric: 2.8 KW
- Appliance dimension (hxwx): 595 mm x 595 mm x 548 mm
- Cable with plug (1.00 m)
- Energy efficiency rating (acc. EU Nr. 65/2014):
- Energy consumption per cycle in conventional mode: 0.96 kwh
- Energy consumption per cycle in fan-forced convection mode: 0.88 kwh
- Number of cavities: 1
- Heat source: electrical

**Serie | 2**  
**HBF113BR0M**  
**Oven Stainless steel**  
**55 cm dishwasher, taller height**
**Type of oven / heating system:**

- Oven with 6 heating methods: Hot air, Top/bottom heat, hot air grilling, Defrost setting, Hotair gentle, Full width variable grill
- Temperature range 50 °C - 275 °C
- Cavity volume: 66 l

**Design:**

- Rotary Control

**Cleaning:**

- Full glass inner door
- Electronic clock
- Bottom
- Rapid heating-up
- Halogen interior lighting
- Integral cooling fan
- Bar handle

**Accessory:**

- 1 x enamel baking tray, 1 x combination grid, 1 x universal pan

**Environment and Safety:**

- Child lock

**Technical Info:**

- Length of mains cable: 100 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.3 KW
- Energy efficiency rating (acc. EU Nr. 65/2014): A
- Energy consumption per cycle in conventional mode: 0.98 kwh Energy consumption per cycle in fan-forced convection mode: 0.79 kwh
- Number of cavities: 1
- Heat source: electrical
- Cavity volume: 66 l

**Dimensions:**

- Appliance dimension (hxwx): 595 mm x 594 mm x 548 mm
- Niche dimension (hxwx): 560 mm - 568 mm x 575 mm - 597 mm x 550 mm
- \*Please reference the built-in dimensions provided in the installation drawing\*

**Serie | 2**  
**VBC011BROM**  
**Stainless steel 90 cm built-in oven**



**Type of oven / heating system:**

- 90 cm built-in oven with 3 heating methods: Top/bottom heat, Full width grill, Bottom heat
- Temperature range 50 °C - 250 °C
- Cavity volume: 85 l

**Design:**

- Rotary Control, Touch control
- Full glass inner door
- Bottom
- Rapid heating-up
- Elongated halogen light
- Integral cooling fan
- Bar handle

**Accessory:**

- 1 x combination grid, 1 x universal pan

**Environment and Safety:**

- Safety switch

**Technical Info:**

- Length of mains cable: 115 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.1 KW
- Energy efficiency rating (acc. EU Nr. 65/2014):

- Energy consumption per cycle in conventional mode: 1.04 kwh
- Energy consumption per cycle in fan-forced convection mode: 1.09 kwh
- Number of cavities: 1
- Heat source: electrical

**Dimensions:**

- Appliance dimension (hxwx): 475 mm x 896 mm x 572 mm
- Niche dimension (hxwx): 860 mm - 864 mm x 477 mm - 480 mm x 560 mm
- \*Please reference the built-in dimensions provided in the installation drawing

**Serie | 2**  
**VGD011BROM**  
**Stainless steel 90 cm built-in gas oven**



**Type of oven / heating system:**

- Cavity volume: 92 l

**Comfort:**

- Integral cooling fan

**Accessory:**

- 1 x enamel baking tray, 1 x grid

**Technical Info:**

- Length of mains cable: 115 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 0.13 KW
- Energy efficiency rating (acc. EU Nr. 65/2014): Energy consumption per cycle in conventional mode: NO\_FEATURE
- Energy consumption per cycle in fan-forced convection mode: NO\_FEATURE
- Number of cavities: 1
- Heat source: electrical
- Cavity volume: 92 l

**Dimensions:**

- Appliance dimension (hxwx): 594 mm x 896 mm x 570 mm
- Niche dimension (hxwx): 860 mm - 864 mm x 600 mm - 604 mm x 560 mm
- \*Please reference the built-in dimensions provided in the installation drawing"

**Serie | 4**  
**VBC514CRO**  
**Stainless steel 90 cm built-in oven**



**Type of oven / heating system:**

- 90 cm built-in oven with 8 heating methods: Hot Air Standard, Top/bottom heat, Circulating Air, hot air grilling, Full width grill, Bottom heat, Conventional heat gentle
- Temperature range 50 °C - 250 °C
- Cavity volume: 85 l

**Design:**

- Rotary Control, Touch control
- Extra large capacity oven with grey enamel

**Cleaning:**

- Full glass inner door

**Comfort:**

- Electronic clock
- Bottom
- Rapid heating-up
- Elongated halogen light
- Integral cooling fan
- Bar handle

**Accessory:**

- 1 x combination grid, 1 x universal pan

**Environment and Safety:**

- Child lock
- Safety switch
- door contact switch

**Technical Info:**

- Length of mains cable: 115 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.1 KW
- Energy efficiency rating (acc. EU Nr. 65/2014):
- Energy consumption per cycle in conventional mode: 1.04 kwh
- Energy consumption per cycle in fan-forced convection mode: 1.09 kwh
- Number of cavities: 1
- Heat source: electrical
- Cavity volume: 85 l

**Dimensions:**

- Appliance dimension (hxwx): 475 mm x 896 mm x 572 mm
- Niche dimension (hxwx): 860 mm - 864 mm x 477 mm - 480 mm x 560 mm
- Please reference the built-in dimensions provided in the installation drawing"

**Serie | 4**  
**VGD553FRO**  
**Stainless steel 90 cm built-in gas oven**



**Type of oven / heating system:**

- Cavity volume: 102 l

**Comfort:**

- Integral cooling fan

**Accessory:**

- 1 x enamel baking tray, 1 x grid

**Technical Info:**

- Length of mains cable: 115 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.1 KW
- Energy efficiency rating (acc. EU Nr. 65/2014): Energy consumption per cycle in conventional mode: NO\_FEATURE
- Energy consumption per cycle in fan-forced convection mode: NO\_FEATURE
- Number of cavities: 1
- Heat source: electrical
- Cavity volume: 102 l

**Dimensions:**

- Appliance dimension (hxwx): 594 mm x 896 mm x 570 mm
- Niche dimension (hxwx): 860 mm - 864 mm x 600 mm - 604 mm x 560 mm
- \*Please reference the built-in dimensions provided in the installation drawing"

**Serie | 4**  
**VBC554FSO**  
**Stainless steel 90 cm built-in oven**



**Type of oven / heating system:**

- 90 cm built-in oven with 8 heating methods: Hot Air Standard, Top/bottom heat, Circulating Air, hot air grilling, Full width grill, Bottom heat, Conventional heat gentle
- Temperature range 50 °C - 250 °C
- Cavity volume: 85 l

**Design:**

- Rotary Control, Pop-out controls, Touch control
- Extra large capacity oven with grey enamel

**Cleaning:**

- side liners, back panel
- Full glass inner door

**Comfort:**

- Electronic clock
- Bottom
- Rapid heating-up
- Elongated halogen light
- Integral cooling fan
- Bar handle

**Accessory:**

- 1 x enamel baking tray, 1 x combination grid, 1 x universal pan

**Environment and Safety:**

- Child lock
- Safety switch
- door contact switch

**Technical Info:**

- Length of mains cable: 115 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.1 KW
- Energy efficiency rating (acc. EU Nr. 65/2014):
- Energy consumption per cycle in conventional mode: 1.04 kwh
- Energy consumption per cycle in fan-forced convection mode: 1.09 kwh
- Number of cavities: 1
- Heat source: electrical

**Dimensions:**

- Appliance dimension (hxwx): 475 mm x 896 mm x 572 mm
- Niche dimension (hxwx): 860 mm - 864 mm x 477 mm - 480 mm x 560 mm
- \*Please reference the built-in dimensions provided in the installation drawing"

**Serie | 4**  
**VBD554FSO**  
**Stainless steel 90 cm built-in oven**



**Type of oven / heating system:**

- 90 cm built-in oven with 8 heating methods: Hot Air Standard, Top/bottom heat, Circulating Air, hot air grilling, Full width grill, Bottom heat, Conventional heat gentle
- Temperature range 50 °C - 250 °C
- Cavity volume: 112 l

**Design:**

- Rotary Control, Pop-out controls, Touch control

**Cleaning:**

- Side liners, back panel
- Full glass inner door

**Comfort:**

- Electronic clock
- Bottom
- Rapid heating-up
- Elongated halogen light
- Integral cooling fan
- Bar handle

**Accessory:**

- 1 x enamel baking tray, 1 x combination grid, 1 x universal pan

**Environment and Safety:**

- Child lock
- Safety switch
- Door contact switch

**Technical Info:**

- Length of mains cable: 115 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.3 KW
- Energy efficiency rating (acc. EU Nr. 65/2014): Energy consumption per cycle in conventional mode: 1.19 kwh
- Energy consumption per cycle in fan-forced convection mode: 1.27 kwh
- Number of cavities: 1
- Heat source: electrical

**Dimensions:**

- Appliance dimension (hxwx): 594 mm x 896 mm x 570 mm
- Niche dimension (hxwx): 860 mm - 864 mm x 600 mm - 604 mm x 560 mm
- \*Please reference the built-in dimensions provided in the installation drawing"

**Serie | 4**  
**VGD553FB0**  
**Stainless steel 90 cm built-in gas oven**



**Type of oven / heating system:**

- Cavity volume: 92 l

**Comfort:**

- Integral cooling fan

**Accessory:**

- 1 x enamel baking tray, 1 x grid

**Technical Info:**

- Length of mains cable: 115 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 0.13 KW
- Energy efficiency rating (acc. EU Nr. 65/2014):
- Number of cavities: 1
- Heat source: electrical
- Cavity volume: 92 l

**Dimensions:**

- Appliance dimension (hxwx): 594 mm x 896 mm x 570 mm
- Niche dimension (hxwx): 860 mm - 864 mm x 600 mm - 604 mm x 560 mm
- \*Please reference the built-in dimensions provided in the installation drawing\*

**Serie | 4**  
**HGL10G050M**  
**Gas oven**



- 3 Operating methods: Max Rotisserie, Gas bottom heating, Full-surface grill/broiler
- Grill heating element: Gas 2.2 KW
- Oven burner with Knob ignition
- Thermoelectric ignition for hob and oven
- Full glass inner door: Triple glass door
- Oven light
- Oven capacity 60 l
- Preset of liquid gas (28-30/37mbar)
- Natural gas nozzles (20 mbar) included\*

**Serie | 4**  
**HBJ538ES0M**  
**Oven Stainless steel**



**Type of oven / heating system:**

- Oven with 8 heating methods: Hot air, Top/bottom heat, hot air grilling, Pizza setting, Bottom heat, Defrost setting, Hotair gentle, Full width variable grill
- Temperature range 50 °C - 275 °C
- Cavity volume: 66 l

**Design:**

- Rotary Control, Pop-out controls

**Cleaning:**

- Ecolyse features: back panel
- Full glass inner door
- Electronic clock
- Bottom, soft closing
- Rapid heating-up
- Halogen interior lighting
- Integral cooling fan
- Bar handle

**Accessory:**

- 1 x enamel baking tray, 1 x combination grid, 1 x universal pan

**Environment and Safety:**

- Child lock
- Residual heat indicator

**Technical Info:**

- Length of mains cable: 100 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.3 KW
- Energy efficiency rating (acc. EU Nr. 65/2014): A
- Energy consumption per cycle in conventional mode: 0.98 kwh
- Energy consumption per cycle in fan-forced convection mode: 0.79 kwh
- Number of cavities: 1
- Heat source: electrical

**Dimensions:**

- Appliance dimension (hxwx): 595 mm x 594 mm x 548 mm
- Niche dimension (hxwx): 560 mm - 568 mm x 575 mm - 597 mm x 550 mm
- \*Please reference the built-in dimensions provided in the installation drawing\*

**Serie | 4**  
**HGL10E150**  
**Gas oven**



- 3 Operating methods: Full-surface grill/broiler, Max Rotisserie, Gas bottom heating
- Grill heating element: Electric 1.8 KW
- Oven burner with Knob ignition
- Thermoelectric ignition for hob and oven
- Cleaning system: Side
- Full glass inner door: Triple glass door
- Oven light
- Oven capacity 60 l
- Preset of liquid gas (28-30/37mbar)
- Natural gas nozzles (20 mbar) included

**Serie | 4**  
**HBJ538EB0M,**  
**Oven Black**



**Type of oven / heating system:**

- Oven with 8 heating methods: Hot air, Top/bottom heat, hot air grilling, Pizza setting, Bottom heat, Defrost setting, Hotair gentle, Full width variable grill
- Temperature range 50 °C - 275 °C
- Cavity volume: 66 l

**Design:**

- Rotary Control, Pop-out controls

**Cleaning:**

- Ecolyse features: back panel
- Full glass inner door

**Comfort:**

- Electronic clock
- Bottom, soft closing
- Rapid heating-up
- Halogen interior lighting
- Integral cooling fan
- Bar handle

**Accessory:**

- 1 x enamel baking tray, 1 x combination grid, 1 x universal pan

**Environment and Safety:**

- Child lock
- Residual heat indicator

**Technical Info:**

- Length of mains cable: 100 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.3 KW
- Energy efficiency rating (acc. EU Nr. 65/2014): A
- Energy consumption per cycle in conventional mode: 0.98 kwh
- Energy consumption per cycle in fan-forced convection mode: 0.79 kwh
- Number of cavities: 1
- Heat source: electrical

**Dimensions:**

- Appliance dimension (hxwx): 595 mm x 594 mm x 548 mm
- Niche dimension (hxwx): 560 mm - 568 mm x 575 mm - 597 mm x 550 mm
- \*Please reference the built-in dimensions provided in the installation drawing\*

**Serie | 6**  
**HBJ354YS0M**  
**Oven Stainless steel**



**Type of oven / heating system:**

- Oven with 8 heating methods: Hot air, Top/bottom heat, hot air grilling, Pizza setting, Bottom heat, Defrost setting, Hotair gentle, Full width variable grill
- Temperature range 50 °C - 275 °C
- Cavity volume: 66 l

**Design:**

- Rotary Control, Pop-out controls

**Cleaning:**

- Ecolyse features: ceiling, side liners, back panel
- ecolyse program
- Full glass inner door
- Electronic clock
- Bottom, soft closing
- Rapid heating-up
- Halogen interior lighting
- Integral cooling fan
- Bar handle

**Accessory:**

- 1 x enamel baking tray, 1 x combination grid, 1 x universal pan

**Environment and Safety:**

- Child lock
- Residual heat indicator

**Technical Info:**

- Length of mains cable: 100 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.3 KW
- Energy efficiency rating (acc. EU Nr. 65/2014): A
- Energy consumption per cycle in conventional mode: 0.98 kwh
- Energy consumption per cycle in fan-forced convection mode: 0.79 kwh
- Number of cavities: 1
- Heat source: electrical

**Dimensions:**

- Appliance dimension (hxwx): 595 mm x 594 mm x 548 mm
- Niche dimension (hxwx): 560 mm - 568 mm x 575 mm - 597 mm x 550 mm
- \*Please reference the built-in dimensions provided in the installation drawing\*

**Serie | 8**  
**HBG655BS1M**  
**Oven Stainless steel**



**Type of oven / heating system:**

- Oven with 13 heating methods: 4D hot air, Hot Air-Eco, Top/bottom heat, Conventional heat ECO, hot air grilling, Full width grill, Half width grill, Pizza setting, Bottom heat, low emperature cooking, Defrost setting, pre-heating, Hold warm
- Temperature range 50 °C - 275 °C
- Cavity volume: 71 l

**Design:**

- Rotary swivel
- Cavity inner surface: Enamel anthracite

**Cleaning:**

- Ecolyse features: ceiling, back panel, side liners
- ecolyse program
- Full glass inner door

**Comfort:**

- IC6\_CBO\_61
- autom. temperature proposal,
- actual temperature display,
- heating-up control,
- automatic programming
- Sabbath function
- Bottom, soft closing, soft opening
- Supporting systems: Programs
- Number of automatic programmes: 10 PC
- Electronic clock
- Rapid heating-up
- Halogen interior lighting, Switch for oven illumination
- Integral cooling fan
- Stainless-steel fan
- Info button
- Bar handle
- Hook-in racks / rails
- Cavity with shelf support rails, Telescopic slide-out

**Accessory:**

- 2 x combination grid, 1 x universal pan

**Serie | 8**  
**HBG656RS1M**  
**Oven Stainless steel**



**Type of oven / heating system:**

- Oven with 13 heating methods: 4D hot air, Hot Air-Eco, Top/bottom heat, Conventional heat ECO, hot air grilling, Full width grill, Half width grill, Pizza setting, Bottom heat, low temperature cooking, Defrost setting, pre-heating, Hold warm
- Temperature range 50 °C - 275 °C
- Cavity volume: 71 l

**Design:**

- Rotary swivel
- Cavity inner surface: Enamel anthracite

**Cleaning:**

- Ecolyse features: ceiling, back panel, side liners
- ecolyse program
- Full glass inner door

**Comfort:**

- IC6\_CBO\_62
- autom. temperature proposal
- actual temperature display
- heating-up control
- Sabbath function
- Bottom, soft closing, soft opening
- Supporting systems: Dish categories
- baking sensor
- multipoint temperature probe
- Electronic clock
- Rapid heating-up
- Halogen interior lighting, Switch for oven illumination
- Integral cooling fan
- Stainless-steel fan
- Info button
- Bar handle

**Hook-in racks / rails**

- Cavity with shelf support rails, 1 level telescopic shelf, 3 level telescopic shelf rails full extension, Detend function

**Accessory:**

- 2 x combination grid, 1 x universal pan

**Environment and Safety:**

- Maximum window temperature 40° C
- Child lock
- Safety switch
- Residual heat indicator
- start button
- door contact switch

**Technical Info:**

- Length of mains cable: 120 cm
- Total connected load electric: 3.6 KW
- Appliance dimension (hxwx): 595 mm x 594 mm x 548 mm
- Niche dimension (hxwx): 560 mm - 568 mm x 585 mm - 595 mm x 550 mm
- \*Please reference the built-in dimensions provided in the installation drawing"
- Energy efficiency rating (acc. EU Nr. 65/2014): Energy consumption per cycle in conventional mode: 0.87 kwh Energy consumption per cycle in fan-forced convection mode: 0.69 kwh
- Number of cavities: 1 Heat source: electrical

**Environment and Safety:**

- Maximum window temperature 40° C
- Child lock
- Safety switch
- Residual heat indicator
- start button
- Door contact switch

**Technical Info:**

- Length of mains cable: 120 cm
- Total connected load electric: 3.6 KW
- Appliance dimension (hxwx): 595 mm x 594 mm x 548 mm
- Niche dimension (hxwx): 560 mm - 568 mm x 585 mm - 595 mm x 550 mm
- \*Please reference the built-in dimensions provided in the installation drawing"
- Energy efficiency rating (acc. EU Nr. 65/2014): Energy consumption per cycle in conventional mode: 0.87 kwh Energy consumption per cycle in fan-forced convection mode: 0.69 kwh
- Number of cavities: 1
- Heat source: electrical

## Built-in Cooking Appliances - Microwave Ovens

**Serie | 8**  
**HBG6764S6M**  
**Oven**



**Type of oven / heating system:**

- Oven with 13 heating methods: 4D hot air, Hot Air-Eco, Top/bottom heat, Conventional heat ECO, hot air grilling, Full width grill, Half width grill, Pizza setting, Bottom heat, low temperature cooking, Defrost setting, pre-heating, Hold warm
- Temperature range 30 °C - 300 °C
- Cavity volume: 71 l

**Design:**

- Rotary swivel

**Cleaning:**

- Pyrolitic self-cleaning
- Full glass inner door

**Comfort:**

- IC6\_CBO\_62
- Electronic clock
- soft opening
- baking sensor multipoint temperature probe
- Rapid heating-up
- Halogen interior lighting, Switch for oven illumination
- Integral cooling fan
- Bar handle
- WLAN

**Accessory:**

- 2 x combination grid, 1 x universal pan

**Microwave and Heating System**

- Cavity volume: 20 l

**Design:**

- Stainless steel cavity

**Comfort:**

- LED
- electronic clock
- Rotary Control, Pop-out controls, Touch control
- User-friendly electronics: extremely easy and comfortable operation
- automatic programming7
- 4 defrost and 3 cooking programmes in microwave function
- memory function (1 setting)
- LED light
- Turn table 25.5 cm Glass
- side opening door, hinge left

**Accessory:**

- 1 x Turntable

**Environment and Safety:**

- Safety switch
- door contact switch
- Integral cooling fan

**Serie | 6**  
**BFL524MS0M**  
**Built-in microwave oven**



**Serie | 6**  
**BEL554MS0M**  
**Built-in Microwave Oven**



**Microwave and Heating System**

- Grill 1200 W
- Microwave and grill for separate use and in Kombination nutzbar
- Cavity volume: 25 l

**Design:**

- Stainless steel cavity

**Comfort:**

- LED
- electronic clock
- Rotary Control, Pop-out controls, Touch control
- User-friendly electronics: extremely easy and comfortable operation
- automatic programming8
- memory function (1 setting)
- LED light
- Turn table 31.5 cm Glass
- side opening door, hinge left

**Accessory:**

- 1 x grid, 1 x Turntable

**Environment and Safety:**

- Safety switch
- door contact switch
- Integral cooling fan

**Environment and Safety:**

- very low door temperature
- Child lock
- Safety switch
- Residual heat indicator
- start button
- door contact switch

**Technical Info:**

- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.6 KW
- Energy efficiency rating (acc. EU Nr. 65/2014): A+
- Energy consumption per cycle in conventional mode: 0.87 kwh
- Energy consumption per cycle in fan-forced convection mode: 0.69 kwh
- Number of cavities: 1
- Heat source: electrical

**Dimensions:**

- Appliance dimension (hxwx): 595 mm x 594 mm x 548 mm
- Niche dimension (hxwx): 560 mm - 568 mm x 585 mm - 595 mm x 550 mm
- \*Please reference the built-in dimensions provided in the installation drawing"

**Technical Info:**

- Length of mains cable: 130 cm
- Total connected load electric: 1.27 KW
- Nominal voltage: 220 - 230 V
- Can be built in a 60 cm wall cupboard (at least 30cm deep)

**Dimensions:**

- Appliance dimension (hxwx): 382 mm x 594 mm x 317 mm
- Niche dimension (hxwx): 560 mm - 568 mm x 362 mm - 365 mm x 300 mm
- \*Please reference the built-in dimensions provided in the installation drawing"

**Technical Info:**

- Length of mains cable: 130 cm
- Total connected load electric: 1.45 KW
- Nominal voltage: 220 - 230 V
- Can be built in a 60 cm wall cupboard (at least 30cm deep)

**Dimensions:**

- Appliance dimension (hxwx): 382 mm x 594 mm x 388 mm
- Niche dimension (hxwx): 560 mm - 568 mm x 380 mm - 382 mm x 550 mm
- \*Please reference the built-in dimensions provided in the installation drawing"

## Built-in Cooking Appliances - Microwave Ovens / Electric Hobs

**Serie | 8**  
**BEL634GS1M**  
**Built-in Microwave**
**Type of oven / heating system:**

- Built-in microwave with 2 heating methods: Microwave
- Combination of Grill and Microwave power levels 360/180/90 W
- Max. Power: 900 W; 5 Microwave power settings (90 W,180 W,360 W,600 W,900 W) with Inverter (MW)
- Cavity volume: 21 l

**Design:**

- Rotary swivel, Touch control
- Cavity inner surface: Stainless steel

**Cleaning:**

- Full glass inner door

**Comfort:**

- IC6\_CBO\_61
- automatic programming
- side opening door, hinge left
- Supporting systems: Programs
- Number of automatic programmes: 10 PC
- LED light
- Info button

**Accessory:**

- 1 x grid, 1 x Glass tray

**Environment and Safety:**

- start button

**Technical Info:**

- Length of mains cable: 150 cm
- Total connected load electric: 1.99 KW
- Appliance dimension (hxwx): 382 mm x 594 mm x 318 mm
- Appliance dimension (hxwx): 560 mm - 568 mm x 362 mm - 382 mm x 300 mm
- Niche dimension (hxwx): 560 mm - 568 mm x 362 mm - 382 mm x 300 mm
- \*Please reference the built-in dimensions provided in the installation drawing\*

**Serie | 8**  
**CMG656BS1M**  
**Compact oven with microwave**
**Type of oven / heating system:**

- Compact oven with microwave with 12 heating methods:4D hot air, Hot Air-Eco, Top/bottom heat, Conventional heat ECO, hot air grilling, Full width grill, Half width grill, Pizza setting, Bottom heat, low temperature cooking, pre-heating, Hold warm
- Additional heating methods with microwave: Microwave, Combi microwave variable
- Temperature range 30 °C - 300 °C
- Max. Power: 900 W; 5 Microwave power settings (90 W,180 W,360 W,600 W,900 W) with Inverter (MW)
- Cavity volume: 45 l

**Design:**

- Rotary swivel
- Cavity inner surface: Enamel anthracite

**Cleaning:**

- Ecolyse features: ceiling, side liners, back panel
- ecolyse program
- Microwave top door

**Comfort:**

- IC6\_CBO\_62
- autom. temperature proposal
- actual temperature display
- heating-up control
- Sabbath function
- Supporting systems: Dish categories
- Electronic clock

**Accessory:**

- Rapid heating-up
- LED light, Switch for oven illumination
- Integral cooling fan
- Stainless-steel fan
- Info button
- Bar handle

**Hook-in racks / rails**

- Cavity with shelf support rails, Telescopic slide-out
- Not available

**Accessory:**

- 1 x combination grid, 1 x universal pan

**Environment and Safety:**

- Child lock
- Safety switch
- Residual heat indicator
- start button
- door contact switch

**Technical Info:**

- Length of mains cable: 150 cm
- Total connected load electric: 3.6 KW
- Appliance dimension (hxwx): 455 mm x 594 mm x 548 mm
- Niche dimension (hxwx): 560 mm - 568 mm x 450 mm - 455 mm x 550 mm
- \*Please reference the built-in dimensions provided in the installation drawing\*
- Maximum window temperature 40° C\*

**Serie | 8**  
**PXX875D34E**  
**Induction hob with extractor, autarkic**  
**80 cm Induktions - Ceramic hob**
**Design:**

- Facette front and rear, side profiles

**Quickness:**

- Boost function for all zones
- All

**Comfort:**

- 4 Induction zones
- 3-steps
- Direct Select
- Electronic display
- Timer with switch-off function for all zones
- Alarm clock
- count-up timer, per cooktop
- yes
- yes
- yes

**Power and size:**

- Electronic regulation 17 power levels
- Connected load: 7.4 kW

**Environment+safety:**


- Digital 2 stage residual heat indicator per cooking zone
- Automatic pan recognition sensor
- PowerManagement Function
- Safety switch-off
- Childproof lock
- Whipe protection function
- Main switch
- Individual tunable energy consumption display

**Measurements**

- Length wire connection: 110 cm
- loose insert in packaging

**Optional accessories**

## Built-in Cooking Appliances - Electric Hobs

**Serie | 2**  
**PKF375CA1M**  
**30 cm, Domino ceramic**
**Design:**

- Facette front and rear, side profiles
- Can be combined with all hobs in comfort design
- HighSpeed ceramic glass

**Comfort:**


- 2 HighSpeed cooking zones, including:
- 1 dual zone
- knob
- Surface-mounted controls
- Electronic regulation 9 power levels
- Electric cable, without plug

**Environment+safety:**

- Power on indicator light
- Residual heat indicator for each zone

**Measurements**

- Min. worktop thickness: 20 mm

**Serie | 4**  
**PKE611D17M**  
**60 cm, Ceramic hob**
**Design:**

- Frameless design
- HighSpeed ceramic glass

**Comfort:**

- 4 HighSpeed cooking zones
- Direct Select
- Electronic regulation 17 power levels
- Electronic display

**Environment+safety:**

- Digital 2 stage residual heat indicator per cooking zone
- Childproof lock
- Safety switch-off
- yes
- Power on indicator light
- Main switch

**Measurements**

- Min. worktop thickness: 20 mm

**Serie | 4**  
**PKN811BA1M**  
**80 cm, hob**
**Design:**

- Frameless design

**Comfort:**

- 4 HighSpeed cooking zones, including:
- 1 with extendable oval zone
- 1 dual zone
- Zone extension activation with a Touch sensor
- Direct Select
- Electronic regulation 17 power levels

**Environment+safety:**

- Digital 2 stage residual heat indicator per cooking zone
- Childproof lock
- Safety switch-off
- yes
- Electronic display
- Power on indicator light
- Main switch

**Measurements**

- Min. worktop thickness: 20 mm

**Serie | 6**  
**PKC845FP1M**  
**80 cm, Ceramic hob**



**Design:**

- Frame design

**Comfort:**

- 4 HighSpeed cooking zones, including:
- 1 extendible triple zone
- 2 dual zones
- Zone extension activation with a Touch sensor
- Direct Select
- Electronic regulation 17 power levels
- Electronic display
- Timer with switch-off function for all zones
- Alarm clock
- Wipe protection function

**Environment+safety:**

- Digital 2 stage residual heat indicator per cooking zone
- Childproof lock
- Safety switch-off
- yes
- Power on indicator light
- Main switch
- Individual tunable energy consumption display

**Quickness:**

- PowerBoost function

**Measurements**

- Min. worktop thickness: 20 mm

**Serie | 6**  
**PKF645K17Q**  
**Frame design 60 cm, hob**



**Design:**

- Frame design
- HighSpeed ceramic glass

**Comfort:**

- 4 HighSpeed cooking zones, including:
- 1 dual zone
- Zone extension activation with a Touch sensor
- Electronic regulation 17 power levels
- Electronic display
- Wipe protection function

**Environment+safety:**

- Digital 2 stage residual heat indicator per cooking zone
- Childproof lock
- Safety switch-off
- Power on indicator light
- Main switch
- Total power limited to 5000 W by powermanagement function

**Quickness:**

- Quick start function

**Measurements**

- Min. worktop thickness: 20 mm

**Serie | 6**  
**PKE611F17Q**  
**60 cm, Ceramic hob**



- Frameless design
- HighSpeed ceramic glass
- 4 HighSpeed cooking zones
- Electronic regulation 17 power levels
- Electronic display
- Timer with switch-off function for all zones
- Alarm clock
- Wipe protection function

**Environment+safety:**

- Digital 2 stage residual heat indicator per cooking zone
- Childproof lock
- Safety switch-off
- Power on indicator light
- Main switch
- Individual tunable energy consumption display
- Total power limited to 2900 W by powermanagement function
- Quick start function
- Min. worktop thickness: 20 mm

**Serie | 6**  
**PKN971FB1M**  
**90 cm, Ceramic hob**



**Design:**

- HighSpeed ceramic glass

**Comfort:**

- 4 HighSpeed cooking zones, including:
- 1 with extendable oval zone
- 2 dual zones
- Front control
- Electronic regulation 17 power levels
- Electronic display
- Timer with switch-off function for all zones
- Alarm clock
- yes
- Wipe protection function

**Environment+safety:**

- Main switch
- Power on indicator light
- Digital 2 stage residual heat indicator per cooking zone
- Childproof lock
- Safety switch-off
- Individual tunable energy consumption display
- Total power limited to 7000 W by powermanagement function

**Professional equipment:**

- Direct Select

**Quickness:**

- Quick start function

**Measurements**

- Appliance dimensions: (W/D) 916 mm x 527 mm
- Min. worktop thickness: 20 mm

**Serie | 6**  
**PKF375FP1M**  
**30 cm, Domino ceramic**



**Design:**

- Facette front and rear, side profiles

**Comfort:**

- 2 HighSpeed cooking zones, including:
- 1 dual zone
- Direct Select
- Electronic regulation 17 power levels
- Electronic display
- Timer with switch-off function for all zones
- Alarm clock
- yes

**Environment+safety:**

- Main switch
- Power on indicator light
- Digital 2 stage residual heat indicator per cooking zone
- Childproof lock
- Safety switch-off
- Individual tunable energy consumption display


**Quickness:**

- PowerBoost function

**Measurements**

- Appliance dimensions: (W/D) 306 mm x 527 mm
- Required niche size for installation (HxWxD mm) : 38 x 270 x 490 - 500
- Min. worktop thickness: 20 mm
- Total connected load: 3500 W

**Serie | 4**  
**PUE611BB1E**  
**Frameless design 60 cm Induktions - Ceramic hob**



**Design:**

- Frameless design

**Comfort:**

- 4 Induction zones
- Direct Select
- Electronic display
- Timer with switch-off function for all zones
- Alarm clock
- Automatic pan recognition sensor
- PowerManagement Function
- Safety switch-off
- Childproof lock
- yes
- yes
- Connection cable 1.1 M
- loose insert in packaging
- Connected load: 4.6 kW

**Power and size:**

- Electronic regulation 17 power levels
- Min. worktop thickness: 30 mm

**Environment+safety:**

- Digital 2 stage residual heat indicator per cooking zone
- Main switch

**Quickness:**

- Boost function for all zones

## Cooking Appliances - Electric Hobs / Induction Hobs

**Serie | 6**  
**PXX375FB1E**  
**30 cm, Vario/Domino induction hob**

- Design:**
- Facette front and rear, side profiles
  - Can be combined with all hobs in comfort design
  - Can be combined with 60, 70, 80 and 90 cm hobs

- Comfort:**
- 2-fold
  - Direct Select
  - Timer with switch-off function for all zones
  - Alarm clock
  - count-up timer, per cooktop
  - yes
  - Automatic pan recognition sensor
  - PowerManagement Function
  - Safety switch-off
  - Childproof lock
  - yes
  - yes
  - Connection cable 1.1 M
  - connected directly
  - Connected load: 3.7 kW

- Power and size:**
- Min. worktop thickness: 30 mm

- Environment+safety:**
- Digital 2 stage residual heat indicator per cooking zone
  - Main switch

- Professional equipment:**
- Electronic display
  - Electronic regulation 17 power levels

- Quickness:**
- Boost function for all zones

**Serie | 8**  
**PXX675DV1E**  
**60 cm, Ceramic hob**

- Design:**
- Facette front and rear, side profiles

- Comfort:**
- 4 Induction zones
  - Direct Select
  - 3-steps
  - Electronic display
  - Timer with switch-off function for all zones
  - Alarm clock
  - count-up timer, per cooktop
  - yes
  - yes
  - yes

- Power and size:**
- Electronic regulation 17 power levels

- Environment+safety:**
- Digital 2 stage residual heat indicator per cooking zone
  - Main switch
  - Automatic pan recognition sensor
  - PowerManagement Function
  - Safety switch-off

- Childproof lock
- Whipe protection function
- yes
- Min. worktop thickness: 30 mm
- Connection cable 1.1 M
- Connected load: 7.4 kW
- loose insert in packaging

- Professional equipment:**
- PerfectFry sensor with 5 temperature settings

- Quickness:**
- Boost function for all zones
  - All

**Serie | 8**  
**PXX975DC1E**  
**90 cm, Ceramic hob**

- Design:**
- Facette front and rear, side profiles
  - Can be combined with all hobs in comfort design

- Comfort:**
- 5 Induction cooking zones
  - Direct Select
  - 3-steps
  - Electronic display
  - Electronic regulation 17 power levels
  - Timer with switch-off function for all zones
  - Alarm clock
  - count-up timer, per cooktop
  - Automatic pan recognition sensor
  - PowerManagement Function
  - Safety switch-off
  - Childproof lock
  - Whipe protection function
  - yes
  - yes
  - yes
  - loose insert in packaging
  - Connection cable 1.1 M
  - Connected load: 11.1 kW

- Power and size:**
- Cooking zones: 1 x Ø 400 mmx240 mm, 3.3 KW (max. Power levels 3.7 KW) Induction or 2 x Ø 200 mm, 2.2 KW (max. Powerlevels 3.7 KW) Induction; 1 x Ø 300 mmx240 mm, 2.6 KW (max. Power levels 3.7 KW) Induction; 1 x Ø 400 mmx240 mm, 3.3 KW (max. Power levels 3.7 KW) Induction or 2 x Ø 240 mm, 2.2 KW (max. Power levels 3.7 KW) Induction
  - Min. worktop thickness: 30 mm

- Environment+safety:**
- Digital 2 stage residual heat indicator per cooking zone
  - Main switch

- Professional equipment:**
- PerfectFry sensor with 5 temperature settings

- Quickness:**
- Boost function for all zones

## Cooking Appliances - Induction Hobs / Gas Hobs

**Serie | 8**  
**PXX975KW1E**  
**90 cm, Ceramic hob**

- Design:**
- Facette front and rear, side profiles

- Quickness:**
- Boost function for all zones
  - All

- Comfort:**
- 5 Induction cooking zones
  - Assist
  - 3-steps
  - Direct Select
  - Automatic setting transfer
  - Timer with switch-off function for all zones
  - Alarm clock
  - count-up timer, per cooktop
  - yes
  - yes
  - Home Connect (only in countries where Home Connect service is available)
  - Hob-based hood control (with matching hood)

- Power and size:**
- Cooking zones: 1 x Ø 400 mmx240 mm, 3.3 KW (max. Power levels 3.7 KW) Induction or 2 x Ø 240 mm, 2.2 KW (max. Powerlevels 3.7 KW) Induction; 1 x Ø 300 mmx240 mm, 2.6 KW (max. Power levels 3.7 KW) Induction; 1 x Ø 400 mmx240 mm, 3.3 KW (max. Power levels 3.7 KW) Induction or 2 x Ø 200

- mm, 2.2 KW (max. Power levels 3.7 KW) Induction
- Electronic regulation 17 power levels

- Environment+safety:**
- Digital 2 stage residual heat indicator per cooking zone
  - Main switch
  - Automatic pan recognition sensor
  - PowerManagement Function
  - Safety switch-off
  - Childproof lock
  - Whipe protection function
  - yes

- Professional equipment:**
- PerfectFry sensor with 5 temperature settings
  - Cooking sensor ready (no WSP)

- Measurements
- Measurement: (H/B/T) 51 x 916 x 527 mm
  - Required niche size for installation (HxWxD mm) : 51 x 880 x 490 - 500
  - Min. worktop thickness: 30 mm
  - Connection cable 1.1 M
  - Connected load: 11.1 kW
  - loose insert in packaging

**Serie | 2**  
**PBP6C5B80M**  
**60 cm Gas hob with integrated controls, brushed steel**

- 4 gas burners
- 1 rapid, 2 standard, 1 economy burner
- Front left: Rapid burner 3 KW
- Rear left: Standard burner 1.7 KW
- Rear right: Standard burner 1.7 KW
- Front right: Economy burner 1 KW
- One-hand ignition via control knob via control knobs
- Full flame safety
- Steel pan supports
- Connecting cable 1 m with plug
- Preset of liquid gas (28-30/37mbar)

**Serie | 2**  
**PBP6C5B60M**  
**60 cm Gas hob with integrated controls, brushed steel**

- 4 gas burners
- 1 rapid, 2 standard, 1 economy burner
- Front left: Rapid burner 3 KW
- Rear left: Standard burner 1.7 KW
- Rear right: Standard burner 1.7 KW
- Front right: Economy burner 1 KW
- One-hand ignition via control knob via control knobs
- Full flame safety
- Connecting cable 1 m
- Preset of liquid gas (28-30/37mbar)
- Natural gas nozzles (20 mbar) included

## Built-in Cooking Appliances - Gas Hobs

### Serie | 2 POP6C6B80M 60 cm Gas hob with integrated controls, Hard Glass, black



- 4 gas burners
- 1 rapid, 2 standard, 1 economy burner
- Front left: Rapid burner 3 KW
- Rear left: Standard burner 1.7 KW
- Rear right: Standard burner 1.7 KW
- Front right: Economy burner 1 KW
- One-hand ignition via control knob via control knobs
- Full flame safety
- Steel pan supports
- Connecting cable 1 m with plug
- Preset of liquid gas (28-30/37mbar)\*

### Serie | 6 PCP6A5B90M 60 cm, hob, Stainless steel



- Design:**
- Stainless steel

- Comfort:**
- Step valve 9 steps
  - sword knobs
  - One-hand ignition via control knob
  - Cast iron pan supports

- Power and size:**
- 4 PC
  - 4gas
  - Left rear: Standard burner up to 1.75 KW (depending on gas type)
  - Right rear: Rapid burner up to 3 KW (depending on gas type)
  - Standard burner 1.75 KW
  - Economy burner 1 KW

- Environment+safety:**
- Full flame safety
  - Preset of liquid gas (28-30/37mbar)

- Measurements**
- 100 cm

- Accessories**
- Natural gas nozzles (20 mbar) included

### Serie | 4 PGQ7B5B90M 75 cm, hob, Stainless steel



- Design:**
- Stainless steel top sheet
  - Cast iron pan supports

- Comfort:**
- sword knobs
  - One-hand ignition via control knob

- Power and size:**
- 5 PC
  - 4gas+wok (center)
  - Economy burner 1 KW
  - Left rear: Standard burner up to 1.75 KW (depending on gas type)
  - Center front: WOK burner up to 0.33 KW (depending on gas type)
  - Right rear: Rapid burner up to 3 KW (depending on gas type)
  - Standard burner 1.75 KW

- Environment+safety:**
- Preset of liquid gas (28-30/37mbar)
  - Full flame safety

**Measurements**

- Required niche size for installation (HxWxD mm) : 45 x 560 x 480 - 492
- Appliance dimensions: (W/D) 750 mm x 520 mm
- Min. worktop thickness: 30 mm
- 150 cm

**Accessories**

- Natural gas nozzles (20 mbar) included

### Serie | 6 PCQ9B5O90M 90 cm, hob, Stainless steel



- Design:**
- Stainless steel

- Comfort:**
- cylindrical knobs
  - One-hand ignition via control knob
  - Cast iron pan supports

- Power and size:**
- 5 PC
  - 4gas+wok (center)
  - Left rear: Standard burner up to 1.75 KW (depending on gas type)
  - Right rear: Rapid burner up to 3 KW (depending on gas type)
  - Center: WOK burner up to 4 KW (depending on gas type)
  - Economy burner 1 KW
  - Standard burner 1.75 KW

- Environment+safety:**
- Full flame safety
  - Preset of liquid gas (28-30/37mbar)

- Measurements**
- 100 cm

- Accessories**
- Natural gas nozzles (20 mbar) included

### Serie | 6 PCR9A5B90M 90 cm, hob, Stainless steel



- Design:**
- Stainless steel

- Comfort:**
- Step valve 9 steps
  - sword knobs
  - One-hand ignition via control knob
  - Cast iron pan supports

- Power and size:**
- 5 PC
  - 4gas+wok (center DUAL)
  - Left rear: Standard burner up to 1.75 KW (depending on gas type)
  - Right rear: Rapid burner up to 3 KW (depending on gas type)
  - Center: WOK burner up to 5 KW (depending on gas type)
  - Economy burner 1 KW
  - Standard burner 1.75 KW

- Environment+safety:**
- Full flame safety
  - Preset of liquid gas (28-30/37mbar)

- Measurements**
- 100 cm

- Accessories**
- Natural gas nozzles (20 mbar) included

### Serie | 6 PPQ9B6O90M 90 cm, hob, Hard Glass, Black



- Design:**
- Hard Glass Black
  - Cast iron separable w rub feet
  - frameless

- Comfort:**
- cylindrical knobs
  - Easy to clean Hard Glass surface.
  - One-hand ignition via control knob

- Power and size:**
- 5 PC
  - dual-circuit burner
  - 4gas+wok (center)
  - Left rear: Standard burner up to 1.75 KW (depending on gas type)
  - Right rear: Rapid burner up to 3 KW (depending on gas type)
  - Center: WOK burner up to 4 KW (depending on gas type)
  - Economy burner 1 KW
  - Standard burner 1.75 KW

- Environment+safety:**
- Preset of liquid gas (28-30/37mbar)
  - Full flame safety

- Accessories**
- Natural gas nozzles (20 mbar) included

- Measurements**
- 100 cm

## Built-in Cooking Appliances - Gas Hobs / Hoods

**Serie | 6**  
**PPS9A6B90M**  
**90 cm, hob, Hard Glass, Black**
**Design:**

- Hard Glass Black
- frameless

**Comfort:**

- Step valve 9 steps
- sword knobs
- One-hand ignition via control knob
- Cast iron separable w rub feet

**Power and size:**

- 5 PC
- dual-circuit burner
- 4gas+wok (left)
- Right rear: Rapid burner up to 3 KW (depending on gas type)
- WOK burner up to 4 KW (depending on gas type)
- Standard burner up to 1.75 KW (depending on gas type)
- Center front: Economy burner up to 0.33 KW (depending on gas type)
- Standard burner 1.75 KW

**Environment+safety:**

- Full flame safety
- Preset of liquid gas (28-30/37mbar)

**Measurements**

- 150 cm

**Accessories**

- Natural gas nozzles (20 mbar) included\*

**Serie | 8**  
**PRB3A6D70M**  
**30 cm, Vario/Domino gas hob w control, Ceramic glass**
**Design:**

- Ceramic glass

**Comfort:**

- Step valve 9 steps
- Electronic display
- sword knobs
- One-hand ignition via control knob
- Cast iron pan supports
- Pan supports dishwasher proof

**Power and size:**

- 2 PC
- 1 rapid, 1 standard burner
- High-speed burner up to 2.8 KW (depending on gas type)
- Center front: Standard burner up to 0.4 KW (depending on gas type)

**Environment+safety:**

- Full flame safety
- 2-fold residual heat indicator
- Preset of liquid gas (28-30/37mbar)

**Measurements**

- 100 cm

**Accessories**

- Natural gas nozzles (20 mbar) included

**Serie | 4**  
**DHU665CGB**  
**Conventional hood, 60 cm**
**Features**

- 600 mm width
- Suitable for ducted or re-circulated extraction
- Push button controls for 3 speeds
- Twin motor
- Ducted extraction rate according to DIN/EN 61591: max. 350 m<sup>3</sup>/h
- Adjustable glass visor
- Metal grease filter, dishwasher safe

**Technical Information**

- Noise level according to EN 60704-3 und EN 60704-2-13 at max. normal use exhaust air: 68 dB(A) re 1 pW (56 dB(A) re 20 µPa sound pressure)
- Dimensions exhaust air (HxWxD): 150 x 600 x 482 mm
- Dimensions recirculating (HxWxD): 150 x 600 x 482 mm
- 120 mm diameter pipe
- Power rating: 306 W
- 2 x 28 W halogen - energy saving lamps

## Built-in Cooking Appliances - Gas Hobs / Hoods

**Serie | 4**  
**DHU965CGB**  
**Conventional hood, 90 cm**
**Features**

- 900 mm width
- Suitable for ducted or re-circulated extraction
- Push button controls for 3 speeds
- Twin motor
- Ducted extraction rate according to DIN/EN 61591: max. 350 m<sup>3</sup>/h
- Adjustable glass visor
- Metal grease filter, dishwasher safe

**Technical Information**

- Noise level according to EN 60704-3 und EN 60704-2-13 at max. normal use exhaust air: 68 dB(A) re 1 pW (56 dB(A) re 20 µPa sound pressure)
- 120 mm diameter pipe
- Power rating: 306 W
- 2 x 28 W halogen - energy saving lamps
- Average Energy Consumption: NO\_FEATURE kWh/year\*
- Blower Efficiency Class: NO\_FEATURE\*
- Grease Filtering Efficiency Class: NO\_FEATURE\*
- Noise min./max. Normal Level: NO\_FEATURE/68 dB\*

**Serie | 2**  
**DWP64CC50M**  
**Wall mounted hood Chimney hood, 60 cm**


- Appliance colour: Stainless steel
- Suitable for ducted or re-circulated extraction
- 3 speeds control
- Push buttons for extractor speeds and light
- Metal grease filter, dishwasher safe
- Dimensions exhaust air (HxWxD): 790-1015 x 598 x 470 mm
- Dimensions recirculating (HxWxD): 790-1015 x 598 x 470 mm
- Light Intensity: 1000 lux
- Colour Temperature: 4000 K
- Energy Efficiency Class: D\*
- Lighting Efficiency Class: A\*
- Grease Filtering Efficiency Class: C\*

**Serie | 2**  
**DWP94CC50M**  
**Wall mounted hood Chimney hood, 90 cm**
**Environment and safety:**

- Energy Efficiency Class: D\*
- Blower Efficiency Class: E\*
- Lighting Efficiency Class: A\*
- Grease Filtering Efficiency Class: C\*
- Average Energy Consumption: 72.8 kWh/year\*

**Comfort:**

- Push buttons for extractor speeds and light
- Metal grease filter, dishwasher safe

**Operating and power:**

- Suitable for ducted or re-circulated extraction
- Suitable for ducted or re-circulated extraction
- 3 speeds control
- Power rating: 135 W

**Measures:**

- 150 mm diameter pipe
- Ducted extraction rate according to DIN/EN 61591max. 380 m<sup>3</sup>/h
- Dimensions exhaust air (HxWxD): 790-1015 x 898 x 470 mm
- Dimensions recirculating (HxWxD): 790-1015 x 898 x 470 mm

- Noise level according to EN 60704-3 und EN 60704-2-13 at max. normal use exhaust air: 64 dB(A) re 1 pW (50 dB(A) re 20 µPa sound pressure)
- Noise min./max. Normal Level: 53/64 dB\*
- Light Intensity: 1000 lux
- Colour Temperature: 4000 K\*

## Built-in Cooking Appliances - Chimney hood

**Serie | 2**  
**DWB94BC51B**  
**Chimney hood, 90 cm**


- Box common design - Stainless steel
- Energy Efficiency Class: D\*
- Average Energy Consumption: 53.2 kWh/year\*
- Blower Efficiency Class: E\*
- Lighting Efficiency Class: A\*
- Grease Filtering Efficiency Class: C\*
- Noise min./max. Normal Level: 49/64 dB\*
- Chimney hood
- Appliance colour: Stainless steel
- 90 cm Chimney hood
- 900 mm width
- Suitable for ducted or re-circulated extraction
- For recirculated extraction or CleanAir recirculation kit (accessory) needed
- Wall mounted hood
- Push buttons for extractor speeds and light
- 3 speeds via Push buttons
- 3 speeds control
- Twin channel high performance fan motor
- 2 x 1.5W LED
- Light Intensity: 90 lux
- Colour Temperature: 3500 K
- Metal grease filter, dishwasher safe
- Ducted extraction rate according to DIN/EN 61591max. 330 m<sup>3</sup>/h
- Maximum extraction rate exhaust air 330 m<sup>3</sup>/h according to EN 61591
- Noise level according to EN 60704-3 und EN 60704-

- 2-13 at max. normal use exhaust air: 64 dB(A) re 1 pW (52 dB(A) re 20 µPa sound pressure)
- Diameter pipe Ø 150 mm (Ø 120 mm enclosed)
- Max. extraction rate: 330 m<sup>3</sup>/h
- Extraction rate in recirculation mode: Max. normal use: 190 m<sup>3</sup>/h
- Noise level in recirculation mode: Max. normal use: 66 dB(A) re 1 pW (54 dB(A) re 20 µPa sound pressure)
- Dimensions exhaust air (HxWxD): 635-965 x 900 x 500 mm
- Dimensions recirculating (HxWxD): 635-1075 x 900 x 500 mm
- Dimensions recirculating with CleanAir module (HxWxD): 703 x 900 x 500 mm - mounting with outer chimney 833-1163 x 900 x 500 mm - mounting with telescopic chimney
- Dimensions recirculating with cleanAir module (HxWxD): 703 x 900 x 500 mm - mounting with outer chimney 833-1163 x 900 x 500 mm - mounting with telescopic chimney
- Dimensions recirculating with CleanAir module (HxWxD): 703 x 900 x 500 mm - mounting with outer chimney 833-1163 x 900 x 500 mm - mounting with telescopic chimney
- Power rating: 100 W
- Electrical cable length 1.3 m

**Serie | 2**  
**DWB64BC51B**  
**Chimney hood, 90 cm**


- Box common design - Stainless steel
- Energy Efficiency Class: D\*
- Average Energy Consumption: 53.2 kWh/year\*
- Blower Efficiency Class: E\*
- Lighting Efficiency Class: A\*
- Grease Filtering Efficiency Class: C\*
- Noise min./max. Normal Level: 49/64 dB\*
- Chimney hood
- Appliance colour: Stainless steel
- 60 cm Chimney hood
- 600 mm width
- Suitable for ducted or re-circulated extraction
- For recirculated extraction or CleanAir recirculation kit (accessory) needed
- Wall mounted hood
- Push buttons for extractor speeds and light
- 3 speeds via Push buttons
- 3 speeds control
- Twin channel high performance fan motor
- 2 x 1.5W LED
- Light Intensity: 90 lux
- Colour Temperature: 3500 K
- Metal grease filter, dishwasher safe
- Ducted extraction rate according to DIN/EN 61591max. 330 m<sup>3</sup>/h
- Maximum extraction rate exhaust air 330 m<sup>3</sup>/h according to EN 61591

- Noise level according to EN 60704-3 und EN 60704-2-13 at max. normal use exhaust air: 64 dB(A) re 1 pW (52 dB(A) re 20 µPa sound pressure)
- Diameter pipe Ø 150 mm (Ø 120 mm enclosed)
- Max. extraction rate: 330 m<sup>3</sup>/h
- Extraction rate in recirculation mode: Max. normal use: 190 m<sup>3</sup>/h
- Noise level in recirculation mode: Max. normal use: 66 dB(A) re 1 pW (54 dB(A) re 20 µPa sound pressure)

**Serie | 4**  
**DWK065G60M**  
**Chimney hood, 60 cm Inclined glass brand design - black**


- Chimney hood
- 596 mm width
- black with glass canopy
- Suitable for ducted or re-circulated extraction
- TouchControl with Electronic display
- Electronic via TouchControl with Electronic display
- 3 speeds control
- 2 x
- Filter cover glass
- Metal grease filter, dishwasher safe
- Extraction rate according to DIN/EN 61591 Ø 15 cm: max. Normal 530 m<sup>3</sup>/h Intensive NO\_FEATURE m<sup>3</sup>/h
- Noise level according to EN 60704-3 und EN 60704-2-13 exhaust air: Max. normal use: 70 dB(A) re 1 pW (56 dB(A) re 20 µPa sound pressure) Intensive: 70 dB(A) re 1 pW (NO\_FEATURE dB(A) re 20 µPa sound pressure)
- Dimensions exhaust air (HxWxD): NO\_FEATURE x 596 x 386 mm
- Dimensions recirculating (HxWxD): NO\_FEATURE x 596 x 386 mm

- Power rating: 216 W
- Wall mounted hood
- Recirculating kit
- Rim extraction
- Twin channel high performance fan motor
- Diameter pipe Ø 150 mm (Ø 120 mm enclosed)

**Serie | 4**  
**DWK095G60M**  
**Chimney hood Inclined glass brand design - black**


- 90 cm Chimney hood
- 896 mm width
- black with glass canopy
- Suitable for ducted or re-circulated extraction
- Recirculating kit
- Wall mounted hood
- TouchControl with Electronic display
- Electronic via TouchControl with Electronic display
- 3 speeds control
- Filter cover glass
- Metal grease filter, dishwasher safe
- Extraction rate according to DIN/EN 61591 Ø 15 cm: max. Normal 580 m<sup>3</sup>/h Intensive NO\_FEATURE m<sup>3</sup>/h
- Noise level according to EN 60704-3 und EN 60704-2-13 exhaust air: Max. normal use: 70 dB(A) re 1 pW (56 dB(A) re 20 µPa sound pressure) Intensive: 70 dB(A) re 1 pW (NO\_FEATURE dB(A) re 20 µPa sound pressure)
- Dimensions exhaust air (HxWxD): 750-1080 x 896 x 386 mm
- Dimensions recirculating (HxWxD): 860-1080 x 896 x 386 mm
- Diameter pipe Ø 150 mm (Ø 120 mm enclosed)

**Serie | 4**  
**DWB97DM50B**  
**Chimney hood, 90 cm**


- Box brand design - Stainless steel
- Energy Efficiency Class: B\*
- Average Energy Consumption: 59.5 kWh/year\*
- Blower Efficiency Class: A\*
- Lighting Efficiency Class: A\*
- Grease Filtering Efficiency Class: B\*
- Noise min./max. Normal Level: 52/65 dB\*
- Chimney hood
- Appliance colour: Stainless steel
- 90 cm Chimney hood
- 900 mm width
- Suitable for ducted or re-circulated extraction
- For recirculated extraction or CleanAir recirculation kit (accessory) needed
- Wall mounted hood
- TouchControl for extractor speeds and light
- 3-stage + intensive via TouchControl
- 3-stage + intensive control
- Twin channel high performance fan motor
- 2 x 1.5W LED
- Light Intensity: 221 lux
- Colour Temperature: 3500 K
- Metal grease filter, dishwasher safe
- Ducted extraction rate according to DIN/EN 61591max. 450 m<sup>3</sup>/h
- Maximum extraction rate exhaust air 450 m<sup>3</sup>/h according to EN 61591
- Noise level according to EN 60704-3 und EN 60704-

- 2-13 at max. normal use exhaust air: 65 dB(A) re 1 pW (53 dB(A) re 20 µPa sound pressure)
- Diameter pipe Ø 150 mm (Ø 120 mm enclosed)
- Max. extraction rate: 710 m<sup>3</sup>/h
- Extraction rate in recirculation mode: Max. normal use: 320 m<sup>3</sup>/h
- Noise level in recirculation mode: Max. normal use: 74 dB(A) re 1 pW (62 dB(A) re 20 µPa sound pressure)
- Dimensions exhaust air (HxWxD): 635-965 x 900 x 500 mm
- Dimensions recirculating (HxWxD): 635-1075 x 900 x 500 mm
- Dimensions recirculating with CleanAir module (HxWxD): 703 x 900 x 500 mm - mounting with outer chimney 833-1163 x 900 x 500 mm - mounting with telescopic chimney
- Dimensions recirculating with cleanAir module (HxWxD): 703 x 900 x 500 mm - mounting with outer chimney 833-1163 x 900 x 500 mm - mounting with telescopic chimney
- Dimensions recirculating with CleanAir module (HxWxD): 703 x 900 x 500 mm - mounting with outer chimney 833-1163 x 900 x 500 mm - mounting with telescopic chimney
- Power rating: 255 W
- Electrical cable length 1.3 m

**Serie | 4**  
**DIB97IM50M**  
**Island chimney hood, 90 cm Box brand design - Stainless steel**


- Energy Efficiency Class: B\*
- Average Energy Consumption: 66.2 kWh/year\*
- Blower Efficiency Class: A\*
- Lighting Efficiency Class: A\*
- Grease Filtering Efficiency Class: B\*
- Noise min./max. Normal Level: 45/57 dB\*
- Island chimney hood
- 898 mm width
- Appliance colour: Stainless steel
- Suitable for ducted or re-circulated extraction
- For recirculated extraction or CleanAir recirculation kit (accessory) needed
- Ceiling mounted hood
- TouchControl for extractor speeds and light
- Electronic
- TouchControl with Electronic display
- 3-stage + intensive via TouchControl
- Electronic via TouchControl with Electronic display
- TouchControl (3-stage + intensive) with
- 3-stage + intensive control
- easy to clean Inner frame
- Capacitor energy efficient
- 4 x 1.5W LED
- Light Intensity: 425 lux
- Colour Temperature: 3500 K
- Metal grease filter, dishwasher safe
- Extraction rate according to DIN/EN 61591 Ø 15 cm: max. Normal 430 m<sup>3</sup>/h Intensive 720 m<sup>3</sup>/h
- Ducted extraction rate according to DIN/EN 61591max. 430 m<sup>3</sup>/h
- Maximum extraction rate exhaust air 430 m<sup>3</sup>/h

- according to EN 61591
- Extraction rate exhaust air according to EN 61591: max. normal use 430 m<sup>3</sup>/h, intensive 720 m<sup>3</sup>/h
- Dimensions recirculating with CleanAir module (HxWxD): 812-1044 x 898 x 600 mm
- Additional noise insulation
- Noise level according to EN 60704-3 und EN 60704-2-13 at max. normal use exhaust air: 57 dB(A) re 1 pW (45 dB(A) re 20 µPa sound pressure)
- Noise level according to EN 60704-3 und EN 60704-2-13 exhaust air: Max. normal use: 57 dB(A) re 1 pW (45 dB(A) re 20 µPa sound pressure) Intensive: 68 dB(A) re 1 pW (56 dB(A) re 20 µPa sound pressure)
- Diameter pipe Ø 150 mm (Ø 120 mm enclosed)
- with one-way flap
- Max. extraction rate: 720 m<sup>3</sup>/h
- Extraction rate in recirculation mode: Max. normal use: 330 m<sup>3</sup>/h Intensive: 420 m<sup>3</sup>/h
- Noise levels in recirculation mode: Max. normal use: 72 dB(A) re 1 pW (60 dB(A) re 20 µPa sound pressure) Intensive: 76 dB(A) re 1 pW (64 dB(A) re 20 µPa sound pressure)
- Dimensions exhaust air (HxWxD): 744-924 x 898 x 600 mm
- Dimensions recirculating (HxWxD): 744-1044 x 898 x 600 mm
- Power rating: 256 W
- Electrical cable length 1.3 m
- Voltage: 220 - 240 V\*

**Serie | 8**  
**DWF97RV60B**  
**Chimney hood, 90 cm - black**  
**with glass canopy**



- Energy Efficiency Class: A\*
- Average Energy Consumption: 37.2 kWh/year\*
- Blower Efficiency Class: A\*
- Lighting Efficiency Class: A\*
- Grease Filtering Efficiency Class: B\*
- Noise min./max. Normal Level: 44/57 dB\*
- Chimney hood
- 90 cm
- Appliance colour: black
- clear glass black printed
- Suitable for ducted or re-circulated extraction
- In recirculation operation chimneyless use possible
- For recirculated extraction a recirculating kit or a CleanAir recirculation kit (accessory) is needed
- Wall mounted hood Remote Monitoring and Control (only in countries where Home Connect service is available)
- cooktop (with matching cooktop)
- Gas spring 3
- TouchControl for extractor speeds and light
- Electronic
- TouchControl with Electronic display
- via TouchControl
- Electronic via TouchControl with 2x7-segment, Electronic display
- TouchControl (3-stage + 2 intensive) with control
- 2 capture areas: front side and bottom side
- easy to clean Inner frame
- Operation with gas cooktop not allowed
- Light dimmer function
- SoftLight, Light dimmer function
- BLDC for Ventilation
- 2 single inlet vertical, BLDC for Ventilation
- 2 x 3W LED
- Light Intensity: 460 lux
- Colour Temperature: 3500 K
- Rim extraction
- grease- and charcoal filter
- Filter cover glass
- Metal grease filter, dishwasher safe
- Extraction rate according to DIN/EN 61591 ø 15 cm: max. Normal 420 m³/h Intensive 730 m³/h
- Ducted extraction rate according to DIN/EN 61591 max. 420 m³/h
- Maximum extraction rate exhaust air 420 m³/h according to EN 61591
- Extraction rate exhaust air according to EN 61591: max. normal use 420 m³/h, intensive 730 m³/h
- Noise level according to EN 60704-3 und EN 60704-2-13 at max. normal use exhaust air: 57 dB(A) re 1 pW (44 dB(A) re 20 µPa sound pressure)
- Noise level according to EN 60704-3 und EN 60704-2-13 exhaust air: Max. normal use: 57 dB(A) re 1 pW (44 dB(A) re 20 µPa sound pressure)

- Intensive: 57 dB(A) re 1 pW (56 dB(A) re 20 µPa sound pressure)
- Diameter pipe Ø 150 mm (Ø 120 mm enclosed)
- Max. extraction rate: 730 m³/h
- Extraction rate in recirculation mode: Max. normal use: 290 m³/h Intensive: 520 m³/h
- Noise levels in recirculation mode: Max. normal use: 60 dB(A) re 1 pW (46 dB(A) re 20 µPa sound pressure) Intensive: 73 dB(A) re 1 pW (60 dB(A) re 20 µPa sound pressure)
- Power rating: 146 W
- Dimensions exhaust air (HxWxD): 1019-1289 x 890 x 263 mm
- Dimensions recirculating, chimney (HxWxD): 1079-1349 x 890 x 263 mm
- Dimensions recirculating with CleanAir module (HxWxD): 1209 x 890 x 263 mm - mounting with outer chimney 1279-1549 x 890 x 263 mm - mounting with telescopic chimney
- Dimensions recirculating, chimneyless (HxWxD): 550 mm x 890 x 263 mm
- 7-segment display with control ring
- Remote Monitoring and Control for connected home appliances and operation via smartphone or tablet (only in countries where Home Connect service is available)
- The Home Connect functionality can be extended by integrating numerous applications from external cooperation partners (partnerships)

**Serie | 2**  
**DFT93CA50M**  
**Slimline hood, 90 cm**



- Suitable for ducted or re-circulated extraction
- 3 speeds control
- Single motor
- Ducted extraction rate according to DIN/EN 61591 max. 305 m³/h
- Pull-out vapour with glass
- Dimensions exhaust air (HxWxD): 175-175 x 898 x 300 mm
- Dimensions recirculating (HxWxD): 175-175 x 898 x 300 mm
- Handle strip white
- NO\_FEATURE, dishwasher safe
- Light Intensity: 100 lux
- Colour Temperature: 3000 K
- Noise level according to EN 60704-3 und EN 60704-2-13 at max. normal use exhaust air: 67 dB(A) re 1 pW (53 dB(A) re 20 µPa sound pressure)
- Diameter pipe Ø 150 mm (Ø 150 mm enclosed)
- Power rating: 153 W
- Energy Efficiency Class: D\*
- Average Energy Consumption: 88.6 kWh/year\*
- Blower Efficiency Class: NO\_FEATURE\*
- Lighting Efficiency Class: D\*
- Grease Filtering Efficiency Class: C\*
- Noise min./max. Normal Level: 53/67 dB\*

**Serie | 2**  
**DLN53AA50B**  
**Canopy hood, 49 cm**



- Canopy hood
- Suitable for ducted or re-circulated extraction
- For installation in a modified cupboard, above a hob
- Slide switch for extractor speeds and light
- 3 speeds control
- Paper grease filter with saturation indicator
- 2 x
- Extraction rate according to DIN/EN 61591: max. Normal 160 m³/h Intensive NO\_FEATURE m³/h
- Noise level according to EN 60704-3 und EN 60704-2-13 exhaust air: Max. normal use: 50 dB(A) re 1 pW (36 dB(A) re 20 µPa sound pressure) Intensive: NO\_FEATURE dB(A) re 1 pW (NO\_FEATURE dB(A) re 20 µPa sound pressure)
- Power rating: 121 W
- 120 mm diameter pipe

**Optional accessories**

- Charcoal odour filter DHZ7304
- grease filter DHZ2100
- Energy Efficiency Class: D\*
- Average Energy Consumption: 66.7 kWh/year\*
- Blower Efficiency Class: E\*

- Lighting Efficiency Class: D\*
- Grease Filtering Efficiency Class: D\*
- Noise min./max. Normal Level: 46/61 dB\*
- Light Intensity: 78 lux
- Colour Temperature: 2700 K

**Serie | 2**  
**DFT63CA50M**  
**Slimline hood, 60 cm**



- Suitable for ducted or re-circulated extraction
- 3 speeds control
- Single motor
- Ducted extraction rate according to DIN/EN 61591 max. 305 m³/h
- Pull-out vapour with glass
- Dimensions exhaust air (HxWxD): 175-175 x 598 x 300 mm
- Dimensions recirculating (HxWxD): 175-175 x 598 x 300 mm
- Handle strip white
- Metal grease filter, dishwasher safe
- Light Intensity: 100 lux
- Colour Temperature: 3000 K
- Noise level according to EN 60704-3 und EN 60704-2-13 at max. normal use exhaust air: 67 dB(A) re 1 pW (53 dB(A) re 20 µPa sound pressure)
- Diameter pipe Ø 150 mm (Ø 150 mm enclosed)
- Power rating: 153 W
- Energy Efficiency Class: D\*
- Average Energy Consumption: 88.6 kWh/year\*
- Blower Efficiency Class: NO\_FEATURE\*
- Lighting Efficiency Class: D\*
- Grease Filtering Efficiency Class: C\*
- Noise min./max. Normal Level: 53/67 dB\*\*

**Serie | 8**  
**DDA097G59B**  
**90 cm wide**



- Power:**
- Environment and safety:
- Downdraft for a regular or flush installation in worktops.
- Extension height 401 mm
- Appliance colour: Stainless steel
- Suitable for ducted or re-circulated extraction
- Charcoal filter
- Top
- TouchControl with Electronic display
- 4 speeds plus intensive operation control
- 15 min.
- Twin channel high performance fan motor
- Lighting via 1 x 10 W LED-module
- Light Intensity: 200 lux
- Colour Temperature: 4000 K
- Rim extraction
- Metal grease filter, dishwasher safe
- Extraction rate according to DIN/EN 61591 ø 15 cm: max. Normal 450 m³/h Intensive 710 m³/h
- Noise level according to EN 60704-3 und EN 60704-2-13 exhaust air: Max. normal use: 61 dB(A) re 1 pW (47 dB(A) re 20 µPa sound pressure) Intensive: 70 dB(A) re 1 pW (56 dB(A) re 20 µPa sound pressure)
- Power rating: 285 W
- Dimensions recirculating (HxWxD): 651 - 1052 x 912 x 352 mm

- Dimensions exhaust air (HxWxD): 651 - 1052 x 912 x 352 mm
- Energy Efficiency Class: C\*
- Average Energy Consumption: 110.1 kWh/year\*
- Blower Efficiency Class: C\*
- Lighting Efficiency Class: A\*
- Grease Filtering Efficiency Class: D\*
- Noise min./max. Normal Level: 46/61 dB\*\*

# Built-in Coffee Machines

## Serie | 6 CTL636EB1 Fully automatic espresso maker/fully automatic coffee machine black



### Flavour

- Innovative heating system ""senso flow system""
- One-touch function for personalised milk mix beverage, Cappuccino, Espresso Macchiato, Latte Macchiato, white coffee
- aromaDouble Shot - Extra strong coffee without compromise in aroma
- Beverage temperature adjustable individually: Coffee: 3 grades, Hot water: 4 grades
- optional Brita water filter: Reduces the lime content of water and filters substances affecting smell and taste

### Convenience

- TFT display with interactive menu
- Save 8 favourite beverages with individual names and adjustable mixing ratio of milk and espresso
- 20-250 ml
- Coffee outlet yesheight-adjustable: Even 15cm high Latte Macchiato glasses fit underneath
- Cappuccino: Prepare two cups simultaneously for all coffee and milk specialities
- Removable 2.4 litre water tank
- Early warning when bean container or water tank are close to empty
- Flexible milk solution: Decide for yourself if you prefer connecting the yes milk container or using any other container, e.g. a milk carton
- Short user manual always at hand inside appliance

### Performance

- High-value ceramic grinding unit ""silent ceram drive""
- yes: The grinding unit automatically adjusts to bean variety
- One-touch coffee milk specialities with especially fine-pored milk froth thanks to an innovative

- milk frother
- Yes and Yes available separately
- Reduced heating-up time: fastest first cup!
- Water pump with 19 bar pressure
- Separate container for pre-grounded coffee
- 15.000 cup warranty: Consistently high appliance quality from the first cup to the 15,000th (valid for non-commercial use within 24 months)

### Flavour

- Innovative heating system ""senso flow system""
- One-touch function for Cappuccino, Latte Macchiato, white coffee, personalised milk mix beverage, Espresso Macchiato
- aromaDouble Shot - Extra strong coffee without compromise in aroma
- Beverage temperature adjustable individually: Coffee: 3 grades, Hot water: 4 grades
- optional Brita water filter: Reduces the lime content of water and filters substances affecting smell and taste

### Convenience

- TFT display with interactive menu
- Save 8 favourite beverages with individual names and adjustable mixing ratio of milk and espresso
- 20-250 ml
- Coffee outlet yesheight-adjustable: Even 15cm high Latte Macchiato glasses fit underneath
- Cappuccino: Prepare two cups simultaneously for all coffee and milk specialities
- Removable 2.4 litre water tank
- Early warning when bean container or water tank are close to empty
- Flexible milk solution: Decide for yourself if you prefer connecting the yes milk container or using any other container, e.g. a milk carton
- Short user manual always at hand inside appliance

### Performance

- High-value ceramic grinding unit ""silent ceram drive""
- yes: The grinding unit automatically adjusts to bean variety
- One-touch coffee milk specialities with especially fine-pored milk froth thanks to an innovative milk frother
- Yes and Yes available separately
- Reduced heating-up time: fastest first cup!
- Water pump with 19 bar pressure
- Separate container for pre-grounded coffee
- 15.000 cup warranty: Consistently high appliance quality from the first cup to the 15,000th (valid for non-commercial use within 24 months)

### Hygiene

- Removable brewing unit: Easy and hygienic cleaning under running water
- steam blast: Fully-automatic steam cleaning of the milk system after every beverage
- All milk nozzle parts are easily removable, separable, easy to clean & dishwasher-proof
- yes
- Automatic quick rinse programme when switched on or off
- Removable drip dish including container for coffee grounds
- Fully automatic descaling and cleaning program
- Display of remaining cups before Decalcification, Cleaning, Change of water filter

### Miscellaneous

- Containers for water, milk and coffee beans are easily accessible but hidden behind a door, so the kitchen always looks clean
- Bean container with aroma preserving lid for up to 500grams
- Illumination for keys, yes
- Adjustable grind settings (multilevel)
- Different display languages available
- Child-proof lock: key lock preventing unintended brewing cycle
- Wattage: 1600 W

### Accessories

- Isolated milk container with thermally insulated aluminium housing (0.7 l volume)
- Included accessories: 1 x scoop, 1 x test strip, 1 x connection hose for milk frother, 1 x milk container (insulated), 9 x assembly screws
- Separately available accessories: cleaning tablets (TZ60001), descaling tablets (TCZ8002), BRITA Intenza water filter (TCZ7003), care set for fully-automatic espresso makers (TCZ8004), insulated milk container (TCZ8009N)

### Hygiene

- Removable brewing unit: Easy and hygienic cleaning under running water
- steam blast: Fully-automatic steam cleaning of the milk system after every beverage
- All milk nozzle parts are easily removable, separable, easy to clean & dishwasher-proof
- yes
- Automatic quick rinse programme when switched on or off
- Removable drip dish including container for coffee grounds
- Fully automatic descaling and cleaning program yes
- Display of remaining cups before Change of water filter, Decalcification, Cleaning

### Miscellaneous

- Containers for water, milk and coffee beans are easily accessible but hidden behind a door, so the kitchen always looks clean
- Bean container with aroma preserving lid for up to 500grams
- Illumination for keys, yes
- Adjustable grind settings (multilevel)
- Different display languages available
- Child-proof lock: key lock preventing unintended brewing cycle
- Wattage: 1600 W

### Accessories

- Isolated milk container with thermally insulated aluminium housing (0.7 l volume)
- Included accessories: 1 x scoop, 1 x test strip, 1 x connection hose for milk frother, 1 x milk container (insulated), 9 x assembly screws
- Separately available accessories: cleaning tablets (TZ60001), descaling tablets (TCZ8002), BRITA Intenza water filter (TCZ7003), care set for fully-automatic espresso makers (TCZ8004), insulated milk container (TCZ8009N)\*

## Serie | 8 CTL636ES6 Fully automatic espresso maker/fully automatic coffee machine stainless steel



### Flavour

- Innovative heating system ""senso flow system""
- One-touch function for Espresso Macchiato, Latte Macchiato, Cappuccino, white coffee, personalised milk mix beverage
- aromaDouble Shot - Extra strong coffee without compromise in aroma
- Beverage temperature adjustable individually: Coffee: 3 grades, Hot water: 4 grades
- optional Brita water filter: Reduces the lime content of water and filters substances affecting smell and taste

### Convenience

- TFT display with interactive menu
- Save 8 favourite beverages with individual names and adjustable mixing ratio of milk and espresso
- 20-250 ml
- Coffee outlet yesheight-adjustable: Even 15cm high Latte Macchiato glasses fit underneath
- Cappuccino: Prepare two cups simultaneously for all coffee and milk specialities
- Removable 2.4 litre water tank
- Early warning when bean container or water tank are close to empty
- Flexible milk solution: Decide for yourself if you prefer connecting the yes milk container or using any other container, e.g. a milk carton
- Short user manual always at hand inside appliance

### Performance

- High-value ceramic grinding unit ""silent ceram drive""
- yes: The grinding unit automatically adjusts to bean variety
- One-touch coffee milk specialities with especially fine-pored milk froth thanks to an innovative milk frother
- Yes and Yes available separately
- Reduced heating-up time: fastest first cup!
- Water pump with 19 bar pressure
- Separate container for pre-grounded coffee
- 15.000 cup warranty: Consistently high appliance quality from the first cup to the 15,000th (valid for non-commercial use within 24 months)
- Discover the new way of controlling home appliances: by app. The Home Connect app allows you to access the appliance from anywhere - at home using WiFi, when away from home using the mobile phone network.
- Remote start: Select and configure beverages in the app, then remotely start the beverage preparation
- CoffeePlaylist: Enter multiple beverage wishes in the app at once, e.g. for visitors; the appliance will then prepare them one after another
- CoffeeWorld: 17 additional international coffee specialties are available in the app - from Australian Flat White to Vienna Melange to Colombian Cortado
- Coffee recipes: The app offers a variety of recipes involving coffee, which can be transferred to the appliance or a Home Connect capable oven - from Espresso Crème brûlée to saddle of venison with coffee crunches

- Coffee know-how: The app includes interesting knowledge around the topic coffee, e.g. bean varieties, harvesting methods or roasting techniques
- User manual: A digital user manual is ready to hand at all times in the app
- Customer service: In case of technical problems, the Bosch customer service is able to access the appliance virtually - if you want so
- Security: Security is of top priority at Home Connect. The Home Connect app has been tested and certified by TÜV IT. And the encrypted data transfer via Home Connect protocol protects against unauthorised access.
- The availability of the Home Connect functionality depends on the availability of Home Connect services in your country. Home Connect services are not available in every country - for further information please check [www.home-connect.com](http://www.home-connect.com)

### Hygiene

- Removable brewing unit: Easy and hygienic cleaning under running water
- steam blast: Fully-automatic steam cleaning of the milk system after every beverage
- All milk nozzle parts are easily removable, separable, easy to clean & dishwasher-proof
- yes
- Automatic quick rinse programme when switched on or off
- Removable drip dish including container for coffee grounds
- Fully automatic descaling and cleaning program yes
- Display of remaining cups before Decalcification, Cleaning, Change of water filter

### Miscellaneous

- Containers for water, milk and coffee beans are easily accessible but hidden behind a door, so the kitchen always looks clean
- Bean container with aroma preserving lid for up to 500grams
- Illumination for keys, yes
- Adjustable grind settings (multilevel)
- Different display languages available
- Child-proof lock: key lock preventing unintended brewing cycle
- Wattage: 1600 W

### Accessories

- Isolated milk container with thermally insulated aluminium housing (0.7 l volume)
- Included accessories: 1 x scoop, 1 x test strip, 1 x connection hose for milk frother, 1 x milk container (insulated), 1 x assembly screws
- Separately available accessories: cleaning tablets (TZ60001), descaling tablets (TCZ8002), BRITA Intenza water filter (TCZ7003), care set for fully-automatic espresso makers (TCZ8004), insulated milk container (TCZ8009N)

# Built-in Dishwashers.



## Built-In Dishwashers

## Notes:

---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---

**Serie | 8**  
**SMV88TX46M**  
**60 cm dishwasher, Fully integrated**
**Programmes**

- Capacity: 14 place settings place settings
- Energy consumption in programme Eco 50: 239 kwh per year, based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes. Actual energy consumption will depend on how the appliance is used.
- Energy Class: 5 Energy Stars
- Energy consumption in programme Eco 50: 0.854 kwh
- Power consumption off-mode / left-on mode: 0.5 W / 2 min
- Water consumption in programme Eco 50: 2520 litres per year, based on 280 standard cleaning cycles. Actual water consumption will depend on how the appliance is used.
- Consumption in programme Eco 50: 2520 litres water per year / 239 kwh energy per year. Based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes.
- The information relates to the programme Eco 50. This programme is suitable to clean normally soiled tableware and is the most efficient programme in terms of combined energy and water consumption.
- Programme time in programme Eco 50: 195 min
- Noise level: 42 dB (re 1 pW)
- 40 dB

**General Specification**

- 8 programmes: Intensive 70 °C, Auto 45-65 °C, Eco 50 °C, Night Program 50 °C, Glass 40 °C, Quick wash 65 °C, Quick wash 45 °C, Pre-Rinse
- 5 Special options: Remote Start, VarioSpeedPlus, Half Load, HygienePlus, Extra Dry
- Home Connect enabled via WLAN
- Machine Care
- 5 cleaning temperatures

**Features**

- ActiveWater hydraulic system
- DosageAssist
- BLDC motor for heat and drain pump
- AquaSensor, Load Sensor

- Detergent Automation
- Heat exchanger
- Alternating spray
- Regenerative electronics
- Self-cleaning filter system with 3-fold corrugated filter

**Baskets and Racks**

- black
- Push button top controls
- TFT Display inside
- Acoustic end of cycle indicator
- Real Time Clock
- LED colour on indicators red/-
- Electronic delay timer: 1-24 hours
- LED salt refill indicator
- LED rinse aid refill indicator
- high 642 yes
- Cutlery drawer 2.1

**Safety**

- Silver XXL baskets
- Rackmatic 3-stage
- 6 foldable plate racks in top basket
- 8 foldable plate racks in bottom basket
- 2 lever (long/short) 2
- 2 shelves in bottom basket
- Stemware support

**Technical Information**

- AquaStop - Prevent Water Leakage
- Childproof door lock
- Servo-lock
- Stainless steel
- Dimensions of the product (HxWxD): 81.5 x 59.8 x 55 cm

**Serie | 2**  
**SPV25CX10M**  
**Silence Plus 45 cm dishwasher Fully integrated**


- Capacity: 9 place settings place settings
- Energy Class: 3 Energy Stars
- Energy consumption in programme Eco 50: 209 kwh per year, based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes. Actual energy consumption will depend on how the appliance is used.
- Energy consumption in programme Eco 50: 0.746 kwh
- Power consumption off-mode / left-on mode: 0.1 W / 0.1 W
- Water consumption in programme Eco 50: 2632 litres per year, based on 280 standard cleaning cycles. Actual water consumption will depend on how the appliance is used.
- Consumption in programme Eco 50: 2632 litres water per year / 209 kwh energy per year. Based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes.
- The information relates to the programme Eco 50. This programme is suitable to clean normally soiled tableware and is the most efficient programme in terms of combined energy and water consumption.
- Programme time in programme Eco 50: 195 min
- Duration of the left-on mode: 0 min
- Noise level: 48 dB (re 1 pW)
- Fully integrated
- Energy consumption when connected to hot water in programme Eco 50: 0.6 kwh
- 7-16 l
- 5 programmes: Intensiv 70°C, Auto 45-65 °C, Eco 50 °C, Schnell 45 °C, Vorspülen
- 1 special option: Half Load
- 4 cleaning temperatures
- ActiveWater hydraulic system
- DosageAssist
- BLDC motor for heat and drain pump
- AquaSensor, Load Sensor
- Detergent Automation
- Heat exchanger
- Alternating spray
- Regenerative electronics
- Self-cleaning filter system with 3-fold

- corrugated filter
- Stainless steel
- Push button top controls
- Acoustic end of cycle indicator
- LED colour on indicators red/-
- 3, 6, 9-hour automatic timer
- LED salt refill indicator
- LED rinse aid refill indicator
- Silver XXL baskets
- Vario basket system
- Height adjustable top basket
- 2 foldable plate racks in bottom basket
- Cutlery rack in top basket
- NO\_FEATURE
- AquaStop - Prevent Water Leakage
- Childproof door lock
- Servo-lock
- Glass care system
- Front-adjustable rear foot
- Inclusive Steam protection plate
- Dimensions of the product (HxWxD): 81.5 x 44.8 x 55 cm

**Serie | 4**  
**SMV50E00GC**  
**60 cm dishwasher, Fully integrated**



- 12 place settings
- Energy Class: 4 Energy Stars
- Energy consumption in programme Eco 50: 237 kwh per year, based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes. Actual energy consumption will depend on how the appliance is used.
- Energy consumption in programme Eco 50: 0.846 kwh
- Water consumption in programme Eco 50: 2772 litres per year, based on 280 standard cleaning cycles. Actual water consumption will depend on how the appliance is used.
- Consumption in programme Eco 50: 2772 litres water per year / 237 kwh energy per year. Based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes.
- Drying efficiency class NO\_FEATURE on a scale from G (least efficient) to A (most efficient)
- The information relates to the programme Eco 50. This programme is suitable to clean normally soiled tableware and is the most efficient programme in terms of combined energy and water consumption.
- Programme time in programme Eco 50: 210 min
- Duration of the left-on mode: NO\_FEATURE
- Noise level: 48 dB (re 1 pW)
- Fully integrated
- 5 programmes: Intensive 70 °C, Eco 50 °C, Quick wash 65 °C, Quick wash 45 °C, Pre-Rinse
- 4 cleaning temperatures
- ActiveWater hydraulic system
- DosageAssist
- Load Sensor
- BLDC motor for heat and drain pump
- Stainless steel/Polinox
- Detergent Automation
- Alternating spray
- Regenerative electronics
- Self-cleaning filter system with 3-fold corrugated filter
- Push button top controls
- Acoustic end of cycle indicator
- LED colour on indicators red/-
- 3, 6, 9-hour automatic timer
- LED salt refill indicator
- LED rinse aid refill indicator
- Vario basket system
- Silver XXL baskets
- Rackmatic 3-stage
- 2 foldable plate racks in bottom basket
- Cutlery basket in bottom basket
- 2 x cup shelves
- AquaStop - Prevent Water Leakage
- Servo-lock
- Glass care system
- Front-adjustable rear foot
- Inclusive Steam protection plate
- Dimensions of the product (HxWxD): 81.5 x 59.8 x 55 cm

**Serie | 4**  
**SMI53D05GC**  
**60 cm dishwasher**  
**Integrated - Stainless steel**



- 12 place settings
- Energy Class: 4 Energy Stars
- Noise level: 48 dB (re 1 pW)
- 5 programmes: Intensive 70 °C, Auto 45-65 °C, Eco 50 °C, Quick wash 45 °C, Pre-Rinse
- Special option: VarioSpeed, HygienePlus
- 4 cleaning temperatures
- ActiveWater hydraulic system
- DosageAssist
- BLDC motor for heat and drain pump
- AquaSensor, Load Sensor
- Detergent Automation
- Alternating spray
- Regenerative electronics
- Self-cleaning filter system with 3-fold corrugated filter
- Stainless steel/Polinox
- Time remaining indicator front
- LED colour on indicators red/red
- Electronic delay timer: 1-24 hours
- LED salt refill indicator
- LED rinse aid refill indicator
- Retractable rotary knob
- VarioFlex basket system
- Silver XXL baskets
- Rackmatic 3-stage
- 2 foldable plate racks in top basket
- 4 foldable plate racks in bottom basket
- Variable cutlery basket in bottom basket
- AquaStop - Prevent Water Leakage
- Childproof door lock
- Servo-lock
- Glass care system
- Front-adjustable rear foot
- Inclusive Steam protection plate
- Dimensions of the product (HxWxD): 81.5 x 59.8 x 57.3 cm

**Serie | 4**  
**SMV46NX10M**  
**60 cm dishwasher Fully integrated**



- Capacity: 12+1 place settings place settings
- Energy Class: 5 Energy Stars
- Energy consumption in programme Eco 50: 251 kwh per year, based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes. Actual energy consumption will depend on how the appliance is used.
- Energy consumption in programme Eco 50: 0.896 kwh
- Power consumption off-mode / left-on mode:
- Water consumption in programme Eco 50: 2604 litres per year, based on 280 standard cleaning cycles. Actual water consumption will depend on how the appliance is used.
- Consumption in programme Eco 50: 2604 litres water per year / 251 kwh energy per year. Based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes.
- Drying efficiency class NO\_FEATURE on a scale from G (least efficient) to A (most efficient)
- The information relates to the programme Eco 50. This programme is suitable to clean normally soiled tableware and is the most efficient programme in terms of combined energy and water consumption.
- Programme time in programme Eco 50: 210 min
- Noise level: 44 dB (re 1 pW)
- Fully integrated
- 7-18 l
- 6 programmes: Intensive 70 °C, Auto 45-65 °C, Eco 50 °C, Glass 40 °C, Quick wash 65 °C, Pre-Rinse 0 °C
- 4 special options:
- 5 cleaning temperatures
- ActiveWater hydraulic system
- DosageAssist
- BLDC motor for heat and drain pump
- AquaSensor, Load Sensor
- Detergent Automation
- Heat exchanger
- Alternating spray
- Regenerative electronics
- Self-cleaning filter system with 3-fold corrugated filter
- Stainless steel
- Push button top controls
- Time remaining indicator internal
- Acoustic end of cycle indicator
- InfoLight red
- LED colour on indicators red/red
- Electronic delay timer: 1-24 hours
- LED salt refill indicator
- LED rinse aid refill indicator
- Silver XXL baskets
- Rackmatic 3-stage
- 2 foldable plate racks in top basket
- 4 foldable plate racks in bottom basket
- 2 lever (long/short)
- shelves in bottom basket
- AquaStop - Prevent Water Leakage
- Servo-lock
- Front-adjustable rear foot
- Inclusive Steam protection plate
- Dimensions of the product (HxWxD): 81.5 x 59.8 x 55 cm

**Serie | 6**  
**SMI68NS10M**  
**60 cm dishwasher**  
**Integrated - Stainless steel**



- Capacity: 12+1 place settings place settings
- Energy Class: 5 Energy Stars
- Energy consumption in programme Eco 50: 251 kwh per year, based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes. Actual energy consumption will depend on how the appliance is used.
- Energy consumption in programme Eco 50: 0.896 kwh
- Water consumption in programme Eco 50: 2604 litres per year, based on 280 standard cleaning cycles. Actual water consumption will depend on how the appliance is used.
- Consumption in programme Eco 50: 2604 litres water per year / 251 kwh energy per year. Based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes.
- Drying efficiency class NO\_FEATURE on a scale from G (least efficient) to A (most efficient)
- The information relates to the programme Eco 50. This programme is suitable to clean normally soiled tableware and is the most efficient programme in terms of combined energy and water consumption.
- Programme time in programme Eco 50: 210 min
- Duration of the left-on mode: NO\_FEATURE
- Noise level: 44 dB (re 1 pW)
- Integrated
- Energy consumption when connected to hot water in programme Eco 50: NO\_FEATURE
- 7-18 l
- 8 programmes: Intensive 70 °C, Auto 45-65 °C, Eco 50 °C, Night Program 50 °C, Glass 40 °C, Quick wash
- 4 special options: Intensive Zone, VarioSpeedPlus, Half Load, HygienePlus
- Machine Care
- 6 cleaning temperatures
- ActiveWater hydraulic system
- DosageAssist
- BLDC motor for heat and drain pump
- AquaSensor, Load Sensor
- Detergent Automation
- Heat exchanger
- Alternating spray
- Regenerative electronics
- Self-cleaning filter system with 3-fold corrugated filter
- Stainless steel
- Time remaining indicator front
- Programme flow display
- LED colour on indicators
- Electronic delay timer: 1-24 hours
- LED salt refill indicator
- LED rinse aid refill indicator
- yes
- Silver XXL baskets
- Rackmatic 3-stage
- 2 foldable plate racks in top basket
- 4 foldable plate racks in bottom basket
- 2 lever (long/short)
- shelves in bottom basket
- AquaStop - Prevent Water Leakage
- Childproof control lock
- Servo-lock
- Front-adjustable rear foot
- Inclusive Steam protection plate
- Dimensions of the product (HxWxD): 81.5 x 59.8 x 57.3 cm



## Notes:

## Built-In Fridge / Freezers

**Serie | 2**  
**KIR24V20GB**  
**Built-in/under fridge****Main Features**

- Energy Efficiency Class: No
- Total capacity: 227 litres
- Easy clean interior
- Mechanical control
- Automatic defrost in fridge section

**Fridge Section**

- Total capacity: 227 litres
- 6 safety glass shelves of which 5 are height adjustable
- Vegetable container with wavy bottom
- 4 large door shelves
- LED interior light LED

**Technical Information**

- Door right hinged, reversible
- Climate Class SN-ST
- Airborne acoustical noise emissions: 36 dB dB(A) re 1 pW
- Dimensions: H 122.1 cm x L 54.1 cm x D 54.2 cm
- Niche Dimension H X W x D: 122.5 cm cm x 56 cm x 55 cm

**Accessories**

- 1 x egg tray

**Serie | 6**  
**KIR81AF30M**  
**SmartCool Built-in/under fridge**

- Flat hinge
- Easy Installation

**Performance and consumption**

- Energy Efficiency Class: No
- Total capacity: 321 litres
- Airborne acoustical noise emissions: 37 dB dB(A) re 1 pW
- Climate Class SN-T

**Design**

- LED interior light LED

**Comfort and Safety**

- 7 segment electronic control
- Constant temperature by intelligent sensor technology
- Automatic defrost in fridge section
- Supercool function with automatic deactivation
- Acoustic warning system

**Fridge Section**

- Capacity refrigeration zone: 321 litres
- with carbon filter
- 7 safety glass shelves (6 height adjustable), of which Base plates, 2 glass plates extendible
- Bottle rack
- 6 door bins, there of 1x dairy compartment

**Freshness System**

- 1cont. hydrofresh w tel. rails on telescopic rails with humidity control - keeps fruit and vegetables up to 2 x longer fresh!
- Vegetable container on telescopic rails

**Dimensions**

- Dimensions: H 177.2 cm x L 55.8 cm x D 54.5 cm
- Niche Dimension H X W x D: 177.5 cm cm x 56 cm x 55 cm

**Technical Information**

- Door right hinged, reversible
- Connection load: 90 W
- Rated Voltage 220 - 240 V
- Transportation handles

**Accessories**

- 2 x egg tray
- bottle holder

**Highlights**

- 1cont. hydrofresh w tel. rails - keeps fruit and vegetables up to 2 x longer fresh!
- Vario shelf - individually variable for ideal use of space
- Easy access shelf - easy access and everything in sight
- touch control - enduring elegance - perfectly under control!

**Country Specific Options**

- Based on the results of the standard 25-hour test. Actual consumption depends on usage/position of the appliance.
- Gross capacity, total: 321 l
- Gross capacity cooling 321 l

**Serie | 2**  
**KIV38X22GB**  
**Built-in fridge freezer, bottom freezer**  
**Sliding hinge****Performance and consumption**

- Energy Efficiency Class: No
- Total capacity: 294 litres
- Airborne acoustical noise emissions: 40 dB dB(A) re 1 pW
- Climate Class SN-ST

**Design**

- Easy clean interior

**Comfort and Safety**

- LED electronic control
- Automatic defrost in fridge section

**Fridge Section**

- Capacity refrigeration zone: 222 litres
- 5 safety glass shelves of which 4 are height adjustable
- 5 large door shelves

**Freshness System**

- Vegetable container with wavy bottom

**Freezer Section**

- Freezer capacity: 72 litres

- Freezing capacity: 6 kg in 24 hours
- Storage time in power failure: 13 Hours
- 3 transparent freezer drawers
- Freezing calendar

**Dimensions**

- Dimensions: H X W x D: 177.2 cm x 54.1 cm x 54.5 cm
- Niche Dimension H X W x D: 177.5 cm cm x 56.2 cm x 55 cm

**Technical Information**

- Door right hinged, reversible

**Country Specific Options**

- Based on the results of the standard 25-hour test. Actual consumption depends on usage/position of the appliance.
- Gross capacity, total: 294 l
- Gross capacity cooling 222 l
- Gross capacity\*\*\*\* freezer: 72 l (-18°C and below)

**Serie | 4**  
**KIV87VS30M**  
**Built-in fridge freezer, bottom freezer**  
**Sliding hinge**



- Performance and consumption**
- Total capacity: 274 litres
  - Fridge section: 210 litres
  - Freezer capacity: 64 litres
  - Storage time in power failure: 26 Hours
  - Freezing capacity: 3 kg in 24 hours
  - Climate Class SN-T
  - Airborne acoustical noise emissions: 38 dB dBA re 1 pW
  - fully integrat. with special hinged door
- Design**
- Integrated, Sliding hinge
  - Sliding hinge
  - Easy clean interior
- Comfort and Safety**
- LED electronic control
  - Constant temperature by intelligent sensor technology
  - 1 compressor/1 cold circuit
  - Automatic deactivation
  - Automatic defrost in fridge section
- Fridge Section**
- Capacity refrigeration zone: 210 litres
  - 5 safety glass shelves of which 4 are height adjustable
  - 1 large door shelves
  - LED interior light LED

- Freshness System**
- Vegetable container with wavy bottom
- Freezer Section**
- Freezer capacity: 64 litres
  - Freezing capacity: 3 kg in 24 hours
  - Storage time in power failure: 26 Hours
  - 2 transparent freezer drawers, incl. 1
  - Freezing calendar
- Technical Information**
- Door right hinged, reversible
  - Connection load: 90 W
  - Rated Voltage 220 - 240 V
- Dimensions**
- Niche Dimension H X W x D: 177.5 cm x 56 cm x 55 cm
  - Dimensions: H 177.2 cm x L 54.1 cm x D 54.5 cm
- Accessories**
- 2 x cold accumulator, 2 x egg tray, 1 x ice cube tray
  - Gross capacity, total: 274 l
  - Gross capacity cooling 210 l
  - Gross capacity\*\*\*\* freezer: 64 l (-18°C and below)
  - Based on the results of the standard 25-hour test. Actual consumption depends on usage/position of the appliance.

**Serie | 6**  
**KUL15A60M**  
**Build-under refrigerator Flat hinge**



- Main Features**
- 0.381 kWh/24 h energy consumption
  - Ventilation in plinth, no cut-out in the work surface necessary
  - Variable plinth adaption
  - Height adjustable feet, back feet can be adjusted from front
- Comfort and Safety**
- Mechanical control
  - 1 compressor/1 cold circuit
  - Automatic defrost in fridge section
- Fridge Section**
- 2 safety glass shelves of which 1 are height adjustable
  - Big pull out tray
  - 2 vegetable containers with lid
  - 1 large door shelves
  - Bottle holder in x-deep door tray
  - 1 fridge light 1x15 Watt

- Technical Information**
- Energy Efficiency Class: A++ kWh/yr: 140
  - Total capacity: 131 litres
  - Door right hinged, reversible
  - Climate Class SN-ST
  - Niche Dimension H X W x D: 82 cm x 60 cm x 55 cm
  - Dimensions: H 82 cm x L 59.8 cm x D 54.8 cm
  - Connection load: 90 W
  - Rated Voltage 220 - 240 V
- Accessories**
- 1 x egg tray, 1 x ice cube tray
- Performance and consumption**
- Comfort and Safeness


# Built-in Washing Machines.














**HBJ354YS0M,**  
Oven Stainless steel




**HGL10E150**  
Stainless Steel Gas Built-in Oven




**HGL10G050M**  
Stainless Steel Gas Oven




**PKF375CA1M,**  
30 cm, Domino ceramic




**PKE611D17M,**  
60 cm, Ceramic hob




**PKN811BA1M,**  
80 cm, hob




**HBG655BS1M**  
Stainless Steel, Oven




**HBG656RS1M**  
Stainless Steel, Oven




**HBG6764S6M**  
Stainless Steel, Oven




**BFL524MS0M**  
Built-in microwave oven




**BEL554MS0M**  
Built-in microwave oven




**BEL634GS1M**  
Built-in Microwave Stainless Steel




**CMG656BS1M,**  
Compact Oven with Microwave Stainless Steel




**PXX875D34E,**  
Induction hob with extractor, autarkic 80 cm Induktions - Ceramic hob




**PKC845FP1M,**  
80 cm, Ceramic hob




**PKE611F17Q,**  
60 cm, Ceramic hob




**PKF375FP1M,**  
30 cm, Domino ceramic




**PKF645K17Q**  
Frame Design Brushed Steel, 60 cm Ceramic Hob




**PKN971FB1M**  
90 cm, Ceramic hob




**PKV975DV1M**




**PKN601DV1M**  
60 cm, hob




**PUE611BB1E**  
Frameless design 60 cm Induktions Ceramic hob




**PXX375FB1E**  
Brushed Steel, Comfort Profile




**PXX675DV1E**  
60 cm, Ceramic hob




**PXX975DC1E**  
Brushed Steel, Comfort Profile, 90 cm  
Ceramic Hob




**PPS9A6B90M**  
90 cm, hob, Hard Glass, Black




**PRB3A6D70M**  
Gas Hob, 30 cm Ceramic




**DHU665CGB**  
Conventional hood, 60 cm




**PXX975KW1E**  
90 cm, Ceramic hob




**PBP6C5B80M**  
60 cm Gas hob with integrated controls,  
brushed steel




**PBP6C5B60M**  
Gas Hob with Integrated Controls, 60 cm  
Brushed Steel




**DHU965CGB**  
Conventional hood, 90 cm




**DWP64CC50M**  
Pyramidal Design Chimney Hood, 60 cm  
Brushed Steel




**DWP94CC50M**  
Wall mounted hood Chimney hood,  
90 cm




**POP6C6B80M**  
60 cm Gas hob with integrated controls, Hard  
Glass, black




**PCP6A5B90M**  
Gas Hob, 60 cm Brushed Steel




**PGQ7B5B90M**  
75 cm, hob, Stainless steel




**DWB64BC51B**




**DWB94BC51B**  
Chimney hood, 90 cm




**DWK065G60M**  
Inclined Design Chimney Hood, 60 cm Black




**PCQ9B5O90M**  
90 cm, hob, Stainless steel




**PCR9A5B90M**  
Gas Hob, 90 cm Brushed Steel




**PPQ9B6O90M**  
90 cm, hob, Hard Glass, Black




**DWK095G60M**  
Inclined Design Chimney Hood Black




**DWB97DM50B**  
Chimney hood, 90 cm




**DIB97IM50M**  
Island chimney hood, 90 cm  
Box brand design - Stainless steel




**DWF97RV60B**  
Flat Design Chimney Hood, 90 cm  
Black with Glass Canopy




**DFT63CA50M**  
Slimline hood, 60 cm



**DLN53AA50B**  
Canopy hood, 49 cm




measurements in mm




Bean and water reservoir are removed to the front. Recommended installation height 95–145 cm.

**CTL636EB1**  
Fully automatic espresso maker/fully automatic coffee machine black




**DDA097G59B**  
90 cm wide



Bean and water containers are removed from the front. Recommended installation height 95–145 cm.


**CTL636ES1**  
Fully-automatic Coffee Maker Stainless Steel




Bean and water reservoir are removed to the front. Recommended installation height 95–145 cm.

**CTL636ES6**  
Fully automatic espresso maker/fully automatic coffee machine stainless steel


Built-In Dishwashers Technical Diagrams.  
All the dimensions are in millimeters.




**SMV88TX46M**  
60 cm dishwasher, Fully integrated




**SPV25CX10M**  
Silence Plus 45 cm dishwasher  
Fully integrated




**SMV50E00GC**  
Dishwasher Built-In, 60 cm White



**SMI53D05GC**  
Dishwasher Built-In, 60 cm White




**SMV46NX10M**  
60 cm dishwasher Fully integrated



**SMI68NS10M**  
60 cm dishwasher  
Integrated - Stainless steel


# Built-in Refrigerator Technical Diagrams.

All the dimensions are in millimeters.




## KIR24V20GB

Built-in/under fridge




## KIR81AF30M

SmartCool Built-in/under Fridge



## KIV38X22GB

Built-in Fridge Freezer, Bottom Freezer Sliding Hinge



## KIV87VS30M

Built-in Fridge Freezer, Bottom Freezer



**BOSCH**

Invented for life

Bosch Freestanding  
Appliances. Place them  
wherever you want.



Freestanding



**BOSCH**

Invented for life

Your health has never  
been this reachable.



More capacity,  
more convenience.  
Bosch XXL Refrigerator.



# Cutting-edge technology that cuts energy costs too.

At Bosch, we take energy efficiency very seriously and we work hard to make our cooling products some of the most energy-efficient performers in the industry.



#### Save energy with the Bosch fridge or freezer

Unlike your washing machine or dishwasher, your fridge or freezer is on 24 hours a day, so it is especially important that the appliance does not waste energy. Our cooling products are among the most energy-efficient performers in the industry, minimising environmental damage and saving you money.

#### Longer-lasting is good for the environment

Thanks to the advanced technology incorporated into each and every Bosch refrigeration appliance, food stays fresher for longer. That means less food ends up in the rubbish bin. Plus, more food can be bought in bulk, which means fewer shopping trips and less waste of natural resources.

Look out for this Bosch energy efficiency symbol as it is there to help you identify our most energy-efficient models.



# For food that stays fresh for longer.

The features that set us apart.

## **VitaFresh**

With its temperature and humidity control sliders, VitaFresh can keep your food fresh for 2x longer, making your life more easy and healthy.

## **Separate cooling systems**

Separate evaporators for the fridge and freezer sections not only prevent the transfer of smell, but also allow the fridge and freezer temperatures to be controlled separately.

## **Active Cooling**

The temperature within a conventional fridge can be uneven, since warmer air rises. Bosch Active Cooling solves this problem by blowing cold air into all areas of the fridge by fan or rear wall venting. Electronic sensors maintain a constant temperature throughout the compartment to +/-10°C. Your food is protected against bacterial growth, and is kept fresh for longer.

## **Electronic temperature control**

Accurate temperature control is essential to maximise the freshness of your food. Our premium fridge freezers feature accurate electronic control and temperature display for both fridge and freezer sections.

## **MultiAirflow Cooling**

The MultiAirflow Cooling function greatly improves circulation of air around the fridge, regulating temperature and humidity levels and eradicating condensation build-up, so that your food stays fresher for longer.

## **SuperCool**

Putting new food into your fridge causes the internal temperature to increase, so your fridge has to work harder to cool down and the food already stored in there can get warmer. The SuperCool function will prepare your fridge by rapidly reducing the temperature, keeping the contents cool, and quickly cooling the new groceries down to 2°C.

## **SuperFreeze**

Adding new food to the freezer raises the internal temperature, and the freezer has to work harder to avoid food already in there from warming up, and possibly even part-defrosting. The SuperFreeze function rapidly lowers the temperature in the freezer, ensuring that the food is frozen quickly, while the surrounding frozen food stays frozen. So even when the door is open for longer periods, the contents are protected.

## **AirFresh Filter**

The AirFresh Filter ensures that odours in the fridge are reduced, and the transfer of food smells is minimised.

## **Ice cold service**

Help yourself whenever you want with the ice/water dispenser for drinking water, crushed ice and ice cubes. Use the Quick Ice function when in a hurry. Add to that the water filter and exceptionally bright LED light to give you a fantastic experience.

## **NoFrost**

Available on select models, this innovative system eliminates the formation of ice on food and the freezer interior, meaning you never have to worry about defrosting again. Intelligent electronics ensure that the defrost operation is only initiated when the appliance actually needs it.

## **Auto defrost**

Automatically defrosts the fridge at regular intervals without the need to switch off the appliance or remove the food stored.

## **Freezer compartment with individual freezing elements**

Bosch freezer compartments allow food to be stored below -18°C so that it can be stored for longer. All standard (non-frost-free) Bosch freezer drawers feature individual freezing elements which ensure an even temperature throughout the freezer, as well as efficient freezing in every drawer.

## **BigBox**

This extra large freezer drawer means you can store bulky frozen goods or stack freezer containers.

## **LED Light**

Brilliant, even light to help you see inside the whole fridge interior more clearly, ensuring that you use your fridge space as efficiently as possible. Elegantly integrated into the top or side of the fridge compartment, the light is unlikely to be blocked by food, giving you constant illumination every time you open the fridge door.

## **Extendable GlassShelf**

Our shelves glide in and out effortlessly, enabling you to reach your food from the back and front of the fridge. Available on all fridge freezers.



# Say goodbye to Fridgearitis. Say hello to a Bosch Bottom Freezer Refrigerator.

Ergonomically-designed Bottom Freezer Refrigerators to keep backaches away.

Bosch refrigeration products are packed with innovative features and storage solutions that keep your food fresh for longer. And now, our refrigerators with bottom freezers will also ensure that backaches, because of constant bending, will be a thing of the past. Ergonomically-designed specifically with your active lifestyle as a modern homemaker in mind, these refrigerators will ensure that you bend less.

**Conventional Refrigerators**

YOU ARE ALWAYS BOWING TO YOUR REFRIGERATOR.

You bend **80%** of the time

**Bosch Bottom Freezers**

YOU STAND STRAIGHT MORE OFTEN THAN NOT.

You bend only **20%** of the time

The image shows a kitchen with a wooden table in the foreground holding a basket of fresh produce. In the background, a mannequin is bent over to reach a tall, conventional refrigerator. To the right, another mannequin stands upright next to a Bosch bottom freezer refrigerator, which is open to show its interior shelves and drawers. The scene is set in a bright, modern kitchen with large windows and light-colored walls.

# Freshness systems for perfect, crisp, fresh food.

We know how important it is to eat healthy, so our freshness systems help ensure you benefit from all the vitamins and minerals in the food you buy. Bosch state-of-the-art cooling technology brings you a range of freshness systems for every lifestyle.

## Perfect storage solutions

In 1933, Bosch introduced the first domestic fridge. Today, our refrigerators are as innovative as ever. As well as being pioneers in product design, our commitment to the environment led us to design appliances that not only save money, but also care for the environment.

With state-of-the-art features such as SuperFreeze, chiller-safe and EasySlide crisper drawers, Bosch refrigerators provide the perfect storage solutions.



**Lettuce**  
Day 14



With VitaFresh



Without VitaFresh

**Peaches**  
Day 20



With VitaFresh



Without VitaFresh

**Strawberries**  
Day 5



With VitaFresh



Without VitaFresh

## VitaFresh

With its temperature and humidity control sliders, VitaFresh can keep your food fresh for 2x longer, making your life easier and healthier.

## CrisperBox vegetable drawer

Our fantastic new CrisperBox vegetable drawer offers an additional 37% more storage space for your fruits and vegetables. The manual humidity adjustment lever also stores them in the ideal environment so that your food stays fresh for longer. And for easy access, we have installed a slide out system so you can easily access what's there, even at the back of the drawer.

## BottleRack

Provides space for up to three bottles and safely clicks into the frame of glass shelves.

## Non-spill safety glass shelves

The shelves within the fridge are made from toughened safety glass, providing a strong, stable storage shelf within the fridge. The plastic border ensures that small spillages do not filter down into the shelves below. For maximum convenience, some shelves are height-adjustable, allowing you to maximise the interior storage space.

## Easy-slide crisper drawers

The easy-slide fruit and vegetable crisper drawers work effortlessly on specially designed runners. The larger capacity means you can store even more meat, fish, fruits and vegetables.

## Dairy compartment

The dairy compartment comes with a lid that protects the contents from taste and odour transfer.

## In-door ice pack storage

Bosch KGN bottom-mount fridge freezers include a neat storage compartment in the door, which is ideal for ice packs, pastry sheets, or other small items.

## Dishwasher-safe

Most of the interior fittings of our fridges can be washed occasionally in a dishwasher for an extra thorough clean.

## Transparent drawers

Durable see-through drawers provide an at-a-glance view of the contents, which keeps the time the door is open to a minimum and saves energy consumption.

## Reversible hinging

Bosch refrigerators offer the added versatility of reversible hinging. This means you can change the opening side of both your freezer and refrigerator.

## Cooling Appliances Tall fridge Bottom Freezers

## Notes:

---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---

**Serie | 2**  
**KSV36NW30M**  
**Tall fridge**


- Energy Efficiency Class: No
- Total capacity: 348 litres
- Fridge section: 348 litres
- Climate Class SN-T
- Airborne acoustical noise emissions: 39 dB dB(A) re 1 pW
- freestanding >= 60cm width

**Design**

- White
- White
- vertical bar handle
- Easy access door handle

**Comfort and Safety**

- LED electronic control
- Automatic defrost in fridge section
- 1 compressor/1 cold circuit
- Supercool function with automatic deactivation

**Fridge Section**

- Active cooling via integrated fan
- 6 safety glass shelves of which 4 are height adjustable
- Vegetable container
- 5 Door shelves, therefor

- 2 door shelf large, 3 door shelf small
- LED interior light LED
- LED interior light in fridge section

**Technical Information**

- Height adjustable front feet, roles in the back
- Dimensions: H 186 cm x L 60 cm x D 65 cm
- Connection load: 90 W
- Rated Voltage 220 - 240 V

**Performance and consumption**

- Comfort and Saferness\*

**Serie | 4**  
**KSV36VL3PG**  
**Door color Stainless steel look**  
**Tall fridge**

**Performance and consumption**

- Energy Efficiency Class: No
- Total capacity: 348 litres
- Airborne acoustical noise emissions: 39 dB dB(A) re 1 pW

**Design**

- Door Stainless steel look, side panels Metallic chrome
- alu vertical bar handle
- LED interior light LED

**Comfort and Safety**

- LED electronic control
- Constant temperature by intelligent sensor technology
- Supercool function with automatic deactivation

**Fridge Section**

- Capacity refrigeration zone:348 litres
- Active cooling via integrated fan
- AirFreshfilter
- Automatic defrost in fridge section
- 7 safety glass shelves of which 5 are height adjustable,
- Bottle rack
- 5 door bins, there of 1x dairy compartment

**Freshness System**

- 1 vege.cont.w.int.humi.control for fruit and vegetables with humidity slider

**Dimensions**

- Dimensions: H 186 cm x L 60 cm x D 65 cm

**Technical Information**

- Door left hinged, reversible
- Height adjustable front feet, roles in the back
- door opening angle 90°
- Transportation handles
- Connection load: 90 W
- Rated Voltage 220 - 240 V
- Climate Class SN-T

**Accessories**

- 3 x egg tray

**Country Specific Options**

- Gross capacity, total: 348 l
- Gross capacity cooling 348 l
- Based on the results of the standard 25-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

**Serie | 2**  
**KDN25NL20M**  
**NoFrost, Top freezer**  
**Door color Stainless steel look**

**Performance and consumption**

- Total capacity: 250 litres
- Airborne acoustical noise emissions: 43 dB dB(A) re 1 pW

**Design**

- Door Stainless steel look, side panels Grey
- integrated horizontal handle
- Interior with metal applications

**Comfort and Safety**

- Freezer Simple electronic, Fridge manually adjustable
- Freezer-door open alarm

**Fridge Section**

- Capacity refrigeration zone:182 litres
- Multi Airflow-System
- 3 safety glass shelves of which 3 are height adjustable
- large door shelves

**Freshness System**

- 1 vege.cont.w.int.humi.control with humidity control - keeps fruit and vegetables fresh!

**Freezer Section**

- NoFrost
- Freezing capacity: 3 kg in 24 hours
- Storage time in power failure: 16 Hours

- 2 door trays in the freezing compartment
- Ice cube tray, Ice cube tray

**Dimensions**

- Dimensions: H 155.6 cm x L 55 cm x D 60.5 cm

**Technical Information**

- reversible
- Height adjustable front feet, roles in the back
- Climate Class T
- Connection load: 150 W
- Rated Voltage 220 - 240 V

**Accessories**

- 2 x egg tray
- Highlights
- LED interior light - longlasting, efficient and perfect illumination!
- Telescopic rails - more convenient acces to freshness!
- NoFrost

**Country Specific Options**

- Gross capacity, total: 250 l
- Gross capacity cooling 182 l
- Gross capacity\*\*\*\* freezer: 68 l (-18°C and below)
- Based on the results of the standard 25-hour test. Actual consumption depends on usage/position of the appliance.

## Cooling Appliances Top Freezers

**Serie | 2**  
**KDN28NL20M**  
**NoFrost, Top freezer**  
**Door color Stainless steel look**

**Performance and consumption**

- Total capacity: 272 litres
- Airborne acoustical noise emissions: 43 dB dB(A) re 1 pW

**Design**

- Door Stainless steel look, side panels Grey
- integrated horizontal handle
- Interior with metal applications

**Comfort and Safety**

- Freezer Simple electronic, Fridge manually adjustable
- Freezer-door open alarm

**Fridge Section**

- Capacity refrigeration zone:204 litres
- Multi Airflow-System
- 3 safety glass shelves of which 3 are height adjustable
- 3 large door shelves

**Freshness System**

- 1 vege.cont.w.int.humi.control with humidity control - keeps fruit and vegetables fresh!

**Freezer Section**

- NoFrost
- Freezing capacity: 3 kg in 24 hours
- Storage time in power failure: 16 Hours

- 2 door trays in the freezing compartment
- Ice cube tray, Ice cube tray

**Dimensions**

- Dimensions: H 165.6 cm x L 55 cm x D 60.5 cm

**Technical Information**

- reversible
- Height adjustable front feet, roles in the back
- Climate Class T
- Connection load: 150 W
- Rated Voltage 220 - 240 V

**Accessories**

- 2 x egg tray
- Highlights
- LED interior light - longlasting, efficient and perfect illumination!
- Telescopic rails - more convenient acces to freshness!
- NoFrost

**Country Specific Options**

- Gross capacity, total: 272 l
- Gross capacity cooling 204 l
- Gross capacity\*\*\*\* freezer: 68 l (-18°C and below)
- Based on the results of the standard 25-hour test. Actual consumption depends on usage/position of the appliance.

**Dimensions**

- Dimensions: H 169.8 cm x L 59.5 cm x D 66.5 cm

**Technical Information**

- reversible
- Height adjustable front feet, roles in the back
- Climate Class T
- Connection load: 180 W
- Rated Voltage 220 - 240 V

**Accessories**

- 2 x egg tray
- Highlights
- LED interior light - longlasting, efficient and perfect illumination!
- Telescopic rails - more convenient acces to freshness!
- NoFrost

**Country Specific Options**

- Gross capacity, total: 350 l
- Gross capacity cooling 256 l
- Gross capacity\*\*\*\* freezer: 94 l (-18°C and below)
- Based on the results of the standard 25-hour test. Actual consumption depends on usage/position of the appliance.

- Storage time in power failure: 14 Hours
- Quick Freezer
- Easy twist ice box, Easy twist ice box
- 1 plastic shelf

**Dimensions**

- Dimensions: H 186 cm x L 70 cm x D 65 cm

**Technical Information**

- Door right hinged, reversible
- Height adjustable front feet, roles in the back
- Climate Class SN-T
- Connection load: 150 W
- Rated Voltage 220 - 240 V

**Accessories**

- 3 x egg tray

**Country Specific Options**

- Gross capacity, total: 401 l
- Gross capacity cooling 302 l
- Gross capacity\*\*\*\* freezer: 99 l (-18°C and below)
- Based on the results of the standard 25-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

**Serie | 2**  
**KDN30NL20M**  
**NoFrost, Top freezer**  
**Door color Stainless steel look**

**Performance and consumption**

- Total capacity: 350 litres
- Airborne acoustical noise emissions: 43 dB dB(A) re 1 pW

**Design**

- Door Stainless steel look, side panels Grey
- integrated horizontal handle
- Interior with metal applications

**Comfort and Safety**

- Freezer Simple electronic, Fridge manually adjustable
- Freezer-door open alarm

**Fridge Section**

- Capacity refrigeration zone:256 litres
- Multi Airflow-System
- 3 safety glass shelves of which 3 are height adjustable
- 3 large door shelves

**Freshness System**

- 1 vege.cont.w.int.humi.control with humidity control - keeps fruit and vegetables fresh!

**Freezer Section**

- NoFrost
- Freezing capacity: 5 kg in 24 hours
- Storage time in power failure: 16 Hours
- 2 door trays in the freezing compartment
- Ice cube tray, Ice cube tray

**Performance and consumption**

- Energy Efficiency Class: 3 Energy Stars
- Total capacity: 401 litres
- Airborne acoustical noise emissions: 43 dB dB(A) re 1 pW

**Design**

- Door inox EasyClean, side panels Metallic chrome
- stainless steel vertical bar handle
- LED interior light in fridge section

**Comfort and Safety**

- NoFrost
- Freezer LED electronic control, Fridge manually adjustable
- Automatic deactivation

**Fridge Section**

- Multi Airflow-System
- 4 safety glass shelves of which 2 are height adjustable,
- 4 large door shelves

**Freshness System**

- 1 vege.cont.w.int.humi.control with humidity control - keeps fruit and vegetables fresh!
- Chiller - keeps fish and meat up to 2 x longer fresh

**Freezer Section**

- Freezer capacity: 99 litres
- Freezing capacity: 8 kg in 24 hours

**Serie | 4**  
**KDN46VI20M**  
**NoFrost, Top freezer**  
**Door color inox EasyClean**


## Cooling Appliances Top Freezers / Bottom Freezers

**Serie | 4**  
**KDN65VI20M**  
**NoFrost, Top freezer**  
**Door color Stainless steel look**

**Performance and consumption**

- Total capacity: 526 litres
- Airborne acoustical noise emissions: 43 dB dB(A) re 1 pW

**Design**

- Door Stainless steel look, side panels Metallic chrome
- alu vertical bar handle
- LED Illumination

**Comfort and Safety**

- NoFrost
- LED electronic control
- Separate temperature control for cooling and freezing section
- Supercool function with automatic deactivation
- Fast freeze function
- Acoustic warning system, Fridge-door open alarm, Freezer-door open alarm
- Visual and acoustical temperature alarm

**Fridge Section**

- Capacity refrigeration zone:384 litres
- Multi Airflow-System
- 3 safety glass shelves of which 2 are height adjustable
- 2 large door shelves

**Performance and consumption**

- Total capacity: 597 litres
- Airborne acoustical noise emissions: 43 dB dB(A) re 1 pW

**Design**

- Door Stainless steel look, side panels Metallic chrome
- alu vertical bar handle
- LED Illumination
- Interior with metal applications

**Comfort and Safety**

- Separate temperature control for cooling and freezing section
- Supercool function with automatic deactivation
- Fast freeze function
- Freezer-door open alarm, Fridge-door open alarm, Acoustic warning system
- Visual and acoustical temperature alarm

**Fridge Section**

- Capacity refrigeration zone:422 litres
- Multi Airflow-System
- 3 safety glass shelves of which 2 are height adjustable
- 2 large door shelves

**Freshness System**

- 1 vege.cont.w.int.humi.control with humidity control - keeps fruit and vegetables fresh!

**Freezer Section**

- NoFrost

**Performance and consumption**

- Energy Efficiency Class: 3 Energy Stars
- Total capacity: 329 litres
- Airborne acoustical noise emissions: 42 dB dB(A) re 1 pW

**Design**

- Door Stainless steel look, side panels Metallic chrome
- integrated vertical handle
- LED with Soft Start in fridge section

**Comfort and Safety**

- NoFrost
- LED electronic control
- Automatic deactivation

**Fridge Section**

- Capacity refrigeration zone:219 litres
- Multi Airflow-System
- 4 safety glass shelves of which 3 are height adjustable
- 4 door bins

**Freshness System**

- MultiBox: transparent drawer with wave bottom, ideal for the storage of fruits and vegetables

**Freezer Section**

- Freezer capacity: 110 litres
- Freezing capacity: 11 kg in 24 hours
- Storage time in power failure: 15 Hours

**Freshness System**

- 1 vege.cont.w.int.humi.control with humidity control - keeps fruit and vegetables fresh!

**Freezer Section**

- NoFrost
- Freezing capacity: 10 kg in 24 hours
- Storage time in power failure: 12 Hours
- Easy twist ice box, Easy twist ice box
- 2 door trays in the freezing compartment

**Dimensions**

- Dimensions: H 175.6 cm x L 79 cm x D 68.1 cm

**Technical Information**

- Door right hinged
- Height adjustable front feet, roles in the back
- Climate Class SN-T
- Connection load: 120 W
- Rated Voltage 220 - 240 V

**Accessories**

- 2 x egg tray

**Country Specific Options**

- Gross capacity, total: 526 l
- Gross capacity cooling 384 l
- Gross capacity\*\*\*\* freezer: 142 l (-18°C and below)
- Based on the results of the standard 25-hour test. Actual consumption depends on usage/position of the appliance.

- Freezing capacity: 10 kg in 24 hours
- Storage time in power failure: 12 Hours
- Easy twist ice box, Easy twist ice box
- 2 door trays in the freezing compartment

**Dimensions**

- Dimensions: H 180.6 cm x L 86 cm x D 68.1 cm

**Technical Information**

- Door right hinged
- Height adjustable front feet, roles in the back
- Climate Class SN-T
- Connection load: 120 W
- Rated Voltage 220 - 240 V

**Accessories**

- 2 x egg tray
- Highlights
- LED interior light - longlasting, efficient and perfect illumination!
- Telescopic rails - more convenient acces to freshness!
- NoFrost
- Easy twist ice box, Easy twist ice box

**Country Specific Options**

- Gross capacity, total: 597 l
- Gross capacity cooling 422 l
- Gross capacity\*\*\*\* freezer: 175 l (-18°C and below)
- Based on the results of the standard 25-hour test. Actual consumption depends on usage/position of the appliance.

**NO\_FEATURE**

- 3 transparent freezer drawers
- Freezing calendar

**Dimensions**

- Dimensions: H 186 cm x L 60 cm x D 66 cm

**Technical Information**

- Door right hinged, reversible
- Height adjustable front feet, roles in the back
- Climate Class SN-T
- Connection load: 100 W
- Rated Voltage 220 - 240 V

**Accessories**

- NO\_VALUE

**Country Specific Options**

- Gross capacity, total: 329 l
- Gross capacity cooling 219 l
- Gross capacity\*\*\*\* freezer: 110 l (-18°C and below)
- Based on the results of the standard 25-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

## Cooling Appliances Bottom Freezers

**Serie | 4**  
**KG57VL20M**  
**NoFrost, Bottom freezer**  
**Door color Stainless steel look**
**Main Features**

- NoFrost
- Energy Efficiency Class: 3 Energy Stars
- Total capacity: 505 litres
- Door Stainless steel look, side panels Metallic chrome
- vertical bar handle
- 1 fridge light in fridge section
- Two Cooling Systems
- Supercool function with automatic deactivation
- Automatic deactivation

**Fridge Section**

- Capacity refrigeration zone: 385 litres
- Multi Airflow-System
- AirFreshFilter w. AntiBacteria
- Chiller on EasySlide telescopic rails - keeps fish and meat up to 2x longer fresh!
- 4 safety glass shelves of which 3 are height adjustable
- 4 door bins

**Freezer Section**

- Freezer capacity: 120 litres
- Freezing capacity: 8 kg in 24 hours
- Storage time in power failure: 19 Hours
- 2 freezer drawers, incl. 1 Big Box
- Freezing calendar

**Technical Information**

- Door right hinged, reversible
- Height adjustable front feet, roles in the back
- Airborne acoustical noise emissions: 43 dB dB(A) re 1 pW
- Dimensions: H 185 cm x L 70 cm x D 77 cm
- Climate Class SN-T
- Connection load: 160 W
- Rated Voltage 220 - 240 V

**Accessories**

- 2 x egg tray, 2 x ice cube tray

## Cooling Appliances Bottom Freezers

**Serie | 6**  
**KG76DI30M**  
**NoFrost, Bottom freezer**  
**Door color inox EasyClean**
**Performance and consumption**

- Energy Efficiency Class: No
- Total capacity: 578 litres
- Airborne acoustical noise emissions: 42 dB dB(A) re 1 pW

**Design**

- Door inox EasyClean, side panels Metallic chrome
- alu vertical bar handle
- LED interior light in fridge section

**Comfort and Safety**

- NoFrost
- Twin LED electronic control
- Supercool function with automatic deactivation
- Automatic deactivation
- Optical and acoustic door open warning system
- Child lock, Fresh mode, Economy setting, Holiday mode

**Fridge Section**

- Capacity refrigeration zone: 422 litres
- Multi Airflow-System
- AirFreshfilter
- 3 safety glass shelves of which 2 are height adjustable

**Freshness System**

- VitaFresh plus: keeps food fresh for up to twice as long

**Freezer Section**

- Freezer capacity: 156 litres
- Freezing capacity: 10 kg in 24 hours
- Storage time in power failure: 22 Hours
- 2 freezer drawers, incl. 1 Big Box
- Freezing calendar

**Dimensions**

- Dimensions: H 186 cm x L 75 cm x D 80 cm

**Technical Information**

- Door right hinged, reversible
- Height adjustable front feet, roles in the back
- Climate Class SN-T
- Connection load: 100 W
- Rated Voltage 220 - 240 V

**Accessories**

- 3 x egg tray, 2 x ice cube tray with lid, 1 x bottle holder in door tray

**Country Specific Options**

- Gross capacity, total: 578 l
- Gross capacity cooling 422 l
- Gross capacity\*\*\*\* freezer: 156 l (-18°C and below)
- Based on the results of the standard 25-hour test. Actual consumption depends on usage/position of the appliance.

**Serie | 4**  
**KG56VI31M**  
**NoFrost, Bottom freezer**  
**Door color inox EasyClean**
**Performance and consumption**

- Energy Efficiency Class: 3 Energy Stars
- Total capacity: 559 litres
- Airborne acoustical noise emissions: 42 dB dB(A) re 1 pW

**Design**

- Door inox EasyClean, side panels Metallic chrome
- vertical bar handle
- LED with Soft Start in fridge section

**Comfort and Safety**

- NoFrost
- Twin LED electronic control
- Supercool function with automatic deactivation
- Automatic deactivation
- Optical and acoustic door open warning system
- Economy setting

**Fridge Section**

- Capacity refrigeration zone: 417 litres
- Multi Airflow-System
- AirFreshfilter
- 4 safety glass shelves of which 3 glass plates extendible
- 4 door bins
- Pull-out tray with Breakfast box

**Freshness System**

- VitaFresh: keeps fresh food crisp for longer

**Freezer Section**

- Freezer capacity: 142 litres
- Freezing capacity: 14 kg in 24 hours
- Storage time in power failure: 20 Hours
- 2 freezer drawers, incl. 1 Big Box
- Twist Ice Box removable - easy refilling and always fresh ice!
- Freezing calendar

**Dimensions**

- Dimensions: H 193 cm x L 70 cm x D 80 cm

**Technical Information**

- Door right hinged, reversible
- Height adjustable front feet, roles in the back
- Climate Class SN-T
- Connection load: 100 W
- Rated Voltage 220 - 240 V

**Accessories**

- 3 x egg tray, 1 x ice cube tray with lid, 1 x bottle holder in door tray

**Country Specific Options**

- Gross capacity, total: 559 l
- Gross capacity cooling 417 l
- Gross capacity\*\*\*\* freezer: 142 l (-18°C and below)
- Based on the results of the standard 25-hour test. Actual consumption depends on usage/position of the appliance."

**Serie | 6**  
**KG76AI30M**  
**NoFrost, Bottom freezer**  
**Door color inox EasyClean**
**Performance and consumption**

- Energy Efficiency Class: 4 Energy Stars
- Total capacity: 578 litres
- Airborne acoustical noise emissions: 42 dB dB(A) re 1 pW

**Design**

- Door inox EasyClean, side panels Metallic chrome
- alu vertical bar handle
- LED with Soft Start in fridge section

**Comfort and Safety**

- NoFrost
- In-door LCD control
- Supercool function with automatic deactivation
- Automatic deactivation
- Optical and acoustic door open warning system
- Fresh mode, Holiday mode, Economy setting, Child lock

**Fridge Section**

- Capacity refrigeration zone: 422 litres
- Multi Airflow-System
- AirFreshfilter
- 4 safety glass shelves of which 3 are height adjustable
- 7 door bins, there of 2x dairy compartment
- Pull-out tray with Breakfast box

**Freshness System**

- VitaFresh plus: keeps food fresh for up to twice as long

**Freezer Section**

- Freezer capacity: 156 litres
- 2 freezer drawers, incl. 1 Big Box
- Freezing calendar

**Dimensions**

- Dimensions: H 186 cm x L 75 cm x D 80 cm

**Technical Information**

- Door right hinged, reversible
- Height adjustable front feet, roles in the back
- Climate Class SN-T
- Connection load: 100 W
- Rated Voltage 220 - 240 V

**Accessories**

- NO\_VALUE

**Country Specific Options**

- Gross capacity, total: 578 l
- Gross capacity cooling 422 l
- Gross capacity\*\*\*\* freezer: 156 l (-18°C and below)
- Based on the results of the standard 25-hour test. Actual consumption depends on usage/position of the appliance.

## Cooling Appliances Side-by-Side

**Serie | 6**  
**KG86AI30M**  
**NoFrost, Bottom freezer**  
**Door color inox EasyClean**

**Performance and consumption**

- Energy Efficiency Class: 4 Energy Stars
- Total capacity: 682 litres
- Airborne acoustical noise emissions: 42 dB dB(A) re 1 pW

**Design**

- Door inox EasyClean, side panels Metallic chrome
- alu vertical bar handle
- LED with Soft Start in fridge section

**Comfort and Safety**

- NoFrost
- In-door LCD control
- Supercool function with automatic deactivation
- Automatic deactivation
- Optical and acoustic door open warning system
- Child lock, Economy setting, Holiday mode, Fresh mode

**Fridge Section**

- Capacity refrigeration zone: 496 litres
- Multi Airflow-System
- AirFreshfilter
- 4 safety glass shelves of which 3 are height adjustable
- 7 door bins, there of 2x dairy compartment
- Pull-out tray with Breakfast box

**Freshness System**

- VitaFresh plus: keeps food fresh for up to twice as long

**Freezer Section**

- Freezer capacity: 186 litres
- Freezing capacity: 16 kg in 24 hours
- Storage time in power failure: 25 Hours
- 2 freezer drawers, incl. 1 Big Box
- Freezing calendar

**Dimensions**

- Dimensions: H 186 cm x L 86 cm x D 81 cm

**Technical Information**

- Door right hinged, reversible
- Height adjustable front feet, roles in the back
- Climate Class SN-T
- Connection load: 100 W
- Rated Voltage 220 - 240 V

**Accessories**

- 3 x egg tray, 2 x ice cube tray with lid, 1 x bottle holder in door tray

**Country Specific Options**

- Gross capacity, total: 682 l
- Gross capacity cooling 496 l
- Gross capacity\*\*\*\* freezer: 186 l (-18°C and below)
- Based on the results of the standard 25-hour test. Actual consumption depends on usage/position of the appliance.

**Serie | 4**  
**KAN93VL30M**  
**Side by side refrigrator**


- Product type: 2 doors
- Total unit gross capacity (l): 616
- Total unit net capacity (l): 560
- Energy efficiency class (2010/30/EC): A++
- Energy consumption annual (kWh/annum) - NEW (2010/30/EC): 363.00
- Noise level (dB): 42
- Height (cm): 178.7
- Appliance Width (cm): 90.8
- Depth (cm): 51.45
- Colour.Material door: Inox-look

**Serie | 6**  
**KAG90AI20N**  
**NoFrost, Free-standing-refrigerator side-by-side Ice- and Water Dispenser and Home Bar**  
**Door color inox EasyClean**

**Performance and consumption**

- Total capacity: 608 litres
- Airborne acoustical noise emissions: 43 dB dB(A) re 1 pW

**Design**

- Door inox EasyClean, side panels Grey
- alu vertical bar handle
- LED interior light LED

**Comfort and Safety**

- NoFrost
- Exterior digital with digital display - at a glance perfectly under control!
- Separate temperature control for cooling and freezing section
- Supercool function with automatic deactivation
- Automatic deactivation
- Acoustic warning system
- Optic and acoustic Warning System Failure memory function
- Illuminated water and ice / crushed ice dispenser
- Automatic ice cube maker, Automatic ice cube maker
- Ice cube output 0.9 kg / 24 h

**Fridge Section**

- Capacity refrigeration zone: 380 litres
- Multi Airflow-System
- 3 safety glass shelves of which 1 are height adjustable

- Homebar
- 3 large door shelves
- MultiBox with 3 compartments

**Freezer Section**

- Net capacity freezer 163 l: 157 l\*\*\*\*, 6 l\*\*
- Freezing capacity: 11 kg in 24 hours
- Storage time in power failure: 4 Hours
- 2 transparent freezer drawers
- 4 safety glass trays there of 2 height adjustable
- 4 door trays in the freezing compartment

**Technical Information**

- 4 height adjustable feet
- Climate Class SN-T

**Dimensions**

- Dimensions: H 177 cm x L 91 cm x D 72 cm
- Connection load: 374 W
- Rated Voltage 220 - 240 V

**Accessories**

- 1 x connection hose, 1 x egg tray

**Country Specific Options**

- Gross capacity, total: 608 l
- Gross capacity cooling 380 l
- Gross capacity\*\*\*\* freezer: 228 l (-18°C and below)
- Based on the results of the standard 25-hour test. Actual consumption depends on usage/position of the appliance.

## Cooling Appliances Tall freezer / Tall Fridge

**Serie | 2**  
**GSN36NW30M**  
**NoFrost, Tall freezer Door color White**

**Performance and consumption**

- Energy Efficiency Class: No
- Total capacity: 255 litres
- Airborne acoustical noise emissions: 42 dB dB(A) re 1 pW

**Design**

- Door White, side panels White
- vertical bar handle

**Comfort and Safety**

- NoFrost
- LED electronic control
- Acoustic warning system
- Optic and acoustic Warning System
- Constant temperature by intelligent sensor technology
- Automatic deactivation
- Smart door opening with Air Channel System

**Freezer Section**

- Freezer capacity: 255 litres
- Freezing capacity: 20 kg in 24 hours
- Storage time in power failure: 25 Hours
- Safety glass
- Multi Airflow-System
- 4 transparent freezer drawers, incl.2
- Freezing calendar

**Dimensions**

- Dimensions: H 186 cm x L 60 cm x D 65 cm

**Technical Information**

- Door right hinged, reversible
- Height adjustable front feet, roles in the back
- door opening angle 90°
- Transportation handles
- Connection load: 90 W
- Rated Voltage 220 - 240 V
- Climate Class SN-T

**Accessories**

- 2 x cold accumulator, 1 x ice cube tray

**Country Specific Options**

- Gross capacity, total: 255 l
- Gross capacity\*\*\*\* freezer: 255 l (-18°C and below)
- Based on the results of the standard 25-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

**Serie | 4**  
**GSN36VL3PG**  
**Door color Stainless steel look**  
**NoFrost, Tall freezer**

**Performance and consumption**

- Energy Efficiency Class: NO\_FEATURE
- Total capacity: 255 litres
- Airborne acoustical noise emissions: 42 dB dB(A) re 1 pW

**Design**

- Door Stainless steel look, side panels Metallic chrome
- alu vertical bar handle

**Comfort and Safety**

- NoFrost
- LED electronic control
- Optic and acoustic Warning System
- Constant temperature by intelligent sensor technology
- Automatic deactivation

**Freezer Section**

- Freezer capacity: 255 litres
- Freezing capacity: 20 kg in 24 hours
- Multi Airflow-System
- Storage time in power failure: 25 Hours
- 1 ice cube tray with lid
- Safety glass
- 4 transparent freezer drawers, incl.2

**Dimensions**

- Dimensions: H 186 cm x L 60 cm x D 65 cm

**Technical Information**

- Door right hinged, reversible
- Height adjustable front feet, roles in the back
- door opening angle 90°
- Transportation handles
- Connection load: 90 W
- Rated Voltage 220 - 240 V
- Climate Class SN-T

**Accessories**

- 2 x cold accumulator, 1 x ice cube tray

**Country Specific Options**

- Gross capacity, total: 255 l
- Gross capacity\*\*\*\* freezer: 255 l (-18°C and below)
- Based on the results of the standard 25-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

**Serie | 4**  
**KSW30V80M**  
**Tall fridge**

**Performance and consumption**

- Total capacity: 389 litres
- Airborne acoustical noise emissions: 41 dB dB(A) re 1 pW

**Design**

- Door Silver, side panels Silver
- LED interior light in fridge section

**Main Features**

- UV protected tinted glass door with alu-frame
- 7 segment electronic control
- Defrost water outlet

**Fridge Section**

- Capacity refrigeration zone: 389 litres
- Automatic defrost in fridge section
- 9 oak-wood worksurface, therefrom 8 high adjustable
- LED interior light LED

**Dimensions**

- Dimensions: H 185 cm x L 59.5 cm x D 60 cm

**Technical Information**

- Total capacity: 389 litres
- Height adjustable front feet, roles in the back
- Door right hinged unchangeable
- Climate Class ST

## Chest Freezers

**Serie | 6**  
**GCM28VW20M**  
**Chest Freezer White**



**Performance and consumption**

- Total capacity: 301 litres
- Airborne acoustical noise emissions: 43 dB dB(A) re 1 pW

**Design**

- White
- LED Illumination
- Counterbalanced lid

**Comfort and Safety**

- Mechanical control

**Freezer Section**

- Freezer capacity: 301 litres
- Freezing capacity: 14 kg in 24 hours
- Storage time in power failure: 75 Hours
- Removable dividing wall, which can be used for collecting defrosted water

**Dimensions**

- Dimensions: H 85 cm x L 128.5 cm x D 69.6 cm

**Technical Information**

- Climate Class SN-T
- Connection load: 75 W
- Rated Voltage 220 - 240 V

**Country Specific Options**

- Gross capacity, total: 301 l
- capacity\*\*\*\* freezer: 301 l (-18°C and below)
- Based on the results of the standard 25-hour test. Actual consumption depends on usage/position of the appliance.

**Serie | 6**  
**GCM34VW20M**  
**Chest Freezer White**



**Performance and consumption**

- Total capacity: 419 litres
- Airborne acoustical noise emissions: 44 dB dB(A) re 1 pW

**Design**

- White
- LED Illumination
- Counterbalanced lid
- Yes

**Comfort and Safety**

- Mechanical control

**Freezer Section**

- Freezer capacity: 419 litres
- Freezing capacity: 19 kg in 24 hours
- Storage time in power failure: 50 Hours
- Removable dividing wall, which can be used for collecting defrosted water

**Dimensions**

- Dimensions: H 82.5 cm x L 141.6 cm x D 75 cm

**Technical Information**

- Climate Class SN-T
- Connection load: 131 W
- Rated Voltage 220 - 240 V

**Country Specific Options**

- Gross capacity, total: 419 l
- Gross capacity\*\*\*\* freezer: 419 l (-18°C and below)
- Based on the results of the standard 25-hour test. Actual consumption depends on usage/position of the appliance.



**BOSCH**

Invented for life

Bosch Dishwashers,  
hygiene at its best.



# Save water at every load.

The water saving is all down to ActiveWater™ technology, which makes water work harder. Clean rinse water is recycled into the main wash cycle and water is filtered back into the wash cycle even faster, so less of it is needed.

With a solution that uses little energy and water to make life easier, it's no wonder dishwashers are becoming a must have in the kitchen.



# Dishwashing vs. Hand washing.



## Ultimate Hygiene

### Dishwashing

- Water is heated up to 75 °C, eliminating nearly 100% of germs
- No sponges required

### Hand washing

- High degrees of hot water cannot be used to hand wash the dishes, therefore not guaranteeing germ-free dishes
- Sponges used to clean encourage the growth of bacteria



## Better Water and Energy Savings

### Dishwashing

- 7-12 litres of water is used for 13 place settings
- 0.67 kWh to 1.0 kWh of electricity is consumed in a standard Eco 50°C programme

### Hand washing

- 40 litres of water is used for 13 place settings
- Over twice the energy is used for heating the water (2.6 kWh)



## Save Time

### Dishwashing

- Maximum of 15 minutes of dishwashing time (13 place settings)

### Hand washing

- An average of 60 minutes of manned dishwashing time (13 place settings)



## More Convenience

### Dishwashing

- A tidy kitchen as the dishes are collected in the dishwasher

### Hand washing

- A sink full of dirty dishes will make the kitchen untidy



## Higher Safety

### Dishwashing

- No risk of getting cut by kitchen knives in foamy dishwater

### Hand washing

- High risk of serious injuries with kitchen knives hidden in foamy dishwater

It's no surprise that using a dishwasher may seem expensive at first. But you'll be surprised to know just how much energy, water and costs you can save in the long run with a Bosch dishwasher. Not only do our dishwashing solutions score on hygiene and convenience, but they're the safest way to take a load off your sink in no time. And with our world-class energy ratings, you have a winner of a kitchen helper on your hands. Here are just some of the reasons you'll love using a Bosch dishwasher.





**Green Technology inside**

Look out for the Bosch energy efficiency symbol as it is there to help you identify our most energy efficient models.



# Set a world record\* in your kitchen.

The world champions in water and energy-saving among dishwashers bear the Bosch logo. The revolutionary ActiveWater™ technology and Zeolith® minerals with Shine & Dry make sure of that, for less water and energy consumption and more efficiency.

ActiveWater™ technology from Bosch is a revolutionary dishwashing system that gets the maximum use out of each and every drop of water. This incredible increase in efficiency has been achieved through maximising water efficiency in the rinse cycles, faster heating-up, targeted water circulation and improved pump performance, meaning ActiveWater™ dishwashers use less water and less energy whilst increasing performance.

**Less water**

Our new dishwashers use only 6 litres of water to wash 13 place settings on a standard Eco 50°C programme – every time.

**Less energy**

Our ActiveWater™ dishwashers not only save water, but they lead the way in energy consumption too. Our models use just 0.67 kWh on a standard 50°C Eco programme, which is 50% less energy than an equivalent Bosch dishwasher 15 years ago. Now every household can not only save money, but actively protect the environment too.

**More performance**

ActiveWater™ technology not only saves water and energy, but also increases the performance of the machine with faster heating-up times, optimum water circulation and improved pump performance. All Bosch ActiveWater™ dishwashers deliver an A wash and A drying performance every time.

\* 30% more economical (only 0.73 kWh/13 place settings) than the qualifying rate (1.07 kWh/13 place settings) for energy efficiency class A.

# Bosch in every detail.

The features that set us apart.

## Better energy & water efficiency

### **Zeolith™ Drying**

#### **– optimal drying using less energy**

The energy-saving mineral: Besides saving water, ActiveWater™ dishwashers also reduce energy consumption in comparison to current models by a further 20%. They reduce environment impact and electricity bills in the face of rising energy prices. The secret of this energy saving has a name: Zeolith™ Drying. The natural silicate mineral, Zeolith™, is regenerated for each new rinse cycle, lasts a life time and never needs replacing.

### **Cleaning process**

In the next wash cycle, the air from the dishwasher interior is heated and flows through the Zeolith™ container. This releases the water stored in the Zeolith™ pearls, and this moisture, together with the heated air, is then returned to the interior where it helps heat up the water in the process.

### **Drying process**

Damp air is channelled out of the interior and through the Zeolith™ container. The moisture is immediately absorbed by the Zeolith™ pearls and the energy stored in the Zeolith™ is released in the form of heat. The hot, very dry air is then channelled back into the interior and dries the dishes.

### **VarioSpeed™ functionality on all models with display**

Research shows that consumers are often looking for a time-saving feature to help reduce the length of the programme. With a Bosch dishwasher, you can have the option of having your dishes cleaned in the normal time using the standard programme or choose to reduce the length of the programme with VarioSpeed™ by approximately up to 50% without sacrificing on washing and drying performance.

## Improve flexibility

### **Rackmatic™**

This system makes it a simple matter to adjust the height of the upper basket, even when it is fully loaded, so a large variety of plates, glasses or even pots can easily be accommodated.

### **VarioDrawer**

On selected ActiveWater™ dishwashers, the VarioDrawer (third loading level) replaces the cutlery basket completely, freeing even more space in the bottom basket and creating a loading capacity for 15 place settings. The VarioDrawer allows for easy loading and unloading of cutlery, with room for espresso cups, larger kitchen utensils and other crockery that isn't traditionally catered for in regular third loading levels. And what's more, because of its unique v-shape, you can still load long-stem wine glasses in the upper basket, even with the drawer in place.

### **VarioFlex Plus™ – Baskets**

This system offers the greatest flexibility. With the foldable racks, the system can be adapted to any load, and all items are assured a firm, secure place in the protective racks.

### **AquaSensor**

The AquaSensor constantly checks the progress of the wash and adjusts the duration and temperature to suit the level of soiling. This is done through the activation of the Auto programmes. Simply select the programme of your choice and the AquaSensor will decide exactly the right temperature to use, how long to wash for and how much water should be used in the cycle.

## Improved operation

### **InfoLight**

A Bosch dishwasher is so quiet that we designed the InfoLight to indicate when it's on. The light is installed in the dishwasher door and works via a projection module.

### **Whisper-quiet operation**

Bosch dishwashers have been designed to be whisper-quiet. Multiple levels of sound-proofing materials on the roof, sides and door of the dishwasher, combined with a vibration-proof base plate and a specially mounted motor pump, all help in reducing any noise while the load is being washed. The pumps and a closed water cycle produce less noise as the water is distributed equally through the spray arms.

### **EmotionLight™**

An additional visual highlight when opening the door, the interior is bathed in a deep blue light: EmotionLight™. This beautiful play of light is produced (in select models) by blue LEDs that last the entire dishwasher lifecycle.

### **DosageAssist detergent system**

Since most households use detergent tablets in their dishwashers, the DosageAssist feature is designed to maximise the effectiveness. The detergent dispenser on Bosch ActiveWater™ dishwashers is conveniently located in the top-centre of the door, where it is protected from food remnants that drip while loading dishes. At the beginning of the wash cycle, the detergent tablet drops into the specially designed tray, where it dissolves evenly under control, instead of lodging between crockery or not dissolving completely.

### **Heat Exchanger**

Unlike other drying systems that draw on polluted air from behind the dishwasher, all Bosch ActiveWater™ models collect and reuse the residual heat from the warm water inside the dishwasher to hygienically dry your dishes. A final hot rinse of water leaves residual heat in the tub, creating condensation along the cooler wall. The condensation is then drained so you'll never have to release steam into the kitchen again. The heat exchanger not only reduces the need to heat additional rinses, it also saves energy and protects your valuable dishes and glasses from the damaging effects of temperature shocks.

## Enhanced safety

### **AquaStop™**

Patented by Bosch in 1985 and copied throughout the world, the AquaStop™ safety system prevents any type of water damage, whether at the inlet hose or because of a leak in the machine. This system provides 24-hour protection each day.

### **Child door and button locks**

For added safety on selected models, the door can be locked manually to prevent children from inadvertently opening the door. The buttons can also be locked to prevent tampering during operation.



# Options & programmes to suit every need.

## Options

### HygienePlus

Select the HygienePlus option for a hotter final rinse – perfect for cooking utensils, glass jars, chopping boards and baby bottles.

### VarioSpeed Plus

The VarioSpeed Plus optionally reduces programme times by up to 65%, but without compromising on quality. So you still get hygienically clean and dry dishes, but in as little as half the time – ideal for busy households and when entertaining.

### Intensive Zone

Cleans heavily soiled saucepans and fragile items at the same time. The bottom basket receives an extra-intensive wash, perfect for pans, burnt casserole dishes and baked-on stains, whilst the top basket programme carries on as normal so you can load it as you always would, with no risk to fragile glasses.

### Half load

If you don't have enough for a full load and can't wait, simply load up to half the dishwasher with crockery, plates, pots and pans anywhere in your dishwasher, select the programme temperature and press the half load button. The programme time is reduced and up to 30% less water is used.

### Shine & Dry

The Shine & Dry option is designed specifically for plastic items like plasticware, picnicware and baby bottles. These items do not hold as much residual heat after the wash process as crockery and glassware, and therefore require a higher drying temperature to ensure they come out clean and dry.

### TurboSpeed

Activating the TurboSpeed mode pre-heats the dishwasher for 25 minutes. Once pre-heated, a wash cycle can be completed in just 20 minutes making this our fastest wash programme. Following pre-heating, the 20-minute cycle can be used again and again, making this the perfect programme while entertaining. If used in conjunction with the Extra Dry option, you can wash and dry in just 30 minutes.

## Programmes

Programmes	Functions	Benefits
Intensive 70 °C	<ul style="list-style-type: none"> <li>Special programme for heavily soiled dishes</li> <li>Particularly suitable for pots and pans</li> <li>High temperature ensures highest degree of hygiene</li> </ul>	<ul style="list-style-type: none"> <li>Excellent cleaning results, even if dishes are heavily soiled</li> <li>Pre-rinsing is not necessary</li> <li>High water temperature ensures maximum hygiene</li> </ul>
Auto 65 °C-75 °C	<ul style="list-style-type: none"> <li>Programme for heavily soiled and robust dishes (dried-on or baked-on leftovers)</li> <li>The AquaSensor measures the level of soiling in the dishwasher and decides which temperature should be selected, 65 °C - 75 °C</li> <li>It also determines whether the water should be changed</li> </ul>	<ul style="list-style-type: none"> <li>Best washing result is ensured</li> <li>Saves energy and water (up to 25%), therefore reducing costs</li> <li>Easy operation</li> </ul>
Quick Wash 65 °C	<ul style="list-style-type: none"> <li>Programme for all washing cycles, if dishes are normally soiled</li> </ul>	<ul style="list-style-type: none"> <li>Sparkling clean dishes</li> </ul>
Auto 45 °C - 65 °C	<ul style="list-style-type: none"> <li>Programme for mixed load and heavily soiled dishes</li> <li>The AquaSensor measures the level of soiling in the dishwasher and decides which temperature should be selected, 45 °C - 65 °C</li> <li>It also determines whether the water should be changed</li> </ul>	<ul style="list-style-type: none"> <li>Best washing result is ensured</li> <li>Saves energy and water (up to 25%), therefore reducing costs</li> <li>Easy operation</li> </ul>
Delicate 40 °C	<ul style="list-style-type: none"> <li>Programme for glasses and decoratively patterned porcelain</li> </ul>	<ul style="list-style-type: none"> <li>Careful washing of valuable dishes (glasses and decoratively patterned porcelain)</li> </ul>
Auto 35 °C - 45 °C	<ul style="list-style-type: none"> <li>Programme for temperature-sensitive, slightly soiled dishes and cutlery</li> <li>The AquaSensor measures the level of soiling in the dishwasher and decides which temperature should be selected, 35 °C - 45 °C</li> <li>It also determines whether the water should be changed</li> </ul>	<ul style="list-style-type: none"> <li>Best washing result is ensured</li> <li>Saves energy and water (up to 25%), therefore reducing costs</li> <li>Easy operation</li> </ul>
Eco 50 °C	<ul style="list-style-type: none"> <li>Programme to reduce consumption, suitable for all washing cycles, if dishes are normally soiled</li> </ul>	<ul style="list-style-type: none"> <li>Saves energy, therefore reducing costs</li> </ul>
Quick Wash 45 °C	<ul style="list-style-type: none"> <li>Programme for time-saving dishwashing (&lt;30 minutes)</li> <li>Suitable for small loads or non-encrusted leftover food</li> <li>Washing temperature is around 45 °C</li> <li>For 6 place settings only</li> </ul>	<ul style="list-style-type: none"> <li>Cleaning efficiency label A (if not badly soiled)</li> </ul>
Pre-rinse	<ul style="list-style-type: none"> <li>Programme to pre-rinse the dishes before the main wash cycle</li> </ul>	<ul style="list-style-type: none"> <li>Helps to ensure the best cleaning result before the main wash to prevent unpleasant smells and slightly adherent soiling</li> <li>Prevents encrustation of leftover food if dirty dishes are left in the dishwasher for quite a while</li> </ul>

## Bosch dishwasher design solutions.

### Freestanding

These dishwashers can be installed anywhere in your kitchen. They have a lid, which can be removed if the dishwasher is being installed under a worktop.

### Integrated

These dishwashers are designed to be fitted with a kitchen furniture panel to match the design of the kitchen. Only the control panel of the dishwasher is exposed. Alternatively, they can be fitted with a stainless steel front panel accessory.

### Fully Integrated

These dishwashers are entirely concealed behind a furniture door. The control panel is integrated into the top of the door. They can also be fitted with a stainless steel front panel accessory if you desire.



# A dishwasher that cares about hygiene as much as you do.

Bosch dishwashers eliminate 99.744% more germs as compared to hand washing, thus safeguarding the health of your family.

With exceptional German engineering, you finally have a dishwasher that cares about the health of your family as much as you do. Our dishwashers reach temperatures of 70 degrees, eliminating germs effectively, while our best models consume only 6 litres of water per cycle to wash more than 120 items. All this and more is why your family deserves a dishwasher that's Bosch in every detail.



\*For Dishwashers. Source: Euromonitor, volume sales, 2018



## Freestanding Dishwashers

## Notes:

---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---

**Serie | 6**  
**SMS68T120M**  
**Freestanding - silver inox**


- Capacity: 12+1 place settings place settings
- Energy Class: 5 Energy Stars
- Energy consumption in programme Eco 50: 254 kwhper year, based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes. Actual energy consumption will depend on how the appliance is used.
- Energy consumption in programme Eco 50: 0.907 kwh
- Water consumption in programme Eco 50: 1792 litres per year, based on 280 standard cleaning cycles. Actual water consumption will depend on how the appliance is used.
- Consumption in programme Eco 50: 1792 litres water per year / 254 kwh energy per year. Based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes.
- Drying efficiency class NO\_FEATURE on a scale from G (least efficient) to A (most efficient)
- The information relates to the programme Eco 50. This programme is suitable to clean normally soiled tableware and is the most efficient programme in terms of combined energy and water consumption.
- Programme time in programme Eco 50: 195 min
- Noise level: 42 dB (re 1 pW), built-under
- Noise level (silence programme): 40 dB(A) re 1 pW
- Energy consumption when connected to hot water
- 8 Programme: Intensiv 70 °C, Auto 45-65 °C, Eco 50 °C, Silence 50 °C, Glas 40 °C, 1h 65 °C, Schnell 45 °C, Vorspülen
- 4 special options: Intensive Zone, VarioSpeedPlus, Half Load, HygienePlus
- 5 cleaning temperatures
- ActiveWater hydraulic system
- DosageAssist
- BLDC motor for heat and drain pump
- AquaSensor, Load Sensor
- Detergent Automation
- Heat exchanger
- Drying Assistent
- Alternating spray
- Regenerative electronics
- Self-cleaning filter system with 3-fold corrugated filter
- Stainless steel
- black

- Time remaining indicator front
- Programme flow display
- LED colour on indicators
- Electronic delay timer: 1-24 hours
- LED salt refill indicator
- LED rinse aid refill indicator
- high 642 yes
- Silver XXL baskets
- Rackmatic 3-stage
- 6 foldable plate racks in top basket
- 8 foldable plate racks in bottom basket
- 2 lever (long/short) 2
- 2 shelves in bottom basket
- AquaStop - Prevent Water Leakage
- Childproof control lock
- Servo-lock
- Dimensions of the product (HxWxD): 84.5 x 60 x 60 cm

**Serie | 6**  
**SMS68TW20M**  
**Freestanding - White**


- Freestanding - White
- Capacity: 12+1 place settings place settings
- Energy Class: 5 Energy Stars

**Technical Information**

- Energy consumption in programme Eco 50: 254 kwh per year, based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes. Actual energy consumption will depend on how the appliance is used.
- Energy consumption in programme Eco 50: 0.907 kwh
- Water consumption in programme Eco 50: 1792 litres per year, based on 280 standard cleaning cycles. Actual water consumption will depend on how the appliance is used.
- Consumption in programme Eco 50: 1792 litres water per year / 254 kwh energy per year. Based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes.
- The information relates to the programme Eco 50. This programme is suitable to clean normally soiled tableware and is the most efficient programme in terms of combined energy and water consumption.
- Programme time in programme Eco 50: 195 min
- Noise level: 42 dB (re 1 pW), built-under
- Noise level (silence programme): 40 dB(A) re 1 pW
- Energy consumption when connected to hot water in programme Eco 50: 0.7 kwh

**Programmes**

- 8 programmes: Intensiv 70 °C, Auto 45-65 °C, Eco 50 °C, Night Program 50 °C, Glass 40 °C, Quick wash 65 °C, Quick wash 45 °C, Pre-Rinse
- 5 Special options: Intensive Zone, VarioSpeedPlus, Half Load, HygienePlus, Extra Dry

**Features**

- Machine Care
- 5 cleaning temperatures
- 5-16 l
- ActiveWater hydraulic system

- DosageAssist
- BLDC motor for heat and drain pump
- AquaSensor, Load Sensor
- Detergent Automation
- Heat exchanger
- Drying Assistent
- Alternating spray
- Regenerative electronics
- Self-cleaning filter system with 3-fold corrugated filter
- Stainless steel
- black
- Time remaining indicator front
- Programme flow display
- LED colour on indicators
- Electronic delay timer: 1-24 hours
- LED salt refill indicator
- LED rinse aid refill indicator
- high 642 yes
- Cutlery drawer 2.1

**Baskets and Racks**

- Silver XXL baskets
- Rackmatic 3-stage
- 6 foldable plate racks in top basket
- 8 foldable plate racks in bottom basket
- 2 lever (long/short) 2
- 2 shelves in bottom basket
- AquaStop - Prevent Water Leakage

**Safety**

- Childproof control lock
- Servo-lock
- Dimensions of the product (HxWxD): 84.5 x 60 x 60 cm

**Serie | 8**  
**SMS88T146M**  
**Freestanding - silver inox**



**Programmes**

- Capacity: 14 place settings place settings
- Energy consumption in programme Eco 50: 239 kwh per year, based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes. Actual energy consumption will depend on how the appliance is used.
- Energy Class: 5 Energy Stars
- Energy consumption in programme Eco 50: 0.854 kwh
- Water consumption in programme Eco 50: 2520 litres per year, based on 280 standard cleaning cycles. Actual water consumption will depend on how the appliance is used.
- Consumption in programme Eco 50: 2520 litres water per year / 239 kwh energy per year. Based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes.
- Drying efficiency class NO\_FEATURE on a scale from G (least efficient) to A (most efficient)
- The information relates to the programme Eco 50. This programme is suitable to clean normally soiled tableware and is the most efficient programme in terms of combined energy and water consumption.
- Programme time in programme Eco 50: 195 min
- Noise level: 42 dB (re 1 pW), built-under
- 40 dB
- Energy consumption when connected to hot water in programme Eco 50: 0.6 kwh
- 7-18 l

**General Specification**

- 8 programmes: Intensive 70 °C, Auto 45-65 °C, Eco 50 °C, Night Program 50 °C, short 60 °C, Glass 40 °C, Quick wash 45 °C, Pre-Rinse
- 5 Special options: Remote Start, VarioSpeedPlus, Half Load, HygienePlus, Extra Dry
- Home Connect enabled via WLAN
- Machine Care
- 6 cleaning temperatures

**Features**

- ActiveWater hydraulic system
- DosageAssist

- BLDC motor for heat and drain pump
- AquaSensor, Load Sensor
- Detergent Automation
- Heat exchanger
- Alternating spray
- Regenerative electronics
- Self-cleaning filter system with 3-fold corrugated filter

**Baskets and Racks**

- Push button top controls
- TFT Display inside
- Acoustic end of cycle indicator
- Real Time Clock
- LED colour on indicators red/-
- Electronic delay timer: 1-24 hours
- LED salt refill indicator
- LED rinse aid refill indicator
- Stainless steel Replasa-X3
- high 642 yes
- Cutlery drawer 2.1

**Safety**

- Silver XXL baskets
- Rackmatic 3-stage
- 6 foldable plate racks in top basket
- 8 foldable plate racks in bottom basket
- 2 lever (long/short) 2
- 2 shelves in bottom basket
- Stemware support

**Technical Information**

- AquaStop - Prevent Water Leakage
- Childproof door lock
- Servo-lock
- Stainless steel
- Dimensions of the product (HxWxD): 84.5 x 60 x 60 cm

**Safety**

- Childproof door lock
- Servo-lock
- Glass care system

**Technical Information**

- Dimensions of the product (HxWxD): 84.5 x 60 x 60 cm

**General Specification**

- 60 cm dishwasher
- Freestanding - White
- 12 place settings
- Energy Class: 4 Energy Stars
- Duration of the left-on mode: NO\_FEATURE
- Noise level: 48 dB (re 1 pW), built-under

**Programmes**

- 5 programmes: Intensive 70 °C, Auto 45-65 °C, Eco 50 °C, Quick wash 45 °C, Pre-Rinse
- 1 special options: Half Load

**Features**

- 4 cleaning temperatures
- ActiveWater hydraulic system
- DosageAssist
- AquaSensor, Load Sensor
- Detergent Automation
- BLDC motor for heat and drain pump
- Stainless steel/Polinox
- Alternating spray
- Regenerative electronics
- Self-cleaning filter system with 3-fold corrugated filter
- Time remaining indicator front
- LED colour on indicators red/red
- Electronic delay timer: 1-24 hours
- LED salt refill indicator
- LED rinse aid refill indicator
- Retractable rotary knob

**Baskets and Racks**

- Vario basket system
- Silver XXL baskets
- Rackmatic 3-stage
- 2 foldable plate racks in bottom basket
- Cutlery rack in top basket
- Cutlery basket in bottom basket
- 2 x cup shelves
- AquaStop - Prevent Water Leakage

**Serie | 4**  
**SMS50E92GC**  
**60 cm dishwasher**  
**Freestanding - white**



**Serie | 4**  
**SMS50D08GC**  
**60 cm dishwasher**  
**Freestanding - silver inox**



- 12 place settings
- Energy Class: 4 Energy Stars
- Energy consumption in programme Eco 50: 237 kwhper year, based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes. Actual energy consumption will depend on how the appliance is used.
- Energy consumption in programme Eco 50: 0.846 kwh
- Water consumption in programme Eco 50: 2772 litres per year, based on 280 standard cleaning cycles. Actual water consumption will depend on how the appliance is used.
- Consumption in programme Eco 50: 2772 litres water per year / 237 kwh energy per year. Based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes.
- The information relates to the programme Eco 50. This programme is suitable to clean normally soiled tableware and is the most efficient programme in terms of combined energy and water consumption.
- Programme time in programme Eco 50: 210 min
- Noise level: 48 dB (re 1 pW), built-under
- 5 programmes: Intensive 70 °C, Auto 45-65 °C, Eco 50 °C, Quick wash 45 °C, Pre-Rinse
- 1 special options: HygienePlus
- 4 cleaning temperatures
- ActiveWater hydraulic system
- DosageAssist
- BLDC motor for heat and drain pump
- AquaSensor, Load Sensor
- Detergent Automation
- Alternating spray
- Regenerative electronics
- Self-cleaning filter system with 3-fold corrugated filter
- Stainless steel/Polinox
- Time remaining indicator front
- LED colour on indicators red/red
- Electronic delay timer: 1-24 hours

- LED salt refill indicator
- LED rinse aid refill indicator
- Stainless steel Replasa-X3
- Retractable rotary knob
- Vario basket system
- Silver XXL baskets
- Rackmatic 3-stage
- 2 foldable plate racks in bottom basket
- Cutlery basket in bottom basket
- 2 x cup shelves
- Prevent Water Leakage
- Childproof door lock
- Servo-lock
- Glass care system
- Dimensions of the product (HxWxD): 84.5 x 60 x 60 cm



**Serie | 4**  
**SMS46NW10M**  
**60 cm dishwasher**  
**Freestanding - White**



- Capacity: 12+1 place settings place settings
- Energy Class: 5 Energy Stars
- Energy consumption in programme Eco 50: 251 kwhper year, based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes. Actual energy consumption will depend on how the appliance is used.
- Energy consumption in programme Eco 50: 0.896 kwh
- Water consumption in programme Eco 50: 2604 litres per year, based on 280 standard cleaning cycles. Actual water consumption will depend on how the appliance is used.
- Consumption in programme Eco 50: 2604 litres water per year / 251 kwh energy per year. Based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes.
- Drying efficiency class NO\_FEATURE on a scale from G (least efficient) to A (most efficient)
- The information relates to the programme Eco 50. This programme is suitable to clean normally soiled tableware and is the most efficient programme in terms of combined energy and water consumption.
- Programme time in programme Eco 50: 210 min
- Noise level: 44 dB (re 1 pW), built-under
- 7-18 l
- 6 programmes: Intensive 70 °C, Auto 45-65 °C, Eco 50 °C, Night Program 50 °C, Glass 40 °C, Quick wash
- 3 special options: Half Load, HygienePlus,
- 5 cleaning temperatures
- ActiveWater hydraulic system
- DosageAssist
- BLDC motor for heat and drain pump
- AquaSensor, Load Sensor
- Detergent Automation
- Heat exchanger
- Alternating spray
- Regenerative electronics
- Self-cleaning filter system with 3-fold

- corrugated filter
- Stainless steel
- Time remaining indicator front
- LED colour on indicators red/red
- Electronic delay timer: 1-24 hours
- LED salt refill indicator
- LED rinse aid refill indicator
- Silver XXL baskets
- Rackmatic 3-stage
- 2 foldable plate racks in top basket
- 4 foldable plate racks in bottom basket
- 2 lever (long/short)
- shelves in bottom basket
- AquaStop - Prevent Water Leakage
- Childproof control lock
- Servo-lock
- Dimensions of the product (HxWxD): 84.5 x 60 x 60 cm

**Serie | 4**  
**SMS46NI10M**  
**60 cm dishwasher**



**Features**

- Freestanding - silver inox
- Capacity: 12+1 place settings place settings
- Energy Class: 5 Energy Stars

**Technical Information**

- Energy consumption in programme Eco 50: 251 kwhper year, based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes. Actual energy consumption will depend on how the appliance is used.
- Energy consumption in programme Eco 50: 0.896 kwh
- Power consumption off-mode / left-on mode: NO\_FEATURE / NO\_FEATURE
- Water consumption in programme Eco 50: 2604 litres per year, based on 280 standard cleaning cycles. Actual water consumption will depend on how the appliance is used.
- Consumption in programme Eco 50: 2604 litres water per year / 251 kwh energy per year. Based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes.
- The information relates to the programme Eco 50. This programme is suitable to clean normally soiled tableware and is the most efficient programme in terms of combined energy and water consumption.
- Programme time in programme Eco 50: 210 min
- Duration of the left-on mode: NO\_FEATURE
- Noise level: 44 dB (re 1 pW), built-under
- 7-18 l

**Programmes**

- 6 programmes: Intensive 70 °C, Auto 45-65 °C, Eco 50 °C, Night Program 50 °C, Glass 40 °C, Quick wash 65 °C
- 3 special options: Half Load, HygienePlus, Extra Rinse
- 3 special options: Half Load, HygienePlus,

**General Specification**

- Machine Care
- 5 cleaning temperatures
- ActiveWater hydraulic system
- DosageAssist
- BLDC motor for heat and drain pump
- AquaSensor, Load Sensor
- Detergent Automation

- Heat exchanger
- Alternating spray
- Regenerative electronics
- Self-cleaning filter system with 3-fold corrugated filter
- Stainless steel
- Time remaining indicator front
- LED colour on indicators red/red
- Electronic delay timer: 1-24 hours
- LED salt refill indicator
- LED rinse aid refill indicator
- Stainless steel Replasa-X3

**Baskets and Racks**

- Silver XXL baskets
- Rackmatic 3-stage
- 2 foldable plate racks in top basket
- 4 foldable plate racks in bottom basket
- 2 lever (long/short)
- shelves in bottom basket

**Safety**

- AquaStop - Prevent Water Leakage
- Childproof control lock
- Servo-lock
- Dimensions of the product (HxWxD): 84.5 x 60 x 60 cm

**Serie | 6**  
**SMS67NW10M**  
**60 cm dishwasher Freestanding**  
**White**



- Capacity: 12+1 place settings place settings
- Energy Class: 5 Energy Stars
- Energy consumption in programme Eco 50: 251 kwh per year, based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes. Actual energy consumption will depend on how the appliance is used.
- Energy consumption in programme Eco 50: 0.896 kwh
- Power consumption off-mode / left-on mode: NO\_FEATURE / NO\_FEATURE
- Water consumption in programme Eco 50: 2604 litres per year, based on 280 standard cleaning cycles. Actual water consumption will depend on how the appliance is used.
- Consumption in programme Eco 50: 2604 litres water per year / 251 kwh energy per year. Based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes.
- Drying efficiency class NO\_FEATURE on a scale from G (least efficient) to A (most efficient)
- The information relates to the programme Eco 50. This programme is suitable to clean normally soiled tableware and is the most efficient programme in terms of combined energy and water consumption.
- Programme time in programme Eco 50: 210 min
- Duration of the left-on mode: NO\_FEATURE
- Noise level: 44 dB (re 1 pW), built-under
- 7 programmes: Intensive 70 °C, Auto 45-65 °C, Eco 50 °C, Night Program 50 °C, Glass 40 °C, Quick wash 65 °C, Pre-Rinse
- NO\_FEATURE
- 5 cleaning temperatures
- ActiveWater hydraulic system
- DosageAssist
- BLDC motor for heat and drain pump
- AquaSensor, Load Sensor
- Detergent Automation
- Heat exchanger
- Alternating spray
- Regenerative electronics

- Self-cleaning filter system with 3-fold corrugated filter
- Stainless steel
- Time remaining indicator front
- LED colour on indicators
- Electronic delay timer: 1-24 hours
- LED salt refill indicator
- LED rinse aid refill indicator
- Silver XXL baskets
- Rackmatic 3-stage
- 2 foldable plate racks in top basket
- 4 foldable plate racks in bottom basket
- Variable cutlery basket in bottom basket
- 2 lever (long/short)
- AquaStop - Prevent Water Leakage
- Maximum water inlet temperature:
- Childproof control lock
- Servo-lock
- Dimensions of the product (HxWxD): 84.5 x 60 x 60 cm

**Serie | 6**  
**SMS67NI10M**  
**60 cm dishwasher Freestanding**  
**silver inox**



- Capacity: 12+1 place settings place settings
- Energy Class: 5 Energy Stars
- Energy consumption in programme Eco 50: 251 kwh per year, based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes. Actual energy consumption will depend on how the appliance is used.
- Energy consumption in programme Eco 50: 0.896 kwh
- Power consumption off-mode / left-on mode: NO\_FEATURE / NO\_FEATURE
- Water consumption in programme Eco 50: 2604 litres per year, based on 280 standard cleaning cycles. Actual water consumption will depend on how the appliance is used.
- Consumption in programme Eco 50: 2604 litres water per year / 251 kwh energy per year. Based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes.
- Drying efficiency class NO\_FEATURE on a scale from G (least efficient) to A (most efficient)
- The information relates to the programme Eco 50. This programme is suitable to clean normally soiled tableware and is the most efficient programme in terms of combined energy and water consumption.
- Programme time in programme Eco 50: 210 min
- Duration of the left-on mode: NO\_FEATURE
- Noise level: 44 dB (re 1 pW), built-under
- 7 programmes: Intensive 70 °C, Auto 45-65 °C, Eco 50 °C, Night Program 50 °C, Glass 40 °C, Quick wash 65 °C, Pre-Rinse
- NO\_FEATURE
- 5 cleaning temperatures
- ActiveWater hydraulic system
- DosageAssist
- BLDC motor for heat and drain pump
- AquaSensor, Load Sensor
- Detergent Automation
- Heat exchanger
- Alternating spray
- Regenerative electronics
- Self-cleaning filter system with 3-fold corrugated filter
- Stainless steel
- Time remaining indicator front
- LED colour on indicators
- Electronic delay timer: 1-24 hours

- LED salt refill indicator
- LED rinse aid refill indicator
- Stainless steel Replasa-X3
- Silver XXL baskets
- Rackmatic 3-stage
- 2 foldable plate racks in top basket
- 4 foldable plate racks in bottom basket
- Variable cutlery basket in bottom basket
- 2 lever (long/short)
- AquaStop - Prevent Water Leakage
- Maximum water inlet temperature:
- Childproof control lock
- Servo-lock
- Dimensions of the product (HxWxD): 84.5 x 60 x 60 cm



**BOSCH**

Invented for life

Your special ingredient for  
perfect dishes: A Bosch Cooker.





# Enjoy a cooking experience that is a class apart.

Bosch freestanding cookers make cooking, baking and roasting easy and even more convenient.

We believe that cooking, be it for yourself or for your loved ones, should be a pleasure; it should be an experience that delights you. With Bosch freestanding cookers, you get the reliable and long-lasting technology of the finest standard, which reflects on the variety of features that our cookers offer, making irresistible meals something that you will get used to.



# Bricks of quality.

The features that set us apart.

## Design

Each of the freestanding cookers offer reliable and enduring Bosch technology of the finest standard – technology that makes cooking, baking and roasting easy and more convenient.

## Catalytic cleaning function

The inner walls of the oven feature special enamel plates. The enamelling is interspersed with so-called catalytic particles, which cause predominantly fat deposits to be distributed over the enamel at temperatures from 180°C. The catalytic plates must not be treated with oven spray, abrasive cleaning agents, stiff brushes or cotton waste. They should be cleaned with a soft sponge soaked in washing liquid.

## Cooking fan

Hotair circulating - better cooking results with fan. Bosch heat convection system circulates the air with its fan quickly and evenly throughout the oven for better cooking performance.

## German engineering

Providing you with the best quality design and technology.

## Close door grilling

Close the door while grilling, even on high temperatures & smoke and get better energy efficiency and results.

## XXL oven more space for larger meals

With a capacity ranging from 67-112 litres, the Bosch range of freestanding cookers provide additional space for larger serving portions. The greater distance between the shelves optimises heat circulation for perfect cooking results. And with the choice of up to five different shelf levels, you're guaranteed total flexibility.

## Full safety system

Switches the gas off in case of unplanned flame; extinguishes in the ovens and hobs.

## CoolTouch window

For added safety, selected Bosch freestanding cookers are fitted with double-glazed ventilation glass doors. The reflective inner glass is designed to keep heat in, while providing a safe-to-touch door on the outside.

## Child lock

A button that inhibits all oven functions and prevents unwanted use. Available on select models.

## Large oven window

A perfect view of the oven interior without having to open the oven door. The increased viewing window provides more visibility and greater control of the cooking process.

## Cooking with gas

Gas provides fast and instant cooking versatility. The cooktops on the freestanding cookers feature Bosch flame failure technology fitted to each burner. The stainless steel cooktop surface is fitted with removable cast-iron pan rests for durable performance. Electric cooktops with electronic touch controls, Bosch induction and ceramic cooktops combine great looks with intelligent function and design. The smooth ceramic glass cooktops surface is tough and durable, as well as being practical and easy to clean.

## Electronic clock

All-in-one: Minute minder, time of day display, start/stop button for setting the cooking time and the option for entering the time when the dish should be ready.

## Rapid heating

Save time at the press of a button by heating up to 30% faster. Once the desired temperature is reached, the selected heating method is automatically activated. Available on selected models.

## Rotary split

Rotisserie - professional quality roasting and grilling now available at home.

## Cast iron continuous pan support

Real cast iron pan support with Wok burner at center.

## Easy cleaning

Removable full glass inner door makes cleaning very easy.

## Ignition system

One hand ignition - ease of use for ignition with one hand.

## Cavity type

Smooth cavity design - removable side wall racks for better and easier cleaning.



# Bosch Freestanding Cookers.

## Place them wherever you want.

### **Design**

Slim metal profile finished in black tempered glass, our Bosch premium gas cooktops provide a stylish and sleek look.

### **Control dials**

The control dials match the design of our range of ovens so that you can perfectly coordinate your appliances.

### **Cast-iron supports**

Cast-iron pan supports are both stylish and highly durable, providing solid and robust support for your cooking pans.

### **Performance**

High-power, wok-style burner select gas cooktop models feature a powerful wok-style burner, which provides up to 18 Mj/h. Suitable for use with flat-based pans or with a wok by using the provided wok ring.

### **Flexible burners**

All our gas cooktops feature different burner combinations for greater flexibility. With wok, high-speed, standard and economy burners, you can cook more efficiently with the burner most suited to the size of the pan.

### **Convenience**

One-hand ignition push and turn the ergonomically designed control knobs and the gas ignites automatically. As well as offering the convenience of only using one-hand, there is also no separate ignition button to clean.

### **Safety**

Flame failure device for added safety, Bosch gas cooktops feature a flame failure device. This feature stops the supply of gas to the burners if the flame is extinguished.



## Cooking Appliances – Freestanding Cookers

## Notes:

---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---

**Serie | 2**  
**HGA120B51M**  
**Gas freestanding cooker**
**Cooktop:**

- Gas
- Burners: 2 standard, 1 economy, 1 rapid
- Front left: Rapid burner 3 KW
- Rear left: Standard burner 1.7 KW
- Rear right: Standard burner 1.7 KW
- Front right: Economy burner 1 KW
- Two hand ignition via control knobs
- Full flame safety
- Steel pan supports
- Glass cover lid

**Type of oven / heating system:**

- Gas freestanding cooker with NO\_FEATURE heating methods: Gas grill, Gas bottom heat
- Cavity volume: 71 l

**Hook-in racks / rails**

- Shelf support rails

**Comfort:**

- 21cm panel (one rail)

**Accessory:**

- 1 x enamel baking tray, 1 x grid

**Environment and Safety:**

- Energieeffizienzklasse (gem. EU Nr. 65/2014): A
- Energieverbrauch pro Zyklus im konventionellen Modus: 1.77 kWh
- Zahl der Garräume: 1
- Innenraumvolumen: 71 l

**Technical Info:**

- Length of mains cable: 120 cm
- Nominal voltage: 230 V
- Total connected load gas: 10.5 KW
- Preset of liquid gas (28-30/37mbar)
- Natural gas nozzles (20 mbar) included

**Dimensions:**

- Appliance dimension (hwxwd): 850 mm x 600 mm x 600 mm
- Adjustable feet

**Serie | 2**  
**HGA120B50M**  
**Gas freestanding cooker**
**Cooktop:**

- Gas
- Burners: 2 standard, 1 economy, 1 rapid
- Front left: Rapid burner 3 KW
- Rear left: Standard burner 1.75 KW
- Rear right: Standard burner 1.75 KW
- Front right: Economy burner 1 KW
- Two hand ignition via control knobs
- Full flame safety
- Steel pan supports
- Glass cover lid

**Type of oven / heating system:**

- Gas freestanding cooker with 2 heating methods: Gas grill, Gas bottom heat
- Cavity volume: 71 l

**Hook-in racks / rails**

- Shelf support rails

**Design:**

- Large

**Comfort:**

- 21cm panel (one rail)

**Accessory:**

- 1 x grid, 1 x universal pan

**Environment and Safety:**

- Energieeffizienzklasse (gem. EU Nr. 65/2014): A
- Energieverbrauch pro Zyklus im konventionellen Modus: 1.77 kWh
- Zahl der Garräume: 1
- Wärmequelle: Gas
- Innenraumvolumen: 71 l

**Technical Info:**

- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V
- Total connected load gas: 10.5 KW
- Preset of liquid gas (28-30/37mbar)
- Natural gas nozzles (20 mbar) included

**Dimensions:**

- Appliance dimension (hwxwd): 850 mm x 600 mm x 600 mm
- Adjustable feet

**Serie | 2**  
**HGA128D50M**  
**Gas freestanding cooker**
**Cooktop:**

- Gas
- Burners: 2 standard, 1 economy, 1 rapid
- Front left: Rapid burner 3 KW
- Rear left: Standard burner 1.75 KW
- Rear right: Standard burner 1.75 KW
- Front right: Economy burner 1 KW
- One-hand ignition via control knob via control knobs
- Full flame safety
- Steel pan supports
- Glass cover lid

**Type of oven / heating system:**

- Gas freestanding cooker with 2 heating methods: Gas bottom heat, Gas grill, rotisserie
- Cavity volume: 71 l
- Rotary spit

**Hook-in racks / rails**

- Shelf support rails

**Design:**

- Large

**Cleaning:**

- Full glass inner door

**Comfort:**

- 21cm panel (one rail)

**Accessory:**

- 1 x alu baking tray, 1 x cross support for espresso, 1 x grid, 1 x universal pan

**Environment and Safety:**

- Energieeffizienzklasse (gem. EU Nr. 65/2014): A
- Energieverbrauch pro Zyklus im konventionellen Modus: 1.77 kWh
- Zahl der Garräume: 1
- Wärmequelle: Gas
- Innenraumvolumen: 71 l

**Technical Info:**

- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V
- Total connected load gas: 10.5 KW
- Preset of liquid gas (28-30/37mbar)
- Natural gas nozzles (20 mbar) included

**Dimensions:**

- Appliance dimension (hwxwd): 850 mm x 600 mm x 600 mm
- Adjustable feet

**Serie | 4**  
**HGB320E50M**  
**Gas freestanding cooker**

**Cooktop:**

- Gas
- Burners: 2 standard, 1 economy, 1 rapid
- Front left: Rapid burner 3 KW
- Rear left: Standard burner 1.75 KW
- Rear right: Standard burner 1.75 KW
- Front right: Economy burner 1 KW
- One-hand ignition via control knob via control knobs
- Full flame safety
- Cast iron pan supports
- Glass cover lid

**Type of oven / heating system:**

- Gas freestanding cooker with 2 heating methods: Gas bottom heat, Gas grill
- Cavity volume: 71 l

**Hook-in racks / rails**

- Shelf support rails

**Design:**

- Large

**Cleaning:**

- Full glass inner door

**Comfort:**

- Electronic clock
- 21cm panel (one rail)

**Cooktop:**

- Gas
- Burners: 2 standard, 1 economy, 1 WOK
- Front left: Wok burner 3.3 KW
- Rear left: Standard burner 1.75 KW
- Rear right: Standard burner 1.75 KW
- Front right: Economy burner 1 KW
- One-hand ignition via control knob via control knobs
- Full flame safety
- Cast iron pan supports
- Glass cover lid

**Type of oven / heating system:**

- Gas freestanding cooker with 2 heating methods: Gas grill, Gas bottom heat
- Cavity volume: 71 l

**Hook-in racks / rails**

- Shelf support rails
- Telescopic rails retrofitable

**Cleaning:**

- Full glass inner door

**Comfort:**

- Electronic clock
- 21cm panel (one rail)

**Serie | 4**  
**HGQ320I50M**  
**Gas freestanding cooker**

**Cooktop:**

- Gas
- Burners: 2 standard, 1 economy, 1 rapid
- Front left: Rapid burner 3 KW
- Rear left: Standard burner 1.75 KW
- Rear right: Standard burner 1.75 KW
- Front right: Economy burner 1 KW
- One-hand ignition via control knob via control knobs
- Full flame safety
- Cast iron pan supports
- Glass cover lid

**Type of oven / heating system:**

- Gas combination freestanding cooker with 6 heating methods: Hot air, Top/bottom heat, hot air grilling, Defrost setting
- Cavity volume: 66 l

**Hook-in racks / rails**

- Shelf support rails
- Telescopic rails retrofitable

**Cleaning:**

- Ecolyse features: back panel
- Full glass inner door

**Serie | 4**  
**HXQ38AE50M**  
**Gas combination freestanding cooker**

**Accessory:**

- 1 x alu baking tray, 1 x cross support for espresso, 1 x grid, 1 x universal pan

**Environment and Safety:**

- Energieeffizienzklasse (gem. EU Nr. 65/2014): A
- Energieverbrauch pro Zyklus im konventionellen Modus: 1.77 kwh
- Zahl der Garräume: 1
- Wärmequelle: Gas
- Innenraumvolumen: 71 l

**Technical Info:**

- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V
- Total connected load gas: 10.5 KW
- Preset of liquid gas (28-30/37mbar)
- Natural gas nozzles (20 mbar) included

**Dimensions:**

- Appliance dimension (hwxwd): 850 mm x 600 mm x 600 mm
- Adjustable feet

**Accessory:**

- 1 x alu baking tray, 1 x enamel baking tray, 1 x cross support for espresso, 1 x grid, 1 x universal pan

**Environment and Safety:**

- Energieeffizienzklasse (gem. EU Nr. 65/2014): A
- Energieverbrauch pro Zyklus im konventionellen Modus: 1.77 kwh
- Zahl der Garräume: 1
- Wärmequelle: Gas
- Innenraumvolumen: 71 l

**Technical Info:**

- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V
- Total connected load gas: 10.8 KW
- Preset of liquid gas (28-30/37mbar)
- Natural gas nozzles (20 mbar) included

**Dimensions:**

- Appliance dimension (hwxwd): 850 mm x 600 mm x 600 mm
- Adjustable feet

**Comfort:**

- Electronic clock
- Rapid heating-up
- 21cm panel (one rail)

**Accessory:**

- 1 x enamel baking tray, 1 x cross support for espresso, 1 x grid, 1 x universal pan

**Environment and Safety:**

- Child lock

**Technical Info:**

- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.3 KW
- Total connected load gas: 7.5 KW
- Preset of liquid gas (28-30/37mbar)
- Natural gas nozzles (20 mbar) included

**Dimensions:**

- Appliance dimension (hwxwd): 850 mm x 600 mm x 600 mm
- Adjustable feet

**Serie | 2**  
**HGI12TQ50M**  
**Range Cooker 89 cm wide - Stainless steel**



- Gas hob
- 1 rapid, 2 standard, 1 economy, 1 wok burner
- Front left: Rapid burner 2.9 KW
- Rear left: Standard burner 1.65 KW
- Center: WOK burner 3.6 KW
- Rear right: Standard burner 1.65 KW
- Front right: Economy burner 0.9 KW
- One-hand ignition via control knob
- Full flame safety
- Cast iron pan supports
- glass cover lid
- Gas oven
- 3 cooking functions: Gas bottom heat, Gas top/ bottom heat, Gas grill, rotisserie
- Rotary spit
- Oven interior light
- Yes
- Adjustable feet
- Natural gas nozzles (20 mbar) included

**Serie | 2**  
**HSG736357M**  
**Range Cooker 90 cm wide Stainless steel**



- Gas hob
- 1 rapid, 2 standard, 1 economy, 1 wok burner
- Front left: Rapid burner 3 KW
- Rear left: Standard burner 1.8 KW
- Center: WOK burner 4 KW
- Rear right: Standard burner 1.8 KW
- Front right: Economy burner 1 KW
- One-hand ignition via control knob
- Full flame safety
- Cast iron pan supports
- glass cover lid
- Gas oven
- Extra large capacity oven (112 l) with grey enamel
- 4 cooking functions: Gas bottom heat, Gas top/ bottom heat, Gas grill, rotisserie
- Rotary spit
- Side
- Shelf support rails
- Oven interior light
- Mechanical
- Yes
- Adjustable feet
- Natural gas nozzles (20 mbar) included

**Serie | 2**  
**HSG738357M**  
**Range Cooker 90 cm wide Stainless steel**



- Gas hob
- 1 rapid, 2 standard, 1 economy, 1 wok burner
- Front left: Rapid burner 3 KW
- Rear left: Standard burner 1.8 KW
- Center: WOK burner 4 KW
- Rear right: Standard burner 1.8 KW
- Front right: Economy burner 1 KW
- One-hand ignition via control knob
- Full flame safety
- Cast iron pan supports
- glass cover lid
- Gas oven
- Extra large capacity oven (112 l) with grey enamel
- 4 cooking functions: Gas bottom heat, Gas top/ bottom heat, Gas grill, rotisserie
- Rotary spit
- Catalytic oven cavity (rear and side walls)
- Shelf support rails
- telesc. extension rails 1-fold
- Oven interior light
- Electronic clock
- Yes
- Adjustable feet
- Natural gas nozzles (20 mbar) included

**Serie | 4**  
**HGK90VQ50M**  
**Range Cooker 89 cm wide**  
**Stainless steel**



- Gas hob
- 1 rapid, 2 standard, 1 economy, 1 wok burner
- Front left: Rapid burner 2.9 KW
- Rear left: Standard burner 1.65 KW
- Center: WOK burner 3.6 KW
- Rear right: Standard burner 1.65 KW
- Front right: Economy burner 0.9 KW
- One-hand ignition via control knob
- Full flame safety
- glass cover lid
- Gas oven
- Extra large capacity oven (91 l) with grey enamel
- 4 cooking functions: Gas bottom heat, Gas top/bottom heat, Gas grill, rotisserie
- Rotary spit
- Catalytic oven cavity (rear and side walls)
- Shelf support rails
- Oven interior light
- Electronic clock
- Yes
- Adjustable feet
- Natural gas nozzles (20 mbar included)

**Serie | 8**  
**HSB738357M**  
**Range Cooker 90 cm wide**  
**Stainless steel**



- Gas hob
- 1 rapid, 2 standard, 1 economy, 1 wok burner
- Front left: Rapid burner 2.9 KW
- Rear left: Standard burner 1.8 KW
- Center: WOK burner 4 KW
- Rear right: Standard burner 1.8 KW
- Front right: Economy burner 1 KW
- One-hand ignition via control knob
- Full flame safety
- Cast iron pan supports
- glass cover lid
- Extra large capacity oven (112 l) with grey enamel
- Multifunction oven
- 8 cooking functions: Top/bottom heat, Circulating air, hot air grilling, Full width grill, rotisserie
- Rotary spit
- Catalytic oven cavity (rear and side walls)
- Shelf support rails
- telesc. extension rails 1-fold
- Oven interior light
- Electronic clock
- Yes
- Adjustable feet
- Natural gas nozzles (20 mbar) included

**Serie | 2**  
**HQA050020Q**  
**Electric free-standing cooker**



- Cooktop:**
- Hob with 2 high-speed and 2 standard hotplates
  - front left: High speed plate 2 KW
  - rear left: Standard zone 1 KW
  - rear right: Standard zone 2 KW
  - front right: High speed plate 1.5 KW

- Type of oven / heating system:**
- Electric free-standing cooker with 5 heating methods: Top/bottom heat, Bottom heat
  - Cavity volume: 71 l

- Hook-in racks / rails**
- Shelf support rails

- Design:**
- Large

- Comfort:**
- Halogen interior lighting
  - 21cm panel (one rail)

- Accessory:**
- 1 x grid, 1 x universal pan

**Technical Info:**

- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 9.35 KW

- Dimensions:**
- Appliance dimension (hxwx): 850 mm x 600 mm x 600 mm
  - Adjustable feet

**Serie | 2**  
**HKU150050M**  
**Electric free-standing cooker**



- Cooktop:**
- 4 HighSpeed cooking zones
  - front left: Standard zone 1.2 KW
  - rear left: Standard zone 1.8 KW
  - rear right: Standard zone 1.2 KW
  - front right: Standard zone 2.2 KW
  - 4-fold residual heat display

- Type of oven / heating system:**
- Electric free-standing cooker with 5 heating methods: Top/bottom heat, Bottom heat
  - Cavity volume: 71 l

- Hook-in racks / rails**
- Shelf support rails
  - Telescopic rails retrofittable

- Cleaning:**
- Full glass inner door

- Comfort:**
- Halogen interior lighting
  - 21cm panel (one rail)

- Accessory:**
- 1 x enamel baking tray, 1 x grid, 1 x universal pan

**Technical Info:**

- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 9.25 KW

**Dimensions:**

- Appliance dimension (hxwx): 850 mm x 600 mm x 600 mm
- Adjustable feet

**Serie | 4**  
**HKQ38A150M**  
**Electric free-standing cooker**



- Cooktop:**
- 4 HighSpeed cooking zones including 1 dual circuit zone
  - front left: Standard zone 1.8 KW
  - rear left: Standard zone 1.8 KW
  - rear right: Standard zone 1.2 KW
  - front right: Dual-circuit cooking zone 2.2 KW
  - 4-fold residual heat display

- Type of oven / heating system:**
- Electric free-standing cooker with 6 heating methods: Hot air, Top/bottom heat, hot air grilling, Defrost setting
  - Cavity volume: 66 l

- Hook-in racks / rails**
- Shelf support rails
  - Telescopic rails retrofittable

- Design:**
- Retractable controls

- Cleaning:**
- Ecolyse features: back panel
  - Full glass inner door

- Comfort:**
- mechanical
  - Electronic clock

- Rapid heating-up
- Halogen interior lighting
- 21cm panel (one rail)

**Accessory:**

- 1 x enamel baking tray, 1 x grid, 1 x universal pan

**Environment and Safety:**

- Child lock
- Energy efficiency rating (acc. EU Nr. 65/2014): A
- Energy consumption per cycle in conventional mode: 0.98 kwh
- Energy consumption per cycle in fan-forced convection mode: 0.79 kwh
- Number of cavities: 1
- Heat source: electrical
- Cavity volume: 66 l

**Technical Info:**

- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 10.3 KW

**Dimensions:**

- Appliance dimension (hxwx): 850 mm x 600 mm x 600 mm
- Adjustable feet

**Serie | 6**  
**HKS59A20M**  
**Electric free-standing cooker**



- Cooktop:**
- front left: Standard zone 1.8 KW
  - rear left: Roaster zone, Dual-circuit cooking zone 2.4 KW
  - rear right: Standard zone 1.2 KW
  - front right: Dual-circuit cooking zone 2.2 KW
  - 4-fold residual heat display

- Type of oven / heating system:**
- Electric free-standing cooker with 8 heating methods: Hot air, Top/bottom heat, hot air grilling, Pizza setting, Bottom heat, Defrost setting
  - Cavity volume: 66 l

- Hook-in racks / rails**
- Shelf support rails
  - Telescopic rails retrofittable

- Design:**
- Retractable controls

- Cleaning:**
- Ecolyse features: back panel
  - Full glass inner door

- Comfort:**
- mechanical
  - Electronic clock
  - Rapid heating-up

- Halogen interior lighting
- 21cm panel (one rail)

**Accessory:**

- 1 x enamel baking tray, 1 x grid, 1 x universal pan

**Environment and Safety:**

- Child lock
- Energy efficiency rating (acc. EU Nr. 65/2014): A
- Energy consumption per cycle in conventional mode: 0.98 kwh
- Energy consumption per cycle in fan-forced convection mode: 0.79 kwh
- Number of cavities: 1
- Heat source: electrical

**Technical Info:**

- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 10.9 KW

**Dimensions:**

- Appliance dimension (hxwx): 850 mm x 600 mm x 600 mm
- Adjustable feet

## Cooking Appliances – Freestanding Cookers / Microwave

**Serie | 8**  
**HKK99V850M**  
**Range Cooker 89 cm**



- Glass ceramic hob
- 5 highSpeed cooking zones including 1 dual circuit zone and 1 extendable oval zone
- Front left: Dual-circuit cooking zone 0.7 KW, 2 KW
- Rear left: Standard zone 1.2 KW
- Center: Oval zone 1.4 KW, 2.2 KW
- Rear right: Standard zone 1.8 KW
- Front right: Standard zone 1.2 KW
- 5 stage residual heat indicator
- Splash guard
- Large capacity oven (105 l)
- Multifunction oven
- 9 cooking functions: Half width grill, Circulating Air, hot air grilling, Defrost setting, Full width grill, Rotisserie, Hot Air Standard, Top/bottom heat, Pizza setting
- Rotary spit
- Catalytic back and side liners
- Shelf support rails
- Oven interior light
- Electronic clock
- Adjustable feet

**Serie | 8**  
**HCB738357M**  
**Stainless steel Range Cooker 90 cm**



- Glass ceramic hob
- 5 HighSpeed cooking zones including 1 dual circuit zone and 1 extendable oval zone
- Front left: Standard zone 1.2 KW
- Rear left: Standard zone 1.8 KW
- Center: Oval zone 0.75 KW, 1.4 KW, 2.2 KW
- Rear right: Dual-circuit cooking zone 0.75 KW, 2.2 KW
- Front right: Standard zone 1.2 KW
- 5 stage residual heat indicator
- Splash guard
- Extra large capacity oven (112 l) with grey enamel
- Multifunction oven
- 8 cooking functions: Full width grill, Hot Air Standard, Top/bottom heat, hot air grilling, Rotisserie, Circulating Air, Bottom heat & circulating air, Conventional heat ECO
- Rotary spit
- Catalytic back and side liners
- Shelf support rails
- telesc. extension rails 1-fold
- Oven interior light
- Electronic clock
- Yes
- Adjustable feet"

**Serie | 2**  
**HMT84G451M**  
**Microwave oven brushed steel**



- Freestanding
- User-friendly electronics with push-buttons and pop-out control.
- 900 W Microwave
- 5 settings: 900 W, 600W, 360W, 180W, 90W
- Grill 1200 W
- Combination of Grill and Microwave power levels 360/180/90 W
- 8 automatic programming
- 4 defrost programs
- 3 cooking programs
- 8 combi programs
- Memory-Function (1 setting)
- Large digital display for displaying cooking times and time of day
- Capacity 25 l Stainless steel
- Turn table 31.5 cm Glass
- Out put power 1.45 kW
- Power cord with plug 100 cm



**BOSCH**

Invented for life

Perfect washing results delivered through trusted German technology.



Clothes as good as new, at every wash.





# Bosch – Europe’s No.1\* Home Appliances Brand.

Bosch, Europe’s No. 1 brand for major domestic appliances, is committed to implementing the guiding principle of the company’s founder, Robert Bosch, which was that he would “rather lose money than trust”. Outstanding engineering, in accordance with a responsible, value-oriented approach, assures that Bosch appliances satisfy the highest customer standards, for they are characterised by work-saving innovations, advanced technology, excellent workmanship and exemplary design.



## Bosch quality.

Every Bosch washer to leave our factory complies with stringent standards. All sub-assemblies and components undergo thorough inspection before they are included in the production of your new Bosch washing machine. To demonstrate our commitment to quality, a further 2-3% of all production is resubmitted for quality audits. We stand proud by all our products when they leave the factory, so you have the confidence you’ve come to rely on when your appliance arrives.

\*For major domestic appliances. Source: Euromonitor, volume sales, 2018

# Bosch washing innovative milestones.

- |   |   |   |
|---|---|---|
| <b>1971</b><br>Washing machine with automatic interval feature                | <b>2006</b><br>Washing machine with 15-minute programme. New German manufactured front loader with automatic AntiStain feature and 1-8 kg VarioSoft™ Drum. Washing and impregnation in a single process. 5 kg load in 60 minutes (power-wash) | <b>2011</b><br>New premium class washing machines and dryers: HomeProfessional  |
| <b>1972</b><br>Fully automatic washer-dryer                                   | <b>2007</b><br>Logixx 10: 1-10 kg washer and 1-10 kg deducted air dryer   | <b>2012</b><br>Washing machine i-DOS™ WAY32890: Winner of iF Product Design Award and honorary mention in reddot Design Awards: Intelligent water dosing, low energy and water consumption, quiet drive and AntiVibration™ side panels, and high quality materials. |
| <b>1986</b><br>AquaStop™ system for washing machines                          | <b>2008</b><br>World’s most energy-efficient dryer through heat pump technology with SelfCleaning Condenser   | <b>2013</b><br>Double honours at the 2013 Lean & Green Efficiency Awards  |
| <b>1988</b><br>Front loader washing machine with fuzzy control                | <b>2009</b><br>EcoSilence Drive™ motor sets energy benchmark: Energy efficiency class A – 30%. VarioPerfect™ washing logic. Heat pump tumble dryer with maximum energy-efficiency: A – 50%, washer-dryer with air condensation technology     | <b>2015</b><br>ActiveOxygen button kills bacteria and germs up to 99.999%, even when washed at lower temperatures. It does not require any additional chemical washing agents and keeps clothes gentle, as well as scented  |
| <b>1997</b><br>AquaSensor system for washing machines                         | <b>2010</b><br>i-DOS™: Benchmark in innovative dosing of detergents   |   |
| <b>2001</b><br>Washing machine dialogue display                               |   |   |
| <b>2003</b><br>Washing machines with stain treatment table                    |   |   |
| <b>2004</b><br>Washing machines with inclined drum and capacity of up to 9 kg |   |   |
| <b>2005</b><br>Extremely quiet dryer with protective drum structure           |   |   |



# Wash like a professional.

## Serie | 2

You have lots of hobbies and like to spend your free time doing things you enjoy, but housework is not one of them. Home appliances to you are utilities and not to be given much thought. They need to be dependable workhorses that deliver efficient value for your money.

Such are the home appliances of Serie 2.



## Serie | 4

As a family-oriented person, you have impressive organisational skills. No matter how chaotic things get, you stay on top of the situation and keep things in order. Therefore, you look for home appliances that are easy to operate and fully support your lifestyle. You require a brand that truly understands your needs.

Such are the home appliances of Serie 4.



## Serie | 6

You lead an active, sustainable lifestyle. You care about real benefits instead of technical gadgets. You opt for a timeless design and not for temporary trends. You trust the experience and expertise of a brand with a long tradition when you buy home appliances.

Such are the home appliances of Serie 6.



## Serie | 8

To you, perfection is paramount. It manifests in form, function and a surprising ease of use. This high expectation can be found throughout your home, where everything is of high quality and thought through to the last detail. And so are your home appliances that excel in quality results and stand out with first-class design.

Such are the home appliances of Serie 8.



# You can overdose or underdose. Or you can get the dosing just right.

## **The intelligent i-DOS™ automatic dosing system**

Eliminate inaccurate dosing by hand! Thanks to i-DOS™, the HomeProfessional automatically doses just the right amount of liquid detergent and fabric conditioner. You only have to fill it up once and it will provide the perfect dosage for an average of 20 wash loads. Intelligent sensors in the washing machine measure the load quantity, fabric type and degree of soiling.

Precision dosing pumps then adds the appropriate amount of detergent – with millilitre precision. This couldn't be better for your laundry, which is washed thoroughly yet gently. It is also better for the environment: Exact dosing saves up to 7,062 litres of water per year\*, not to mention a lot of liquid detergent.

### **Powerful**

The precision pumps are so powerful that even concentrated detergents can be dosed exactly. It also means new detergent trends and innovations can be handled flexibly.

### **Intelligent**

Once the washing machine is started, sensors record how much laundry is in the drum, the type of fabric and degree of soiling. So the washing machine always knows exactly how much detergent and fabric conditioner is required.

### **Precise**

High-precision gear pumps convey the liquid from the tank to the laundry. Exactly one millilitre of liquid detergent is dispensed per 18 gear revolutions. This allows for exceptionally precise dosing.

## **Automatic programmes**

How do you obtain perfect washing results? Simply press the 'start' button. With the two automatic programmes for normal or sensitive wash loads, the new Serie 6 i-DOS™ takes care of everything else on its own. The necessary amount of detergent is dosed automatically and the wash process is optimally adjusted to the demands of the particular wash load.

## **Economical**

As only exactly the right amount of detergent is used and there is no possibility of insufficient or excess dosing, additional rinse cycles to get rid of excess soap suds are eliminated as well. And that saves up to 7,062 litres of water per year\*.

## **Convenience and flexibility**

The i-DOS™ intelligent automatic dosing system is fully integrated into the washing machine. The larger i-DOS™ tank holds 1.3 litres of liquid detergent, the smaller of the two holds 0.5 litres of fabric conditioner or a second liquid detergent (e.g. for coloured laundry). This reserve is sufficient for an average of 20 wash loads. You can, of course, add detergent manually as before, if for instance you need to use a special detergent, washing powder or bleaching agent. The tanks are not only easy and convenient to fill, they can also be effortlessly removed for emptying or cleaning purposes.

\*wfk, Institute for applied science. Untersuchungsbericht WL 5132/10, test No: "Untersuchungsbericht 5132/10"  
Average water consumption per year is based on 220 washing per year



# Tailor-made to your needs.

With Bosch, there's a programme suited to your every need.



## Programmes



### **AntiStain**

The automatic stain option targets and eliminates the 4 most hard-to-remove stains – cosmetics, coffee, butter/oil and blood. The washing machine automatically adjusts the temperature, drum action and soaking time to the specific stains before the selected wash programme starts.



### **SuperQuick 15/30**

A short programme of approximately 15/30 minutes for 2 kg of lightly soiled washing – that's roughly equivalent to one outfit or 10 men's shirts. Packing in a wash, two rinse cycles and improved rinse spinning, this is one of the shortest complete washing programmes of any machine in the market.



### **DrumClean**

Programme for cleaning and maintaining the drum for unmatched performance, every time.



### **Night Wash**

Freely selectable programme for extremely quiet washing, so that nothing disturbs your good night's sleep.

### **Sensitive**

By prolonging the maximum wash temperature, increasing the water level and adding an extra rinse, this programme reduces exposure to allergens that irritate sensitive skin.

### **Handwash wool**

An exceptionally gentle woollens handwash programme, which runs at only 27 rpm (usual speed is 50 rpm) with a soft wash action and special spin phase that ensures everything stays in good shape.

### **Mixed load**

A fast wash that allows mixed fabrics and colour loads to be safely washed together. Originally designed with school uniforms in mind, it is capable of handling up to 3 kg of washing, and is ideal for quick washes that might be required before a full load of laundry is collected.

### **Reduced ironing option**

The laundry is tumbled gently periodically during the normal programme spin cycle, and then at the end of the spin phase, keeping laundry fluffy and tangle-free. The result is reduced creasing, and therefore easier ironing.

### **Pre-wash option**

For especially dirty clothes, a pre-wash will loosen dirt and remove it from the clothes prior to the main wash.

### **Jog Dial**

Use the dial to select any programme you like with effortless ease. A turn of the dial easily takes you to the required setting – clearly indicated by red LED light bars.

### **Sports wash**

A programme for modern sports clothes with sportswear microfibre technology like those used for gym, cycling or jogging.

# Too good and true.

EcoSilence Drive™.

## Performance

### **EcoSilence Drive™ (with 10 years warranty)**

#### **Strong**

We developed one of the most powerful motors for the HomeProfessional: The EcoSilence Drive™, with extremely strong permanent magnets.

#### **Long-lasting**

Friction generates heat, which is bad for the motor. With the new and innovative brushless design concept, the EcoSilence Drive™ neither heats up nor wears out. Moreover, as actions speak louder than words, we guarantee it. For the next ten years.

#### **Economical**

EcoSilence Drive™ sets a new benchmark in economy:

A+++ . This means it is up to 32% more economical than an energy efficiency class A-rated appliance. After all, without carbon brushes, no more inhibiting friction is generated in the motor. Therefore, the EcoSilence Drive™ can use its full power to drive the washing machine without any energy loss.

#### **Quiet**

As there is no friction from carbon brushes, there is also no excessive motor noise. That makes the EcoSilence Drive™ one of the quietest motors in its class and the best example that less can indeed be more.

# Bosch in every detail.

The features that set us apart.

## Key features

### **AntiVibration™ design**

The new spiral design of the side walls increases stability and reduces vibrations. Optimum sound insulation dampens noise further.

### **VarioPerfect™ – Eco option**

If you want to save electricity, select the EcoPerfect option with your normal washing cycle from the VarioPerfect™ logic system and save up to 50% energy.

### **VarioPerfect™ – Speed option**

If you have no time to do laundry, select the SpeedPerfect option with your normal washing cycle from the VarioPerfect™ logic system and save up to 60% of washing cycle time.

### **VarioSoft™ Drum system**

The unique patented VarioSoft™ Drum system for faster, gentler washing is exclusively available from Bosch. When the drum is rotated over the steep sides, articles are washed more intensively in normal programmes – and over the flat sides, with extra care for delicate programmes.

### **Asymmetrical glass porthole**

The unique porthole on the VarioSoft™ Drum also decisively improves washing results. The asymmetrically curved inner surface of the porthole gently returns articles to the centre of the drum, permanently integrating them in the wash process.

### **AquaPlus**

With AquaPlus, a higher water level is used throughout the wash and rinse cycles of the chosen wash programmes – for the best rinsing results.

### **3D AquaSpa wash system**

A wash and shower system for optimum washing results. Water enters the drum from three sides for quick and effective distribution. During the cycle, specially designed paddles scoop up the water, gently bathing the wash load and ensuring gentle washing and optimum usage of the water in the drum.

### **ActiveWater™**

#### **Intelligent water management**

The most intelligent water system ever, with flow sensors that detect the level of soiling so that only the exact amount is used for any load. WaveDrum

### **Advanced textile care**

The 'wave' drop-design drum means just the right amount of gentle textile agitation for a perfect wash. In addition, the optimised paddle and drum design makes for precise textile movement, constant water flow and equal detergent distribution for perfect results every time.

## Convenience

### **Self-cleaning detergent drawer**

The self-cleaning detergent drawer has smooth walls and nozzles that automatically flush the two detergent chambers clean as water is added. This makes sure that the water is always clean for the follow-up rinse cycles.

### **Time delay**

This option allows you to programme your washing machine to start or finish between 1 and 24 hours after you set it.

### **Digital display**

Our washing machine features a large display that clearly shows the wash progress, time remaining, spin speed and temperature selected.

### **Most sophisticated sensors ever**

Intelligent water flow rate sensors assess the required water not only by load size, but also by laundry type. This allows for exact control of the optimum water level.

### **Reload**

Thanks to Bosch Reload function, forgotten laundry items can be added during the cycle by pressing start/pause button. The washing machine automatically adjusts the water level and allows you to open the door so you can also add/remove big items such as bed sheets and towels.

## Safety

### **AquaStop™**

All Bosch washing machines are designed with safety in mind, from the highly pressure-resistant water supply hose and overflow prevention systems, to the electronic lock that prevents the porthole from being opened unintentionally mid-cycle.





## When space is of the essence.

What do you do when you have limited space, but still want to enjoy perfectly washed and dried laundry? We're here to help. With the Bosch stacking kit, you can position your washing machine and dryer on top of each other, saving you space, while giving you unmatched washing results. Or you can simply bring home a Bosch washer-dryer and enjoy the benefits of two appliances rolled into one.

### **AutoDry Technology™**

Aided by innovative sensors, this intelligent technology guarantees even drying of your garments. Not only is your washing dried gently, it gets optimum care treatment too.

### **Refresh programme**

Minimise creases with the innovative refresh function, suitable for refreshing business suits, jackets and trousers, or dry-clean only items that cannot be washed in the washing machine.

### **Wash and dry 4 kg of laundry in one go**

You can wash and dry up to 5 kg of laundry without having to take out clothes in between cycles.

## Automatic Washing Machines

Notes:

---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---

**Serie | 2**  
**WAJ20170GC**  
**Free Standing washing machine**


- Capacity: 7 kg
- Max. spin speed: 1000 rpm
- Energy Efficiency Class: 4 Energy Stars
- EcoSilence drive with 10 year warranty

**Main features**

- WaveDrum
- AntiVibration Design: More stable and silent
- ActiveWater: water management system

**Programmes**

- Special programmes: Super15, Delicats /Silk, Wool, Easy Care, Eco

**Convenience and Safety**

- Short-stroke buttons: Start / Reload / Pause, Time delay, Temperature, Spin speed reduction/Yes
- display for programme progress, temperature, spin speed, remaining time and 24 h endtime delay
- Fully electronic control dial for all wash- and special programs
- Multiple water protection
- AquaSensor for optimum rinse results: Yes
- 3D AquaSpa wash system with cascade for faster water penetration
- Foam detection system

- Unbalanced load detection
- Self cleaning detergent drawer
- Reload Function: Yes
- 24 h end time delay / remaining time
- Metal door closing hook
- Magnet Lock
- Childproof door lock

**Serie | 2**  
**WAJ2017SGC**  
**Free Standing washing machine**


- Capacity: 7 kg
- Max. spin speed: 1000 rpm
- Energy Efficiency Class: 4 Energy Stars
- EcoSilence drive with 10 year warranty

**Main features**

- WaveDrum
- AntiVibration Design: More stable and silent
- ActiveWater: water management system

**Programmes**

- Special programmes: Super15, Delicats /Silk, Wool, Easy Care, Eco

**Convenience and Safety**

- Short-stroke buttons: Start / Reload / Pause, Time delay, Temperature, Spin speed reduction/Yes
- display for programme progress, temperature, spin speed, remaining time and 24 h endtime delay
- Fully electronic control dial for all wash- and special programs
- Multiple water protection
- AquaSensor for optimum rinse results: Yes
- 3D AquaSpa wash system with cascade for faster water penetration

- Foam detection system
- Unbalanced load detection
- Self cleaning detergent drawer
- Reload Function: Yes
- 24 h end time delay / remaining time
- Metal door closing hook
- Magnet Lock
- Childproof door lock

**Serie | 2**  
**WAJ20180GC**  
**Free Standing washing machine**


- Capacity: 8 kg
- Max. spin speed: 1000 rpm
- Energy Efficiency Class: 4 Energy Stars
- EcoSilence drive with 10 year warranty

**Main features**

- WaveDrum
- AntiVibration Design: More stable and silent
- ActiveWater: water management system

**Programmes**

- Special programmes: Super15, Delicats /Silk, Wool, Easy Care, Eco

**Convenience and Safety**

- Short-stroke buttons: Start / Reload / Pause, Time delay, Temperature, Spin speed reduction/Yes
- display for programme progress, temperature, spin speed, remaining time and 24 h endtime delay
- Fully electronic control dial for all wash- and special programs
- Multiple water protection
- AquaSensor for optimum rinse results: Yes
- 3D AquaSpa wash system with cascade for faster water penetration

- Foam detection system
- Unbalanced load detection
- Self cleaning detergent drawer
- Reload Function: Yes
- 24 h end time delay / remaining time
- Metal door closing hook
- Magnet Lock
- Childproof door lock

**Serie | 6**  
**WAT24462GC**  
**Automatic washing machine**



- 9kg 1200 rpm

**Main features**

- Capacity: 9 kg
- Energy consumption 152 kWh per year, based on 220 standard washing cycles for cotton programmes at 60°C and 40°C at full and partial load, and the consumption of the low power modes. Actual energy consumption will depend on how the appliance is used.
- energy consumption of the standard 60 °C cotton programme 0.92 kWh at full load and 0.6 kWh at partial load and of the standard 40 °C cotton programme 0.42 kWh at partial load
- weighted power consumption off-mode / left-on mode: 0.12 W / 0.43 W
- Water consumption 11220 litres per year, based on 220 standard washing cycles for cotton programmes at 60°C and 40°C at full and partial load. Actual water consumption will depend on how the appliance is used.
- spin-drying efficiency class: B
- Max. spin speed: 1200 rpm
- Cottons 60 Eco and Cottons 40 Eco are the standard washing programmes to which the information in the label relates. These programmes are suitable to clean normally soiled cotton laundry and are the most efficient programmes in terms of combined energy and water consumption.
- Programme time:60 °C cotton programme 285 min at full load 285 min at partial load and 40 °C cotton programme 285 min partial load
- Duration of the left-on mode: 15 min
- Noise level washing dB (A) re 1 pW: 51
- Noise level spinning dB (A) re 1 pW: 75

**Programmes**

- Special programmes: Extra Rinse / Starching, dark laundry, Drum clean, shirts, sports/fitness, quick wash/mixture, Drain / Spin, AllergyPlus / Hygiene, Super 15 min / Super 30 min, Duvet, wool, delicates/silk

**Options**

- varioPerfect: time or energy optimized programs with perfect wash performance
- Touch control buttons: Start / Reload / Pause, Extra rinse, Spin speed reduction/Yes

**Convenience and Safety**

- VarioDrum: gentle and efficient washing
- 32 cm porthole, white-black grey with 165° opening door
- Metal door closing hook
- Magnet Lock
- EcoSilence Drive: BLDC motor
- AntiVibration Design: More stable and silent
- Flow-through sensor
- ActiveWater: water management system
- Multiple water protection
- 3D AquaSpa wash system with cascade for faster water penetration
- infinitely variable
- Consumption Indication: Information about energy consumption
- Fully electronic control dial for wash programmes, temperature and special programmes
- Large LED-Display for programme status indication, temperature selection, max. spin speed, remaining time and 24 h end time delay, load recommendation and consumption indication
- AquaSensor for optimum rinse results: Yes
- Foam detection system
- Unbalanced load detection
- Childproof door lock
- Buzzer to indicate the end of cycle
- Divider for Liquid Detergent

**Technical information**

- Can be built-under
- Dimensions (H x W x D): 84.8 x 59.8 x 59 cm
- Reload function: Be flexible in adding laundry items even after start of the wash cycle.

**Serie | 6**  
**WAT2446SGC**  
**Automatic washing machine**



- 9kg 1200 rpm
- Stainless steel front

**Main features**

- Capacity: 9 kg
- Energy Efficiency Class: 4 Energy Stars
- Energy consumption 152 kWh per year, based on 220 standard washing cycles for cotton programmes at 60°C and 40°C at full and partial load, and the consumption of the low power modes. Actual energy consumption will depend on how the appliance is used.
- energy consumption of the standard 60 °C cotton programme 0.92 kWh at full load and 0.6 kWh at partial load and of the standard 40 °C cotton programme 0.42 kWh at partial load
- weighted power consumption off-mode / left-on mode: 0.12 W / 0.43 W
- Water consumption 11220 litres per year, based on 220 standard washing cycles for cotton programmes at 60°C and 40°C at full and partial load. Actual water consumption will depend on how the appliance is used.
- spin-drying efficiency class: B
- Max. spin speed: 1200 rpm
- Cottons 60 Eco and Cottons 40 Eco are the standard washing programmes to which the information in the label relates. These programmes are suitable to clean normally soiled cotton laundry and are the most efficient programmes in terms of combined energy and water consumption.
- Programme time:60 °C cotton programme 275 min at full load 270 min at partial load and 40 °C cotton programme 270 min partial load
- Duration of the left-on mode: 15 min
- Noise level washing dB (A) re 1 pW: 51
- Noise level spinning dB (A) re 1 pW: 75
- 4 Energy Stars according to the UAE energy efficiency label with energy consumption of 220 kWh per year and water consumption of 14829 l per year

**Programmes**

- Special programmes: Single Rinse, dark laundry, Drum clean, shirts, sports/fitness, quick wash/mixture, Drain / Spin, AllergyPlus / Hygiene, Super

**Main features**

- Capacity: 9 kg
- spin-drying efficiency class: B
- Max. spin speed: 1400 rpm
- Cottons 60 Eco and Cottons 40 Eco are the standard washing programmes to which the information in the label relates. These programmes are suitable to clean normally soiled cotton laundry and are the most efficient programmes in terms of combined energy and water consumption.
- Noise level washing dB (A) re 1 pW: 49
- Noise level spinning dB (A) re 1 pW: 75
- 5 Energy Stars according to the UAE energy efficiency label with energy consumption of 199 kWh per year and water consumption of 14720 l per year

**Programmes**

- Special programmes: Extra Rinse / Starching, dark laundry, Drum clean, shirts, sports/fitness, quick wash/mixture, Drain / Spin, AllergyPlus / Hygiene, Super 15 min / Super 30 min, Duvet, wool, delicates/silk

**Options**

- varioPerfect: time or energy optimized programs with perfect wash performance
- Touch control buttons: Start / Reload / Pause, Reduced Ironing, Extra rinse, Spin speed reduction/No

**Convenience and Safety**

- Reload function: Be flexible in adding laundry items even after the start of the wash cycle.
- Drum volume: 60 l
- VarioDrum: gentle and efficient washing
- 32 cm porthole, chrome, white with 171° opening door
- Metal door closing hook
- Magnet Lock
- EcoSilence Drive: BLDC motor
- AntiVibration Design: More stable and silent

- 15 min / Super 30 min, Duvet, wool, delicates/silk

**Options**

- varioPerfect: time or energy optimized programs with perfect wash performance
- Touch control buttons: Start / Reload / Pause, Spin speed reduction/Yes

**Convenience and Safety**

- Reload function: Be flexible in adding laundry items even after the start of the wash cycle.
- Drum volume: 60 l
- VarioDrum: gentle and efficient washing
- 32 cm porthole, silver inox with 165° opening door
- Metal door closing hook
- Magnet Lock
- Ferrite-BLDC
- AntiVibration Design: More stable and silent
- Flow-through sensor
- ActiveWater: water management system
- Multiple water protection
- 3D AquaSpa wash system with cascade for faster water penetration
- infinitely variable
- Consumption Indication: Information about energy consumption
- Fully electronic control dial for wash programmes, temperature and special programmes
- Large LED-Display for programme status indication, temperature selection, max. spin speed, remaining time and 24 h end time delay, load recommendation and consumption indication
- AquaSensor for optimum rinse results: Yes
- Foam detection system
- Unbalanced load detection
- Childproof door lock
- Buzzer to indicate the end of cycle
- Self cleaning detergent drawer
- Divider for Liquid Detergent

**Technical information**

- Can be built-under
- Dimensions (H x W x D): 84.8 x 59.8 x 59 cm

**Serie | 6**  
**WAT28461GC**  
**Automatic washing machine**



**Main features**

- Capacity: 9 kg
- spin-drying efficiency class: B
- Max. spin speed: 1400 rpm
- Cottons 60 Eco and Cottons 40 Eco are the standard washing programmes to which the information in the label relates. These programmes are suitable to clean normally soiled cotton laundry and are the most efficient programmes in terms of combined energy and water consumption.
- Noise level washing dB (A) re 1 pW: 49
- Noise level spinning dB (A) re 1 pW: 75
- 5 Energy Stars according to the UAE energy efficiency label with energy consumption of 199 kWh per year and water consumption of 14720 l per year

**Programmes**

- Special programmes: Extra Rinse / Starching, dark laundry, Drum clean, shirts, sports/fitness, quick wash/mixture, Drain / Spin, AllergyPlus / Hygiene, Super 15 min / Super 30 min, Duvet, wool, delicates/silk

**Options**

- varioPerfect: time or energy optimized programs with perfect wash performance
- Touch control buttons: Start / Reload / Pause, Reduced Ironing, Extra rinse, Spin speed reduction/No

**Convenience and Safety**

- Reload function: Be flexible in adding laundry items even after the start of the wash cycle.
- Drum volume: 60 l
- VarioDrum: gentle and efficient washing
- 32 cm porthole, chrome, white with 171° opening door
- Metal door closing hook
- Magnet Lock
- EcoSilence Drive: BLDC motor
- AntiVibration Design: More stable and silent

- Flow-through sensor
- ActiveWater: water management system
- Multiple water protection
- 3D AquaSpa wash system with cascade for faster water penetration
- infinitely variable
- Consumption Indication: Information about energy consumption
- Fully electronic control dial for wash programmes, temperature and special programmes
- Large LED-Display for programme status indication, temperature selection, max. spin speed, remaining time and 24 h end time delay, load recommendation and consumption indication
- AquaSensor for optimum rinse results: Yes
- Foam detection system
- Unbalanced load detection
- Childproof door lock
- Buzzer to indicate the end of cycle
- Divider for Liquid Detergent

**Technical information**

- Can be built-under
- Dimensions (H x W x D): 84.8 x 59.8 x 59 cm

## Automatic Washing Machines

**Serie | 6**  
**WAT2848XGC**  
**Automatic washing machine**
**Main features**

- Capacity: 9 kg
- Max. spin speed: 1400 rpm
- 5 Energy Stars according to the UAE energy efficiency label with energy consumption of 199 kWh per year and water consumption of 14720 l per year
- Noise level washing dB (A) re 1 pW: 49
- Noise level spinning dB (A) re 1 pW: 75

**Programmes**

- Special programmes: Extra Rinse / Starching, dark laundry, Drum clean, shirts, sports/fitness, quick wash/mixture, Drain / Spin, AllergyPlus / Hygiene, Super 15 min / Super 30 min, Duvet, wool, delicates/silk

**Options**

- varioPerfect: time or energy optimized programs with perfect wash performance
- varioPerfect: time- or energy optimized programs with perfect wash performance
- Touch control buttons: Start / Reload / Pause, Reduced Ironing, Extra rinse, Spin speed reduction/Yes

**Convenience and Safety**

- VarioDrum: gentle and efficient washing
- waveDrum: for highly effective and extremely gentle laundry care
- 32 cm porthole, silver inox with 165° opening door
- Metal door closing hook
- Magnet Lock
- EcoSilence Drive: BLDC motor
- EcoSilence drive with 10 year warranty
- AntiVibration Design: More stable and silent
- Sound insulation
- Flow-through sensor
- waterPerfect: resource gentle water management
- ActiveWater: water management system
- Reload Function: Yes
- Multiple water protection
- 3D AquaSpa wash system with cascade for faster water penetration
- infinitely variable
- Consumption Indication: Information about energy consumption

- Fully electronic control dial for wash programmes, temperature and special programmes
- Large LED-Display for programme status indication, temperature selection, max. spin speed, remaining time and 24 h end time delay, load recommendation and consumption indication
- AquaSensor for optimum rinse results: Yes
- Foam detection system
- Unbalanced load detection
- Childproof door lock
- Buzzer to indicate the end of cycle
- Self cleaning detergent drawer
- Divider for Liquid Detergent

**Technical information**

- Can be built-under
- Dimensions (H x W x D): 84.8 x 59.8 x 59 cm

**Serie | 6**  
**WAT28780GC**  
**Automatic washing machine**
**Main features**

- Capacity: 9 kg
- Energy Efficiency Class: 5 Energy Stars
- energy consumption of the standard 60 °C cotton programme NO\_FEATURE at full load and NO\_FEATURE at partial load and of the standard 40 °C cotton programme NO\_FEATURE at partial load
- weighted power consumption off-mode / left-on mode: NO\_FEATURE / NO\_FEATURE
- Water consumption NO\_FEATURE litres per year, based on 220 standard washing cycles for cotton programmes at 60°C and 40°C at full and partial load. Actual water consumption will depend on how the appliance is used.
- spin-drying efficiency class: B
- Max. spin speed: 1400 rpm
- Cottons 60 Eco and Cottons 40 Eco are the standard washing programmes to which the information in the label relates. These programmes are suitable to clean normally soiled cotton laundry and are the most efficient programmes in terms of combined energy and water consumption.
- Programme time: 60 °C cotton programme NO\_FEATURE at full load NO\_FEATURE at partial load and 40 °C cotton programme NO\_FEATURE partial load
- Noise level washing dB (A) re 1 pW: 48
- Noise level spinning dB (A) re 1 pW: 73
- 5 Energy Stars according to the UAE energy efficiency label with energy consumption of 199 kWh per year and water consumption of 14720 l per year

**Programmes**

- Special programmes: shirts, sports/fitness, quick wash/mixture, AllergyPlus / Hygiene, Super 15 min / Super 30 min, Duvet, Drum clean with reminder, HygienicSteam Odor Removal, wool, delicates/silk

**Options**

- varioPerfect: time or energy optimized programs

- with perfect wash performance
- Touch control buttons: Prewash, Reduced Ironing, Spin speed reduction, Time delay, Temperature, SpeedPerfect, EcoPerfect, Start / Reload / Pause, rinse hold, options, Memory, HygienicSteam-Antibacteria und 24 h Time delay

**Convenience and Safety**

- XXL Drum volume: 60 l
- Drum interior light
- VarioDrum: gentle and efficient washing
- DrumClean with reminder function
- 32 cm porthole, chrome, white with 171° opening door
- Magnet Lock
- Reload Function: Yes
- EcoSilence drive with 10 year warranty
- AntiVibration Design: More stable and silent
- Sound insulation
- Flow-through sensor
- ActiveWater: water management system
- Multiple water protection
- infinitely variable
- Consumption Indication: Information about energy and water consumption
- jog dial
- Large touch-LED-display for programme status indication, temperature selection, max. spin speed, remaining time and 24 h end time delay, load recommendation and consumption indication
- Foam detection system
- Childproof door lock
- Self cleaning detergent drawer
- Divider for Liquid Detergent

**Technical information**

- Can be built-under
- Dimensions (H x W x D): 84.8 x 59.8 x 59 cm

## Automatic Washing Machines

**Serie | 8**  
**WAW32560GC**  
**Automatic washing machine**
**Main features**

- Capacity: 9 kg
- 1600rpm:EcoSilenceDrive
- Energy Efficiency Class: 4 Energy Stars
- spin-drying efficiency class: A
- Max. spin speed: 1600 rpm
- Duration of the left-on mode: 15 min
- Noise level washing dB (A) re 1 pW: 48
- Noise level spinning dB (A) re 1 pW: 74

**Programmes**

- Special programmes: shirts, sports/fitness, rapid 15 min, quick wash/mixture, AllergyPlus / Hygiene, Cold, 30°C

**Options**

- varioPerfect: time or energy optimized programs with perfect wash performance
- Touch control buttons: On/off, Prewash, Reduced Ironing, Spin speed reduction, Time delay, Aqua plus, Temperature, start/pause, SpeedPerfect, EcoPerfect, stain selection und 24 h Time delay
- Stain-automatic with 4 stain options - activatable with standard programmes

**Convenience and Safety**

- XXL Drum volume: 65 l
- Drum interior light
- VarioDrum: gentle and efficient washing
- DrumClean with reminder function
- Large chrome, white door with 171° opening and 32cm porthole opening
- Magnet Lock
- Ferrite-BLDC
- EcoSilence drive with 10 year warranty
- AntiVibration Design: More stable and silent
- Sound insulation
- Flow-through sensor
- ActiveWater: water management system
- Multiple water protection
- Consumption Indication: Information about energy and water consumption
- control dial with integrated On-/Offmode
- Large LED-Display for programme status indication, temperature selection, max. spin speed, remaining time and 24 h end time delay,

**Main features**

- Capacity: 9 kg
- 1600rpm
- Energy Efficiency Class: 4 Energy Stars
- spin-drying efficiency class: A
- Max. spin speed: 1600 rpm
- Duration of the left-on mode: 15 min
- Noise level washing dB (A) re 1 pW: 48
- Noise level spinning dB (A) re 1 pW: 74

**Programmes**

- Special programmes: shirts, sports/fitness, rapid 15 min, quick wash/mixture, AllergyPlus / Hygiene, Cold, 30°C

**Options**

- varioPerfect: time or energy optimized programs with perfect wash performance
- Touch control buttons: On/off, Prewash, Reduced Ironing, Spin speed reduction, Time delay, Aqua plus, Temperature, start/pause, SpeedPerfect, EcoPerfect, stain selection und 24 h Time delay
- Stain-automatic with 4 stain options - activatable with standard programmes

**Convenience and Safety**

- XXL Drum volume: 65 l
- Drum interior light
- VarioDrum: gentle and efficient washing
- DrumClean with reminder function
- Large chrome, white door with 171° opening and 32cm porthole opening
- Magnet Lock
- Reload Function: Yes
- Ferrite-BLDC
- EcoSilence drive with 10 year warranty
- AntiVibration Design: More stable and silent
- Sound insulation
- Flow-through sensor
- ActiveWater: water management system

- stain selection and consumption indication
- Foam detection system
- Unbalanced load detection
- Childproof door lock
- Buzzer
- Self cleaning detergent drawer
- Divider for Liquid Detergent

**Technical information**

- Dimensions (H x W x D): 84.8 x 59.8 x 59 cm
- Can be built-under
- Reload Function: Yes

- Multiple water protection
- Consumption Indication: Information about energy and water consumption
- control dial with integrated On-/Offmode
- Large LED-Display for programme status indication, temperature selection, max. spin speed, remaining time and 24 h end time delay, stain selection and consumption indication
- Foam detection system
- Unbalanced load detection
- Childproof door lock
- Buzzer
- infinitely variable
- Self cleaning detergent drawer
- Divider for Liquid Detergent

**Technical information**

- Dimensions (H x W x D): 84.8 x 59.8 x 59 cm
- Can be built-under

## Automatic Washer Dryer / Top Loader

### Serie | 4 WOE701W0GC



- German design and testing standards
- 7 kg capacity
- Drum volume: 56 l
- Noise level washing (dB): 65
- Noise level spinning (dB): 75

#### Programmes

- Tub Clean: special program to clean the tub
- Soak program: 30 mins additional soaking for heavily soiled textiles
- special programmes: AllergyPlus / Hygiene, Bed linen, Drum clean, Pre-Soak programme, jeans, Short programme / quick, Normal, sensitive

#### Options

- Easy Start: start by one button
- SpeedPerfect: save up to 20% time without compromise
- 24h delay start
- Short-stroke buttons: On/off, Start time delay, Temperature, Start / Reload / Pause, Rinse plus +1+2+3, Water height, Program

#### Convenience and Safety

- PowerWave: innovative impeller and dynamic water flow create good results
- Dynamic Water Flow: water flows in a effective movement to the laundry
- Hot/cold water inlet

- Temperature selector
- Drain pump
- Reload function: Be flexible in adding laundry items even after start of the wash cycle.
- Reload Function: Yes
- Lint filter: filters lint effectively and is easy to clean
- Power-off memory: automatically restarts the process
- Dual stabilizer rings: vibrations are minimized significantly
- Soft closing glass lid
- Child-proof lock: program locking

#### Technical information

- Dimensions (H x W x D): 96 x 55 x 61.5 cm
- Mobility handles and adjustable foot
- Graduator: level for easier justage

### Serie | 4 WOE801W0GC



- German design and testing standards
- 8 kg capacity
- Drum volume: 64 l
- Noise level washing (dB): 65
- Noise level spinning (dB): 75

#### Programmes

- Tub Clean: special program to clean the tub
- Soak program: 30 mins additional soaking for heavily soiled textiles
- special programmes: AllergyPlus / Hygiene, Bed linen, Drum clean, Pre-Soak programme, jeans, Short programme / quick, Normal, sensitive

#### Options

- Easy Start: start by one button
- SpeedPerfect: save up to 20% time without compromise
- 24h delay start
- Short-stroke buttons: On/off, Start time delay, Temperature, Start / Reload / Pause, Rinse plus +1+2+3, Water height, Program

#### Convenience and Safety

- PowerWave: innovative impeller and dynamic water flow create good results
- Dynamic Water Flow: water flows in a effective movement to the laundry
- Hot/cold water inlet

- Temperature selector
- Drain pump
- Reload function: Be flexible in adding laundry items even after start of the wash cycle.
- Reload Function: Yes
- Lint filter: filters lint effectively and is easy to clean
- Power-off memory: automatically restarts the process
- Dual stabilizer rings: vibrations are minimized significantly
- Soft closing glass lid
- Child-proof lock: program locking

#### Technical information

- Dimensions (H x W x D): 96 x 55 x 61.5 cm
- Mobility handles and adjustable foot
- Graduator: level for easier justage

## Automatic Top Loader

### Serie | 4 WOE101S0GC



- German design and testing standards
- 10 kg capacity
- Drum volume: 83 l
- Noise level washing (dB): 65
- Noise level spinning (dB): 75

#### Programmes

- Tub Clean: special program to clean the tub
- Soak program: 30 mins additional soaking for heavily soiled textiles
- special programmes: AllergyPlus / Hygiene, Bed linen, Drum clean, Pre-Soak programme, jeans, Short programme / quick, Normal, sensitive

#### Options

- Easy Start: start by one button
- SpeedPerfect: save up to 20% time without compromise
- 24h delay start
- Short-stroke buttons: On/off, Start time delay, Temperature, Start / Reload / Pause, Rinse plus +1+2+3, Water height, Program

#### Convenience and Safety

- PowerWave plus: innovative impeller and high dynamic water flow create perfect results
- Dynamic Water Flow: water flows in a effective movement to the laundry

- Hot/cold water inlet
- Temperature selector
- Drain pump
- Reload function: Be flexible in adding laundry items even after start of the wash cycle.
- Reload Function: Yes
- Lint filter: filters lint effectively and is easy to clean
- Power-off memory: automatically restarts the process
- Dual stabilizer rings: vibrations are minimized significantly
- Soft closing glass lid
- Child-proof lock: program locking

#### Technical information

- Dimensions (H x W x D): 97.5 x 60.1 x 68 cm
- Mobility handles and adjustable foot
- Graduator: level for easier justage

### Serie | 6 WOA135D0GC



- German design and testing standards
- 13 kg capacity
- Drum volume: 103 l
- Noise level washing (dB): 65
- Noise level spinning (dB): 75

#### Programmes

- Memory program: save your individual program settings for easy re-use
- Tub Clean: special program to clean the tub
- Soak program: 30 mins additional soaking for heavily soiled textiles
- special programmes: Drum clean, Pre-Soak programme, Short programme / quick, air dry, Memory 1, Normal, Soft, Strong

#### Options

- Easy Start: start by one button
- SpeedPerfect: save up to 20% time without compromise
- 24h delay start
- Short-stroke buttons: On/off, Start time delay, Temperature, SpeedPerfect, Start / Reload / Pause, Rinse plus +1+2+3, Washing time, spin time, Water height, Program

#### Convenience and Safety

- PowerWave plus: innovative impeller and high dynamic water flow create perfect results

- Dynamic Water Flow: water flows in a effective movement to the laundry
- EcoSilence INVERTER: quiet and long lasting belt-free motor
- Hot/cold water inlet
- Temperature selector
- Drain pump
- Reload function: Be flexible in adding laundry items even after start of the wash cycle.
- Reload Function: Yes
- Lint filter: filters lint effectively and is easy to clean
- Power-off memory: automatically restarts the process
- Dual stabilizer rings: vibrations are minimized significantly
- Soft closing glass lid
- -proof lock: program locking

#### Technical information

- Dimensions (H x W x D): 102 x 64 x 73.4 cm
- Mobility handles and adjustable foot
- Graduator: level for easier justage

### Serie | 6 WOA145D0GC



- German design and testing standards
- 14 kg capacity
- Drum volume: 116 l
- Noise level washing (dB): 65
- Noise level spinning (dB): 75

#### Programmes

- Memory program: save your individual program settings for easy re-use
- Tub Clean: special program to clean the tub
- Soak program: 30 mins additional soaking for heavily soiled textiles
- special programmes: Drum clean, Pre-Soak programme, Short programme / quick, air dry, Memory 1, Normal, Soft, Strong

#### Options

- Easy Start: start by one button
- SpeedPerfect: save up to 20% time without compromise
- 24h delay start
- Short-stroke buttons: On/off, Start time delay, Temperature, SpeedPerfect, Start / Reload / Pause, Rinse plus +1+2+3, Washing time, spin time, Water height, Program

#### Convenience and Safety

- PowerWave: innovative impeller and dynamic water flow create good results

- EcoSilence INVERTER: quiet and long lasting belt-free motor
- Hot/cold water inlet
- Temperature selector
- Drain pump
- Reload function: Be flexible in adding laundry items even after start of the wash cycle.
- Reload Function: Yes
- Lint filter: filters lint effectively and is easy to clean
- Power-off memory: automatically restarts the process
- Soft closing glass lid
- door lock: child-proof locked cover
- Child-proof lock: program locking

#### Technical information

- Dimensions (H x W x D): 102 x 68.6 x 76.5 cm
- Mobility handles and adjustable foot
- Graduator: level for easier justage

## Automatic Condenser Dryer

### Serie | 4 WTE84106GC Condenser dryer



#### Main features

- Capacity: 7 kg
- Dryer type: Condenser
- Electronic humidity control
- Duration of left-on mode: NO\_FEATURE
- The programme Cottons cupboard dry used at full and partial load is the standard drying programme to which the information in the label and the fiche relates, this programme is suitable for drying normal wet cotton laundry and is the most efficient programme in terms of energy consumption for cotton.
- Noise level: 66 dB (A) re 1 pW

#### Programmes

- Special programmes: sportswear, 20min warm, Super 40

#### Options

- Anti crease cycle 120 min at the end of the programme
- Touch control buttons: Start/Stop, Low Heat

#### Convenience and Safety

- DUO-Tronic
- Active flow drying system: Big Galvalume with textile care structure, soft design paddles

- LED programme progress indicator and service notes
- Fully electronic control dial for sensor drying programmes, timed and special programmes
- AntiVibration Design: More stable and silent
- Protection filter for condensor
- Round door, door hinge on right white
- Door hinge: right-hand
- Metal door closing hook

#### Technical information

- Dimensions (H x W x D): 84.2 x 59.8 x 60.1 cm
- can be built-under

### Serie | 6 WTG86401GC Condenser dryer



#### Main features

- Capacity: 9 kg
- Dryer type: Condenser
- The programme Cottons cupboard dry used at full and partial load is the standard drying programme to which the information in the label and the fiche relates, this programme is suitable for drying normal wet cotton laundry and is the most efficient programme in terms of energy consumption for cotton.
- Noise level: 64 dB (A) re 1 pW

#### Programmes

- Special programmes: mix, wool drying in basket, Time program warm, sportswear, Down wear, Super 40, Shirts 15

#### Options

- Anti crease cycle 120 min at the end of the programme
- Touch control buttons: start/pause, Low Heat, Signal, less ironing, 24 h Ready

#### Convenience and Safety

- DUO-Tronic
- soft dial
- Large LED-Display for remaining time and 24 h end

time delay, programme status indication, special functions.

- Active flow drying system: Big Stainless steel with textile care structure, soft design paddles
- Wool Drying Basket
- Protection filter for condensor
- AntiVibration Design: More stable and silent
- Drum interior light
- Childproof door lock
- Buzzer to indicate the end of cycle
- silver-black grey
- pull-open latch
- Door
- Drain set for condensate

#### Technical information

- Dimensions (H x W x D): 84.2 x 59.8 x 59.9 cm
- Can be built-under

### Serie | 6 WTG8640SGC Free Standing dryer



#### Main features

- Capacity: 9 kg
- Dryer type: Condenser
- Energy efficiency class: B

#### Programmes

- Special programmes: woollen finish, mix, Time program warm, Time program cold, sportswear, Down wear, Super 40, Shirts 15

#### Options

- Anti crease cycle 60 min at the end of the programme
- Touch control buttons: start/pause, Low Heat, Signal, less ironing, 24 h Ready

#### Convenience and Safety

- DUO-Tronic
- soft dial
- Large LED-Display for remaining time and 24 h end time delay, programme status indication, special functions.
- Active flow drying system: Big Stainless steel with textile care structure, soft design paddles
- Wool Drying Basket
- Protection filter for condensor
- AntiVibration Design: More stable and silent

- Drum interior light
- Childproof door lock
- Buzzer to indicate the end of cycle
- Silver-black grey
- pull-open latch

#### Technical information

- Dimensions (H x W x D): 84.2 x 59.8 x 59.9 cm
- Can be built-under

## Automatic Condenser Dryer / Washer Dryer

### Serie | 6 WTG86400GC Condenser dryer



#### Main features

- Capacity: 8 kg
- Dryer type: Condenser
- Energy efficiency class: B
- Energy consumption 561.0 kWh per year, based on 160 drying cycles of the standard cotton programme at full and partial load, and the consumption of the low-power modes. Actual energy consumption per cycle will depend on how the appliance is used
- Energy consumption of the standard cotton programme at full load 4.63 kwh and energy consumption of the standard cotton programme at half load 2.61 kwh
- power consumption in off-mode 0.1 W and in left-on mode 0.75 W
- Duration of left-on mode: NO\_FEATURE
- The programme Cottons cupboard dry used at full and partial load is the standard drying programme to which the information in the label and the fiche relates, this programme is suitable for drying normal wet cotton laundry and is the most efficient programme in terms of energy consumption for cotton.
- Weighted programme time of the standard cotton programme at full and partial load: 106 min.
- Programme time of the standard cotton programme at full load 137 min and programme time of the standard cotton programme at partial load 82 min.
- Condensation efficiency class B on a scale from G (least efficient) to A (most efficient).
- standard cotton programme at full load 88 % and average condensation efficiency of the standard cotton programme at partial load 88 %.
- Weighted condensation efficiency for the standard cotton programme at full and partial load: 88 %.
- Noise level: 65 dB (A) re 1 pW

#### Programmes

- Special programmes: woollen finish, mix, Time program warm, Time program cold, sportswear, Down wear, Super 40, Shirts 15

#### Options

- Anti crease cycle 60 min at the end of the programme
- Touch control buttons: start/pause, Low Heat, Signal, less ironing, 24 h Ready

#### Convenience and Safety

- DUO-Tronic
- soft dial
- Large LED-Display for remaining time and 24 h end time delay, programme status indication, special functions.
- Active flow drying system: Big Stainless steel with textile care structure, soft design paddles
- Wool Drying Basket
- Protection filter for condensor
- AntiVibration Design: More stable and silent
- Drum interior light
- Childproof door lock
- Buzzer to indicate the end of cycle
- silver-black grey
- pull-open latch
- Door

#### Technical information

- Dimensions (H x W x D): 84.2 x 59.8 x 59.9 cm
- Can be built-under

### Serie | 8 WTWH7560GC



#### Main features

- Capacity: 9 kg
- Dryer type: Condenser with heat pump technology
- Energy efficiency class: A++
- Energy consumption 259.0 kWh per year, based on 160 drying cycles of the standard cotton programme at full and partial load, and the consumption of the low-power modes. Actual energy consumption per cycle will depend on how the appliance is used
- Energy consumption of the standard cotton programme at full load 2.06 kwh and energy consumption of the standard cotton programme at half load 1.24 kwh
- power consumption in off-mode 0.1 W and in left-on mode 0.1 W
- Duration of left-on mode: 30 min
- The programme Cottons cupboard dry used at full and partial load is the standard drying programme to which the information in the label and the fiche relates, this programme is suitable for drying normal wet cotton laundry and is the most efficient programme in terms of energy consumption for cotton.
- Weighted programme time of the standard cotton programme at full and partial load: 133 min.
- Programme time of the standard cotton programme at full load 166 min and programme time of the standard cotton programme at partial load 108 min.
- Condensation efficiency class A on a scale from G (least efficient) to A (most efficient).
- standard cotton programme at full load 91 % and average condensation efficiency of the standard cotton programme at partial load 91 %.
- Weighted condensation efficiency for the standard cotton programme at full and partial load: 91 %.
- Noise level: 64 dB (A) re 1 pW

#### Options

- Home Connect: Remote Monitoring and Control
- Anti crease cycle 120 min at the end of the programme
- Touch control buttons: start/pause, Low Heat, Signal, Drying aim, 24 h Ready in

#### Convenience and Safety

- SelfCleaning Condenser
- DUO-Tronic
- control dial with integrated On-/Offmode
- Large LED-Display for remaining time and 24 h end time delay, programme status indication, special functions.
- Active flow drying system: Big Stainless steel with textile care structure, soft design paddles
- Wool Drying Basket
- AntiVibration Design: More stable and silent
- Drum interior light
- Childproof door lock
- Buzzer to indicate the end of cycle
- chrome, blackgrey
- pull-open latch
- Door
- Drain set for condensate

#### Technical information

- Dimensions (H x W x D): 84.2 x 59.8 x 59.9 cm
- Can be built-under

#### Programmes

- Special programmes: mix, wool drying in basket, towels, Time program warm, Time program cold, sportswear, Down wear, Super 40, shirts/blouses

## Automatic Washer Dryer

### Serie | 6 WVG30460GC Automatic washer dryer



- wash&dry 8/5kg
- Stainless steel front

#### Main features

- Label: A / A
- electricityconsumption wash and dry 4 kwh, waterconsumption wash and dry 105 l in label-/normprogramme
- Capacity: 8 kg washing - 5 kg drying
- Drum volume: 56 l
- Non-stop wash and dry programme 5 kg
- Spin speed selection 1500 to 400 rpm
- Noise level washing (dB): 52
- Noise level spinning (dB): 74
- Noise level drying (db): 59

#### Programmes

- Special programmes: mixture, rapid 15 min, Cold, Standard cold - 40°C
- Drying-option for special programmes washing
- Special programme:

#### Options

- Touch control buttons: Drying

#### Convenience and Safety

- Multiple water protection
- Large LED display for programme status indication, temperature, spin speed, remaining time and 24 hour time delay
- Ferrite-BLDC
- Flow-through sensor
- Fully electronic control dial for all wash- and special programs
- VarioSoft Drum
- ActiveWater: water management system
- Foam detection system
- Unbalanced load detection
- Buzzer to indicate the end of cycle
- AquaSensor for optimum rinse results: Yes
- Childproof door lock
- 32 cm porthole, chrome, blackgrey with 180° opening door
- Porthole with glass cover
- side opening door, hinge left

- Metal door closing hook
- Magnet Lock

#### Technical information

- Dimensions (H x W x D): 84.8 x 59.8 x 59 cm
- Can be built-under

### Serie | 6 WVG3046SGC Automatic washer dryer



- wash&dry 8/5kg
- Stainless steel front

#### Main features

- Label: B / A
- electricityconsumption wash and dry 6.48 kwh, waterconsumption wash and dry 118 l in label-/normprogramme
- Capacity: 8 kg washing - 5 kg drying
- Non-stop wash and dry programme 5 kg

#### Programmes

- Special programmes: mixture, rapid 15 min, Cold, Standard cold - 40°C
- Drying-option for special programmes washing
- Special programme:

#### Options

- Touch control buttons: Drying

#### Convenience and Safety

- Multiple water protection
- Large LED display for programme status indication, temperature, spin speed, remaining time and 24 hour time delay
- Fully electronic control dial for all wash- and special programs
- VarioSoft Drum
- ActiveWater: water management system
- Foam detection system
- Unbalanced load detection
- Buzzer to indicate the end of cycle
- AquaSensor for optimum rinse results: Yes
- Childproof door lock
- 32 cm porthole, silver-black grey with 180° opening door
- Porthole with glass cover
- side opening door, hinge left
- Metal door closing hook
- Magnet Lock

#### Technical information

- Dimensions (H x W x D): 84.8 x 59.8 x 59 cm
- Can be built-under

## Automatic Washer Dryer

### Serie | 6 WDU28560GC Automatic washer dryer



- Wash&Dry 10/6kg
- Stainless steel front

#### Main features

- Capacity: 10 kg washing - 6 kg drying
- Drum volume: 70 l
- Non-stop wash and dry programme 6 kg
- Spin speed selection 1400 to 400 rpm
- Noise level washing (dB): 47
- Noise level spinning (dB): 71
- Noise level drying (db): 61

#### Programmes

- Standard programmes for washing: cottons, easy care, delicates/silk, wool / hand wash
- Special programmes washing: AllergyPlus / Hygiene, down, Drum clean with reminder, rapid 15 min, shirts, mixture, MyTime, sports/fitness, rinse/spin/drain
- Most common washing programmes can be used as solo-drying programme or as washing and drying in one go programme
- standard programmes for drying: cotton, easy care
- Special programmes drying: Refresh, My Time, Wash & Dry 60'

#### Options

- varioPerfect: time or energy optimized programs with perfect wash performance
- options washing: 1 - 3 add. rinse cycles, Easy iron, EcoPerfect, HygieneCare, Child lock, Memory, Night Wash / Silent Wash, SpeedPerfect, Prewash, Water plus
- options drying: Iron dry, Eco, Night Dry/Silent Dry, Solo Dry, Speed, Cupboard dry, Cupboard dry+, Wash + Dry
- Options drying for the most washing programmes
- Timed programmes, Autodry

#### Convenience and Safety

- Reload function: Be flexible in adding laundry items even after start of the wash cycle.
- ECARF Seal of Quality: allergy-friendly product
- exceptional convenience thanks to the inclined ergonomic control panel
- Multiple water protection
- Ferrite-BLDC
- EcoSilence drive with 10 year warranty
- Fully electronic control (metal dial) for all wash- and special programs
- Large touch-LED-display for programme status indication, temperature selection, max. spin speed, remaining time and 24 h end time delay, load recommendation and consumption indication
- WaveDrum
- Drum interior light
- integrated 32 cm porthole, chrome, blackgrey with 130° opening door
- ActiveWater: water management system
- AntiVibration Design: More stable and silent
- Sound insulation
- Sound insulation by additional damping material
- Foam detection system
- Unbalanced load detection
- Buzzer to indicate the end of cycle
- yes
- Childproof door lock
- Porthole with glass cover
- side opening door, hinge left
- Metal door closing hook
- Magnet Lock

#### Technical information

- Can be built-under
- Dimensions (H x W): 84.8 cm x 59.8 cm
- Appliance depth: 62.0 cm
- Appliance depth incl. door: 65.4 cm
- Appliance depth with open door: 114.2 cm



**BSH Home Appliances FZE**

Regional Headquarters:  
Middle East and South Asia  
P.O. Box 17312, Jebel Ali  
Dubai, UAE

**[www.bosch-home.com/ae](http://www.bosch-home.com/ae)**

   BoschHomeGulf