

Series 8, downdraft hood, 90 cm,
clear glass black printed
DDD97BM60B



The downdraft module provides you with
an open view into the kitchen and onto
the hob with high extraction rate and also
unnoticeably

- #####
- ##### LED: #####
- #####
- #####
- #####
- #####

Technical Data

Typology : Downdraft
 Length electrical supply cord : 150 cm
 Min. required niche size for installation (HxWxD) : 738mm x 844.0mm x 104mm mm
 Net weight : 35.3 kg
 Type of control : Electronic
 Number of speed settings : 3-stage + 2 intensive
 Maximum output air extraction : 530 m³/h
 Boost position output recirculating : 500.0 m³/h
 Maximum output recirculating air : 452 m³/h
 Boost position air extraction : 750 m³/h
 Number of lights : 1
 Noise level : 62 dB(A) re 1 pW
 Diameter of air outlet : 150 mm
 Grease filter material : Washable aluminium
 Odour filter : No
 Operating Mode : Convertible
 Delay Shut off modes : 10 min
 Optional accessories : DSZ9ID0M0, DSZ9ID0P0, DSZ9ID0Q0
 Grease filter type : Kasette
 Connection Rating : 317 W
 Fuse protection : 10 A
 Voltage : 220-240 V
 Frequency : 50 Hz
 Plug type : GB plug
 Installation typology : Built-in
 Material body : Glass, Stainless steel
 Plug type : GB plug
 Dimensions of the product, with chimney (if exists) (in) : / x x
 Dimensions of the packed product : 17.04 x 38.11 x 39.56
 Net weight : 78.000 lbs
 Gross weight : 113.000 lbs
 Motor location : Integrated motor in hood body
 No-return airflow flap : No
 Length electrical supply cord : 150 cm
 Dimensions of the product, with chimney (if exists) : x 918.0 x 268.0 mm
 Dimensions of the packed product (HxWxD) : 433 x 968 x 1005 mm
 Net weight : 35.3 kg
 Gross weight : 51.1 kg



Series 8, downdraft hood, 90 cm, clear glass black printed DDD97BM60B

The downdraft module provides you with
an open view into the kitchen and onto
the hob with high extraction rate and also
unnoticeably

*****:

- *****: A (at a range of energy efficiency classes from A+++ to D)
- 54.2 / 66.2 :***** *
- *****: A
- *****: A
- *****: D

*****:

*****:

- 92 wide 900
- 92 90 ***** ,*****

*****:

- *****
- *****
- ***** (****) ***** CleanAir* *****
- ***** (****)
- *****
- TouchControl *****
- 3 ***** 2 *****
- Capacitor motor***** B*
- *****







*****:

- EN 61591 Ø (***** m³/h
750 ***** m³/h
- ***** EN 60704-2-13 :
62 ***** dB(A) re 1 pW
67 ***** dB(A) re 1 pW
- *****:
452 ***** m³/h
500 ***** m³/h
- *****:
72 ***** dB(A) re 1 pW
75 ***** dB(A) re 1 pW
- 43/62 :***** dB
- 317 :*****

*****:

- 203 :*****
- 3500 :*****

**Series 8, downdraft hood, 90 cm, clear glass
black printed
DDD97BM60B**



**Series 8, downdraft hood, 90 cm, clear glass
black printed
DDD97BM60B**

