

**Series 6, heat pump dryer, 9 kg
WQG245040**

A++
The heat pump dryer with A++ and SelfCleaning condenser saves energy and its AutoDry sensor knows when your load is ready, protecting your garments.

- **Self Cleaning Condenser:** saves you time and effort by removing fluff.
- **Auto Dry:** automatically dries to the exact degree of dryness you want.
- **Half load option:** optimizes the drying settings (load and duration) for small loads.
- **Anti Vibration Design:** extremely stable and especially quiet thanks to special vibration protection.
- Climate friendly dryer with the most environmental friendly agent (R290).

Technische Daten

Bauform : Standgerät
 Arbeitsplatte abnehmbar : Nein
 Türanschlag : Rechts
 Länge Anschlusskabel : 145,0 cm
 Höhe der Arbeitsplatte : 0 mm
 Abmessungen des Gerätes : 842 x 598 x 613 mm
 Nettogewicht : 53,3 kg
 Fluorierte Treibhausgase : Nein
 Kältemittelart : R290
 Hermetisch geschlossene Einrichtung : Ja
 Menge als CO₂-Äquivalent : 0,000 t
 EAN-Nummer : 4242005358595
 Anschlusswert : 800 W
 Absicherung : 10 A
 Spannung : 220-240 V
 Frequenz : 50 Hz
 Nennkapazität Baumwolle für das Standard-Baumwollprogramm bei vollständiger Befüllung - neu (2010/30/EC) : 9,0 kg
 Energieeffizienzklasse (2010/30/EC) : A++
 Energieverbrauch des Standard-Baumwollprogramms bei vollständiger Befüllung für elektrisch beheizte Haushaltswäschetrockner - neu (2010/30/EC) : 2,05 kWh
 Programmdauer des Standard-Baumwollprogramms bei vollständiger Befüllung : 176 min
 Energieverbrauch des Standard-Baumwollprogramms bei Teilbefüllung für elektrisch beheizte Haushaltswäschetrockner - neu (2010/30/EC) : 1,25 kWh
 Programmdauer des Standard-Baumwollprogramms bei Teilbefüllung : 121 min
 Gewichteter jährlicher Energieverbrauch für elektrisch beheizte Haushaltswäschetrockner - neu (2010/30/EC) : 258,0 kWh/a
 Gewichtete Programmdauer des Standard-Baumwollprogramms bei vollständiger Befüllung und Teilbefüllung : 145 min
 Durchschnittliche Kondensationseffizienz des Standard-Baumwollprogramms bei vollständiger Befüllung (%) : 86 %
 Durchschnittliche Kondensationseffizienz des Standard-Baumwollprogramms bei Teilbefüllung (%) : 86 %
 Gewichtete Kondensationseffizienz für das Standard-Baumwollprogramm bei vollständiger Befüllung und Teilbefüllung (%) : 86 %

Zusätzlich erhältliches Zubehör

WTZ27400 : Verbindungssatz mit Auszug
 WTZ27410 : Verbindungsrahmen ohne Schublade
 WTZPW20D : Podest mit Auszug, Trockner, cubic



4 242005 358595

Series 6, heat pump dryer, 9 kg WQG245040

The heat pump dryer with A++ and SelfCleaning condenser saves energy and its AutoDry sensor knows when your load is ready, protecting your garments.

Engine Power and Consumption

- Energy Efficiency Class¹: A++
- Energy²: 258 kWh
- Capacity: 1 - 9 kg
- Programme time³: 176 min
- Noise level: 64 dB (A) re 1 pW
- Condensation efficiency class⁴: B
- Condensation efficiency⁵: 86 %

Programmes

- standard programmes: cotton, easy care
- Special programmes: Cotton, Delicates, Shirts/blouses, Cotton Eco, Down wear, Towels, Hygiene, Mixed Load, Super Quick 40 minutes program, Sportswear, Duvet, Synthetic, Wool Finish, Timed Program Warm

Options

- Anti crease cycle 120 min at the end of the programme
- Half Load option: optimizes drying for smaller loads
- Touch control buttons: Iron dry, Cupboard dry, Cupboard dry +, end time delay, Half load, less ironing, Low Heat, Signal, Start / Reload / Pause, 24 h end time delay

comfort and safety


- selfCleaning Condenser
- AutoDry technology
- Large LED-Display for remaining time and 24 h end time delay, programme status indication, special functions.
- load recommendation
- Usage meter: counts completed programmes
- soft dial
- Sensitive Drying System: Big Stainless steel drum with textile care structure, soft design paddles
- AntiVibration Design: more stability and quietness
- interior drum light: LED
- Drain Set
- Child-proof lock
- Buzzer to indicate the end of cycle
- porthole black-blackgrey
- Door hinge: right-hand
- Metal door closing hook

Technical Information

- Slide-under height of 85cm
 - Dimensions (H x W): 84.2 cm x 59.8 cm
 - Appliance depth: 61.3 cm
 - Appliance depth incl. door: 64.8 cm
 - Appliance depth with open door: 109.6 cm
 - Heat pump technology with eco-friendly cooling agent R290
- ¹ At a range of energy efficiency classes from A+++ to D
² Energy consumption kWh per year, based on 160 drying cycles of the standard cotton programme at full and partial load, and the consumption of the low power modes
³ Programme time of the standard cotton programme at full load
⁴ On a condensation efficiency class scale from A to G
⁵ Weighted condensation efficiency for the standard cotton programme at full and partial load

Series 6, heat pump dryer, 9 kg
WQG245040

Measurements in mm



Measurements in mm

