Series 8, built-in oven, 60 x 60 cm, Stainless steel
HBG655BS1M

The built-in oven: you get perfect baking and roasting results.

- **4D Hotair**: even heat distribution for perfect results – on any level.
- **AutoPilot 10**: every dish is a perfect success thanks to 10 pre-set automatic programmes.
- **TFT display control**: easy-to-use thanks to the control ring with full text and symbols.
- **EcoClean Direct**: almost no cleaning is necessary thanks to a special coating of the rear- and side wall and the roof that automatically absorbs grime and regeneration program.
- **Flap door with SoftOpen and SoftClose**: the oven door opens and closes especially gently and quietly.

Gross weight: ..... 37.8 kg
Built-in / Free-standing: ..... Built-in
Integrated Cleaning system: ..... EcoClean Direct program, Hydrolytic
Min. required niche size for installation (HxWxD): 585-595 x 560-568 x 550 mm
Dimensions: ..... 595 x 594 x 548 mm
Dimensions of the packed product (HxWxD): ..... 670 x 670 x 680 mm
Control Panel Material: ..... Stainless steel
Door Material: ..... Glass
Net weight: ..... 35.4 kg
Usable volume of cavity: ..... 71 l
Cooking method: .....4D hot air, Defrost, Full width grill, Hot Air-Eco, Half width grill, Conventional heat, Conventional heat ECO, Pizza setting, low temperature cooking, Bottom heat, Hot air grilling, pre-heating, warming
Number of interior lights: 1
Length electrical supply cord: ..... 120.0 cm
Interior Lights - cavity 1: 1
Pull-out system: ..... Accessory
Included accessories: .....2 x combination grid, 1 x universal pan
Broil Element Wattages cavity 1: .....2800 W
Convection Element Wattages cavity 1: .....2200 W
Energy efficiency rating: .....A+
Energy consumption per cycle conventional (2010/30/EC): .....0.87 kWh/cycle
Energy consumption per cycle forced air convection (2010/30/EC): .....0.69 kWh/cycle
Energy efficiency index (2010/30/EC): .....81.2 %
Connection rating: ..... 3600 W
Fuse protection: .....16 A
Voltage: ..... 220-240 V
Frequency: ..... 50; 60 Hz
Plug type: .....no plug
Energy input: .....Electric
Required cutout/niche size for installation (in): x
Dimensions of the packed product: ..... 26.37 x 26.37 x 26.77
Net weight: .....78.000 lbs
Gross weight: ..... 83.000 lbs
Length electrical supply cord: ..... 120.0 cm
Net weight: .....35.4 kg

---

2 x combination grid, 1 x universal pan

HEZ327000 Pizza stone, HEZ530000 Half tray, HEZ531010 Baking tray, non-stick ceramic coated, HEZ532010 Universal pan, non-stick ceramic coated, HEZ617000 Pizza pan, enamelled, HEZ625071 Grill tray, anthracite, HEZ631070 Baking tray, enamelled, HEZ632070 Multipurpose pan, enamelled, HEZ633001 Lid for professional pan, enamelled, HEZ633070 Professional pan, enamelled, HEZ634000 Baking and roasting grid (standard), HEZ635000 Barbecue-Set, HEZ636000 Glass pan, HEZ638100 1 level telescopic shelf rail, full ext, HEZ638200 2 level telescopic shelf rails, full ext, HEZ638300 3 level telescopic rails, full ext, HEZ660050 Cover Strip, HEZ664000 Baking and roasting grid (steam), HEZ915003 Glass roasting dish, 5,4 L

---

4 242002 971490

Series 8, built-in oven, 60 x 60 cm, Stainless steel
HBG655BS1M

The built-in oven: you get perfect baking and roasting results.

Type of oven / heating system:
- Oven with 13heating methods:
- 4D hot air, Hot Air-Eco, Top/bottom heat, Conventional heat ECO, hot air grilling, Full width grill, Half width grill, Pizza setting, Bottom heat, low temperature cooking, Defrost setting, Plate warming setting, Hold warm
- Temperature range 30 °C - 300 °C
- Cavity volume: 71 l

Design:
- Rotary swivel
- Cavity inner surface: enamel anthracite

Cleaning:
- Ecolyse features: ceiling, back panel, side liners
- Full glass inner door

Comfort:
- autom. temperature proposal
- actual temperature display heating-up control automatic programming Sabbath function
- Drop down door, soft closing, soft opening
- Supporting systems: Programs
- Number of automatic programmes: 10 PC
- Electronic clock
- Rapid heating-up
- Halogen interior lighting, Switch for oven illumination
- Integral cooling fan
- Stainless-steel fan
- Info button
- Bar handle

Hook-in racks / rails
- Cavity with shelf support rails, Telescopic slide-out Accessory

Accessory:
- 2 x combination grid, 1 x universal pan

Environment and Safety:
- Energy efficiency rating (acc. EU Nr. 65/2014):
- Energy consumption per cycle in conventional mode:0.87 kWh
- Energy consumption per cycle in fan-forced convection mode:0.69 kWh
- Number of cavities: 1 Heat source: electrical Cavity volume:71 l
- Maximum window temperature 40° C
- Child lock
- Safety switch Residual heat indicator start button door contact switch

Technical Info:
- Length of mains cable: 120 cm
- Total connected load electric: 3.6 KW
- Appliance dimension (hxwxd): 595 mm x 594 mm x 548 mm
- Niche dimension (hxwxd): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- “Please reference the built-in dimensions provided in the installation drawing”

Series 8, built-in oven, 60 x 60 cm, Stainless steel
HBG655BS1M



measurements in mm



measurements in mm

If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	37 mm	38 mm
Full surface Induction hob	47 mm	48 mm
Gas hob	30 mm	38 mm
Electric hob	27 mm	30 mm



measurements in mm