

Series 8, Induction hob with integrated ventilation system, 80 cm, surface mount with frame PXX875D34E



HEZ39050 Wireless temperature sensor for cooktop, HEZ390511 Teppan Yaki (small), HEZ390512 Teppan Yaki (large), HEZ390522 Griddle Plate, HEZ394301 Connecting strip, HEZ9SE030 Set of 2 pots and 1 pan, HEZ381401 Exhaust kit, HEZ381501 Recirculating kit, HEZ381700 Recirculation filter, HEZ390011 Stainless Steel roaster with glas lid, HEZ390012 Steaming Rack for Stainless Steel roaste, HEZ390090 Wok Set consisting of 3 Items, HEZ390210 System pan diameter 15 cm, HEZ390220 System pan diameter 19 cm, HEZ390230 System pan diameter 21cm

The induction hob with integrated ventilation module: combines best induction with best ventilation technology for perfect results.

- **DirectSelect Premium:** Direct, simple selection of the desired cooking zone, power and additional functions.
- **FlexInduction Zone:** Get more flexibility by combining the cooking zones into one big zone for placing small pots and large cookware.
- **PerfectFry:** For perfect browning of roasted foods thanks to sensor control with 5 power levels.
- **Automatic setting transfer:** new activated cookings zones take over existing settings of previous cookings zone.
- **PowerBoost:** Up to 50% more power for faster heating.

Gross weight: 34.9 kg
 Product name/family: Cooking zone ceramic
 Built-in / Free-standing: Built-in
 Energy input: Electric
 Min. required niche size for installation (HxWxD): 198 x 780-780 x 490-500 mm
 Width of the appliance: 816 mm
 Dimensions: 198 x 816 x 527 mm
 Dimensions of the packed product (HxWxD): 330 x 760 x 940 mm
 Net weight: 28.6 kg
 Gross weight: 34.9 kg
 Residual heat indicator: Separate
 Location of control panel: Front
 Basic surface material: Ceramic glass
 Color of surface: Black, Alu, brushed
 Length electrical supply cord: 110.0 cm
 Sealed Burners: No
 No heating with booster: All
 Power of 2nd heating element (kW): 3.3 kW
 Number of speed settings: 9-stage + intensive
 Max. air extraction: 551 m³/h
 Boost position output recirculating: 620.0 m³/h
 Max. air recirculation: 557 m³/h
 Boost position air extraction: 689 m³/h
 Noise level: 70 dB(A) re 1 pW
 Odour filter: No
 Operating Mode: Convertible
 Grease filter type: Kasette
 Voltage: 220-240 V
 Frequency: 50; 60 Hz
 Length electrical supply cord: 110.0 cm
 Min. required niche size for installation (HxWxD): 198 x 780-780 x 490-500 mm
 Dimensions: 198 x 816 x 527 mm
 Dimensions of the packed product (HxWxD): 330 x 760 x 940 mm
 Net weight: 28.6 kg



4 242002 949574

**Series 8, Induction hob with
integrated ventilation system, 80 cm,
surface mount with frame
PXX875D34E**

- Metal grease filter, dishwasher safe

**The induction hob with integrated
ventilation module: combines best
induction with best ventilation technology
for perfect results.**

Professional equipment:

- Cooking sensor ready (no WSP)

Design:

- Facette front and rear, side profiles

Quickness:

- Boost function for all zones

Comfort:

- 4 Induction zones
- 3-steps
- 2 Flex zones
- Direct Select
- Electronic display
- Timer with switch-off function for all zones
- Alarm clock
- count-up timer, per cooktop

Power and size:

- Cooking zones:
 - 1 x Ø 400 x 240 mm, 3.3 KW (max. Power levels 3.7 KW) Induction heating or 2 x Ø 240 mm, 200 mm
 - 1 x Ø 400 x 240 mm, 3.3 KW (max. Power levels 3.7 KW) Induction heating or 2 x Ø 200 mm, 240 mm
- Electronic regulation 17 power levels
- Connected load: 7.4 KW
- Voltage: 220 - 240 V

Environment+safety:

- Digital 2 stage residual heat indicator per cooking zone
- Automatic pan recognition sensor
- PowerManagement Function
- Safety switch-off
- Childproof lock
- Whipe protection function
- Main switch
- Individual tunable energy consumption display

Measurements

- Measurement: (H/B/T) 198 x 816 x 527 mm
- Length wire connection: 110 cm
- loose insert in packaging
- Induction/Ventilation Cooktop, Autarkic

Optional accessories

- PowerManagement Function
- count-up timer, per cooktop
- Can be combined with all hobs in comfort design

**Series 8, Induction hob with
integrated ventilation system, 80 cm,
surface mount with frame
PXX875D34E**



