

**Series 8, Built-in warming drawer, 60 x 14 cm, Carbon black
BIC830NC0**



HEZG9AS00S Adapter

The multifunctional warming drawer for the 14 cm niche: for pre-heating crockery, keeping food warm, defrosting and slow cooking.

- **Push-Pull mechanism:** easy opening and closing thanks to a clever spring mechanism.
- **Cleaning convenience:** easy-to-clean hotplate made of tempered glass.

Built-in / Free-standing:	Built-in
Dimensions (HxWxD):	140x594x548 mm
Dimensions of the packed product (HxWxD):	210 x 660 x 660 mm
Min. required niche size for installation (HxWxD):	140 x 560 x 550 mm
Maximum number of plates:	12
Maximum number of espresso cups:	64
Net weight:	15.6 kg
Gross weight:	17.6 kg
EAN code:	4242005109999
Fuse protection:	10 A
Voltage:	220-240 V
Frequency:	50; 60 Hz



**Series 8, Built-in warming drawer, 60
x 14 cm, Carbon black
BIC830NC0**

**The multifunctional warming drawer for
the 14 cm niche: for pre-heating crockery,
keeping food warm, defrosting and slow
cooking.**

Design

Convenience

- Rotary control knobs
- User-friendly electronics: extremely easy and comfortable operation
- Heating plate made of toughened glass
- Cavity volume: 20 l usable litres
- Max weight up to 25 kg
- Max. loading espresso cups: 64 PC or Max. loading plates: 12 PC
- Suitable for: Pre-warming of crockery, Keeping drinks and food warm, Dough proving, Defrosting, Slow cooking
- Temperature control with 4 levels: 40 °C - 80 °C (glass surface temperature)
- Handleless push&pull opening mechanism


Technical Info

- Length of mains cable: 150 cm
- Total connected load electric: 0.81 KW
- Nominal voltage: 220 - 240 V

Dimensions


- Appliance dimensions (HxWxD): 140 mm x 594 mm x 548 mm
- Installation dimensions (HxWxD): 140 mm x 560 mm - 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing

**Series 8, Built-in warming drawer, 60
x 14 cm, Carbon black
BIC830NC0**



Compact ovens with an appliance height of 455 mm can be installed above a warming drawer. An intermediate floor is not required.

measurements in mm



measurements in mm