

**Serie | 8, Built-in compact oven with microwave function, 60 x 45 cm, Stainless steel CMG656RS1A**



**Included accessories**

1 x enamel baking tray  
1 x combination grid  
1 x universal pan

**Optional accessories**

HEZ327000 : Pizza stone  
HEZ531010 : Baking tray, non-stick ceramic coated  
HEZ625071 : Grill tray, anthracite enamelled  
HEZ632070 : Multipurpose pan, anthracite enamelled

**The compact combination oven with PerfectBake Sensor, PerfectRoast and microwave function: your dishes come out perfect – it's automatic and fast.**

- **Microwave function:** for quick warming up or for fast cooking in combination with hot air.
- **Assist:** automatic sensors sets the optimal type of heat, temperature and cooking time for a wide range of dishes.
- **TFT touchdisplay:** easy and intuitive oven control with touchscreen.
- **EcoClean Direct:** easy cleaning thanks to a coating that breaks down grease while you bake.
- **LED lighting:** perfect illumination of foods with minimum energy consumption.

**Technical Data**

Type of micro-wave oven : MW-Combi  
Type of control : Electronic  
Color / Material Front : Stainless steel  
Cavity dimensions : 237.0 x 480 x 392.0 mm  
Approval certificates : CE, VDE  
Length electrical supply cord : 150 cm  
Net weight : 38.305 kg  
Gross weight : 40.6 kg  
EAN code : 4242002826974  
Maximum micro-wave power : 900 W  
Connection Rating : 3600 W  
Fuse protection : 16 A  
Voltage : 220-240 V  
Frequency : 50; 60 Hz  
Plug type : no plug  
Cavity dimensions : 237.0 x 480 x 392.0 mm



4 242002 826974

## **Serie | 8, Built-in compact oven with microwave function, 60 x 45 cm, Stainless steel CMG656RS1A**

**The compact combination oven with PerfectBake Sensor, PerfectRoast and microwave function: your dishes come out perfect – it's automatic and fast.**

### **Heating Functions**

- Compact oven with microwave with 12 heating methods:
  - 4D HotAir
  - Full width grill
  - 4D HotAir Eco
  - Half width grill
  - Top/bottom heating
  - Top/bottom heating Eco
  - Pizza setting
  - Slow cooking
  - Bottom heating
  - Hot air grilling
  - Preheat ovenware
  - Keep warm
- Additional heating methods with microwave: Pure microwave, Combination microwave and conventional oven
- Max. Power: 900 W; 5 Microwave power settings (90 W, 180 W, 360 W, 600 W, 900 W) with Inverter (MW)
- Rapid heating-up: automatic
- Temperature range 30 °C - 300 °C

### **Sensor Technology & Automatic Programs**

- Bosch Assist - a menu of dishes for automatic cooking
- PerfectBake baking sensor
- PerfectRoast multipoint meat probe

### **Design**

- Bosch Control Ring
- Drop down door, Oven door with SoftClose, SoftOpen
- LED lighting
- Cavity volume: 45 net usable litres
- Anthracite enamel cavity with 3 shelf positions

### **Convenience**

- Automatic temperature proposal
  - Actual temperature display
  - Residual heat indicator
  - Meat probe function
  - Sabbath setting
- Cavity with shelf support rails, 1 level telescopic rail, partially extendable
- Electronic clock/timer with end time programming
- Info button

### **Cleaning**

- EcoClean Direct automatic prompt for cleaning function
- EcoClean Direct : ceiling, back panel, side liners

### **Safety and Environment**

- Triple glazed door
- Child lock function
  - Automatic safety switch off function
  - Residual heat indicator
  - Start button
  - Door contact switch
- Cooling fan

### **2 year warranty**

### **Accessories**

- 1 x universal pan, 1 x enamel baking tray, 1 x combination grid

### **Technical Info**

- Appliance dimensions (HxWxD): 455 mm x 594 mm x 548 mm
- Installation dimensions (HxWxD): 450 mm - 455 mm x 560 mm - 568 mm x 550 mm
- Total connected load electric: 3.6 KW
- Length of mains cable: 150 cm

For recessed depth, see hob dimensional drawing


Min. distance:  
 Induction hob: 5 mm  
 Gas hob: 5 mm  
 Electric hob: 2 mm

442

460

7.5

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	42 mm	43 mm
Full surface Induction hob	52 mm	53 mm
Gas hob	32 mm	43 mm
Electric hob	32 mm	35 mm



560<sup>+8</sup>

180

min. 460

min. 550

min. 20

19,5

405

455

442

407

max. 45

594

548

Space for appliance connection  
320 x 115

measurements in mm