


**Series 4, Built-in oven, 60 x 60 cm,  
Stainless steel  
HBA574BS0A**



HEZ633001 Lid for professional pan, enamelled, HEZ633070 Professional pan with grid, enamelled, HEZ634000 Baking and roasting grid, HEZ636000 Glass pan, HEZ638000 Full ext rails, level independent, HEZ327000 Pizza stone, HEZ32WA00 Wireless food thermometer, HEZ530000 Half tray, HEZ531010 Baking tray, non-stick ceramic coated, HEZ532010 Universal pan, non-stick ceramic coated, HEZ538000 1fold telescopic rail, level independent, HEZ617000 Pizza pan, enamelled, HEZ629070 Air Fry & Grill tray, HEZ631070 Baking tray, enamelled, HEZ632070 Multipurpose pan, enamelled, HEZ660050 Cover Strip, HEZ664000 Baking and roasting grid, steam, HEZ915003 Glass roasting dish, 5,4 L

**The built-in oven with AutoPilot:  
automatically prepares perfect dishes.**

- **AutoPilot 10:** every dish is a perfect success thanks to 10 pre-set automatic programs.
- **Red LED display control:** easy-to-use thanks to the time functions.
- **Pop-out controls:** Make the front of the oven easy to clean and give it a sleek look.
- **Pyrolytic self-cleaning:** less cleaning effort thanks to automatic self-cleaning.
- **Cleaning Assistance:** less cleaning effort thanks to the new cleaning option, which can be especially used for cleaning of light soiling.

Color / Material Front: .....	..... Stainless steel
Built-in / Free-standing: .....	..... Built-in
Door opening: .....	..... Drop down
Cleaning : .....	..... Pyrolytic+Hydrolytic
Control Panel Material: .....	..... Stainless steel
Door Material: .....	..... Glass
Dimensions (HxWxD): .....	..... 595x594x548 mm
Dimensions of the packed product (HxWxD): .....	..... 670 x 660 x 690 mm
Required niche size for installation (HxWxD): .....	..... 585-595 x 560-568 x 550 mm
Cavity dimensions: .....	..... 357 x 480 x 415 mm
Usable volume of cavity: .....	..... 71 l
Net weight: .....	..... 38.0 kg
Gross weight: .....	..... 39.5 kg
EAN code: .....	..... 4242005033959
Connection rating: .....	..... 3600 W
Fuse protection: .....	..... 16 A
Voltage: .....	..... 220-240 V
Frequency: .....	..... 50; 60 Hz
Length electrical supply cord: .....	..... 120.0 cm



## **Series 4, Built-in oven, 60 x 60 cm, Stainless steel HBA574BS0A**

### **The built-in oven with AutoPilot: automatically prepares perfect dishes.**

- HBA574BS0A, brushed steel
- Built-in oven, Stainless steel

#### **Heating Functions**

- Oven with 7 heating methods:
- 3D Hotair
- Top/bottom heating Hot air grilling Full width grill Pizza setting
- Bottom heating Hotair gentle
- Temperature range 50 °C - 275 °C

#### **Cleaning**

- Pyrolytic self-cleaning function

#### **Design**

- Cavity volume: 71 net usable litres
- Cavity inner surface: enamel
- Bar handle
- Rotary control knobs, Retractable control knobs
- Full glass inner door
- LED-display control (red)
- Display panel
- Drop down door

#### **Convenience**

- Electronic clock/timer with end time programming
- Electronic functions: Actual temperature display, Automatic start, AutoPilot
- 10 automatic programs
- Integrated cooling fan
- Halogen lighting

#### **Safety Features**

- Quadruple glazed CoolTouch door
- Low door temperature, when in use
- Electronic door lock, Child lock, Automatic safety switch off function

#### **Racks and Rails**

- Telescopic rails available as optional accessory

#### **Accessories**

- 1 x air fry & grill tray, 2 x combination grid, 1 x universal pan

#### **Dimensions**

- Appliance dimensions (HxWxD): 595 mm x 594 mm x 548 mm
- Installation dimensions (HxWxD): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm

#### **Technical Information**


- Total connected load electric: 3.6 KW
- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V
- Fast heat

#### **2 year warranty**




BOSCH

**Series 4, Built-in oven, 60 x 60 cm,  
Stainless steel  
HBA574BS0A**




Measurements in mm




**A:** 19.5 mm

**B:** Space for appliance connection 320 x 115 mm



Installation with a hob.



measurements in mm