

## Series 8, Built-in oven, 60 x 60 cm, Stainless steel HBG6753S1A



HEZ327000 Pizza stone, HEZ530000 Half tray, HEZ531010 Baking tray, non-stick ceramic coated, HEZ532010 Universal pan, non-stick ceramic coated, HEZ617000 Pizza pan, enamelled, HEZ625071 Grill tray, anthracite enamelled, HEZ631070 Baking tray, enamelled, HEZ632070 Multipurpose pan, enamelled, HEZ633001 Lid for professional pan, enamelled, HEZ633070 Professional pan, enamelled, HEZ634000 Baking and roasting grid (standard), HEZ635000 Barbecue-Set, HEZ636000 Glass pan, HEZ638370 3 level telescopic rails, full ext.pyro, HEZ660050 Cover Strip, HEZ664000 Baking and roasting grid (steam), HEZ915003 Glass roasting dish, 5,4 L

## The Series 8 built-in oven: impressive design and results for any kitchen.

- **4D Hotair:** even heat distribution on all levels for perfect baking results without mixing flavours.
- **AutoPilot 10:** every dish is a perfect success thanks to 10 pre-set automatic programs.
- **TFT display control:** easy-to-use thanks to the control ring with clear text and touch symbols.
- **Pyrolytic self-cleaning:** effortless cleaning thanks to pyrolytic cleaning programs.
- **Flap door with SoftOpen and SoftClose:** the oven door opens and closes especially gently and quietly.

Color / Material Front: ..... Stainless steel  
 Built-in / Free-standing: ..... Built-in  
 Door opening: ..... Drop down  
 Cleaning : ..... Pyrolytic+Hydrolytic  
 Control Panel Material: ..... Stainless steel  
 Door Material: ..... Glass  
 Dimensions (HxWxD): ..... 595 x 594 x 548 mm  
 Dimensions of the packed product (HxWxD): ..... 670 x 680 x 670 mm  
 Min. required niche size for installation (HxWxD): 585-595 x 560-568 x 550 mm  
 Cavity dimensions: ..... 357 x 480 x 415 mm  
 Usable volume of cavity: ..... 71 l  
 Number of interior lights: ..... 1  
 Net weight: ..... 40.8 kg  
 Gross weight: ..... 43.2 kg  
 EAN code: ..... 4242002827025  
 Connection rating: ..... 3600 W  
 Fuse protection: ..... 16 A  
 Voltage: ..... 220-240 V  
 Frequency: ..... 60; 50 Hz  
 Length electrical supply cord: ..... 120.0 cm



4 242002 827025

## **Series 8, Built-in oven, 60 x 60 cm, Stainless steel HBG6753S1A**

### **The Series 8 built-in oven: impressive design and results for any kitchen.**

#### **Heating Functions**

- Oven with 13 heating methods:
- 4D HotAir
- Defrost
- Full width grill
- 4D HotAir Eco
- Half width grill
- Top/bottom heating
- Top/bottom heating Eco
- Pizza setting
- Slow cooking
- Bottom heating
- Hot air grilling
- Preheat ovenware
- Keep warm
- Temperature range 30 °C - 300 °C
- Cavity volume: 71 net usable litres

#### **Design**

- Bosch Control Ring
- Anthracite enamel cavity with 5 shelf positions

#### **Cleaning**

- Pyrolytic self-cleaning function
- Full glass inner door

#### **Convenience**

- TFT Touch Symbol Display
- Automatic temperature proposal
- Actual temperature display
- Residual heat indicator
- Sabbath setting
- softMove: gentle opening and closing of the oven door.
- Automatic programs
- Number of automatic programmes: 10 PC
- Electronic clock/timer with end time programming
- Rapid heating-up: automatic
- Halogen lighting
- Cooling fan
- Stainless-steel fan
- Info button
- Bar handle

#### **Hook-in racks / rails**

- Cavity with shelf support rails, 2 level telescopic shelf rails, fully extendable, safety stop function, pyrolytic proof

#### **Accessories**


- 1 x grill tray, suit. pyrol. clean., 2 x combination grid, 1 x universal pan

#### **Safety and Environment**

- Electronic door lock
- Child lock function
- Automatic safety switch off function
- Residual heat indicator
- Start button
- Door contact switch

#### **Technical Info**

- Length of mains cable: 120 cm
- Total connected load electric: 3.6 KW
- Appliance dimensions (HxWxD): 595 mm x 594 mm x 548 mm
- Installation dimensions (HxWxD): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing
- Maximum door temperature 30° C



| Hob type                   | min. worktop thickness |       |
|----------------------------|------------------------|-------|
|                            | fitted                 | flush |
| Induction hob              | 37 mm                  | 38 mm |
| Full surface Induction hob | 47 mm                  | 48 mm |
| Gas hob                    | 30 mm                  | 38 mm |
| Electric hob               | 27 mm                  | 30 mm |

