

**Series 8, Built-in oven, 60 x 60 cm,
Stainless steel
HBG675BS1B**



Included accessories

1 x grill tray
suit. pyrol. clean.
2 x combination grid
1 x universal pan

Optional accessories

HEZ327000 : Pizza stone
HEZ530000 : Half tray
HEZ531010 : Baking tray, non-stick ceramic coated
HEZ625071 : Grill tray, anthracite enamelled
HEZ632070 : Multipurpose pan, anthracite enamelled
HEZ633001 : Lid for professional pan, enamelled anth
HEZ634000 : Baking and roasting grid (standard)
HEZ638270 : 2 level telescopic rails, full ext,pyro
HEZ638370 : 3 level telescopic rails, full ext,pyro

- **4D Hotair:** even heat distribution on all levels for perfect baking results without mixing flavours.
- **AutoPilot 10:** every dish is a perfect success thanks to 10 pre-set automatic programs.
- **TFT-touchdisplay:** easy-to-use thanks to the control ring with clear text and symbols.
- **Pyrolytic self-cleaning:** Automatically cleans the oven, just wipe out the ash.
- **Flap door with SoftOpen and SoftClose:** the oven door opens and closes especially gently and quietly.

Technical Data

Color / Material Front : Stainless steel
Built-in / Free-standing : Built-in
Door opening : Drop down
Cleaning : Pyrolytic+Hydrolytic
Control Panel Material : Stainless steel
Door Material : Glass
Dimensions (HxWxD) : 595 x 594 x 548 mm
Dimensions of the packed product (HxWxD) : 670 x 680 x 670 mm
Min. required niche size for installation (HxWxD) : 585-595 x 560-568 x 550 mm
Cavity dimensions : 357 x 480 x 415 mm
Usable volume of cavity : 71 l
Number of interior lights : 1
Net weight : 37.1 kg
Gross weight : 39.5 kg
EAN code : 4242002808659
Connection Rating : 3600 W
Fuse protection : 16 A
Voltage : 220-240 V
Frequency : 60; 50 Hz
Length electrical supply cord : 120 cm



Series 8, Built-in oven, 60 x 60 cm, Stainless steel

HBG675BS1B

Heating Functions

- Oven with 13 heating methods:
4D HotAir
Defrost Full width grill 4D HotAir Eco Half width grill Top/
bottom heating Top/bottom heating Eco Pizza setting Slow
cooking Bottom heating Hot air grilling Preheat ovenware
Keep warm
- Automatic rapid heat function
- Temperature range 30 °C - 300 °C

Design

- TFT Touch Symbol Display
- Halogen lighting
- Cavity volume: 71 net usable litres

Cleaning

- Pyrolytic self-cleaning function

Convenience

- Electronic clock/timer with end time programming

Safety and Environment

- Electronic door lock, Child lock function, Automatic safety
switch off function, Residual heat indicator, Start button, Door
contact switch
- Cooling fan


Accessories

- 1 x grill tray, suit. pyrol. clean., 2 x combination grid, 1 x
universal pan


Technical Info

- Appliance dimensions (HxWxD): 595 mm x 594 mm x 548 mm
- Installation dimensions (HxWxD): 585 mm - 595 mm x 560
mm - 568 mm x 550 mm
- Total connected load electric: 3.6 KW
- Length of mains cable: 120 cm

Series 8, Built-in oven, 60 x 60 cm, Stainless steel HBG675BS1B




measurements in mm



measurements in mm

If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	37 mm	38 mm
Full surface Induction hob	47 mm	48 mm
Gas hob	30 mm	38 mm
Electric hob	27 mm	30 mm



measurements in mm