


**Series 2, Gas cooktop, 60 cm,
Stainless steel
PBH6B5B80A**



HEZ298105 Simmer plate
HEZ298114 Small pot support

The gas cooktop with side-mounted controls: the desired cooking zones can be conveniently operated from the side.

- Low profile stainless steel cooking surface is easily accessible and quick to clean.
- Tilt & Stay legs for easy cleaning of cooktop - 1st in India

Product name/family:gas hob w integrated controls
Built-in / Free-standing: Built-in
Energy input:Gas
Total number of positions that can be used at the same time: 4
Type of control setting devices:Sword knobs
Required niche size for installation (HxWxD): 45 x 560-562 x 480-492 mm
Width of the appliance:580 mm
Dimensions (HxWxD): 56x580x510 mm
Dimensions of the packed product (HxWxD): 141 x 651 x 578 mm
Net weight:6.4 kg
Gross weight: 7.5 kg
Residual heat indicator: without
Location of control panel:Lateral
Basic surface material: Stainless steel
Color of surface: Stainless steel
Length electrical supply cord: 100.0 cm
EAN code:4242002834214
Gas connection rating: 7700 W
Fuse protection:3 A
Voltage: 220-240 V
Frequency: 50; 60 Hz



4 242002 834214

**Series 2, Gas cooktop, 60 cm,
Stainless steel
PBH6B5B80A**

The gas cooktop with side-mounted controls: the desired cooking zones can be conveniently operated from the side.

Design

- 4 burner brushed stainless steel gas cooktop
- 2 standard, 1 economy, 1 wok burner
- Flat steel enamelled pan supports

Size & Power

- Front left: Wok burner 13 MJ/h
- Rear left: Standard burner up to 6.5 MJ/h (depending on gas type)
- Rear right: Standard burner up to 6.5 MJ/h (depending on gas type)
- Front right: Economy burner up to 3.8 MJ/h (depending on gas type)

Comfort & Convenience

- Easy to use side control knobs
- One-hand electronic ignition via controls

Safety and Environment

- Flame failure device fitted to each individual burner


Dimensions (WxD)

- Appliance dimensions: (W x D) 580 mm x 510 mm
- Installation dimensions: (H x W x D) 45 mm x 560 mm x 480 mm
- Connecting cable 1 m cable with plug
- Preset of natural gas (10mbar)
- Preset of natural gas (10mbar)

Supplied Accessories

- Liquid gas nozzles (28-30/37mbar) included

**Series 2, Gas cooktop, 60 cm,
Stainless steel
PBH6B5B80A**



A: Min. distance from the hob cut-out to the wall

B: Position of gas connection in the cut-out

C: With fitted oven underneath possibly more; see space requirements for the oven