

Series 2, Gas cooktop, 60 cm, Stainless steel PBH6B5B90A



HEZ298105 Simmer plate HEZ298114 Small pot support

The gas cooktop with side-mounted controls: the desired cooking zones can be conveniently operated from the side.

- Wok burner: powerful cooking at up to 15 Mj/h.
- Sword knobs: for an ergonomic control.
- Surface colour: elegant stainless-steel design.
- Low profile stainless steel cooking surface is easily accessible and quick to clean.

Product name/family:gas hob w integrated controls Built-in / Free-standing:Built-in Energy input:
Type of control setting devices:Sword knobs Min. required niche size for installation (HxWxD):45 x 560-562 x
480-492 mm
Width of the appliance:
Dimensions (HxWxD): 56 x 580 x 510 mm
Dimensions of the packed product (HxWxD): 141 x 651 x 578 mm
Net weight:9.7 kg
Gross weight:
Residual heat indicator: without
Location of control panel:Lateral
Basic surface material:Stainless steel
Color of surface: Stainless steel
Length electrical supply cord:
EAN code:4242005080793
Gas connection rating:8400 W
Fuse protection:
Voltage:
Frequency:





Series 2, Gas cooktop, 60 cm, Stainless steel PBH6B5B90A

The gas cooktop with side-mounted controls: the desired cooking zones can be conveniently operated from the side.

Design

- 4 burner brushed stainless steel gas cooktop
- 2 standard, 1 economy, 1 wok burner
- Enamelled cast-iron trivets with rubber feet

Size & Power

- Front left: Wok burner 15 Mj/h
- Rear left: Standard burner up to 6.5 Mj/h (depending on gas type)
- Rear right: Standard burner up to 6.5 Mj/h (depending on gas type)
- Front right: Economy burner up to 3.8 Mj/h (depending on gas type)

Comfort & Convenience

- Easy to use side control knobs
- One-hand electronic ignition via controls

Safety and Environment

- Flame failure device fitted to each individual burner


Dimensions (WxD)

- Appliance dimensions: (W \times D) 580 mm \times 510 mm
- Installation dimensions: (H x W x D) 45 mm x 560 mm x 480 mm
- Connecting cable 1 m with plug
- Preset to natural gas (10mbar)

Supplied Accessories

- Liquid gas nozzles (28-30/37mbar) included

Series 2, Gas cooktop, 60 cm, Stainless steel PBH6B5B90A



- A: Min. distance from the hob cut-out to the wall
- **B:** Position of gas connection in the cut-out
- **C:** With fitted oven underneath possibly more; see space requirements for the oven