Series 6, Gas cooktop, 90 cm, Stainless steel PCR9A5B90A





HEZ211310 Simmer cap HEZ298105 Simmer plate

The stainless-steel gas cooktop with FlameSelect: achieve perfect cooking results thanks to nine precisely defined power levels.

- FlameSelect: adjust the gas flame precisely using nine defined levels.
- Dual flame power burner with two heat options, quickly boil water or maintain a precise simmer.
- Continuous cast-iron pan support: for high firmness and stability of cookware.
- Sword knobs: for an ergonomic control.
- Surface colour: elegant stainless-steel design.

	roduct name/family:gas hob w integrated controls
Е	Built-in / Free-standing:Built-in
E	nergy input:Gas
٦	otal number of positions that can be used at the same time: 5
٦	ype of control setting devices:Sword knobs
Ν	Min. required niche size for installation (HxWxD):45 x 850-852 x
	90-502 mm
١	Vidth of the appliance:915 mm
	Dimensions (HxWxD):
	Dimensions of the packed product (HxWxD): 165 x 1116 x 659 mm
١	let weight:16.9 kg
(Gross weight:19.1 kg
F	lesidual heat indicator:without
L	ocation of control panel: Front
E	Basic surface material:Stainless steel
	Color of surface:
L	ength electrical supply cord:
Е	AN code:4242002914527
(Gas connection rating:12500 W
F	use protection:
١	oltage:
F	requency: 50; 60 Hz





Series 6, Gas cooktop, 90 cm, Stainless steel PCR9A5B90A

The stainless-steel gas cooktop with FlameSelect: achieve perfect cooking results thanks to nine precisely defined power levels.

Design

- Stainless steel
- Enamelled cast-iron trivets with rubber feet

Comfort & Convenience

- FlameSelect (9 steps)
- sword knobs
- One-hand electronic ignition via controls

Size & Power

- 5 Gas burners
- Dual flame wok burner
- 1 High-speed, 2 Standard, 1 Economy, 1 Dual Wok Burner
- Left rear: Standard burner up to 6.5 Mj/h (depending on gas type)
- Right rear: High-speed burner up to 11 Mj/h (depending on gas type)
- Center front: Dual flame wok burner up to 19.5 Mj/h (depending on gas type)
- Left front: Economy burner 4 Mj/h (depending on gas type)
- Right front: Standard burner 6.85 Mj/h (depending on gas type)

Safety and Environment

- Flame failure device fitted to each individual burner
- Preset to natural gas (10mbar)
- Preset to natural gas (10mbar)

Dimensions (WxD)

- Appliance dimensions: (W x D) 915 mm x 520 mm
- Installation dimensions: (H x W x D) 45 mm x 850 mm x 490 mm
- Power cord length 100 cm with plug

Supplied Accessories

- Liquid gas nozzles (28-30/37mbar) included



Series 6, Gas cooktop, 90 cm, Stainless steel PCR9A5B90A

