


Series 4, Electric Cooktop, 60 cm, surface mount without frame PKE611BA2A



Optional accessories

HEZ32WA00 : Wireless food thermometer
HEZ9FE280 : Iron pan Ø 18 / 28 cm
HEZ9SE030 : Set of 2 pots and 1 pan

The glass-ceramic radiant cooktop: makes cooking and cleaning especially easy.

- **17 power levels:** offer precise and flexible heat control for every cooking need.
- **TouchSelect +/-:** lets you easily select the cooking zone and adjust the power level with simple touch control.
- **Frameless design:** a smooth, modern surface that sits slightly above the benchtop to create a clean, distinctive look.
- **Two-stage residual heat indicator:** shows when a cooking zone is hot or still warm.
- **Child lock:** disables the control panel to prevent accidental or unauthorized use.

Technical Data

Product name/family : Cooking zone ceramic
Built-in / Free-standing : Built-in
Energy input : Electric
Total number of positions that can be used at the same time : 4
Required niche size for installation (HxWxD) : 45 x 560-560 x 490-500 mm
Width of the appliance : 592 mm
Dimensions (HxWxD) : 45x592x522 mm
Dimensions of the packed product (HxWxD) : 100x750x590 mm
Net weight : 6.1 kg
Gross weight : 8.1 kg
Residual heat indicator : separate
Location of control panel : Front
Basic surface material : Ceramic
Color of surface : Black
EAN code : 4242005285198
Voltage : 220-240 V
Frequency : 50; 60 Hz



4 242005 285198

Series 4, Electric Cooktop, 60 cm, surface mount without frame PKE611BA2A

The glass-ceramic radiant cooktop: makes cooking and cleaning especially easy.

- 60 cm cooktop: space for 4 pots or pans

Flexibility of cooking zones

- Cooking zone front left: 145 mm, 1.2 KW
- Cooking zone rear left: 180 mm, 2 KW
- Cooking zone rear right: 145 mm , 1.2 KW
- Cooking zone front right: 210 mm, 2.2 KW

Comfort & Convenience

- TouchControl +/- (EntryTouch): control the power with imprinted +/- touch buttons.
- 17 power levels for each cooking zone: precisely adapt the heat with 17 power levels (9 main levels and 8 intermediate levels).

Time saving & efficiency

- ReStart - Quickly reinstates previous settings: in case of unintentional switch-off, restore all previous settings by switching on the cooktop again within 4 seconds.
- Quick Stop: quickly switch off a cooking zone with one longer touch.

Design


- Frameless: slightly raised installation without metal trim.

Safety

- Digital 2-stage residual heat indicator: indicates which cooking zones are still hot or warm.
- Childproof lock: prevent unintended activation of the cooktop.
- Main switch: switch off all cooking zones at the touch of a button.
- Power on indicator: indicates if the cooktop is heating.
- Automatic safety switch-off: for safety reasons, heating stops after a preset time without interaction.

Installation

- Dimensions of the product (HxWxD mm): 45 x 592 x 522
- Required niche size for installation (HxWxD mm) : 45 x 560 x (490 - 500)
- Min. worktop thickness: 16 mm
- Connected load: 6.6 KW



A: Minimum distance from the hob cut-out to the wall.
B: Recessed depth
C: With fitted oven underneath min. 20, possibly more; see space requirements for the oven.