

# Series 6, Gas cooktop, 75 cm, Tempered Glass, Black PPQ7A6B20A





HEZ211310 Simmer cap HEZ298105 Simmer plate

# The tempered-glass gas cooktop with FlameSelect: achieve perfect cooking results thanks to nine precisely defined power levels.

- FlameSelect: adjust the gas flame precisely using nine defined levels.
- Wok burner: powerful cooking at up to 4 kW (depending on gas type).
- Standard and semi-flush built-in option: choose between flush or slightly raised installation.
- Sword knobs: for an ergonomic control.
- Surface colour: elegant black tempered-glass design.

Product name/family:gas hob w integrated controls
Built-in / Free-standing:
Energy input:
Total number of positions that can be used at the same time: 5
Type of control setting devices:Sword knobs
Min. required niche size for installation (HxWxD):45 x 560-562 x
480-492 mm
Width of the appliance:752 mm
Dimensions (HxWxD): 58 x 752 x 520 mm
Dimensions of the packed product (HxWxD): 145 x 793 x 597 mm
Net weight:
Gross weight:
Residual heat indicator: without
Location of control panel: Front
Basic surface material:
Color of surface:Black
Color of frame:
Length electrical supply cord:100.0 cm
EAN code:
Gas connection rating:
Fuse protection:
Voltage:
Frequency: 50; 60 Hz





## Series 6, Gas cooktop, 75 cm, Tempered Glass, Black PPQ7A6B20A

The tempered-glass gas cooktop with FlameSelect: achieve perfect cooking results thanks to nine precisely defined power levels.

### Design

- black Tempered Glass
- frameless
- Single pan supports, cast iron

#### **Comfort & Convenience**

- FlameSelect (9 steps)
- sword knobs
- One-hand electronic ignition via controls

#### Size & Power

- 5 Gas burners
- Wok burner
- 1 High-speed, 2 Standard, 1 Economy, 1 Wok burner
- Left rear: Standard burner up to 6.5 Mj/h (depending on gas type)
- Left front: Economy burner 4 Mj/h (depending on gas type)
- Center front: Dual flame wok burner up to 15 Mj/h (depending on gas type)
- Right rear: High-speed burner up to 11 Mj/h (depending on gas type)
- Right front: Standard burner 6.85 Mj/h (depending on gas type)

#### Safety and Environment

- Flame failure device fitted to each individual burner
- Preset to natural gas (10mbar)

## Dimensions (WxD)

- Appliance dimensions: (W x D) 752 mm x 520 mm
- Installation dimensions: (H x W x D) 45 mm x 560 mm x 480 mm
- Power cord length 100 cm with plug

## **Supplied Accessories**

- Liquid gas nozzles (28-30/37mbar) included



# Series 6, Gas cooktop, 75 cm, Tempered Glass, Black PPQ7A6B20A



