

Series 8, Gas cooktop, 90 cm, Ceramic glass, Black PRS9A6D70A







HEZ298105 Simmer plate HEZ298114 Small pot support

The ceramic glass gas cooktop with FlameSelect: achieve perfect cooking results thanks to nine precisely defined power levels.

- FlameSelect: adjust the gas flame precisely using nine defined levels.
- **Digital display**: to indicate the selected power level and residual heat for more comfort and safety.
- Dual Wok Burner: versatile burner for high temperature and gentle cooking all in one.
- Dual flame power burner with two heat options, quickly boil water or maintain a precise simmer.
- Dishwasher-safe pan supports: make cleaning your cooktop even
 assier

Product name/family:
Width of the appliance:
Dimensions (HxWxD):
Dimensions of the packed product (HxWxD): 165 x 1116 x 659 mm
Net weight:20.1 kg
Gross weight:
Residual heat indicator:separate
Location of control panel: Front
Basic surface material:
Color of surface:Black, Alu, brushed
Color of frame:
Length electrical supply cord:100.0 cm
EAN code:
Gas connection rating:
Fuse protection:
Voltage:
Frequency:





Series 8, Gas cooktop, 90 cm, Ceramic glass, Black PRS9A6D70A

The ceramic glass gas cooktop with FlameSelect: achieve perfect cooking results thanks to nine precisely defined power levels.

Design

- Ceramic glass

Comfort & Convenience

- FlameSelect (9 steps)
- Electronic display
- sword knobs
- One-hand electronic ignition via controls
- Enamelled cast-iron trivets with rubber feet
- Dishwasher safe pan supports

Size & Power

- 5 Gas burners
- Dual flame wok burner
- 1 High-speed, 2 Standard, 1 Economy, 1 Dual Wok burner
- Right rear: High-speed burner up to 11.6 Mj (depending on gas type)
- Left: Wok burner up to 22.0 Mj (depending on gas type)
- Center rear: Economy burner up to 4.8 Mj (depending on gas type)
- Center front: Standard burner up to 8.1 Mj (depending on gas type)
- Right front: Standard burner 8.1 Mj (depending on gas type)

Safety and Environment

- Flame failure device fitted to each individual burner
- Residual heat indicator for each burner
- Preset to natural gas (10mbar)

Dimensions (WxD)

- Installation dimensions: (H x W x D) 45 mm x 850 mm x 490 mm
- Appliance dimensions: (W x D) 916 mm x 527 mm
- Min. worktop thickness: 30 mm
- Power cord length 100 cm with plug

Supplied Accessories

- 1 x Wok attachment ring, cross support for espresso included.
- Liquid gas nozzles (28-30/37mbar) included
- Additional tools for LPG conversion required: removal lever (483196) and spanner (269605).



Series 8, Gas cooktop, 90 cm, Ceramic glass, Black PRS9A6D70A

