

**Series 8, Gas cooktop, 90 cm,
Ceramic glass, Black
PRS9A6L70A**



HEZ298105 Simmer plate
HEZ298114 Small pot support

**The ceramic glass gas cooktop with
FlameSelect: achieve perfect cooking
results thanks to nine precisely defined
power levels.**

Product name/family:gas hob w integrated controls
 Built-in / Free-standing: Built-in
 Energy input:Gas
 Total number of positions that can be used at the same time: 5
 Type of control setting devices:Sword knobs
 Min. required niche size for installation (HxWxD):45 x 850-852 x 490-502 mm
 Width of the appliance:916 mm
 Dimensions (HxWxD): 59x916x527 mm
 Dimensions of the packed product (HxWxD): ... 165 x 1116 x 659 mm
 Net weight:20.6 kg
 Gross weight: 23.0 kg
 Residual heat indicator:separate
 Location of control panel: Front
 Basic surface material:Ceramic glass
 Color of surface:Black
 Color of frame: Black
 Length electrical supply cord: 100.0 cm
 EAN code:4242005388721
 Gas connection rating: 13700 W
 Fuse protection:3 A
 Voltage: 220-240 V
 Frequency: 50-60 Hz



Series 8, Gas cooktop, 90 cm, Ceramic glass, Black PRS9A6L70A

**The ceramic glass gas cooktop with
FlameSelect: achieve perfect cooking
results thanks to nine precisely defined
power levels.**

Design

- Black, Ceramic glass surface
- Carbon Black, side profiles

Usage convenience

- FlameSelect (9 steps): precisely adjust the flame in nine defined and consistent levels.
- Electronic display: see the selected power level and the residual heat.
- One-hand electronic ignition via controls: just push and turn the knob to ignite the flame.
- Enamelled cast-iron trivets with rubber feet
- Dishwasher safe pan supports: clean without effort in the dishwasher.

Burners and power

- 5 Gas burners
- Including Dual flame wok burner: use an extra wide power range, separately controlling two flame rings.
- Left: Wok burner up to 22.0 Mj (depending on gas type)
- Center front: Standard burner up to 8.1 Mj (depending on gas type)
- Center rear: Economy burner up to 4.8 Mj (depending on gas type)
- Right rear: High-speed burner up to 11.6 Mj (depending on gas type)
- Right front: Standard burner up to 8.1 Mj (depending on gas type)

Safety

- Flame failure device fitted to each individual burner: prevents unwanted gas flow when flame goes out.
- Residual heat indicator for each burner: indicates which burner parts and pan supports are still hot.

Installation (gas types & measurements)

- Dimensions of the product (HxWxD mm): 59 x 916 x 527
- Required niche size for installation (HxWxD mm) : 45 x 850 x (490 - 502)
- Min. worktop thickness: 30 mm
- Preset to natural gas (10mbar)
- Nozzle set for Liquid gas nozzles (28-30/37mbar) included.
- Power cord 1 m with plug.

Accessories

- 1 x Wok attachment ring, cross support for espresso included

**Series 8, Gas cooktop, 90 cm,
Ceramic glass, Black
PRS9A6L70A**

