

**Serie | 4, semi-integrated dishwasher,
60 cm, Stainless steel
SMI46GS01A**



Door panel not included. Match to kitchen cabinetry.



**ActiveWater Dishwasher: Obtaining
brilliant results with low energy and water
consumption.**

- **Rackmatic:** top basket adjustable on three levels offers additional space, especially for tall dishes.
- **EcoSilence Drive:** especially energy-saving and silent in operation with a particularly high life span
- **MachineCare:** Maintains the wash quality and reliability of your dishwasher throughout its lifetime.

Technical Data

Water consumption : 13.4 l

Built-in / Free-standing : Built-in

Height of removable worktop : 0 mm

Dimensions of the product (HxWxD) : 815 x 598 x 573 mm

Required niche size for installation (HxWxD) : 815-875 x 600 x 550 mm

Depth with open door 90 degree : 1155 mm

Adjustable feet : Yes - all from front

Maximum adjustability feet : 60 mm

Adjustable plinth : Both horizontal and vertical

Net weight : 34.0 kg

Gross weight : 36.2 kg

Connection Rating : 2400 W

Fuse protection : 10 A

Voltage : 220-240 V

Frequency : 50; 60 Hz

Length electrical supply cord : 175 cm

Plug type : AU plug

Length inlet hose : 165 cm

Length outlet hose : 190 cm

EAN code : 4242002991887

Number of place settings : 14

Energy consumption : 0.62 kWh

Reference programme : Eco

Total cycle time of reference programme : 150 min

Noise level : 46 dB(A) re 1 pW

Installation typology : Semi-integrated



Serie | 4, semi-integrated dishwasher, 60 cm, Stainless steel SMI46GS01A

ActiveWater Dishwasher: Obtaining brilliant results with low energy and water consumption.

Capacity

- 14 international place settings

Consumption rates

- 4 Star energy rating, 4 Star WELS water rating
- 13.4 litres water consumption per wash and 230kWh energy consumption per year, based on Eco 45°C program

Design

- Semi-integrated Dishwasher - 60 cm wide
- Polinox inner tub: The Polinox inner tub is extremely durable, odourless and rust-free. German engineered with robust materials that withstand dints, scratches and discolouration, based on 10 year simulation tests.
- Effortless door closing: The door self-closes when below a 20° angle.
- Front facing control display

Wash Programs and Options

- 6 programs:
 - , - Pots & Pans: Pots & Pans. Heavily soiled dishes, 70°C.
 - , - Auto Wash: Automatic wash & dry. Mixed loads & soil levels, 45-65°C.
 - , - Super Wash: Powerful wash with improved drying, 60 °C.
 - , - Eco Wash: Energy efficient wash & dry. Mixed loads & soil levels, 45°C.
 - , - Quick Wash, 29 minutes (with use of rinse aid): Express wash only. Lightly soiled dishes, 45°C.
 - , - Pre-Rinse: Rinse cycle only.
- 4 special options:
 - Machine Care: Helps remove grime and limescale buildup for optimum performance.
 - , - SpeedPerfect: Up to 50% faster wash time.
 - , - HalfLoad: For half loads, reduces energy, water & time.
 - , - ExtraDry: Provides an even better drying result.

Performance

- ActiveWater™: Automatic load adjustment recognises the load condition in three steps and ensures that only the amount of electricity and water required for that load is used
- DosageAssist™: Maximises the effectiveness of detergent tablets. The tablet is dropped into a specially engineered

tray and is completely dissolved. For superior cleaning performance and a quieter wash.

- EcoSilence Drive® quiet and energy-efficient brushless motor (BLDC)
 - BLDC Main Pump: Variable water & spray pressure to achieve optimum cleaning results
 - BLDC Drain Pump: Fast and extra quiet draining of water, no gargling sounds
- AquaSensor™ technology: Regulates the water usage depending on the type and degree of soiling
- LoadSensor technology: Provides for optimal water usage even for half loads or partial loads, saving water and electricity
- AutoBrilliance™: Automatic detergent and rinse aid sensor
- Heat Exchanger: Hygienic fully enclosed drying system – does not draw contaminated air (dust & allergens) from the dishwasher exterior. Reduces temperature shock, water & energy use.
- 3 stage self-cleaning filter system
- Alternating spray-arm washing
- 5 Spray levels

Flexibility

- VarioFlex™ basket system
- 2 foldable plate racks in top basket
- 2 folding plate racks in bottom basket
- RackmaticPlus™: 3-stage top basket can be adjusted to three height levels to maximise convenience
- Cutlery/knife rack in upper basket

Included Accessories

- Moveable cutlery basket in lower basket
- 3 x Small Parts holders: Perfect for baby bottles and small accessories
- Large item spray head: For washing extra large items such as baking trays and rangehood filters
- Vapour barrier protection plate

Convenience

- Very Quiet: Operates at a low noise level of 46dB(A)
- Time remaining display
- Time delay start: Delay program start time by 1-24 hours to suit your schedule
- Electronic rinse aid indicator
- Last program used memory function

Safety

- AquaStop™ Plus: Water supply device with lifetime anti-flood protection

2 year warranty

Dimensions

- 815-875 mm x 598 mm x 573 mm

**Serie | 4, semi-integrated dishwasher, 60 cm,
Stainless steel
SMI46GS01A**

