

Series 4, semi-integrated dishwasher, 60 cm, Brushed steel SMI4HTS01A











SGZ0BI02	decorative strips stainless steel 81,5cm
SGZ0CL01	door lock mechancial, straight
SGZ1010	inlet and outlet hose extention
SMZ2014	Rack insert for stemware dishwasher
SMZ2044	Plinth casing and door, stainless steel
SMZ5000	Dishwashing aid set
SMZ5002	Silver polishing cassette
SMZ5003	Retractable hinge f. high corpus dimens
SMZ5150AU	Kick panel stainless steel
SMZ5300	GlassSecure Tray

Dishwasher with Wifi connectivity and flexible loading.

- SpeedPerfect: Reduced washing time, perfectly cleaned dishes.
- Rackmatic: 3 Level adjustable top basket.
- EcoSilence Drive: Especially energy-saving and silent in operation with a particularly high life span.
- Extra Dry: Selectable option for additional drying.
- **Dosage Assist**: Allows the tablet to dissolve steadily, ensuring spotless dishes without leftovers.

	Maximum number of place settings: Water consumption in litres per cycle of th	e eco programme: 13.5 l
Built-in / Free-standing:		Built-in
	Height of removable worktop:	0 mm
	Required niche size for installation (HxWxI	D):815-875 x 600 x 550
	mm	
	Depth with open door 90 degree:	1150 mm
	Adjustable feet:	
	Maximum adjustability feet:	60 mm
	Adjustable plinth: E	
	Net weight:	
	Gross weight:	
	Connection rating:	_
	Fuse protection:	
	Voltage:	
	Frequency:	
	Length electrical supply cord:	
	Plug type:	
	Length inlet hose:	, -
	Length outlet hose:	
	EAN code:	
	Installation type:	





Series 4, semi-integrated dishwasher, 60 cm, Brushed steel SMI4HTS01A

Dishwasher with Wifi connectivity and flexible loading.

Capacity

- 14 place settings

Consumption rates

- 4 stars energy rating, 4 Star Water rating (WELS). D02578.
- Water consumption of 13.5 litres per wash using Eco AU in accordance with AS/NZS 6400 and Energy consumption of 230 kwh per year using the Eco AU program seven times per week.
 Consumption is based on cold water connection and is tested in accordance with AS/NZS 2007.2
- 13.5 l water consumption per wash based on Cold water connection, using Eco Wash program. In accordance with AS/NZS 6400

Design

 Polinox inner tub: The Polinox inner tub is extremely durable, odourless and rust-free. German engineered with robust materials that withstand dints, scratches and discolouration, based on 10 year simulation tests.

Wash Programs and Options

- 6programmes:
- Eco Wash : Energy efficient wash & dry. Mixed loads & soil levels 45 $^{\circ}\text{C}\text{,}$
- Auto Wash: automatic wash & dry for Mixed loads & soil levels 45-65 °C,
- Pots and Pans : For heavily soiled dishes 70 °C,
- Quick 1hr: Quick wash & dry. Mixed loads & soil levels. 65 °C,
- Glass Wash: for sensitive glassware, crystal, & fine china 40 $^{\circ}\text{C},$
- Favourite: set or download your favourite combination of program and options
- 4 special options: Remote Start: allows remote control and monitoring via HomeConnect, Extra Dry: Provides an even better drying result by extending the drying time, HygienePlus: Extended increased temperature program for hygienic cleaning, SpeedPerfect : Reduce wash time even after cycle has started
- Machine Care: maintains your dishwasher's optimum performance and hygiene option

Performance

- DosageAssist™: Maximises the effectiveness of detergent tablets.
 The tablet is dropped into a specially engineered tray and is completely dissolved. For superior cleaning performance and a quieter wash.
- EcoSilence Drive® quiet and energy-efficient brushless motor (BLDC)
- BLDC Main Pump: Variable water & spray pressure to achieve optimum cleaning results
- BLDC Drain Pump: Fast and extra quiet draining of water, no gargling sounds
- AquaSensor™ technology: Regulates the water usage depending on the type and degree of soiling
- AutoBrilliance™: Automatic detergent and rinse aid sensor
- 5 Spray levels for maximum water contact and optimum wash results

- hydryoDry heat exchanger assists with condensation to help dry dishes
- 3 stage self-cleaning filter system: design that helps reduce the need to wash the filter and prevents blockages

Flexibility

- VarioFlex™ basket system
- RackmaticPlus™: 3-stage top basket can be adjusted to three height levels to maximise convenience
- Low friction wheels on bottom basket
- Rack Stopper to prevent derailing of bottom basket
- 2 foldable plate racks in top basket, Height of dishes in top basket min/max 22,0 cm / 27,0 cm
- 4 foldable plate racks in bottom basket, Height of dishes in bottom basket - min/max 25.0 cm / 30.0 cm
- Moveable cutlery basket in lower basket

Convenience

- Very quiet operation: 46 dB
- HomeConnect via WiFi Connectivity
- Time remaining display
- Time delay start: Delay program start time by 1-24 hours to suit your schedule
- Large item spray head: For washing extra large items such as baking trays, Vapour barrier protection plate

Safety

- AquaStop™ Plus: Water supply device with lifetime anti-flood protection

Product Dimensions (H x W x D)

- Height 815-875 mm x Width 598 mm x Depth 573 mm



Series 4, semi-integrated dishwasher, 60 cm, Brushed steel SMI4HTS01A



