

**Serie | 6, semi-integrated dishwasher,  
60 cm, Stainless steel  
SMI66JS01A**



Door panel not included. Match to kitchen cabinetry.



**ActiveWater Dishwasher: 14 place setting capacity, brilliant cleaning and drying results with very low energy and water consumption.**

- **Rackmatic:** top basket adjustable on three levels offers additional space, especially for tall dishes.
- **EcoSilence Drive:** especially energy-saving and silent in operation with a particularly high life span
- **MachineCare:** Maintains the wash quality and reliability of your dishwasher throughout its lifetime.

**Technical Data**

Water consumption : 11.0 l  
 Built-in / Free-standing : Built-in  
 Height of removable worktop : 0 mm  
 Dimensions of the product (HxWxD) : 815 x 598 x 573 mm  
 Required niche size for installation (HxWxD) : 815-875 x 600 x 550 mm  
 Depth with open door 90 degree : 1150 mm  
 Adjustable feet : Yes - all from front  
 Maximum adjustability feet : 60 mm  
 Adjustable plinth : Both horizontal and vertical  
 Net weight : 35.7 kg  
 Gross weight : 38.0 kg  
 Connection Rating : 2400 W  
 Fuse protection : 10 A  
 Voltage : 220-240 V  
 Frequency : 50; 60 Hz  
 Length electrical supply cord : 175 cm  
 Plug type : AU plug  
 Length inlet hose : 165 cm  
 Length outlet hose : 190 cm  
 EAN code : 4242005131839  
 Number of place settings : 14  
 Energy consumption : 0.60 kWh  
 Reference programme : Eco  
 Total cycle time of reference programme : 180 min  
 Noise level : 44 dB(A) re 1 pW  
 Installation typology : Semi-integrated



## Serie | 6, semi-integrated dishwasher, 60 cm, Stainless steel SMI66JS01A

**ActiveWater Dishwasher: 14 place setting capacity, brilliant cleaning and drying results with very low energy and water consumption.**

### Capacity

- 14 international place settings

### Consumption rates

- 4 Star energy rating, 5 Star WELS water rating
- 11 litres water consumption per wash and 220kWh energy consumption per year, based on Eco 45°C program

### Design

- Semi-integrated Dishwasher - 60 cm wide
- Stainless steel
- Effortless door closing: The door self-closes when below a 20° angle.
- Front facing control display

### Wash Programs and Options

- 6 programs:
  - , - Auto Intensive: Pots & Pans. Baked-on food & grease, 65-75 °C.
  - , - Auto Wash: Automatic wash & dry. Mixed loads & soil levels, 45-65°C.
  - , - Super Wash: Powerful wash with improved drying, 60 °C.
  - , - Eco Wash: Energy efficient wash & dry. Mixed loads & soil levels, 45°C.
  - , - Quick Wash, 60 minutes: Quick wash & dry in 60 minutes. Mixed loads & soil levels, 65 °C.
  - , - Quick Wash, 29 minutes (with use of rinse aid): Express wash only. Lightly soiled dishes, 45 °C.
- 4 special options:
  - Machine Care: Helps remove grime and limescale buildup for optimum performance.
  - , - SpeedPerfect: Up to 50% faster wash time.
  - , - HalfLoad: For half loads, reduces energy, water & time.
  - , - ExtraDry: Provides an even better drying result.

### Performance

- ActiveWater™: Automatic load adjustment recognises the load condition in three steps and ensures that only the amount of electricity and water required for that load is used
- DosageAssist™: Maximises the effectiveness of detergent tablets. The tablet is dropped into a specially engineered

tray and is completely dissolved. For superior cleaning performance and a quieter wash.

- EcoSilence Drive® quiet and energy-efficient brushless motor (BLDC)
  - BLDC Main Pump: Variable water & spray pressure to achieve optimum cleaning results
  - BLDC Drain Pump: Fast and extra quiet draining of water, no gurgling sounds
- AquaSensor™ technology: Regulates the water usage depending on the type and degree of soiling
- LoadSensor technology: Provides for optimal water usage even for half loads or partial loads, saving water and electricity
- AutoBrilliance™: Automatic detergent and rinse aid sensor
- Heat Exchanger: Hygienic fully enclosed drying system – does not draw contaminated air (dust & allergens) from the dishwasher exterior. Reduces temperature shock, water & energy use.
- 3 stage self-cleaning filter system
- Alternating spray-arm washing
- 5 Spray levels

### Flexibility

- VarioFlex Plus basket system with red coloured touchpoints provides total flexibility for all loading requirements
- 4 foldable plate racks in top basket
- 4 foldable plate racks in bottom basket
- RackmaticPlus™: 3-stage top basket can be adjusted to three height levels to maximise convenience

### Included Accessories

- Moveable cutlery basket in lower basket
- 3 x Small Parts holders: Perfect for baby bottles and small accessories
- Large item spray head: For washing extra large items such as baking trays and rangehood filters
- Vapour barrier protection plate

### Convenience

- Whisper Quiet: Operates at a low noise level of 44dB(A)
- Time remaining display
- Time delay start: Delay program start time by 1-24 hours to suit your schedule
- Electronic rinse aid indicator

### Safety

- AquaStop™ Plus: Water supply device with lifetime anti-flood protection


### 2 year warranty

- 10 year rust-through warranty for the inner tub

### Dimensions

- 815-875 mm x 598 mm x 573 mm

**Serie | 6, semi-integrated dishwasher, 60 cm,  
Stainless steel  
SMI66JS01A**



( ) Werte mit Verlängerungssatz

