

Series 2, free-standing dishwasher, 60 cm, Brushed steel anti-fingerprint SMS24AI01A



- **SpeedPerfect:** Reduced washing time, perfectly cleaned dishes.
- **EcoSilence Drive:** Especially energy-saving and silent in operation with a particularly high life span.
- **Dosage Assist:** Allows the tablet to dissolve steadily, ensuring spotless dishes without leftovers.
- **Aqua Sensor:** Ensures your dishes come out spotless and reduces your water consumption.

Maximum number of place settings: 13
 Water consumption in litres per cycle of the eco programme: ... 13.5 l
 Built-in / Free-standing: Free-standing
 Height of removable worktop: 30 mm
 Depth with open door 90 degree: 1155 mm
 Adjustable feet: Yes - all
 Maximum adjustability feet: 20 mm
 Adjustable plinth: Adjustable plinth
 Net weight: 45.1 kg
 Gross weight: 46.3 kg
 Connection rating: 2400 W
 Fuse protection: 10 A
 Voltage: 220-240 V
 Frequency: 50; 60 Hz
 Length electrical supply cord: 175 cm
 Plug type: AU plug
 Length inlet hose: 165 cm
 Length outlet hose: 190 cm
 EAN code: 4242005285921
 Installation type: Free-standing with built under possibility



SGZ0CL01	door lock mechanical, straight
SGZ1010	inlet and outlet hose extension
SMZ2014	Rack insert for stemware dishwasher
SMZ5000	Dishwashing aid set
SMZ5002	Silver polishing cassette
SMZ5300	GlassSecure Tray

Series 2, free-standing dishwasher, 60 cm, Brushed steel anti-fingerprint SMS24AI01A

protection

Product Dimensions (H x W x D)

- H: 845 x W: 600 mm x D: 600 mm

Capacity

- Capacity: 13 place settings place settings

Consumption rates

- 3 energy rating, 3.5 Star. AU WELS Registration Number: D02777.
- Water consumption of 13.5 litres per wash using Eco in accordance with AS/NZS 6400 and Energy consumption of 305 kWh per year using the Eco program seven times per week. Consumption is based on cold water connection and is tested in accordance with AS/NZS 2007.2

Design

- Anti-fingerprint stainless steel finish
- Polinox inner tub: The Polinox inner tub is extremely durable, odourless and rust-free. German engineered with robust materials that withstand dints, scratches and discolouration, based on 10 year simulation tests.

Wash Programs and Options

- 4 programmes: Pots & Pans: Heavily soiled dishes 70 °C, Auto Wash: automatic wash & dry for Mixed loads & soil levels 45-65 °C, Eco Wash: Energy efficient wash & dry. Mixed loads & soil levels 45 °C, Express Wash 45 °C
- 1 special option: SpeedPerfect: Up to 50% faster wash time.

Performance

- EcoSilence Drive® quiet and energy-efficient brushless motor (BLDC)
- BLDC Main Pump: Variable water & spray pressure to achieve optimum cleaning results
- BLDC Drain Pump: Fast and extra quiet draining of water, no gargling sounds
- DosageAssist™: Maximises the effectiveness of detergent tablets. The tablet is dropped into a specially engineered tray and is completely dissolved. For superior cleaning performance and a quieter wash.
- AutoBrilliance™: Automatic detergent and rinse aid sensor
- AquaSensor™ technology: Regulates the water usage depending on the type and degree of soiling
- 3 stage self-cleaning filter system: design that helps reduce the need to wash the filter and prevents blockages
- 5 Spray levels for maximum water contact and optimum wash results

Flexibility

- 2 foldable cup shelves in top basket
- Low friction wheels on bottom basket
- Rack Stopper to prevent derailing of bottom basket
- Cutlery basket in bottom basket
- Glass holder in top basket

Convenience

- Very quiet operation: 50 dB
- Time remaining display
- Time delay start: Delay program start time by 1-24 hours to suit your schedule

Safety

- AquaStop™ Plus: Water supply device with lifetime anti-flood

Series 2, free-standing dishwasher, 60 cm, Brushed steel anti-fingerprint SMS24AI01A

measurements in mm



⏏ socket
() values with extension kit