

Serie | 6, free-standing dishwasher, 60 cm, Stainless Steel SMS66MI03A











ActiveWater Dishwasher: 15 place setting capacity, brilliant cleaning and drying results with very low energy and water consumption.

- **Rackmatic:** top basket adjustable on three levels offers additional space, especially for tall dishes.
- EcoSilence Drive: especially energy-saving and silent in operation with a particularly high life span
- MachineCare: Maintains the wash quality and reliability of your dishwasher throughout its lifetime.
- Anti-fingerprint coating makes fingerprints much more difficult to see and the surface stays clean longer.

Technical Data

Water consumption: 12.0 l

Built-in / Free-standing : Freestanding Height of removable worktop : 30 mm

Dimensions of the product (HxWxD): 845 x 600 x 600 mm

Depth with open door 90 degree: 1155 mm

Adjustable feet : Yes - all

Maximum adjustability feet : 20 mm Adjustable plinth : Adjustable plinth

Net weight: 51.2 kg Gross weight: 53.5 kg Connection Rating: 2400 W Fuse protection: 10 A Voltage: 220-240 V Frequency: 50; 60 Hz

Length electrical supply cord: 175 cm

Plug type: AU plug Length inlet hose: 165 cm Length outlet hose: 190 cm EAN code: 4242002992709 Number of place settings: 15 Energy consumption: 0.64 kWh Reference programme: Eco

Total cycle time of reference programme: 170 min

Noise level : 44 dB(A) re 1 pW Installation typology : Built-under





Serie | 6, free-standing dishwasher, 60 cm, Stainless Steel SMS66MI03A

ActiveWater Dishwasher: 15 place setting capacity, brilliant cleaning and drying results with very low energy and water consumption.

Capacity

- 15 international place settings

Consumption rates

- 4 Star energy rating, 5 Star WELS water rating
- 12 litres water consumption per wash and 235kWh energy consumption per year, based on Eco 45°C program

Design

- Freestanding Dishwasher 60 cm wide
- Stainless steel
- Effortless door closing: The door self-closes when below a 20° angle.
- Front facing control display
- Easy to remove worktop & toe kick panel

Wash Programs and Options

- 6 programs:
- , Auto Intensive: Pots & Pans. Baked-on food & grease, 65-75 $^{\circ}\text{C}.$
- , Auto Wash: Automatic wash & dry. Mixed loads & soil levels, $45\text{-}65^{\circ}\text{C}.$
- , Eco Wash: Energy efficient wash & dry. Mixed loads & soil levels, 45°C.
- , Glass Wash: Sensitive glassware, crystal, & fine china, 40°C., Quick Wash, 60 minutes: Quick wash & dry in 60 minutes.
- Mixed loads & soil levels, 65 °C. , Quick Wash, 29 minutes (with use of rinse aid): Express wash only. Lightly soiled dishes, 45 °C.
- 4 special options:
- Machine Care: Helps remove grime and limescale buildup for optimum performance.
- , SpeedPerfect: Up to 50% faster wash time.
- , HalfLoad: For half loads, reduces energy, water & time.
- , ExtraDry: Provides an even better drying result.

Performance

- ActiveWater™: Automatic load adjustment recognises the load condition in three steps and ensures that only the amount of electricity and water required for that load is used
- DosageAssist™: Maximises the effectiveness of detergent tablets. The tablet is dropped into a specially engineered

- tray and is completely dissolved. For superior cleaning performance and a quieter wash.
- EcoSilence Drive® quiet and energy-efficient brushless motor (BLDC)
- BLDC Main Pump: Variable water & spray pressure to achieve optimum cleaning results
- BLDC Drain Pump: Fast and extra quiet draining of water, no gargling sounds
- AquaSensor™ technology: Regulates the water usage depending on the type and degree of soiling LoadSensor technology: Provides for optimal water usage even for half loads or partial loads, saving water and electricity
- AutoBrilliance™: Automatic detergent and rinse aid sensor
- Heat Exchanger: Hygienic fully enclosed drying system –
 does not draw contaminated air (dust & allergens) from the
 dishwasher exterior. Reduces temperature shock, water &
 energy use.
- 3 stage self-cleaning filter system
- Alternating spray-arm washing
- 5 Spray levels

Flexibility

- VarioDrawer™: Provides an extra loading level for cutlery and
- VarioFlex Plus basket system with red coloured touchpoints provides total flexibility for all loading requirements
- 4 foldable plate racks in top basket
- 4 foldable plate racks in bottom basket
- 2 foldable cup shelves in top basket
- 4 foldable plate racks in bottom basket
- RackmaticPlus™: 3-stage top basket can be adjusted to three height levels to maximise convenience

Included Accessories

- Moveable cutlery basket in lower basket
- GlassSecure Tray: Securely holds 4 long stemmed wine glasses

Large item spray head: For washing extra large items such as baking trays and rangehood filters

Convenience

- Whisper Quiet: Operates at a low noise level of 44dB(A)
- Time remaining display
- Time delay start: Delay program start time by 1-24 hours to suit your schedule
- Electronic rinse aid indicator
- Last program used memory function

Safety

 AquaStop™ Plus: Water supply device with lifetime anti-flood protection

2 year warranty

- 10 year rust-through warranty for the inner tub




Dimensions

- **-** 845 x 600 x 600 mm
- Appliance height with top removed: 815 $\ensuremath{\mathsf{mm}}$



Serie | 6, free-standing dishwasher, 60 cm, Stainless Steel SMS66MI03A



() Werte mit Verlängerungssatz