

Series 2, built-under dishwasher, 60 cm, Brushed steel anti-fingerprint SMU2ITS01A



HomeConnect dishwasher giving users better control, management and information than ever before

- **SpeedPerfect:** Reduced washing time, perfectly cleaned dishes.
- **DosageAssist:** Perfectly times when the detergent is released.
- **EcoSilence Drive:** Especially energy-saving and silent in operation with a particularly high life span.
- **AquaSensor™:** Helps you save water.

Maximum number of place settings: 13
 Water consumption in litres per cycle of the eco programme: ... 12.7 l
 Built-in / Free-standing: Built-in
 Height of removable worktop: 0 mm
 Dimensions of the product (HxWxD): 815 x 598 x 573 mm
 Required niche size for installation (HxWxD): 815-875 x 600 x 550 mm
 Depth with open door 90 degree: 1150 mm
 Adjustable feet: Yes - all from front
 Maximum adjustability feet: 60 mm
 Adjustable plinth: Both horizontal and vertical
 Net weight: 33.3 kg
 Gross weight: 35.2 kg
 Connection rating: 2400 W
 Fuse protection: 10 A
 Voltage: 220-240 V
 Frequency: 50; 60 Hz
 Length electrical supply cord: 175.0 cm
 Plug type: AU plug
 Length inlet hose: 165 cm
 Length outlet hose: 190 cm
 EAN code: 4242005249978
 Installation typology: Built-under

SGZ0BI02 decorative strips stainless steel 81,5cm
 SGZ1010 inlet and outlet hose extension
 SMZ5000 Dishwashing aid set
 SMZ5002 Silver polishing cassette
 SMZ5150AU Kick panel stainless steel



Series 2, built-under dishwasher, 60 cm, Brushed steel anti-fingerprint SMU2ITS01A

HomeConnect dishwasher giving users better control, management and information than ever before

- Under bench

Capacity

- Capacity: 13 place settings place settings

Consumption rates

- 3.5 Star energy rating, 4 Star Water rating (WELS). AU WELS Registration Number: D02601.
- Water consumption of 12.7 litres per wash using Eco AU in accordance with AS/NZS 6400 and Energy consumption of 255 kWh per year using the Eco AU program seven times per week. Consumption is based on cold water connection and is tested in accordance with AS/NZS 2007.2

Design

- Anti-fingerprint stainless steel finish
- Polinox inner tub: The Polinox inner tub is extremely durable, odourless and rust-free. German engineered with robust materials that withstand dints, scratches and discolouration, based on 10 year simulation tests.

Wash Programs and Options

- 5 programmes:
- Eco Wash : Energy efficient wash & dry. Mixed loads & soil levels 45 °C,
- Auto Wash: automatic wash & dry for Mixed loads & soil levels 45-65 °C,
- Pots and Pans : For heavily soiled dishes 70 °C,
- Quick 1hr : Quick wash & dry. Mixed loads & soil levels. 65 °C,
- Favourite: Set or download your favourite combination
- 4 special options: Remote Start: allows remote control and monitoring via HomeConnect, Extra Dry: Provides an even better drying result by extending the drying time, HygienePlus : Extended increased temperature program for hygienic cleaning, SpeedPerfect : Reduce wash time even after cycle has started
- Machine Care: maintains your dishwasher's optimum performance and hygiene option

Performance

- EcoSilence Drive® quiet and energy-efficient brushless motor (BLDC)
- BLDC Main Pump: Variable water & spray pressure to achieve optimum cleaning results BLDC Drain Pump: Fast and extra quiet draining of water, no gargling sounds
- DosageAssist™: Maximises the effectiveness of detergent tablets. The tablet is dropped into a specially engineered tray and is completely dissolved. For superior cleaning performance and a quieter wash.
- AutoBrilliance™: Automatic detergent and rinse aid sensor
- 3 stage self-cleaning filter system: design that helps reduce the need to wash the filter and prevents blockages

Flexibility

- 2 foldable cup shelves in top basket
- 5 Spray levels for maximum water contact and optimum wash

results

- Low friction wheels on bottom basket
- Rack Stopper to prevent derailing of bottom basket
- Cutlery basket in bottom basket
- Glass holder in top basket

Convenience

- Very quiet operation - 48 dB
- HomeConnect via WiFi Connectivity
- Time remaining display
- Time delay start: Delay program start time by 1-24 hours to suit your schedule

Safety


- AquaStop™ Plus: Water supply device with lifetime anti-flood protection
- Child door lock

Product Dimensions (H x W x D)


- Height 815-875 mm x Width 598 mm x Depth 573 mm

**Series 2, built-under dishwasher, 60
cm, Brushed steel anti-fingerprint
SMU2ITS01A**

measurements in mm



socket
() values with extension kit



measurements in m