

**Serie | 6, built-under dishwasher, 60 cm, Stainless steel
SMU66MS02A**



ActiveWater Dishwasher: 15 place setting capacity, brilliant cleaning and drying results with very low energy and water consumption.

- **Rackmatic:** top basket adjustable on three levels offers additional space, especially for tall dishes.
- **EcoSilence Drive:** especially energy-saving and silent in operation with a particularly high life span
- **MachineCare:** Maintains the wash quality and reliability of your dishwasher throughout its lifetime.
- Anti-fingerprint coating makes fingerprints much more difficult to see and the surface stays clean longer.

Technical Data

Water consumption : 12.0 l
 Built-in / Free-standing : Built-in
 Height of removable worktop : 0 mm
 Dimensions of the product (HxWxD) : 815 x 598 x 573 mm
 Required niche size for installation (HxWxD) : 815-875 x 600 x 550 mm
 Depth with open door 90 degree : 1150 mm
 Adjustable feet : Yes - all from front
 Maximum adjustability feet : 60 mm
 Adjustable plinth : Both horizontal and vertical
 Net weight : 40.2 kg
 Gross weight : 42.5 kg
 Connection Rating : 2400 W
 Fuse protection : 10 A
 Voltage : 220-240 V
 Frequency : 50; 60 Hz
 Length electrical supply cord : 175 cm
 Plug type : AU plug
 Length inlet hose : 165 cm
 Length outlet hose : 190 cm
 EAN code : 4242002991948
 Number of place settings : 15
 Energy consumption : 0.64 kWh
 Reference programme : Eco
 Total cycle time of reference programme : 170 min
 Noise level : 44 dB(A) re 1 pW
 Installation typology : Built-under



Serie | 6, built-under dishwasher, 60 cm, Stainless steel SMU66MS02A

ActiveWater Dishwasher: 15 place setting capacity, brilliant cleaning and drying results with very low energy and water consumption.

Capacity

- 15 international place settings

Consumption rates

- 4 Star energy rating, 5 Star WELS water rating
- 12 litres water consumption per wash and 235kWh energy consumption per year, based on Eco 45°C program

Design

- Under bench Dishwasher - 60 cm wide
- Stainless steel
- Effortless door closing: The door self-closes when below a 20° angle.
- Front facing control display

Wash Programs and Options

- 6 programs:
 - , - Auto Intensive: Pots & Pans. Baked-on food & grease, 65-75 °C.
 - , - Auto Wash: Automatic wash & dry. Mixed loads & soil levels, 45-65°C.
 - , - Eco Wash: Energy efficient wash & dry. Mixed loads & soil levels, 45°C.
 - , - Glass Wash: Sensitive glassware, crystal, & fine china, 40°C.
 - , - Quick Wash, 60 minutes: Quick wash & dry in 60 minutes. Mixed loads & soil levels, 65 °C.
 - , - Quick Wash, 29 minutes (with use of rinse aid): Express wash only. Lightly soiled dishes, 45 °C.
- 4 special options:
 - Machine Care: Helps remove grime and limescale buildup for optimum performance.
 - , - SpeedPerfect: Up to 50% faster wash time.
 - , - HalfLoad: For half loads, reduces energy, water & time.
 - , - ExtraDry: Provides an even better drying result.

Performance

- ActiveWater™: Automatic load adjustment recognises the load condition in three steps and ensures that only the amount of electricity and water required for that load is used
- DosageAssist™: Maximises the effectiveness of detergent tablets. The tablet is dropped into a specially engineered

tray and is completely dissolved. For superior cleaning performance and a quieter wash.

- EcoSilence Drive® quiet and energy-efficient brushless motor (BLDC)
 - BLDC Main Pump: Variable water & spray pressure to achieve optimum cleaning results
 - BLDC Drain Pump: Fast and extra quiet draining of water, no gurgling sounds
- AquaSensor™ technology: Regulates the water usage depending on the type and degree of soiling
- LoadSensor technology: Provides for optimal water usage even for half loads or partial loads, saving water and electricity
- AutoBrilliance™: Automatic detergent and rinse aid sensor
- Heat Exchanger: Hygienic fully enclosed drying system – does not draw contaminated air (dust & allergens) from the dishwasher exterior. Reduces temperature shock, water & energy use.
- 3 stage self-cleaning filter system
- Alternating spray-arm washing
- 5 Spray levels

Flexibility

- VarioDrawer™: Provides an extra loading level for cutlery and utensils
- VarioFlex Plus basket system with red coloured touchpoints provides total flexibility for all loading requirements
- 4 foldable plate racks in top basket
- 4 foldable plate racks in bottom basket
- 2 foldable cup shelves in top basket
- 4 foldable plate racks in bottom basket
- RackmaticPlus™: 3-stage top basket can be adjusted to three height levels to maximise convenience

Included Accessories

- Moveable cutlery basket in lower basket
- GlassSecure Tray: Securely holds 4 long stemmed wine glasses
- Large item spray head: For washing extra large items such as baking trays and rangehood filters
- Vapour barrier protection plate
- Stainless steel toe kick panel included

Convenience

- Whisper Quiet: Operates at a low noise level of 44dB(A)
- Time remaining display
- Time delay start: Delay program start time by 1-24 hours to suit your schedule
- Electronic rinse aid indicator
- Last program used memory function

Safety

- AquaStop™ Plus: Water supply device with lifetime anti-flood protection


2 year warranty

- 10 year rust-through warranty for the inner tub


Dimensions

- 815-875 mm x 598 mm x 573 mm

**Serie | 6, built-under dishwasher, 60 cm,
Stainless steel
SMU66MS02A**



() Werte mit Verlängerungssatz



measurements in m