

**Serie | 6, free-standing dishwasher, 45 cm, Stainless Steel
SPS60M08AU**



The ActiveWater 45 with 3 star energy & 3.5 star water: Perfect results with low energy and water consumption.

- **Glass 40°C:** gentle cleaning for your delicate glassware.
- **AquaStop:** protects against water damage, with a 100% lifetime warranty.
- **EcoSilence Drive:** especially energy-saving and silent in operation with a particularly high life span
- 10 year rust-through warranty for the inner tub
- **AntiFingerprint:** visibility of fingerprints is considerably reduced.

Technical Data

Water consumption : 10.9 l
 Built-in / Free-standing : Freestanding
 Height of removable worktop : 30 mm
 Dimensions of the product (HxWxD) : 845 x 450 x 600 mm
 Depth with open door 90 degree : 1155 mm
 Adjustable feet : Yes - all
 Maximum adjustability feet : 20 mm
 Adjustable plinth : Adjustable plinth
 Net weight : 37.218 kg
 Gross weight : 38.5 kg
 Connection Rating : 2400 W
 Fuse protection : 10 A
 Voltage : 220-240 V
 Frequency : 50; 60 Hz
 Length electrical supply cord : 175 cm
 Plug type : AU plug
 Length inlet hose : 165 cm
 Length outlet hose : 205 cm
 EAN code : 4242002811987
 Number of place settings : 10
 Energy consumption : 0.54 kWh
 Power consumption in left-on mode - NEW (2010/30/EC) : 0.10 W
 Power consumption in off-mode - NEW (2010/30/EC) : 0.10 W
 Reference programme : Eco
 Total cycle time of reference programme : 130 min
 Noise level : 50 dB(A) re 1 pW
 Installation typology : Built-under



Serie | 6, free-standing dishwasher, 45 cm, Stainless Steel SPS60M08AU

The ActiveWater 45 with 3 star energy & 3.5 star water: Perfect results with low energy and water consumption.

Capacity

- 10 international place settings

Consumption rates

- 3 Star energy rating, 3.5 Star WELS water rating
- 10.9 litres water consumption per wash and 197kWh energy consumption per year, based on Eco 45°C program

Design

- Freestanding dishwasher - 45 cm wide
- Stainless steel interior tub
- Effortless door closing: The door self-closes when below a 20° angle.
- Front facing control display

Wash Programs and Options

- 6 programs:
 - , - Pots & Pans: Heavily soiled pots, pans & dishes, 70°C.
 - , - Auto: Automatic wash & dry. Mixed loads & soil levels, 45-65°C.
 - , - Eco: Energy efficient wash & dry. Mixed loads & soil levels, 45°C.
 - , - Glass: Sensitive glassware, crystal, & fine china, 40°C.
 - , - Quick: Express wash only. Lightly soiled dishes, 45°C.
 - , - Pre-rinse: Rinse cycle only.
- 2 special options:
 - VarioSpeed™: Up to 50% faster wash time.
 - IntensiveZone™: Powerful cleaning in the bottom basket.

Performance

- ActiveWater™: Automatic load adjustment recognises the load condition in three steps and ensures that only the amount of electricity and water required for that load is used
- DosageAssist™: Maximises the effectiveness of detergent tablets. The tablet is dropped into a specially engineered tray and is completely dissolved. For superior cleaning performance and a quieter wash.
- EcoSilence Drive® quiet and energy-efficient brushless motor (BLDC)
 - BLDC Main Pump: Variable water & spray pressure to achieve optimum cleaning results
 - BLDC Drain Pump: Fast and extra quiet draining of water, no gargling sounds
- AquaSensor™ technology: Regulates the water usage depending on the type and degree of soiling, LoadSensor

technology: Provides for optimal water usage even for half loads or partial loads, saving water and electricity

- AutoBrilliance™: Automatic detergent and rinse aid sensor
- 3 stage self-cleaning filter system: design that helps reduce the need to wash the filter and prevents blockages
- DuoPower double spray arm
- Alternating spray-arm washing
- 5 Spray levels for maximum water contact and optimum wash results

Flexibility

- 2 folding plate racks in bottom basket
- 2 foldable plate racks in top basket
- Height-adjustable upper basket
- Cutlery/knife rack in upper basket

Included Accessories

- Small movable cutlery basket

Convenience

- Quiet: Operates at a noise level of 50dB(A)
- Time remaining display
- Time delay start: Delay program start time by 1-24 hours to suit your schedule
- Electronic rinse aid indicator

Safety

- AquaStop™ Plus: Water supply device with lifetime anti-flood protection
- Child door lock

2 year warranty


- 10 year rust-through warranty for the inner tub

Dimensions

- H: 845 mm x W: 450 mm x D: 600 mm
- Appliance height with top removed: 815 mm

Serie | 6, free-standing dishwasher, 45 cm, Stainless Steel SPS60M08AU

measurements in mm



socket
() values with extension kit