

Serie | 6, built-under dishwasher, 45 cm, Stainless steel SPU68M05AU





ActiveWater 45 slimline - 4 Star WELS and 3.5 Star Energy.

- Glass 40°C: gentle cleaning for your delicate glassware.
- VarioFlex-baskets and VarioDrawer: enhanced re-adjusting options with more space on all levels.
- **Rackmatic:** top basket adjustable on three levels offers additional space, especially for tall dishes.
- **AquaStop:** protects against water damage, with a 100% lifetime warranty.
- EcoSilence Drive: especially energy-saving and silent in operation with a particularly high life span

Technical Data

Water consumption : 10.9 | Built-in / Free-standing : Built-in Height of removable worktop : 0 mm Dimensions of the product (HxWxD) : 815 x 448 x 573 mm Required niche size for installation (HxWxD) : 815-875 x 450 x 550 mm Depth with open door 90 degree : 1150 mm Adjustable feet : Yes - all from front Maximum adjustability feet : 60 mm Adjustable plinth : Both horizontal and vertical Net weight : 33.792 kg Gross weight : 35.5 kg Connection Rating : 2400 W Fuse protection : 10 A Voltage : 220-240 V Frequency : 50; 60 Hz Length electrical supply cord : 175 cm Plug type : AU plug Length inlet hose : 165 cm Length outlet hose : 205 cm EAN code : 4242002818252 Number of place settings : 11 Energy consumption : 0.56 kWh Power consumption in left-on mode - NEW (2010/30/EC) : 0.10 W Power consumption in off-mode - NEW (2010/30/EC) : 0.10 W Reference programme : Eco Total cycle time of reference programme : 130 min Noise level : 46 dB(A) re 1 pW Installation typology : Built-under





Serie | 6, built-under dishwasher, 45 cm, Stainless steel SPU68M05AU

ActiveWater 45 slimline - 4 Star WELS and 3.5 Star Energy.

Capacity

- 11 international place settings

Consumption rates

- 3.5 Star energy rating, 4 Star WELS water rating
- 10.9 litres water consumption per wash and 205kWh energy consumption per year, based on Eco 45°C program

Design

- Under bench dishwasher 45 cm wide
- Stainless steel interior tub
- Effortless door closing: The door self-closes when below a 20° angle.
- Front facing control display

Wash Programs and Options

- 6 programs:
- , Pots & Pans: Heavily soiled pots, pans & dishes, 70°C.
- , Auto: Automatic wash & dry. Mixed loads & soil levels, 45-65°C.
- , Eco: Energy efficient wash & dry. Mixed loads & soil levels, $45^{\circ}\mathrm{C}.$
- , Glass: Sensitive glassware, crystal, & fine china, 40°C.
- , Quick: Express wash only. Lightly soiled dishes, 45°C.
- , Pre-rinse: Rinse cycle only.
- 2 special options:
- VarioSpeed™: Up to 50% faster wash time.
- IntensiveZone[™]: Powerful cleaning in the bottom basket.

Performance

- ActiveWater[™]: Automatic load adjustment recognises the load condition in three steps and ensures that only the amount of electricity and water required for that load is used
- DosageAssist™: Maximises the effectiveness of detergent tablets. The tablet is dropped into a specially engineered tray and is completely dissolved. For superior cleaning performance and a quieter wash.
- EcoSilence Drive® quiet and energy-efficient brushless motor (BLDC)

BLDC Main Pump: Variable water & spray pressure to achieve optimum cleaning results

BLDC Drain Pump: Fast and extra quiet draining of water, no gargling sounds

- AquaSensor™ technology: Regulates the water usage depending on the type and degree of soiling, LoadSensor

technology: Provides for optimal water usage even for half loads or partial loads, saving water and electricity

- AutoBrilliance™: Automatic detergent and rinse aid sensor
- 3 stage self-cleaning filter system: design that helps reduce the need to wash the filter and prevents blockages
- DuoPower double spray arm
- Alternating spray-arm washing
- 5 Spray levels for maximum water contact and optimum wash results

Flexibility

- VarioDrawer™: Provides an extra loading level for cutlery and utensils
- 2 foldable plate racks in top basket
- 2 folding plate racks in bottom basket
- 1 folding cup shelf in top basket
- RackmaticPlus™: 3-stage top basket can be adjusted to three height levels to maximise convenience

Convenience

- Very Quiet: Operates at a low noise level of 46dB(A)
- Time remaining display
- Time delay start: Delay program start time by 1-24 hours to suit your schedule
- Electronic rinse aid indicator

Safety

- AquaStop[™] Plus: Water supply device with lifetime anti-flood protection
- Child door lock

2 year warranty


- 10 year rust-through warranty for the inner tub


Dimensions

- Height 815-875 mm x Width 448 x Depth 573 mm



Serie | 6, built-under dishwasher, 45 cm, Stainless steel SPU68M05AU





measurements in mm