

Series 6, Built-in oven, 90 x 48 cm, Stainless steel VBC578FS0



- **Hotair:** perfect results on two levels thanks to optimal distribution of heat.
- **White LCD display control:** easy-to-use thanks to direct access to additional functions, temperature recommendation and temperature indication.
- **Pop-out controls:** Make the front of the oven easy to clean and give it a sleek look.
- **Pyrolytic self-cleaning:** less cleaning effort thanks to automatic self-cleaning.
- **Level independent telescopic rail (clip-on rail):** can be placed in any cooking level.

Color / Material Front: Stainless steel
 Built-in / Free-standing: Built-in
 Door opening: Drop down
 Cleaning : Pyrolytic+Hydrolytic
 Control Panel Material: brushed stainless steel
 Door Material: Glass
 Dimensions (HxWxD): 475x896x577 mm
 Dimensions of the packed product (HxWxD): 588 x 968 x 680 mm
 Required niche size for installation (HxWxD): 468-470 x 860-864 x 560 mm
 Cavity dimensions: 282 x 724 x 417 mm
 Usable volume of cavity: 85 l
 Net weight: 61.6 kg
 Gross weight: 70.0 kg
 EAN code: 4242005034710
 Connection rating: 3300 W
 Fuse protection: 14 A
 Voltage: 220-240 V
 Frequency: 50; 60 Hz
 Length electrical supply cord: 115.0 cm



4 242005 034710

Series 6, Built-in oven, 90 x 48 cm, Stainless steel VBC578FS0

- Cavity volume: 85 l
- Temperature range 50 °C - 280 °C

Racks and Rails

- 1 set of level independent telescopic rails (Clip-on rail)
- Number of shelf levels: 4

Design

- Rotary control knobs, Retractable control knobs, Touch control
- Extra large capacity oven with grey enamel

Cleaning

- Pyrolytic self-cleaning function

Convenience

- LCD-display control (white), Electronic Control
- Electronic clock/timer with end time programming
- Fast pre-heating function
- Full glass inner door
- Halogen lighting
- Integrated cooling fan
- Bar handle

Accessories

- 1 x enamel baking tray, 1 x rotary spit, 1 x insert grid, 2 x combination grid, 1 x universal pan
- Maximum door temperature 40° C
- Electronic door lock, Child lock, Automatic safety switch off function, Residual heat indicator, Door contact switch
- Length of mains cable: 115 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.3 KW

Dimensions

- Appliance dimensions (HxWxD): 475 mm x 896 mm x 577 mm
- Installation dimensions (HxWxD): 468 mm - 470 mm x 860 mm - 864 mm x 560 mm
- Please reference the built-in dimensions provided in the installation drawing
- Cleaning Assistance - cleaning option for light soiling

Heating Functions

- 90 cm built-in oven with 10 heating methods:
- Defrost, Full width grill, Rotisserie, Hot Air Standard, Top/bottom heating, Pizza setting, Bottom heating, Hot air grilling, Circulating air-Eco, 2D Hotair

Safety Features

- Quadruple glazed CoolTouch door

**Series 6, Built-in oven, 90 x 48 cm,
Stainless steel
VBC578FS0**

