

800 Series, Electric Slide-in Range, Stainless Steel HEI8054C



The Newly Designed Full-depth Electric Slide-in Range Fits into Any Freestanding Range Cutout, and Offers a Flush Built-in Look.

- **Easy and ergonomic access:** SideOpening oven doors make it more comfortable and ergonomic to access inside your oven
- **Self-Clean Mode:** cleans the oven with a 2,3, or 4 hour self-clean cycle
- **Cook with a 6" or a 9" Element.**
- **Generous Capacity:** fit large dishes with 4.6 cubic feet of space.
- **Slide-In Range:** can replace a freestanding range cutout and slides back against the wall for a sleek built-in look.

UPC code: 825225907121
 Watts: 14800 W
 Fuse protection: 40 A
 Volts: 240/208 V
 Frequency: 60 Hz
 Required Cutout Size (HxWxD) (in): 30" width slide-in
 Overall Appliance Dimensions (HxWxD) (in): ..35 1/2" x 31 1/4" x 26 3/4"
 Variable cooker height (in): 1"
 AHAM usable cavity size: 2 Cu Ft
 Product Packaging Dimensions (HxWxD): 43 3/4" x 34" x 31 1/2"
 Net Weight: 228.000 lbs
 Gross Weight: 248.000 lbs



HEZBS301 Low Back Guard SIR Electric/ Induction
 HEZTR301 Telescopic Oven Rack 30"

800 Series, Electric Slide-in Range, Stainless Steel HEI8054C

**The Newly Designed Full-depth Electric
Slide-in Range Fits into Any Freestanding
Range Cutout, and Offers a Flush Built-in
Look.**

Design

- Touch Control for Easier Operation of the Oven
- Heavy-duty Metal Knobs for a Premium Look and Feel

Performance

- 11 Specialized Cooking Modes - Gourmet Cooking Made Easy
- Genuine European Convection for Even Baking Results on Multiple Racks.
- Temperature Conversion for Convection Cooking
- Fast Preheat Reduces Preheat Time


Convenience

- Warming Zone
- One Oven Light to Better Monitor Cooking Progress
- Extra Large Door Window for Easy Monitoring of Cooking Process
- Star-K certified. 100°-450° F


Capacity

- Large Capacity at 4.6 Cu Ft.
- Recessed 8 Pass Broil Element for Increased Capacity and Safety

800 Series, Electric Slide-in Range, Stainless Steel HEI8054C




measurements in mm



* Overall height is adjustable via levelling legs.

measurements in inches (mm)



measurements in inches (mm)