

# Series 4, Gas hob, 60 cm, Stainless steel PGP6B5B60Q



#### Included accessories

1 x cross support for espresso

# The gas hob with front-mounted controls: the desired cooking zones can be conveniently operated from the front.

- Continuous cast-iron finish pan supports: for maximum stability.
- Surface colour: elegant stainless-steel design.
- Low profile stainless steel cooking surface is easily accessible and quick to clean.
- Seamless, One-Piece Stainless Steel Design Makes Clean-up Simple
- Continuous Grates Make Moving Heavy Pots Easier

#### **Technical Data**

Product name/family : gas hob w integrated controls

Construction type: Built-in

Energy input: Gas

Total number of positions that can be used at the same time: 4

Type of control setting devices : cylindrical knobs

Required niche size for installation (HxWxD): 45 x 560-562 x

480-492 mm

Width of the appliance : 582 mm Dimensions :  $53 \times 582 \times 520 \text{ mm}$ 

Dimensions of the packed product (HxWxD): 141 x 651 x 578

mm

Net weight: 8.1 kg Gross weight: 9.0 kg

Residual heat indicator: without Location of control panel: Hob front Basic surface material: Stainless steel Color of surface: Stainless steel Approval certificates: CE, Eurasian Length electrical supply cord: 100 cm

Knob Material : Plastic Sealed Burners : No

Power of heating element (kW): 1.75 kW Power of 3rd heating element (kW): 1.75 kW Power of 5th heating element (kW): 3 kW

Connection Rating : 1 W
Gas connection rating : 7500 W

Fuse protection: 3 A Voltage: 220-240 V Frequency: 60; 50 Hz

Main colour of product : Stainless steel

Energy input : Gas

Gas type: Nat gas H/E/(L) 20 (25) mbar

Alternative gas type: Liquid gas G30,31 28-30/37mbar

Approval certificates : CE, Eurasian Plug type : Gardy plug w/ earthing

Appliance Dimensions (h x w x d) (in) : + x x

Dimensions of the packed product : 5.55 x 22.75 x 25.62

Net weight: 18.000 lbs Gross weight: 20.000 lbs

Total number of positions that can be used at the same time :  $\mathbf{4}$ 

Length electrical supply cord: 100 cm

Required niche size for installation (HxWxD): 45 x 560-562 x

480-492 mm

 $\mathsf{Dimensions} : 53 \times 582 \times 520 \ \mathsf{mm}$ 

Dimensions of the packed product (HxWxD) : 141 x 651 x 578

mm

Net weight: 8.1 kg Gross weight: 9.0 kg





# Series 4, Gas hob, 60 cm, Stainless steel PGP6B5B60Q

The gas hob with front-mounted controls: the desired cooking zones can be conveniently operated from the front.

#### Design:

- Stainless steel

#### Comfort:

- Cylindrical knobs
- 1 Hand ignition
- Cast iron finish pan support with rubber feet

#### Power and size:

- 4 Gas burners
- 1 rapid, 2 standard, 1 economy burner
- Left rear: Standard burner up to 1.75 KW (depending on gas type)
- Right rear: Rapid burner up to 3 KW (depending on gas type)
- Left front: Standard burner up to 1.75 KW (depending on gas type)
- Right front: Economy burner up to 1 KW (depending on gas type)

## **Environment+safety:**

- Flame failure safety device
- Preset for natural gas (20mbar). Also usable for NG H/E 20mbar, E+ 20/25mbar
   Liquid gas G30,31 28-30/37mbar. For the use of these gas types nozzles need to be changed. Please check if the required nozzles are included (see Accessories).

### Measurements:

- Power cord length 1m with plug

## Accessories

Nozzle set for Liquid gas nozzles (28-30/37mbar) included.
 Nozzles for all other gas types can be ordered via the customer service.



# Series 4, Gas hob, 60 cm, Stainless steel PGP6B5B60Q

