


**Series 6, Gas hob, 60 cm, Tempered glass, White
PPP6A2B200**



The tempered-glass gas hob with FlameSelect: achieve perfect cooking results thanks to nine precisely defined power levels.

- **Standard and semi-flush built-in option:** choose between flush or slightly raised installation.
- **Single cast-iron pan supports:** for high firmness and easy handling.
- **Sword knobs:** for an ergonomic control.
- **FlameSelect®** - Allows for a Precise Adjustment of the Flame Size with Nine Defined Power Levels
- **Low Profile Stainless Steel Cooking Surface** is Easily Accessible and Quick to Clean

Technical Data

Product name/family : gas hob w integrated controls

Built-in / Free-standing : Built-in

Energy input : Gas

Total number of positions that can be used at the same time : 4

Type of control setting devices : sword knobs

Required niche size for installation (HxWxD) : 45 x 560-562 x 480-492 mm

Width of the appliance : 590 mm

Dimensions : 45x590x520 mm

Dimensions of the packed product (HxWxD) : 141x651x578 mm

Net weight : 14.1 kg

Gross weight : 15.0 kg

Residual heat indicator : Without

Location of control panel : Front

Basic surface material : Tempered glass

Color of surface : White

Color of frame : White

Length electrical supply cord : 100 cm

Knob Material : Plastic

Sealed Burners : No

Type of pan support : Elongated cast iron pan support

Power of heating element (kW) : 1750.00 W

Power of 3rd heating element (kW) : 1750.00 W

Power of 5th heating element (kW) : 3000 W

Connection Rating : 1 W

Gas connection rating : 7500 W

Fuse protection : 3 A

Voltage : 220-240 V

Frequency : 60; 50 Hz

Energy input : Gas

Gas type preset : Nat gas H/E/(L) 20 (25) mbar

Certified gas types : Liquid gas G30,31 28-30/37mbar

Plug type : Gardy plug w/ earthing

Appliance Dimensions (h x w x d) (in) : x x

Dimensions of the packed product : 5.55 x 22.75 x 25.62

Net weight : 31.000 lbs

Gross weight : 33.000 lbs



Series 6, Gas hob, 60 cm, Tempered glass, White PPP6A2B200

**The tempered-glass gas hob with
FlameSelect: achieve perfect cooking results
thanks to nine precisely defined power
levels.**

Design:

- Tempered glass hob white
- Flush or slightly raised installation.

Comfort:

- FlameSelect
- Sword control knobs
- 1 Hand ignition
- Cast iron single pan supports

Power and size:

- 4 Gas burners
- 1 rapid, 2 standard, 1 economy burner
- Left rear: Standard burner up to 1.75 KW (depending on gas type)
- Right rear: Rapid burner up to 3 KW (depending on gas type)
- Left front: Standard burner up to 1.75 KW (depending on gas type)
- Right front: Economy burner up to 1 KW (depending on gas type)

Environment+safety:

- Flame failure safety device
- Preset for natural gas (20mbar). Also usable for Nat gas L/LL G25/20mbar(DE)
 - NG H/E 20mbar, E+ 20/25mbar
 - Natural gas H 25 mbar (HU)
 - Natural gas L 25 mbar (NL)
 - Liquid gas G30,31 28-30/37mbar
 - Liquid gas G30 37 mbar (PL)
 - Liquid gas 50 mbar
- . For the use of these gas types nozzles need to be changed. Please check if the required nozzles are included (see Accessories).

Measurements:

- Power cord length 1m

Accessories

- Nozzle set for Liquid gas nozzles (28-30/37mbar) included. Nozzles for all other gas types can be ordered via the customer service.

**Series 6, Gas hob, 60 cm, Tempered glass,
White
PPP6A2B200**

