

**Series 4, Built-in oven, 90 x 60 cm,  
Stainless steel  
VBD554FS0**



**The built-in oven with hotair, 90 cm width:  
achieves delicious baking and roasting  
results for big roasts or dishes of large  
quantities.**

- **Hotair:** perfect results on two levels thanks to optimal distribution of heat.
- **LED-display control, red:** easy-to-use thanks to the time functions.
- **Pop-out controls:** for an easy to clean front.
- **Catalytic coating:** almost no cleaning thanks to a special coating of the rear- and side wall that automatically absorbs grime.
- **1-stage telescopic rails, level independent:** can be placed in any baking level.

Gross weight: ..... 63.3 kg  
Built-in / Free-standing: ..... Built-in  
Integrated Cleaning system: .....Hydrolytic  
Required niche size for installation (HxWxD): ..... 600-604 x 860-864 x 560 mm  
Dimensions: ..... 594x896x570 mm  
Dimensions of the packed product (HxWxD): ..... 693 x 968 x 680 mm  
Control Panel Material: .....brushed stainless steel  
Door Material: ..... Glass  
Net weight: ..... 54.1 kg  
Usable volume of cavity: ..... 112 l  
Heating modes:: ..... Full width grill, Rotisserie, Hot Air Standard, Conventional heat, Conventional heat gentle, Bottom heat, Hot air grilling, Circulating air  
First cavity material: ..... Other  
Length electrical supply cord: ..... 115.0 cm  
Interior Lights - cavity 1: ..... 2  
Pull-out system: . Level-independent clip rails - for safe insertion and removal of accessories on any level  
Included accessories: 1 x enamel baking tray, 1 x combination grid, 1 x universal pan  
Broil Element Wattages cavity 1: .....2900 W  
Convection Element Wattages cavity 1: .....3100 W  
Energy efficiency class: .....B  
Energy consumption per cycle conventional (2010/30/EC): ..... 1.19 kWh/cycle  
Energy consumption per cycle forced air convection (2010/30/EC):27 kWh/cycle  
Energy efficiency index (2010/30/EC): ..... 116.7 %  
Connection rating: ..... 3300 W  
Fuse protection: .....16 A  
Voltage: ..... 220-240 V  
Frequency: ..... 50; 60 Hz  
Plug type: .....No plug (electrical connection by electrician)  
Energy input: .....Electric  
Required cutout/niche size for installation (in): .....x  
Dimensions of the packed product: ..... 27.28 x 38.11 x 26.77  
Net weight: ..... 119.000 lbs  
Gross weight: ..... 140.000 lbs



## **Series 4, Built-in oven, 90 x 60 cm, Stainless steel VBD554FS0**

**The built-in oven with hotair, 90 cm width:  
achieves delicious baking and roasting  
results for big roasts or dishes of large  
quantities.**

---

### **Type of oven / heating system:**

- 90 cm built-in oven with 8 heating methods: Hot air, Conventional heat, Circulated Air, Hot air grilling, Full width grill, Bottom heat, Conventional heat gentle
- Cavity volume: 112 l

### **Hook-in racks / rails**

- 1-fold telescopic rail, level independent

### **Design:**

- Extra large capacity oven with grey enamel

### **Cleaning:**

- catalytic side liners, Catalytic back liner
- Innerdoor main: Full glass inner door

### **Comfort:**

- Electronic clock
- Drop down door
- Elongated halogen light
- Integral cooling fan

### **Accessory:**

- enamel baking tray, combination grid, universal pan

### **Environment and Safety:**

- Child lock
- Automatic switch off Door contact switch

### **Technical Information**

- Length of mains cable: 115 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.3 KW
- Energy efficiency rating (acc. EU Nr. 65/2014): B(at a range of energy efficiency classes from A+++ to D)
- Energy consumption per cycle in conventional mode: 1.19 kWh
- Energy consumption per cycle in fan-forced convection mode: 1.27 kWh
- Number of cavities: 1 Heat source: electrical Cavity volume: 112 l

### **Dimensions:**

- Appliance dimension (hxwx): 594 mm x 896 mm x 570 mm
- Niche dimension (hxwx): 600 mm - 604 mm x 860 mm - 864 mm x 560 mm
- "Please reference the built-in dimensions provided in the installation drawing"

**Series 4, Built-in oven, 90 x 60 cm,  
Stainless steel  
VBD554FS0**

