

Series 8, Built-in compact oven with microwave function, 60 x 45 cm, Stainless steel CMG656BS1











Included accessories

1 x combination grid, 1 x universal pan

Optional accessories

HEZ915003 Glass roasting dish, 5,4 L, HEZG0AS00 Connecting cable 3m, HEZ327000 Pizza stone, HEZ530000 Half tray, HEZ531010 Baking tray, non-stick ceramic coated, HEZ532010 Universal pan, non-stick ceramic coated, HEZ617000 Pizza pan, enamelled, HEZ625071 Grill tray, anthracite, HEZ631070 Baking tray, enamelled, HEZ632070 Multipurpose pan, enamelled, HEZ634080 Baking and roasting grid (microwave), HEZ636000 Glass pan, HEZ660050 Cover Strip, HEZ660060 Strip, HEZ664000 Baking and roasting grid (steam)

- **Microwave function**: for quick warming up or for fast cooking in combination with hotair.
- 4D Hotair: even heat distribution for perfect results.
- TFT touchdisplay: clearly shows text and images, for easy and intuitive oven control.
- EcoClean Direct: easy cleaning thanks to a coating that breaks down grease while you bake.
- Cleaning Assistance: less cleaning effort thanks to the new cleaning option, which can be especially used for cleaning of light soiling.


Technical Data


Type of micro-wave oven:	MW-Combi
Type of control:	Electronic
Dimensions:	455 x 594 x 548 mm
Cavity dimensions:	237.0 x 480 x 392.0 mm
Length electrical supply cord:	150.0 cm
Net weight:	35.3 kg
Gross weight:	37.6 kg
EAN code:	4242002807454
Max. microwave power level:	900 W
Connection rating:	3600 W
Fuse protection:	16 A
Voltage:	220-240 V
Frequency:	60; 50 Hz
Plug type:	Gardy plug w/ earthing
Included accessories:1 x combination	n grid, 1 x universal pan






Series 8, Built-in compact oven with microwave function, 60 x 45 cm, Stainless steel CMG656BS1





measurements in mm

Installation with a hob.



measurements in mm

If the compact appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

min. worktop thickness	
fitted	flush
42 mm	43 mm
52 mm	53 mm
32 mm	43 mm
32 mm	35 mm
	fitted 42 mm 52 mm 32 mm



