

Series 8, Built-in compact oven with microwave function, 60 x 45 cm, Black CMG676BB1











1 x combination grid, 1 x universal pan

HEZ327000 Pizza stone, HEZ530000 Half tray, HEZ531010 Baking tray, non-stick ceramic coated, HEZ532010 Universal pan, non-stick ceramic coated, HEZ617000 Pizza pan, enamelled, HEZ625071 Grill tray, anthracite, HEZ631070 Baking tray, enamelled, HEZ632070 Multipurpose pan, enamelled, HEZ634080 Baking and roasting grid, microwave, HEZ636000 Glass pan, HEZ660050 Cover Strip, HEZ660060 Strip, HEZ664000 Baking and roasting grid, steam, HEZ915003 Glass roasting dish, 5,4 L, HEZG0AS00 Connecting cable 3m

The compact oven with microwave function: enables you to achieve perfect baking and roasting results very quickly.

- Microwave function: for quick warming up or for fast cooking in combination with hotair.
- 4D Hotair: even heat distribution for perfect results.
- TFT touchdisplay: clearly shows text and images, for easy and intuitive oven control.
- Pyrolytic self-cleaning: Automatically cleans the oven, just wipe out the ash
- Cleaning Assistance: less cleaning effort thanks to the new cleaning option, which can be especially used for light cleaning.

Type of micro-wave oven:	MW-Combi
Type of control:	Electronic
Dimensions:	455x594x548 mm
Cavity dimensions:	
Length electrical supply cord:	
Net weight:	
Gross weight:	-
EAN code:	-
Max. microwave power level:	900 W
Connection rating:	3600 W
Fuse protection:	16 A
Voltage:	220-240 V
Frequency:	
Plug type:	
Included accessories:1 x combin	





Series 8, Built-in compact oven with microwave function, 60 x 45 cm, Black CMG676BB1

The compact oven with microwave function: enables you to achieve perfect baking and roasting results very quickly.

Features

- Compact oven with microwave with 12 main functions heating methods: 4D Hotair, Hotair Gentle, conventional top and bottom heat, conventional heat Gentle, Hotair grilling, full width variable grill, half width grill, pizza function, bottom heat, low temperature cooking, plate warming, keep warm
- Additional heating methods with microwave: Microwave, Combi microwave variable
- Max. Power: 900 W; 5 Microwave power settings (90 W,180 W,360 W,600 W,900 W)
- Intelligent microwave inverter technology: For optimised results maximum output power will be regulated to 600 W when used in longer operation for gentler cooking.
- Temperature range 30 °C 275 °C
- Cavity volume: 45 litre capacity

Level independent telescopic rails

- 3 shelf positions

Design

- Bosch control wheel
- Cavity inner surface: enamel anthracite

Cleaning

- Pyrolytic self-cleaning function
- Cleaning Assistance: hydrolyse manual

Programmes/functions

- 3x 2,5"-TFT colour and graphics display with direct touch function
- Electronic clock timer
- Digital temperature display with proposal
- Actual temperature display Heating-up indicator
- Drop down door, SoftClose, SoftOpen
- Straight bar handle
- BoschAssist
- Fast pre-heating function
- LED light, Light on/off when oven door opened/closed
- Integral cooling fan

Accessories

- 1 x universal pan, 1 x combination grid

Eastures

- Maximum window temperature 30° C $\,$
- Quadruple glazed door with heat reflective glass glazed CoolTouch door
- Electronic door lock
- Control panel lock Automatic safety switch off Residual heat indicator Start button Door contact switch

Technical information


- Power cord length 150 cm Cable length
- Nominal voltage: 220 240 V
- Total connected load electric: 3.6 KW


Performance/technical information

- Appliance dimension (hxwxd): 455 mm x 594 mm x 548 mm
- Niche dimension (hxwxd): 450 mm 455 mm x 560 mm 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual
- We recommend you to choose complementary products within SER8, in order to assure an optimal design combination of your Built-In appliances.




Series 8, Built-in compact oven with microwave function, 60 x 45 cm, Black CMG676BB1





measurements in mm

Installation with a hob.



measurements in mm

If the compact appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	42 mm	43 mm
Full surface Induction hob	52 mm	53 mm
Gas hob	32 mm	43 mm
Electric hob	32 mm	35 mm



