

Series 4, 87.4 x 55.8 cm, flat hinge GIV21AFE0



Included accessories

1 x ice cube tray

Optional accessories

KFZ20AX0 Door panel with decor frame
KFZ20SX0 Stainless steel door panel

The freezer with 3 transparent freezer drawers and SuperFreezing: freezes new items placed inside even faster.

- **Big Box drawer:** easily stack food containers and store larger items in your freezer.
- **Low Frost:** defrost less often thanks to reduced frost – saving time, effort and energy.
- **Super Freeze function:** prevents the food in your freezer from defrosting.
- **An audible alarm system signals the door is open**

Technical Data

Energy Efficiency Class¹: E
Average annual energy consumption in kilowatt hour per year (kWh/a): 176 kWh/annum
Sum of volume of frozen compartments: 96 l
Airborne acoustical noise emissions : 36 dB(A) re 1pW
Airborne acoustical noise emission class: C
Thermometer freeze section: Not applicable
Light: No
Product category: Upright freezer
Built-in / Free-standing: Built-in
Door panel options: Not possible
Frost free system: Not applicable
Height of the appliance: 874 mm
Width of the appliance: 558 mm
Depth: 545 mm
Dimensions of the packed product (HxWxD): 950 x 620 x 640 mm
Net weight: 39.8 kg
Gross weight: 42.6 kg
Connection rating: 90 W
Fuse protection: 10 A
Frequency: 50 Hz
Length electrical supply cord: 230.0 cm
Door hinge: Right reversible
Defrost: manual
Warning signal / malfunction: Both visual and audible
Door lock: No
Number of drawers/baskets (Stck): 3
Number of freezing flaps (Stck): 0
EAN code: 4242005126996
Brand: Bosch
Product name / Commercial code: GIV21AFE0
Product category: Upright freezer
Included accessories: 1 x ice cube tray



¹ Scale of Energy Efficiency Classes from A to G

Series 4, 87.4 x 55.8 cm, flat hinge GIV21AFE0

The freezer with 3 transparent freezer drawers and SuperFreezing: freezes new items placed inside even faster.

Design features

- LowFrost - less ice creation and therefore quicker defrosting - less ice build up, faster defrosting
- Fixed hinge
- LED electronic control
- SuperFreeze function with automatic deactivation
- Freezer malfunction warning signal: optical, acoustical

Freezer Section

- 3 transparent freezer drawers, including 1 BigBox

Technical Information

- Right hinged door, door reversible
- Connection value 90 W
- 220 - 240 V

Dimension and installation

- Niche Dimensions: 88 cm H x 56 cm W x 55 cm D
- Dimensions: 87.4 cm H x 55.8 cm W x 54.5 cm D

Accessories

- ice cube tray

Included accessories

- KFZ20AX0, KFZ20SX0

Country Specific Options



- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.

Additional features

Performance and Consumption

- EU19_EEK_D: E
- Total Volume : 96 l
- Freezing capacity 24h : 5 kg
- Annual Energy Consumption: 176 kWh/a
- Climate Class: SN-T
- Noise Level : 36 dB , EU19_Noise emission class_D: C
- Temperature rise time : EU19_Temperature rise time_D: 13 H

Series 4, 87.4 x 55.8 cm, flat hinge GIV21AFE0



Maximal permissible weight of the unit fronts

Fitted unit fronts that exceed the permissible weight may cause damage and result in functional impairment of the hinges


Δ Weight
A: Appliance door height including hinges in mm

B: Undamped hinge, unit front in kg

C: Damped hinge, unit front in kg


D: Additional possible load in kg with heavy load kit

A	B	C	D
1500-1750	22	22	
720-1400	19	19	B+5 / C+5
A1	15	19	
A2	15	19	



measurements in mm

Measurements in mm




A: ≥ 560 mm (recommended)


B: Socket

measurements in mm

Recommended gap dimensions for flat hinges



measurements in mm



F	R	X
16-19	0-3	2.5
20	0-1	3
	2-3	2.5
21	0-1	3
	2-3	2.5
22	0	4
	1	3.5
	2-3	3

The gap dimensions recommended in the table must be adhered to in order to ensure that appliance doors do not collide with anything when they are opened, and to avoid causing damage to kitchen units.