

**Series 4, Free-standing freezer, 176 x 60 cm, Stainless steel look
GSN33VLEPG**



2 x cold accumulator, 1 x ice cube tray

KSZ36AL00 Connection set inox
KSZ39AL00 Connection set inox

The NoFrost freezer with electronic temperature control: set the target temperature precisely and easily.

- **No Frost:** never defrost again, thanks to perfect protection from ice formation - that saves time and effort.
- **VarioZone:** more flexibility due to variable-use glass shelves and drawers in the freezer compartment.
- **Big Box drawer:** easily stack food containers and store larger items in your freezer.
- **Multi Airflow System:** even air distribution for longer freshness.

Energy Efficiency Class: E
Average annual energy consumption in kilowatt hour per year (kWh/a): 229 kWh/annum
Sum of volume of frozen compartments: 225 l
Airborne acoustical noise emissions : 39 dB(A) re 1pW
Airborne acoustical noise emission class: C
Thermometer freeze section: Digital
Light: No
Product category: Upright freezer
Built-in / Free-standing: Freestanding
Door panel options: Not possible
Frost free system: Fridge and freezer
Height of the appliance: 1760 mm
Width of the appliance: 600 mm
Depth: 650 mm
Dimensions of the packed product (HxWxD): ... 1830 x 660 x 770 mm
Net weight: 63.2 kg
Gross weight: 70.0 kg
Fuse protection: 10 A
Frequency: 50 Hz
Length electrical supply cord: 230.0 cm
Door hinge: Right reversible
Defrost: Automatic
Warning signal / malfunction: Both visual and audible
Door lock: No
Number of drawers/baskets (Stck): 4
Number of freezing flaps (Stck): 0
EAN code: 4242005320462
Brand: Bosch
Product name / Commercial code: GSN33VLEPG
Product category: Upright freezer
Included accessories: 2 x cold accumulator, 1 x ice cube tray



Series 4, Free-standing freezer, 176 x 60 cm, Stainless steel look GSN33VLEPG

The NoFrost freezer with electronic temperature control: set the target temperature precisely and easily.

- Cambered door, High-door design Stainless steel look

Design features

- NO_FROST_NEU_BL, never have to defrost ever again
- LED electronic control
- Freezer malfunction warning signal: optical and acoustical warning system

Food freshness system

- Freshsense - Constant temperature control by intelligent sensor technology
- SuperFreeze function with automatic deactivation
- Easy Access open shelving zone - store and access food easily with our conveniently open freezer shelves
- MultiAirflow system - improves circulation of air around the fridge
- 1 ice cube tray
- Vario Zone - removable safety glass shelves for extra space!
- 4 transparent freezer drawers, including 1 BigBox

Dimension and installation

- Dimensions: 176 cm H x 60 cm W x 65 cm D

Key features - Fridge section

- Right hinged door, door reversible
- Height adjustable front feet
- 220 - 240 V
- cold accumulator, ice cube tray
- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

Performance and Consumption

- EU19_EEK_D: E
- Total Volume : 225 l
- Net Fridge Volume : 0 l
- Net Freezer Volume : 225 l
- Freezing capacity 24h : 19 kg
- Annual Energy Consumption: 229 kWh/a
- Climate Class: SN-T
- EU19_Fast freezer facility_D
- Noise Level : 39 dB , EU19_Noise emission class_D: C
- Temperature rise time : EU19_Temperature rise time_D: 9 H

Series 4, Free-standing freezer, 176 x 60 cm, Stainless steel look GSN33VLEPG

	a	b	c	d	e	f
KSW36, GSD36	187					
KSV36, KSF36, GSN36, GSV36	186					
KSV33, GSN33, GSV33	176	60	65	58	60	119.5
KSV29, GSN29, GSV29	161					
GSV24	146					
GSN51	161					
GSN54	176	70	78	70	70	142
GSN58	191					

a Height

b Width

c Depth with closed door w/o handle and w/o distance part

d Depth of cabinet w/o distance part

e Width with open door w/o handle

f Depth with open door w/o handle w/o distance part

measurements in cm