

Series 6, Free-standing freezer, 186 x 60 cm, White GSN36BWFV

A ↑ G



2 x cold accumulator

KSZ39AW00 Connection set white

The NoFrost Freezer with FreshSense is very efficient - and protects your frozen food through a constant freezing temperature.

- VarioZone: more flexibility due to variable-use glass shelves and drawers in the freezer compartment.
- **No Frost**: never defrost again, thanks to perfect protection from ice formation that saves time and effort.
- **Big Box drawer**: easily stack food containers and store larger items in your freezer.
- IceTwister: easy to remove and fill for lots of ice cubes.

Energy Efficiency Class:	г
Average annual energy consumption in kilowatt	
(kWh/a):	
Sum of volume of frozen compartments:	,
Airborne acoustical noise emissions :	
Airborne acoustical noise emissions :	
Thermometer freeze section:	0
Light:	
Product category:	1 0
Built-in / Free-standing:	-
Door panel options:	
Frost free system:	U
Height of the appliance:	
Width of the appliance:	
Depth:	
Dimensions of the packed product (HxWxD):	
Net weight:	0
Gross weight:	0
Fuse protection:	
Frequency:	
Length electrical supply cord:	
Door hinge:	Right reversible
Color / Material body:	
Defrost:	Automatic
Warning signal / malfunction:B	
Door lock:	No
Number of drawers/baskets (Stck):	5
Number of freezing flaps (Stck):	2
EAN code:	
Brand:	Bosch
Product name / Commercial code:	GSN36BWFV
Product category:	Upright freezer
Included accessories:	2 x cold accumulator





Series 6, Free-standing freezer, 186 x 60 cm, White GSN36BWFV

The NoFrost Freezer with FreshSense is very efficient - and protects your frozen food through a constant freezing temperature.

Functions

- White doors and white side panels
- Aluminium Vertical door handle
- Bright interior LED freezer light
- Interior design with metal applications

Design features

- NO_FROST_NEU_BL, never have to defrost ever again
- Exterior digital touchControl display at a glance perfectly under control!
- Freezer malfunction warning signal: optical and acoustical warning system
- Freshsense Constant temperature control by intelligent sensor technology
- SuperFreezing function with automatic deactivation

Food freshness system

- MultiAirflow system improves circulation of air around the fridge
- Vario Zone removable safety glass shelves for extra space!
- 5 transparent freezer drawers, 2 BigBox
- Twist Ice Box removable

Dimension and installation

- Dimensions: 186 cm H x 60 cm W x 65 cm D

Key features - Fridge section

- Right hinged door, door reversible
- Height adjustable front feet
- Door opening: No side clearance needed at all. Full access to all drawers, door opening angle 90°.
- 220 240 V

Key features - Freezer section

- cold accumulator

Country Specific Options

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

Included accessories

Design features

Dimension and installation

Additional features

Performance and Consumption

- EU19_EEK_D: F

- Total Volume : 242 l
- Net Fridge Volume : 0 l
- Net Freezer Volume : 242 l
- Freezing capacity 24h : 19 kg
- Annual Energy Consumption: 294 kWh/a
- Climate Class: SN-T
- EU19_Fast freezer facility_D
- Noise Level : 40 dB , EU19_Noise emission class_D: C
- Temperature rise time : EU19_Temperature rise time_D: 9 H



measurements in cm

Series 6, Free-standing freezer, 186 x 60 cm, White **GSN36BWFV**



	а	b	С	d	е	f
KSW36, GSD36	187					
KSV36, KSF36, GSN36, GSV36	186					
KSV33, GSN33, GSV33	176	60	65	58	60	119.5
KSV29, GSN29, GSV29	161					
GSV24	146					
GSN51	161					
GSN54	176	70	78	70	70	142
GSN58	191					

a Height b Width c Depth with closed door w/o handle and w/o distance part d Depth of cabinet w/o distance part e Width with open door w/o handle f Depth with open door w/o handle w/o distance part

